


This drawing is copyright. No part of this work may be copied, reproduced, altered or amended, stored in a retrieval system, or transmitted in any form or by any means without the prior permission in writing of the copyright owner.



GENERAL NOTES

1. TUBE MADE FROM PREMIUM GALVABOND® TUBE FROM ORRCON OR EQUIVALENT.
2. STEEL TUBE TO COMPLY WITH AS1450 DESIGNATION C250 MINIMUM.
3. STEEL TUBE TO HAVE A ZINC COATING MASS OF 137 G/M² INSIDE AND OUTSIDE OF TUBE.
4. ALL WELDS TO BE SILICON BRONZE.
5. POWDER COATING TO COMPLY WITH AS4506 CLASSIFICATION 2 (SUBJECT TO SITE CONDITIONS).
6. SCREWS TO INSIDE OF FENCE UNLESS BRACKET RESTRICTED.
7. CONCRETE FOOTINGS 20MPa MINIMUM.
8. FOOTING SIZE RECOMMENDED (SUBJECT TO SITE SOIL CONDITIONS).

BILL OF MATERIALS

ITEM	DESCR.	QTY.	SPEC.
1	POST	2	65 x 65 x 1.6mm SHS x 2660mm LG
2	RAIL	2	40 x 40 x 1.6mm SHS x 2400mm LG
3	PICKET	17	25 x 25 x 1.2mm x 2100mm LG CRUSHED SPEAR
4	POST CAP	2	65 x 65 STEEL CAP
5	RAIL BRACKET	4	ONE PIECE SECURITY BRACKET
6	SCREW	12	ANTI-TAMPER SELF DRILLING TEK SCREW 12gx25mm LG

D C B A	GENERAL REVISED	JH	13-09-16	 ph. (02) 6755 6444 f. (02) 6762 2311 bluedogfences.com.au	DRAWN	J.H.	13.09.16	JOB No. 8625	© Bluedog Fences Australia Pty Ltd.			
	GENERAL REVISED	JH	22-11-13		REVIEWED	S.B.	13.09.16	APPROVAL STATUS	SECURATOP® SECURITY FENCE SYSTEM 2100 HT. x 2400 LTH. TYPICAL ASSEMBLY			
	"PENTAFORCE" SCREWS REPLACE RIVETS	AC	03-10-09		APPROVED	S.B.	13.09.16		cad	A3	28-25x25-CRS -02	D
	ONE-PIECE RAIL BRACKET ADDED.	AC	12-09-09		SCALE: 1:20, 1:5 @ A3			DO NOT AMEND MANUALLY			CODE	SHEET
AMDT	DESCRIPTION	BY	DATE									