




HIGHLINETM

USER GUIDE
2 BIKE | 3 BIKE


Included




Arm Assembly Kit




(4) Sticker Dots




(4) Protective Film



Upper Straps



Lower Straps




Side Straps

Before Installation:


- 1 Before installation, refer to www.kuatracks.com/highline/fitguide to ensure the Highline will fit your vehicle.

Depending on your vehicle fit, you may require the glasspack anchor kit. Visit your local dealer or www.kuatracks.com to purchase this and other available accessories.

Accessories




GLASSPACK




UBAR

Assemble Highline Legs

- 2 Insert leg into joint, being sure to align bolt holes.




- 3 Insert bolt through arm joint, arm, and into square nut.
- 4 Tighten arm assembly together using the provided hex wrench.



Repeat this step for the opposite arm.


Installing Support Straps

5 Upper, Lower & Side straps can be identified by their profile:




Strap Install

6 Feed **Upper, Lower & Side Support Straps** through their corresponding buckles. Repeat this step for the opposite side.





Adjusting Highline Legs:

7 Simultaneously press the **two lever tabs** inward to adjust legs.



Test Fit & Clear Protective Film Setup:


- 8** Adjust the Highline to fit your vehicle.



The arc of the Highline will vary depending on the make and model of your vehicle. Above are just a few possible orientations.



- !** **Bottom of Highline should rest in bumper-well whenever possible. Always use the area with greatest level of support.**

- 9** Attach Right and Left **A Upper Straps** to edge of trunk lid hatch lid, or rear door. Snug to aid install, but do not tighten. Attach Right and Left **B Side** and **C Lower Straps**. Fine tune the angle and placement of the Highline rack.




- !** **Ensure there is zero contact between Highline and spoiler.**

- 10** Starting with the **Lower Straps**, begin securing Highline to vehicle, tightening the **Upper Straps** last.



Clear Protective Film Install:


- 11** Note the points of contact.
- 12** Measure 2.5" from center of each contact point and mark the locations with the included **sticker dots**.



13 Remove the Highline from the trunk.

Thoroughly clean the contact areas, using alcohol if possible.

Peel and carefully place the included **protective film** next to the previously marked locations.



TIPS

Apply your protective film slowly and evenly.

Spray the application surface with soapy water for more flexibility in decal placement.

Water will evaporate in 1 hour.


Use a credit card or squeegee to reduce bubbles and aid in a smooth install.

Remember to remove sticker dots.



Depending on your vehicle it may be necessary to cut bottom film into two pieces, bridging the gap between the trunk and bumper.

If you wish to remove your protective film, do so in warm weather or with a blow dryer.



14 Reinstall the Highline and tighten straps.

Confirm contact points are now protected by the clear protective film.




After installation, ensure the rack is secure with no movement.

Adjust Highline Rack Arms:

15 Raise and lower arms with the button tab present at each pivot point.

16 Raise the support arms to the correct level. Arms should maintain an elevated arc in relation to the ground.



Ensure arms are secure and locked before use.

Loading Bikes:


- 17** With support arms at the correct level, seat the top tube in the arm cradles closest to the trunk.

Rotate anti-sway cradles out of the way for easier installation.



Load heaviest bike first.

Load first bike with the chain oriented away from the vehicle.

Depending on your bike, a Küat UBAR may be required to safely carry your bike.



- 18** Rotate and align the anti-sway cradle with seat tube. **1**
Secure with ratchet strap. **2**



Alternate bicycle directions to reduce* interference.

*Some interference may still occur.



Küat Rack Warnings

HIGHLINE™

Max Weight (2 Bike)

70lb
35lb per bike

Max Weight (3 Bike)

90lb
30lb per bike

WARNINGS

- Check the online fit guide to confirm the Highline is approved for your vehicle.
- Follow instructions for proper assembly, installation, and use.
- Using the protective film provided will reduce risk of vehicle paint scratching.
- Do not exceed the bicycle or weight limits intended for this rack.
- Check strap tension before each use. Recheck tension during long trips.
- Keep bicycle tires and straps away from exhaust.
- Do not use rack Off-Road*. (*Rough, washed out, boulder-and-rut-strewn backroads)
-Smooth gravel roads are not considered off-road.
- Confirm bicycle pedals do not contact vehicle.
- Do not use tarps, rain covers, or wind covers with this product.
- Never open rear trunk/hatch with Highline installed. This could damage your vehicle.
- Excessive tightening to softer vehicle body materials may lead to damage.
- Do not install this product on campers, recreational vehicles or trailers.
- Do not take through automatic car wash.
- Drive responsibly.

If you have questions or problems, please contact Küat Racks directly by calling toll free 1(877)822-KUAT, or by email: info@kuatracks.com

ADVERTENCIAS

- Consulte la guía de ajuste en línea para confirmar que Highline está aprobada para su vehículo.
- Siga las instrucciones para ensamblaje, instalación y uso correctos.
- Usar la cinta protectora provista reducirá el riesgo de arañar la pintura del vehículo.
- No exceda los límites de bicicleta o peso previstos para este rack.
- Verifique la tensión de la correa antes de cada uso. Vuelva a verificar la tensión durante viajes largos.
- Mantenga los neumáticos y correas de bicicleta alejados del escape.
- No use el bastidor Off-Road *. (* Rough, lavado, backroads cubierto de piedras y surcos)
- Las carreteras de grava suave no se consideran fuera de carretera.
- Confirme que los pedales de bicicleta no entren en contacto con el vehículo.
- No use lonas, fundas para la lluvia o protectores contra el viento con este producto.
- Nunca abra el maletero / escotilla trasero con Highline instalado. Esto podría dañar su vehículo.
- El ajuste excesivo a materiales más blandos del cuerpo del vehículo puede provocar daños.
- No instale este producto en caravanas, vehículos recreativos o remolques.
- No realice el lavado automático de automóviles.
- Conduzca de manera responsable.

AVERTISSEMENTS

- Vérifiez le guide d'ajustement en ligne pour confirmer que le Highline est approuvé pour votre véhicule.
- Suivez les instructions pour un assemblage, une installation et une utilisation appropriés.
- L'utilisation de la bande de protection fournie réduira le risque de griffure de la peinture du véhicule.
- Ne dépassez pas les limites de bicyclette ou de poids prévues pour ce rack.
- Vérifiez la tension de la sangle avant chaque utilisation. Révérifiez la tension pendant les longs trajets.
- Gardez les pneus et les sangles de vélo à l'écart des gaz d'échappement.
- N'utilisez pas le rack Off-Road *. (* Rough, délavé, rocailleux parsemé de rochers et d'ornières)
-Les routes de gravier lisse ne sont pas considérées hors route.
- Vérifiez que les pédales de vélo ne sont pas en contact avec le véhicule.
- N'utilisez pas de bâches, de housses imperméables ou de housses contre le vent avec ce produit.
- N'ouvrez jamais le coffre / la trappe arrière lorsque Highline est installé. Cela pourrait endommager votre véhicule.
- Un serrage excessif des matériaux de la carrosserie du véhicule peut entraîner des dommages.
- N'installez pas ce produit sur des camping-cars, des véhicules récréatifs ou des remorques.
- Ne passez pas dans un lave-auto automatique.
- Conduisez de manière responsable.

Küat Racks Limited Lifetime Warranty

Küat honors the warranty on all Küat brand products for original owners of the product. Warranty is not transferable.

If a Küat rack that is covered by the terms of this warranty and is determined by Küat, to be defective, Küat will repair or replace the defective parts. Küat may choose in some cases to offer the owner a refund of up to the original purchase price of the product in lieu of repairing or replacing the product.

The Küat warranty does not cover any conditions that are beyond Küat's control. This includes, but is not limited to, the following: excessive loading, improper assembly, improper installation, theft, or any use that is not consistent with the user guide that is included with the product.

The Küat Warranty does not cover normal wear and tear, scratches, cosmetic oxidation, accidents, or damage due to unauthorized repairs or modifications.

If you are the original owner of a defective Küat product, please contact Küat at 1(877)822-5828. A Küat representative will work to quickly resolve the problem. If repairs are necessary, the owner will be responsible for the cost of returning the product to Küat for repair. No product should be returned to Küat without prior authorization from Küat staff.

LIMIT OF LIABILITY

THIS WARRANTY ONLY COVERS REPAIR, REPLACEMENT OR REFUND FOR THE COVERED KÜAT PRODUCT. ANY DAMAGE TO VEHICLE OR PROPERTY IS NOT COVERED BY THIS WARRANTY. PERSONAL INJURY IS NOT COVERED BY THIS WARRANTY.

LIMITATION OR EXCLUSION OF INCIDENTAL DAMAGE IS NOT ALLOWED IN ALL STATES SO THE ABOVE LIMITATIONS MAY NOT APPLY.

Küat respeta la garantía de todos los portabicicletas Küat mientras el comprador original sea el propietario de dicho producto. Si el comprador original vende o de alguna otra manera cede el producto a otra persona, la garantía será revocada.

Si un portabicicletas Küat que esté cubierto por los términos de esta garantía está defectuoso, Küat reparará o reemplazará las partes defectuosas a su propio criterio. Küat puede optar en algunos casos por ofrecer el reembolso del precio de compra del producto en lugar de repararlo o de reemplazar las piezas defectuosas.

La garantía Küat no cubre ninguna condición que esté más allá del control de Küat. Esto incluye, más no limita, carga excesiva, ensamblaje impropio, montaje impropio, robo o cualquier uso que no sea consistente con las instrucciones que están incluidas con el producto o que están disponibles para el usuario.

La garantía Küat no cubre el uso y desgaste natural, raspaduras, oxidación cosmética, accidentes, operación ilegal del vehículo o modificaciones o reparaciones no autorizadas.

Si usted es el propietario original de un producto Küat defectuoso, por favor contacte a Küat al 1(877) 822-5828. Un representante de Küat le atenderá para resolver su problema. Si son necesarias reparaciones, el propietario será responsable por el costo del envío del producto a Küat para su reparación. Ningún producto deberá ser enviado a Küat sin previa autorización de un agente de Küat.

LIMITE DE RESPONSABILIDAD

ESTA GARANTIA SOLO CUBRE REPARACIONES, REEMPLAZOS O REEMBOLSOS PARA EL PRODUCTO DE KÜAT CUBIERTO. CUALQUIER DAÑO AL VEHICULO O PROPIEDAD O LESION NO ESTA CUBIERTA POR ESTA GARANTIA.

LIMITANTES O EXCLUSIONES DE DAÑO ACCIDENTAL NO ESTAN PERMITIDAS EN TODOS LOS ESTADOS, POR LO TANTO ESTAS LIMITANTES PODRIAN NO APLICAR.

Küat honore la garantie de toute sa gamme du support de la marque Küat tant qu'il demeure la propriété du propriétaire original. La garantie prend fin lorsque le propriétaire original se départit du produit en le vendant ou en le transférant à une autre personne.

Si un article Küat fait défaut alors qu'il est sous garantie, Küat réparera ou remplacera, à sa discrétion, la ou les pièces défectueuses. Küat pourrait choisir dans certains cas d'offrir un remboursement du prix à l'achat au lieu de réparer ou de remplacer la pièce défectueuse.

La garantie Küat ne couvre pas les conditions hors du contrôle de Küat. Celles-ci incluent mais ne sont pas limitées à un chargement excessif, un assemblage erroné, un mauvais montage, le vol ou tout usage qui n'est pas conforme aux instructions (incluses avec le produit) accessibles à l'utilisateur.

La garantie Küat ne couvre pas l'usure normale, les égratignures, l'oxydation, les accidents, l'usage illégal d'un véhicule ou les réparations ou modifications non-autorisées.

Si vous êtes le propriétaire original d'un produit Küat défectueux, prière de contacter Küat au 1-877-822-5828. Un représentant Küat travaillera à la résolution du problème. Si des réparations sont nécessaires, l'acheteur doit assumer les frais d'envoi pour faire parvenir le produit Küat à l'entreprise. Ne retourner pas un produit Küat tant que vous n'obtenez pas l'autorisation d'un représentant de Küat.

LIMITE DE RESPONSABILITÉS

LA GARANTIE COUVRE SEULEMENT LA RÉPARATION, LE REMPLACEMENT OU LE REMBOURSEMENT D'UN PRODUIT KÜAT SOUS GARANTIE. LA GARANTIE NE COUVRE PAS LES DOMMAGES AU VÉHICULE, LES DOMMAGES À LA PROPRIÉTÉ NI LES BLESSURES.

LES RESTRICTIONS OU LES EXCLUSIONS CONCERNANT LES DOMMAGES ACCIDENTELLES NE SONT PAS ADMISES DANS TOUS LES ÉTATS OU CES RESTRICTIONS PEUVENT NE PAS S'APPLIQUER.

..kuat..

1.877.822.5828
info@kuatracks.com
kuatracks.com