




IBEX™


MID MOLLE PANEL

ASSEMBLY




ASSEMBLY VIDEO


Parts



Mid Molle Panel




(7) M8 x 16 Bolts



(7) T-Nuts



(7) M8 Washers



6mm Hex Key

SAFETY INSTRUCTIONS

IBEX™

MID MOLLE PANEL

WARNING

- Follow instructions for proper assembly, installation and use.
- Check tightness of all bolts and screws periodically.
- Do not load more than 90 lbs onto each Molle Panel.
- Modifying the panel by drilling or cutting may weaken the panel.
- This product is not designed for and should not be used on terrain which requires aftermarket upgrades to your 4WD suspension, or use that includes rock-crawling, jumping, bogging, or high speed off road driving. An experienced overland driver is required to take into consideration the speed of the vehicle and the total weight of the vehicle load and its distribution when encountering rutted and/or rocky terrain when using this product, and must reduce the load, speed, or both as necessary.
 - Smooth gravel roads are not considered off-road.

NOTICE

- Only use this panel with the IBEX™ in the mid-height configuration.
- Drive responsibly.

If you have questions or problems, please contact Küat directly by calling toll free 1(877)822-KUAT, or by email: info@kuat.com

ADVERTENCIA

- Siga las instrucciones para un montaje, instalación y uso adecuados.
- Verifique periódicamente el apriete de todos los pernos y tornillos.
- No cargue más de 40.8 kg en cada panel Molle.
- Utilice este panel sólo con el IBEX™ en la configuración de media altura.
- Modificar el panel taladrando o cortando puede debilitar el panel.
- Este producto no está diseñado y no debe usarse en terrenos que requieran mejoras de posventa en su suspensión 4WD, o uso que incluya arrastrarse por rocas, saltar, hacer bogging o conducir a alta velocidad fuera de la carretera. Se requiere que un conductor terrestre experimentado tenga en cuenta la velocidad del vehículo y el peso total de la carga del vehículo y su distribución cuando se encuentre con terreno con baches y/o rocoso al usar este producto y debe reducir la carga, la velocidad o ambas según sea necesario.
 - Los caminos lisos de grava no se consideran todoterreno.

AVISO

- Utilice este panel sólo con el IBEX™ en la configuración de media altura.
- Conduzca con responsabilidad.

AVERTISSEMENT


- Suivez les instructions pour un assemblage, une installation et une utilisation appropriés.
- Vérifiez périodiquement le serrage de tous les boulons et vis.
- Ne chargez pas plus de 40.8 kg sur chaque panneau Molle.
- La modification du panneau par perçage ou découpage peut fragiliser le panneau.
- Ce produit n'est pas conçu et ne doit pas être utilisé sur des terrains qui nécessitent des mises à niveau de rechange de votre suspension 4WD, ou une utilisation qui inclut l'escalade de roches, les sauts, les embourbages ou la conduite hors route à grande vitesse. Un conducteur terrestre expérimenté doit prendre en considération la vitesse du véhicule et le poids total de la charge du véhicule ainsi que sa répartition lorsqu'il rencontre un terrain accidenté et/ou rocheux lors de l'utilisation. ce produit et doit réduire la charge, la vitesse ou les deux si nécessaire.
 - Les routes de gravier lisse ne sont pas considérées comme hors route.

AVIS

- N'utilisez ce panneau qu'avec IBEX™ en configuration mi-hauteur.
- Conduisez de façon responsable.


Mid Molle Panel Installation

- 1 Place (4) T-Nuts in the upper IBEX™ T-Nut channel and place (3) T-Nuts into the lower T-Nut channel.




- 2 Attach Mid Molle Panel to T-Nuts using (7) M8 x 16 Bolts and (7) M8 Washers.

The Molle Panel will be installed with the side four tabs positioned at the top.



! CAUTION

Torque bolts to 21 Nm



NO WORRIES LIMITED WARRANTY

We stand behind our products, and our customer service reps are waiting to help you out if you have any problems with your product. Our limited warranty covers your purchase for life. You can review our limited warranty on our website or call customer service at the number below if you have questions or need a repair, replacement, refund, or a copy of the limited warranty.

www.kuat.com/warranty

Questions or comments?

Drop us an email or call us directly!

kuat.com | info@kuat.com | [877.822.5828](tel:877.822.5828)

kuat[®]

1.877.822.5828

info@kuat.com

kuat.com