

GC-MS/MS Pesticide Analysis in Green Tea in a Single Acquisition Using Xevo TQ-GC

Lauren Mullin,¹ Adam Ladak,¹ Jonathan Fox,² DeFeng Huang,³ Jody Dunstan,² and Douglas Stevens¹

¹Waters Corporation, Milford, MA, USA; ²Waters Corporation, Wilmslow, UK; ³Waters Corporation, Shanghai, China

TECHNOLOGY BENEFITS

Concurrent MRM and full-scan data acquisition using RADAR™ Technology allows for the identification of co-extractives with minimum impact on the sensitivity of the method.

WATERS SOLUTIONS

[Xevo™ TQ-GC System](#)

[DisQuE™ QuEChERS CEN extraction](#)

[Oasis™ PRiME HLB](#)

[Solid Phase Extraction \(SPE\) Sorbents](#)

[MassLynx™ MS Software](#)

[Quanpedia™ Database](#)

[TargetLynx™ Application Manager](#)

KEYWORDS

Xevo TQ-GC, MRM, NIST Library, pesticides, QuEChERS, SPE

INTRODUCTION

Tea represents one of the most widely consumed beverages in the world, and pesticide analysis of teas is legally required to ensure consumer safety.¹ GC-MS/MS analyses using highly selective and specific MRM transitions are required for full coverage of all GC amenable pesticides at the trace levels required for many different method types. As green tea is a complex matrix, co-extractives, or matrix interferences, may impact MRMs. In this technical note, we demonstrate an easy method setup for targeted analysis of pesticides in green tea, as well as concurrent MRM/full scan acquisition for monitoring of matrix co-extractives.



Xevo TQ-GC.

RESULTS AND DISCUSSION

Green tea samples were prepared using Waters™ DisQuE QuEChERS CEN extraction followed by solid phase extraction (SPE) pass-thru clean-up using Oasis PRiME HLB. Following extraction and clean-up, a matrix matched calibration curve and QC samples were prepared for 1 µL injections using a splitless injection mode. Data were acquired using EI+ at a potential of 70 eV. Concentration determination is described here as both ppb (spike into volume of final extract, i.e. matrix matched), and mg/kg in tea, which is $0.005 \times$ the ppb value, based on the sample preparation used (2 g of tea reconstituted as per QuEChERS extraction). The GC temperature program, MRM transitions and processing method were automatically generated using Quanpedia (Figure 1) which eliminated the potential of transcription error on input of the GC and MRM conditions. Utilizing Quanpedia also eliminates the need for extensive method development and simplifies the workflow for routine analysis.

The figure illustrates the workflow for automatic method generation using the Quanpedia Database. It consists of several interconnected software windows:

- Select Analysis:** A window where users choose from a list of pre-defined analysis methods, such as 'Restek GC MS MRM ACN method mix 1'.
- Configure Analysis:** A window where users specify the project name (e.g., 'Green Tea Mix 2 ACN analysis') and select the files to be generated, including MS methods, chromatography methods, TargetLynx methods, and sample lists.
- MS Method:** A chromatogram showing a peak at 2.16 minutes, with the label 'MS Method' overlaid.
- GC Method:** A status window for the GC method, showing parameters like Run Time (0.00 min), Current Temperature (60.00 °C), and Current Pressure (85.72 kPa).
- Processing Method:** A window showing user-defined properties for a specific compound, 2,4-Methoxychlor, including its acquisition function number, predicted retention time (23.2700 min), and response uses.

Figure 1. The use of Quanpedia Database for automatic method generation.

In order to assess the Xevo TQ-GC System's ability to meet regulatory recommendations, matrix matched calibration curves were prepared. As shown in Figure 2, the calibration curve and the QC injections met the key criteria of ion ratio conservation of $\pm 30\%$, linearity of $R^2 \geq 0.998$ (1 to 100 ppb, which calculates to 0.005 mg/kg to 0.5 mg/kg in tea matrix), back calculated residuals of $< 20\%$, and calculated concentrations of the QCs within $\pm 15\%$ of the true value. Table 1 provides a summary of the QC sample data for various organochlorine pesticides.




Figure 2. Calibration curve of mirex from 1 to 100 ppb (0.005 mg/kg to 0.5 mg/kg) in green tea matrix.

Table 1. Summary of the QC injections at 10 and 50 ppb (0.05 mg/kg and 0.25 mg/kg) in green tea matrix.

Analyte	Avg. calculated conc. (ppb) (mg/kg in tea)		%RSD (n=5)	
	10 (0.05)	50 (0.250)	10	50
Heptachlor	11.0	51.2	14.8	6.1
2,4-Methoxychlor	11.4	53.4	5.1	3.4
Chlorbenside	9.8	48.9	8.3	2.4
Fenson	10.5	51.6	3.7	0.9
Tetradifon	9.4	51.0	7.6	4.2
Chlorfenson	10.6	51.0	4.6	1.7
BHC, alpha-	10.7	50.6	11.0	4.8
BHC, beta-	9.8	52.9	6.3	4.9
BHC, delta-	10.1	49.9	6.5	2.5
BHC, gamma-	10.4	52.4	13.4	3.9
Chloroneb	11.3	50.9	7.1	7.1
Isodrin	11.1	54.2	14.2	5.9
Ethylene	10.5	49.8	9.0	2.6
DDD, o,p-	10.5	49.4	9.3	3.2
DDD, p,p-	11.0	52.5	15.9	1.6
DDT, p,p-	11.0	52.3	9.3	4.8
4,4-Methoxychlor olefin	11.2	52.2	6.8	5.5
Endosulphan ether	9.4	53.0	16.0	7.3
DDE, o,p-	10.9	52.3	11.8	1.9
DDE, p,p-	10.2	49.4	11.9	2.6
Pentachlorobenzene	10.6	51.1	2.9	3.7
Pentachloroanisole	10.7	52.1	7.3	3.7
Mirex	10.2	51.0	4.7	3.4
Endrin ketone	9.3	51.6	6.6	5.8

Following quantitative demonstration of the targeted MRMs, the use of concurrent MRM and full scan (RADAR) data was assessed. The full scan acquisition was from m/z 50–650 with a scan time of 0.5 sec. Green tea sample extracts were spiked at 0.1 mg/kg with more than 200 pesticides (in nine separate mixtures to prevent interactive effects as provided in the GC-MS Multiresidue Kit from Restek Corporation). The full scan data was interrogated to determine the identity of two large matrix interference peaks. In Figure 3 the identification of 1,2,3-benzenetriol and caffeine are shown using the NIST Library. Caffeine is a known stimulant which occurs naturally in green tea, and the phenolic compound 1,2,3-benzenetriol (also referred to as pyrogallol or pyrogallic acid) is also found in green tea.²




Figure 3. Utilizing RADAR Technology for the identification of interferences in the sample extracts coupled with NIST Library searching.

Using the same samples, an assessment of the loss in signal due to the combined acquisition of full scan and MRM was also performed. This was achieved by running one spiked sample with just MRM followed by the same sample with RADAR enabled. The loss of signal is dependent on the number of transitions contained in the method and when the transitions occur relative to one another. Figure 4 shows that the signal conservation when using RADAR ranged from 56 to 97% for the three illustrated compounds, representing the approximate range observed for the pesticides across mixes. This means that low limits of detection can still be achieved when utilizing RADAR which allows further sample information to be analyzed.




Figure 4. Assessment of the MRM signal maintained during RADAR acquisition.

SUMMARY

The Xevo TQ-GC has simplified workflows that enables users to produce results that meet regulatory recommendations. The added functionality of RADAR allows full scan and MRM data to be collected simultaneously. This data can be interrogated to identify change to understand extraction interferences at the time of the original analysis, or as part of a retrospective data mining investigation. The combination of MRM and Full scan in a single method acquisition does not impact sensitivity and is valuable for use in method optimization.

References

1. Hayward D et al. (2015) *J. Agri. Food Chem.* 37:8116–8124.
2. Cody R. (2018) *J. Am. Soc. Mass Spectrom.* 29:1594–1600.

Waters

THE SCIENCE OF WHAT'S POSSIBLE.™

Waters, Xevo, MassLynx, TargetLynx, Quanpedia, RADAR, Oasis, DisQuE, and The Science of What's Possible are trademarks of Waters Corporation. All other trademarks are the property of their respective owners.

©2018 Waters Corporation. Produced in the U.S.A. September 2018 720006377EN AG-PDF

Waters Corporation
34 Maple Street
Milford, MA 01757 U.S.A.
T: 1 508 478 2000
F: 1 508 872 1990
www.waters.com