



Gas Generators

For Waters Instruments



THE PEAK WAY



Peak Scientific is a leading innovator in the design, manufacture and support of high performance gas generators for analytical laboratories. Established in the UK in 1997 near Glasgow (Scotland), where our corporate Headquarters and high-tech manufacturing and R&D facilities reside, Peak Scientific boasts a significant local presence on every continent – including major operations in North America, China and India

With two decades of experience in pioneering reliable gas generator technology, Peak Scientific develops market-leading nitrogen, hydrogen and zero air systems mainly for the field of LC-MS (Liquid Chromatography-Mass Spectrometry) and GC (Gas Chromatography).

What differentiates us is our world-class technical support and on-going service care throughout the generator's lifespan, wherever you may be in the world.

PEAK AND WATERS

Waters is a global manufacturer and distributor of mass spectrometers and analytical instrumentation headquartered in Milford, Massachusetts. Waters and Peak Scientific have been working in conjunction since the production of the NM30LA generator in 1997, the predecessor to our best-selling NM32LA generator.

This was the first example of a Peak Scientific nitrogen generator being formally approved specifically for use with a mass spectrometer, underlining the unique relationship between Peak and Waters. Since then, Peak has produced several dedicated gas generator solutions for Waters applications including the Genius NM32LA. Genius XE 35 and Solaris XE.

DEDICATED GAS SOLUTION

Product Managers and Engineers from both organizations are in constant contact throughout the New Product Development process to ensure Peak's products meet and exceed the specific gas requirements of Waters' range of LC-MS instruments. In most cases, there is a dedicated Peak Scientific gas generator for Waters' range of LC-MS instruments. Peak have engineered purpose built generators, matching the most efficient operating standards of Waters' LC-MS, AP-GC and ELSD instruments.



THE SCIENCE OF WHAT'S POSSIBLE™

MANUFACTURING EXCELLENCE



Our products are the result of our meticulous Research and Development culture developed over nearly two decades of being at the forefront of the gas generator market. We pride ourselves in the utmost care taken to assess specific application needs prior to designing and rigorously testing new products.

As we have expanded, so have our R&D capabilities, both technically and in terms of know-how, to the point where we are better equipped than ever to meet changing market demands. Implementing the latest manufacturing technologies and philosophies ensures that Peak continues to improve product quality, responsiveness and efficiency – all resulting in a better value proposition for our customers.

Operating from our ISO 9001 accredited manufacturing center of excellence in the UK, every Peak Scientific generator is designed and independently tested to ensure compliance with all of the applicable safety standards.

PEAK PERFORMERS: OUR WORLD-CLASS PRODUCT PLATFORMS

Our core gas generator offering to support Waters analytical instruments can be divided into two categories. Our best-selling Genius XE and value Genius SQ series, designed mainly for LC-MS applications, are self-contained systems featuring integrated compressors, delivering laboratory-grade nitrogen at various pressures and flow rates required by a wide variety of Waters instruments.

The Infinity XE 50 & Solaris series of nitrogen gas generators are silent-running compressor-free systems for laboratories with an in-house supply of clean, dry air - delivering nitrogen in a wide range of flow rates including high-flow for more gas hungry applications such as sample evaporation or supplying multiple mass-spec instruments.

For very high-flow, high demand needs, our innovative Pressure Swing Adsorption based i-FlowLab technology is designed to meet the full and total demand for nitrogen gas a facility may have, all in one expandable installed solution



Application Matrix

		Peak Solution		
Mass Detection	Air Requirement	Single Instrument	Two Instruments	
	No compressor	Solaris XE for Waters	Infinity XE 5010	
Acquity Qda Acquity Rda	Built in compressor	Genius SQ 24	Genius XE 70	
Single Quads	Air Requirement			
SQD 2	No compressor	Solaris XE for Waters	Infinity XE 5010	
SQ Detector ZQ	Built in compressor	Genius SQ 24	Genius XE 70	
	No compressor	Solaris XE for Waters	Infinity XE 5010	
3100 Mass Detector	Built in compressor	Genius SQ 24	Genius XE 70	
Tandem Quads	Air Requirement			
Xevo TQD-S	No compressor	Solaris XE for Waters	Infinity XE 5010	
Xevo TQD-XS Xevo TQ-MS	Built in compressor	Genius XE 35	Genius XE 70	
Xevo TQD	No compressor	Solaris XE for Waters	Infinity XE 5010	
Xevo TQD-S Micro Quattro Micro API Quattro Micro GC	Built in compressor	Genius SQ 24	Genius XE 70	
	Air Requirement			
Xevo G2-XS Tof Xevo G2-S Tof	No compressor	npressor Solaris XE for Waters		
Xevo G2-5 (0) Xevo Tof Xevo Tof	Built in compressor	Genius XE 35	Genius XE 70	
QTof	Air Requirement			
Xevo G2-XS QTof Xevo G2-S QTof	No compressor	Solaris XE for Waters	Infinity XE 5010	
Xevo Q2 QTof Xevo QTof	Built in compressor	Genius XE 35	Genius XE 70	
Ion Mobility	Air Requirement			
Vion G2-XS QTof SYNAPT G2-Si * Select Series Cyclic MS*	No compressor	Solaris XE for Waters	Infinity XE 5010	
SYNAPT G2-S * SYNAPT G2 * SYNAPT *	Built in compressor	Genius XE 35	Genius XE 70	
Ion Sources	Air Requirement			
APGC	No compressor	Precision Nitrogen Trace 1L 2x Precision Nitro		
	Built in compressor	Precision Nitrogen Trace 1L with optional Precision Air Compressor		
LC Detectors	Air Requirement			
2424 ELSD	No compressor	Solai	ris 10	
ACQUITY ELSD	Built in compressor	Solaris 10 with optional Solaris Air Compressor		

^{*} Precision Nitrogen 250 required in addition to the nitrogen requirement for API gas for the SYNAPT ETD option

Application Key: Current Product Legacy Product

Genius XE Series

DESCRIPTION

Inspired by the success of our best-selling Genius line of nitrogen gas generators for LC-MS/MS, Genius XE Nitrogen is a cutting-edge evolution combining advanced technology with refined and robust engineering. With two models - XE 35 (up to 35 L/min) and XE 70 (up to 70 L/min) - Genius XE Nitrogen provides a premium standalone nitrogen solution for high performance LC-MS/MS and other mission-critical laboratory applications where performance and reliability are paramount.

Features

Variable flow up to 70 L/min & pressure up to 116psi

Multi-Stage Purification™ producing analytical grade nitrogen gas up to 99.5% purity

2 year comprehensive manufacturer's warranty*

Touch-screen full colour user interface for ease of operation

ECO (Electronic Compressor Optimisation™) technology for low energy consumption and compressor durability

Next-generation high performance premium compressors, engineered exclusively for Genius XE

Smaller & quieter than previous generation of Genius

On-board service scheduling and system diagnostics

Additional compressor capacity (Genius XE 70 only)



Product	Flow Rate	Gas Output	Pressure	Size (HxWxD)	Application
Genius XE 35	35 L/min	Nitrogen	116 psi/8 bar	640 x 570 x 710 mm25.2 x 22.5 x 28"	LC-MS/MS
Genius XE 70	70 L/min	Nitrogen	116 psi/8 bar	1000 x 570 x 710 mm39.4 x 22.5 x 28"	LC-MS/MS

^{*} Year 2 of warranty subject to generator being serviced at end of year 1 by a Peak-approved agent in accordance with fixed annual maintenance schedule.

Genius SQ 24

DESCRIPTION

For labs using any Single Quad LC-MS systems, the Genius SQ 24 nitrogen gas generator delivers a analytical grade nitrogen supply dedicated for this instrument. With a compact size to fit under most lab benches and flow rates of up to 24 L/min, meeting and exceeding the maximum flow rate required by any Single Quad LC-MS on the market today, your lab can enjoy hassle free nitrogen gas which helps you deliver the best analytical results.

Features

Best value nitrogen generator on the market

Variable flow up to 24 I/min

Analytical grade nitrogen supply for Single Quad LC-MS

Outlet pressure up to 116psi (at 22 l/min maximum)

Reduced height and compact size to fit under most lab benches

Integrated internal compressors for easy plug and play



Product	Flow Rate	Gas Output	Pressure	Size (HxWxD)	Application
Genius SQ 24	24 L/min	Nitrogen	116psi /8bar	610 x 600 x 750 mm 24.0 x 23.6 x 29.5"	Single Quad LC-MS

Solaris XE for Waters

DESCRIPTION

Peak Scientific's Solaris XE nitrogen generator offers a reliable, compressor-free gas solution that can comfortably meet the demands of most mass spectrometers within Waters' portfolio of instruments. Using our tried and tested membrane technology, Solaris XE can operate with varying flow rates (up to 35L/min of high purity nitrogen), purity (up to 99.5%) and outlet pressure can be adjusted down from 116psi.

Features

Nitrogen up to 35L/min, up to 116 psi and up to 99.5% purity

Tested and approved by Waters

Compact, wall-mountable and stackable* with Waters ACQUITY QDa, maximizing the use of valuable laboratory floor or bench space

Variable outlet flow, pressure and purity

Colour indicative LED lighting for easy system status awareness

Manufactured and tested to highest spec in UK, CE/FCC/CSA certified

Safer and more convenient than pressurized cylinders, dewars or bulk storage

12 month on-site comprehensive warranty

Backed by [Peak Protected] global on premise servicing and technical support



*Please ask your local sales representative for advice on supported stacking configurations.

Product	Flow Rate	Gas Output	Pressure	Size (HxWxD)	Application
Solaris XE for Waters	35 L/min	Nitrogen	116 psi/8 bar	156 x 343 x 650 mm6.2 x 13.5 x 25.6"	Waters ACQUITY QDa Detector A list of instruments that are compatible with Solaris XE can be found on our Waters application list.

Solaris 10

DESCRIPTION

Peak Scientific's Solaris Nitrogen generator has been developed to provide an optimal gas generation solution for ELSD or Compact Mass Spectrometers, with the goal of reducing instrument downtime and improving workflow efficiencies.

Engineered with a space-saving design, Solaris 10 can be placed on a benchtop and paired with an additional optional Solaris air compressor unit to provide air supply for labs without an in-house air supply or for those who wish to contain their gas supply in a single system.

Features

Variable outlet flow, pressure and purity
UHP nitrogen for ELSD at up to 10 L/min, 100 psi
and up to 99.5% purity
Compact benchtop form factor, discrete
aesthetic styling
Colour indicative LED lighting for easy status
awareness

Optional Solaris Air Compressor stackable module

Engineered on reliable and proven existing technology

Manufactured and tested to highest spec in UK, CE/FCC certified

12 month comprehensive on-site warranty



Product	Flow Rate	Gas Output	Pressure	Size (HxWxD)	Application
Solaris 10	10 L/min	Nitrogen	100 psi / 6.9 bar	156 x 416 x 540 mm 6.1 x 16.4 x 21.3"	ELSD, Compact Mass Spectrometers TLD Readers

Infinity XE 5010

DESCRIPTION

Producing between 10 and 60 L/min of nitrogen gas, the Infinity XE 5010 gas generator can comfortably supply multiple LC-MS instruments with laboratory grade nitrogen. With the Infinity XE 5010-5040 you can now effectively meet the demands of numerous LC-MS instruments simultaneously. With no moving parts or mechanical sound, our Infinity range is easy to service and requires minimal maintenance.

Features

Flow rates from 10-60 L/min
LC-MS grade N2
Built upon tried & tested membrane technology
Compact, space saving design
Engineered and built in the UK to accredited
standards, CE/FCC certified
30% smaller than predecessor units (Infinity
50X0)
User friendly, easy to operate & maintain
Low noise and minimal vibration

No moving parts, highly robust solution



Product	Flow Rate	Gas Output	Pressure	Size (HxWxD)	Application
Infinity XE 5010	10 to 60 L/min	Nitrogen	100 psi / 6.9 bar default	995 x 500 x 500 mm 39.2 x 19.7 x 19.7"	N2 supply for multiple LC-MS instruments

Peak Protected

Safeguard your laboratory workflow with [PEAK Protected]™

Servicing any equipment in your lab should not be seen as just an option, it should be treated as a necessity. With many moving parts and wear & tear, especially where generators feature integrated compressors, as well as filters and other 'consumables', a gas generator needs to be maintained regularly to continue to perform at its best for many years.

Here at Peak we see your gas generator as the beating heart of your laboratory, enabling your analytical instruments to perform and achieve the results you need. With this being the case it is extremely important you look after your 'beating heart' to ensure the best possible results.

We offer a range of **[Peak Protected]** services to suit your particular needs.



Premium Plan

Complete maintenance care with 24 hour rapid response breakdown cover



Complete Plan

Complete maintenance care with guaranteed response time breakdown cover



Fixed Price PM

Preventative maintenance carried out by an expert Peak engineer at a time that suits you



Supported Plan

Preventative maintenance support specifically for compressor-less generators



Paid Repairs

On-site repairs carried out by a certified Peak FSE in case of a breakdown



Replacement Parts

Genuine Peak parts with express delivery, ensuring optimal performance and lifetime



Installation

Trained Peak FSE will visit to install and commission your generator



IQ/QQ

Certified assurance for applications requiring documented qualification



Support Hotline

Around the clock support by phone or online with our global technical helpdesk

Not all warranties are equal.

What differentiates Peak from other gas generator manufacturers is that a Peak gas generator comes with a truly comprehensive on-site warranty. This means that in the unlikely event that your gas generator develops a problem, we will send a Peak Certified Field Service Engineer to your laboratory to try to resolve the issue on-site and get you back up and running with minimal fuss and disruption.

What's more, when we say fully-comprehensive, we mean it. Every part of your generator is covered during warranty. While other manufacturer warranties may only cover certain components or require the return of your generator to the factory for repair, leaving you without gas for weeks or even months, our warranty is designed to give you complete peace of mind.

Our Brand Promise

Our priority is your complete satisfaction

Our commitment is to provide you with a reliable gas generation solution that adds value to your workflow. We achieve this through robust product engineering, our unique comprehensive 'repair or replace' warranty, and a global on-site maintenance service that is unmatched in our industry.

Our priority is your complete satisfaction. By taking due care of your gas flow, we give you peace of mind and enable you to focus on your workflow. This is the Peak Promise.

Your local gas generation partner



Peak Scientific has highly trained, fully certified Field Service Engineers located in over 20 countries across every continent around the world. This allows us to provide an industry-leading rapid response service to or customers. With **[Peak Protected]**, your laboratory's productivity becomes our top priority.

Contact us today to discover more!

North America Tel: +1 866 647 1649

China Tel: +86 21 5079 1190 Europe

Tel: +44 (0)141 812 8100

India

Tel: 1800 2700 946

For contact details of all Peak local offices around the world, visit: www.peakscientific.com/offices