

I. Q2 - 3 opinions on halakhic category of T.

- a) Ramban - T itself a דבר ...
- b) R. Barukh - was such דבר at all - אין זה דבר כלל
only a דבר
- c) Ahimose - אין זה דבר if one is unworthy T.

II- (ii)- who will win - in accounting security:
 (a) - as well - security only to this - for example ...
 (b) - for by 50% that knows many who -

II - II - isotherm for 52 mm Hg - both sides = 2 mm ...
 Purpose capital point: 1 mm (detergent); 2 mm
 (ethanol) + 222 (methyl). But 222 only at 13.

10 - (2) - gen: $T = \text{rehabilitation}$; goal = drug addiction, confrontation w. past.

Confirmation in past:
V = private, not to priest or priest - i.e. all for &
exp: as possible to avoid embarrassing sinners

Part of $\mathbb{I} = \{ \text{Gin}(\text{fin}) \cdot 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100 \}$

[illegible]

the best part = a tip. But why? how can you
testify - in jail? But: more call for to be 3d

D - END - How Single stmt. vs 2 IN FS - what so many stmts?

ans. 2.21×10^3 $\therefore 2.21 = \text{from } \sin: 2 \text{ types} = 210 \text{ deg} - 13.5 \times 10^3$

$\tilde{x}_i$ = rational ... $\tilde{x}_i$ = irrational: unklar! $\tilde{x}_i$ = selbe Prämie, $\tilde{x}_i = 0$! b.

[illegible]