


"Junior Miss"

CLUTCH PURSE




ASSEMBLY INSTRUCTIONS

- 1 After all carving and stamping install bag clasp anvil before cementing bag to lining. Complete assembly of all interior parts.




- 2 Cement bag lining assembly to carved leather. Trim off any excess lining leather.

- 3 Punch lacing slits or lacing holes, as suggested on adjoining page. (see pattern). CAUTION: Use care when punching holes around pocket assembly. Use a block of wood under edge, or lay work on edge of bench if punching the slits... To avoid punching bottom of wing insert cover



- 4 Install bag clasp eyelet.

- 5 Lacing completely around purse with Double Loop stitch. Begin lacing at end of purse (opposite flap).



JOIN (A) TO (A)
AND (B) TO (B)
TO COMPLETE
PATTERN.




PHOTO PATTERNS ON ACCOMPANYING PAGES

SCRIBE GUIDE
LINE FOR THE
LACING HOLES
OR SLITS.

USE 3-PRONG
THONGING CHISEL
FOR LACING
SLITS

POSITION OF UTILITY POCKET
PART "E"

1/8"

CENTRE POSITION OF
BAG CLASP EYELET

USE NO. 1
PUNCH FOR
LACING
HOLES

USE A NO. 6 SPACING WHEEL TO MARK FOR LACING HOLES








PHOTO PATTERN FOR "JUNIOR MISS"





ALTERNATE PATTERN
FOR "JUNIOR MISS" BAG





1/2 PHOTO PATTERN
FOR "JUNIOR MISS"


1/2 TRACING PATTERN
FOR "JUNIOR MISS"

"JUNIOR MISS" CUTTING PATTERNS AND ASSEMBLY INSTRUCTIONS FOR MAKING YOUR OWN INTERIOR PARTS


POSITION OF BAR SNAP




1 Cut bag lining from 1/2 oz. leather. Cut to same size as carving leather. Mark position of utility pocket-part "E" (see pattern) and sew part "E" to bag lining at bottom edge only.



2 Sew zipper in part "D" see patterns for sewing lines.





3 Sew part "A" and part "B" to part "D" at edges indicated. See patterns for proper locations. Be sure to install all snap parts before assembly.




4 Moisten fold lines of part "C" and fold as shown. Press flat with Bone Folder, or tap with hammer.


POSITION OF BAR SNAP EYELET



5 Place part "C" in position, on part "D", and sew the left side only, as shown.




6 Cement edges of expansion pocket to part "D" (indicated by heavy broken line). Snap Flap in place.




7 Place assembled unit (from step 6) in position on bag lining, and sew to bag lining. Cement all edges (indicated by heavy broken line) to bag lining. The "Junior Miss" interior is ready to assemble to carved body of bag.

"JUNIOR MISS" CUTTING PATTERNS - CONTINUED FROM PREVIOUS PAGE
 (FOR MAKING AND ASSEMBLING YOUR OWN INTERIOR PARTS)

PART "D" ZIPPER POCKET
 CUT FROM 1 1/2 OZ. LEATHER




PART "E" UTILITY POCKET
 CUT FROM 1 1/2 OZ. LEATHER






Digital Downloads

This PDF package has been put together to give you options when it comes to printing. Some PDF file downloads may contain some documents larger than an 8-1/2" x 11" image. Pages and patterns that are larger than 8½x11 have been provided in two formats:



Full Size: If you would like to have a full size print out, take the full size pages to your local print shop and they can print it for you.

Tiled: The tiled pages give you the option of printing the larger patterns at home. You print the tiled pages and then assemble them to make the larger patterns.



Pattern PDF files are typically laid out as follows: Cover (if applicable), instructions sheets (if applicable), pattern 1 – full sized, pattern 1 – tiled, pattern 2 – full sized, pattern 2 – tiled, pattern 3 – full sized, pattern 3 – tiled. ...Etc.


Doodle Page PDF files are typically laid out as follows: Front – full sized, front – tiled, back – full sized, back – tiled (Some Doodle Pages do not have backs).

eBook PDF files contain 1 (one) full eBook. All pages in the PDF are full sized. This means that you may have to take the PDF to a print shop for certain oversized books if your home printer cannot print the larger pages.

Craftaid PDF files contain 1 (one) full Craftaid pattern or Craftaid pattern pack that has been converted into a tracing pattern. All pages in the PDF are full sized. This means that you may have to take the PDF to a print shop for certain oversized Craftaid patterns if your home printer cannot print the larger pages. **NOTE: These digitized patterns do not include any of the physical plastic templates (Craftaids) that may be mentioned, nor does the purchase of this PDF file imply a promise to receive any physical plastic templates (Craftaids).**

NOTE: Digital kit patterns do not include any kit parts that they may reference.

Please note: When printing on a home printer, use the settings seen on the image to the right in the Page Handling area of the Adobe Reader print dialogue box. If your printer is cutting edges off, set "Page Scaling" to "Shrink to Printable Area". This will, however, decrease the size of the pattern a very small amount.



NOTE: Some patterns may reference tools, and other items no longer available.

NOTE: You may take this PDF file to your local print shop to have the full-size pages printed for your own personal use.

This premium has been published by Tandy Leather Factory, 1900 South East Loop 820, Ft. Worth, TX 76140. Copyright © 2011 by Tandy Leather Factory, all rights reserved. The contents of this publication may not be reproduced either in whole or in part without the consent of the copyright owner.

Please respect the copyright by not forwarding or distributing this document.