LUNASEW® 立欣針車實業有限公司
LUNA INDUSTRIAL CO., LTD.

LN-2004
空壓電熱上領記號機
MARK DRILL MACHINE



LN-100RS
圓刀裁剪機-八角形圓刀片
ROUND CUTTER

LC-90
圓刀裁剪機-六角形圓刀片
3-1/2" ROUND KNIFE CUTTER

LN-100K
圓刀迷你裁剪機
MINI CUTTER

LU-770PLHB
高速軌道式切斷機
COMPLETE WITH END CLOTH HOLDING DEVICE

SM-201L
裁剪記號機
CLOTH MARKING DRILL

LU-933
新型變速自動布條裁切機
NEW AUTO SPEED CHANGE PIPING STRIP CUTTING MACHINE

立欣(寧波)針車有限公司
LUNA (NINGBO) SEWING MACHINE CO., LTD.
TEL: 86-574-8845-3458 8845-3468
FAX: 86-574-8845-3478

立欣針車實業有限公司
LUNA INDUSTRIAL CO., LTD.
TEL: 886-2-8966-5577
FAX: 886-2-8966-5443
E-Mail : info@lunasew.com
luna0510@ms13.hinet.net

http://www.lunasew.com

LN-300B
直線式萬能折燙機
ALMIGHTY CREASING AND
MINI-FUSING MACHINE

LN-600MAH
氣壓全自動連續式粘襯機
AIR AUTOMATIC LINEAR
FUSING PRESS

Also available for
LN-700MAH
LN-700MAL
LN-1000MAL

LN-600XL
氣壓全自動連續式粘襯機
STRAIGHT LINEAR FUSING
PRESS

Also available for
LN-1000XL
LN-1200XL
LN-1400XL

LN-215A
空壓式袖口定型機
CUFF PRESSING
MACHINE

LN-323AX
空壓式切,翻,燙領機
COLLAR PRESSING MACHINE



Also available for
LN-323S, LN-323T
"Three - in one" Collar Pressing Machine

立欣(寧波)針車有限公司
LUNA (NINGBO) SEWING MACHINE CO., LTD.
TEL: 86-574-8845-3458 8845-3468
FAX: 86-574-8845-3478

立欣針車實業有限公司
LUNA INDUSTRIAL CO., LTD.
TEL: 886-2-8966-5577
FAX: 886-2-8966-5443
E-Mail : info@lunasew.com
luna0510@ms13.hinet.net

http://www.lunasew.com

LED MODULE

LED MARKER

IE-5201LGO / IE-6201LGO

LUNASEW®

SPECIFICATION

MODEL	RED			GREEN		
	IE-6201LGO	IE-6201LGP	IE-6201LGQ	IE-5201LGO	IE_5201LGP	IE-5201LGQ
Beam Pattern						
Wavelength (2d)	625 +5nm			525 + 5nm		
Projection Distance	110mm - 500mm					
Source of Light	LED					
Operating Current	30mA					
Lifetime	100,000 hours (@RT					
Operating Voltage	DC - 5V ‡ 5%					
Operating Temperature	-30°C ~ +80°C					
Focusing Mode	Adjustable Mode					
Weight	40g					

• IE-6201LGO



Remarks	Line Width can change depending on the environment. For AC power, use the adapter for AC power only available at LUNA Input Voltage: AC 100V ~ 250V, 47 ~ 63Hz Output Voltage: DC 5V, 2.0A

WARNING

1. Please use the voltage within the designated range. Avoid turning ON and OFF the Product during a short.
2. Period of time since it can cause damage to the Product. This Product is not water-resistant. Be careful not to expose the Product to moisture.
3. LEDs are very sensitive to the change in the temperature. Usage under low temperature is recommended for longer use.
4. Noise filter must be used when the motor solenoid is directly linked to the power.
5. Authorization of noise or voltage surge can destroy the laser diode and lead to the lighting failure. This Product is a very precise optical instrument. Be careful not to drop it. Severe shock to the Product can cause malfunction.
6. Do not disassemble, repair or rebuild the Product at your own discretion. After sales services are not available in the case of arbitrary disassembly, repair or rebuilding.

For improvement of the Product the design and specifications are subject to change without prior notice.

LUNASEW®

立欣(寧波)針車有限公司
LUNA (NINGBO) SEWING MACHINE CO., LTD.
TEL: 86-574-8845-3458 8845-3468
FAX: 86-574-8845-3478

立欣針車實業有限公司
LUNA INDUSTRIAL CO., LTD.
TEL: 886-2-8966-5577
FAX: 886-2-8966-5443
E-Mail : info@lunasew.com
luna0510@ms13.hinet.net

http://www.lunasew.com

LED Series

FEATURE

- Compact Structure
- Green, Red, White LED Lamp
- Focusing Available
- Working Distance 112 - 500mm
- Black Anodized Aluminum Housing

Beam Pattern



SPECIFICATION			
Model	5201LGO/LGP/LGQ/LGC	6201LGO/LGP/LGO/LGC	LWGO/LGP/LGO/LGC
Color	Green	Red	White
Projection Distance mm	112 ~ 500		
Source of Light	LED Lamp		
Operating Voltage(VDC)	5		
Operating Current(mA)	30		
Operating Temperature(°C)	-30 ~ +60		
Focusing Mode	Adjustable		
Life time	30,000 hr		

Working Distance vs Line Length (Applied to Line and Cross Laser)



Angle(°)	Distance / Simbol	0.1m	0.3m	0.5m	1m	1.5m	2m	3m
5		0.01	0.03	0.04	0.09	0.13	0.17	0.26
15	1D	0.03	0.08	0.13	0.26	0.39	0.53	0.79
30	3D	0.05	0.16	0.27	0.54	0.8	1.1	1.6
45	4D	0.08	0.25	0.41	0.83	1.24	1.7	2.5
60	6D	0.12	0.35	0.58	1.1	1.7	2.3	3.5
90	9D	0.2	0.6	1	2	3	4	6
120	12D	0.35	1	1.73	3.45	5.2	6.9	10.4

立欣(寧波)針車有限公司
LUNA (NINGBO) SEWING MACHINE CO., LTD.
TEL: 86-574-8845-3458 8845-3468
FAX: 86-574-8845-3478

立欣針車實業有限公司
LUNA INDUSTRIAL CO., LTD.
TEL: 886-2-8966-5577
FAX: 886-2-8966-5443
E-Mail : info@lunasew.com
luna0510@ms13.hinet.net

http://www.lunasew.com

Industrial Laser Liner / Module

工業用鐳射標線/定位元件

LA-9405-M

LA-9405-MF

LA-9305-MN

IE-4000

•Universal Type
(Magnetic or/and Screw Type)

品名ModelNo.	LA-9405-M	LA-9405-MF	LA-9305-MN
型式Pattern	Small Cross小十字型	Cross/Focus 十字型／可調焦距	Big Cross大十字型
波長Wavelength(nm)	645	645	635
輸出功率Output Power(mw)	<5	<5	<5
輸入電壓Operatmg Voltage(DC)	DC 5V	DC 5V	DC 5V
操作電流Operating Current(mA)	30-50	30-50	40
單位尺寸Dimension(mm)	ø16.5 X 63.5L	ø16.5 X 76.5L	ø14 X 61L
有效運用(公尺)Visible Distance(meter)	0.5M	0.5M	2M
操作溫度(°C)Operating Temperature	-10°C ~ +50°C	-10°C ~ +50°C	-10°C ~ +50°C



Sewing Machine
縫紉機械



Tyre Bonding
輪胎定位



Mechanical Line Cutting
機械鈑金標線

Line-Maker
切割機標線



Sewing & Dyeing Location
紡織印刷/印染定位



Golf Assembly
高爾夫加工定位



S.M.T Machine
SMT定位/定格



Screen Printing
網版印刷定位



Stone Cutting
石材切割標線



Lumber
鋸木加工標線

LUNASEW®

立欣(寧波)針車有限公司
LUNA (NINGBO) SEWING MACHINE CO., LTD.
TEL: 86-574-8845-3458 8845-3468
FAX: 86-574-8845-3478

立欣針車實業有限公司
LUNA INDUSTRIAL CO., LTD.
TEL: 886-2-8966-5577
FAX: 886-2-8966-5443
E-Mail : info@lunasew.com
luna0510@ms13.hinet.net

http://www.lunasew.com

High Reliability Industrial Laser Liner Projector

專業級工業用鐳射標線器

我們依據不同的產業特性,設計了"點式"、"線式"及"十字"等多款鐳射標線定位器;
簡單的定位輔助工具卻可廣泛的應用在各類工業加工方面。
使用鐳射標線定位器可使操作者加倍提升工作效率及正確性,大大提高了產品的附加價值與產業的升級。

We carry a series of laser light which can be projected in different forms:dot, line, and cross '+'.
It's simple visual tool but apply to multi-task. It can increase operator's accuracy and efficiency as well as improve productivity.

LA-9405-L LA-9410-L LA-9305-L LA-9310-L LA-9315-L

品名ModelNo.	LA-9405-L	LA-9410-L	LA-9305-L	LA-9310-L	LA-9315-L
型式Pattern	Liner 線型	Liner 線型	Liner 線型	Liner 線型	Liner 線型
波長Wavelength(nm)	645	630	635	635	630
輸出功率Output Power(mw)	<5	<5	<5	<10	<10
輸入電壓Operatmg Voltage(DC)	DC 5V	DC 5V	DC 5V	DC 5V	DC 5V
操作電流Operating Current(mA)	30-70	>50	40-80	50-90	>50
單位尺寸Dimension(mm)	ø15.3 X 67.0L	ø22.0 X 83.0L	ø17.5 X 68.5L	ø23.0 X 90.8L	ø22.0 X 83.0L
有效運用(公尺)Visible Distance(meter)	2M	3M	4M	6M	8M
操作溫度(°C)Operating Temperature	-10°C ~ +50°C	-10°C ~ +50°C	-10°C ~ +50°C	-10°C ~ +50°C	-10°C ~ +50°C

專業級工業設計:
耐震、防塵、省電,長時間工作操作,專利線性準直機構設計,3層式玻璃鏡片(APC+R)

3-Element Glass, High Reliability, Long Time work, PATENT Liner Design, Dust-resistant industrial design, (APC+R) Operating

以上鐳射元件可裝置於IE-4000支架,並可另附外接電源穩壓器100-240V,1A 50-60 Hz DC 5V自動切換

Laser Module can be installed with IE-4000, adaptor auto selection 100-240 AC 50-60 HZ 5V.DC. 1A is recommended.

LUNASEW®

立欣(寧波)針車有限公司
LUNA (NINGBO) SEWING MACHINE CO., LTD.
TEL: 86-574-8845-3458 8845-3468
FAX: 86-574-8845-3478

立欣針車實業有限公司
LUNA INDUSTRIAL CO., LTD.
TEL: 886-2-8966-5577
FAX: 886-2-8966-5443
E-Mail : info@lunasew.com
luna0510@ms13.hinet.net

http://www.lunasew.com

SEWING MACHINE LED LIGHT

MADE IN TAIWAN

SAVE ENERGY 80%

DURABLE

1. 限用LED-4W DC12V燈管，省電百分之八十，
保護操作者的視力，提高生產效能
USE LED-4W DC12V lamp only. It can save 80% of power,
protects the operator's eyesight and improves production efficiency.

2. 180度可調以獲得最佳照明
180° adjustable for optimal illumination.

3. 安裝簡易
Easy to install within a minutes.

4. 變壓器在外側
Transformer on the outside.

5. 電壓：100V~240V , 50HZ/60HZ
Voltage/Cycle : 100V~240V , 50HZ/60HZ

LED-98KN



LED-27KN



LUNASEW®

立欣(寧波)針車有限公司
LUNA (NINGBO) SEWING MACHINE CO., LTD.
TEL: 86-574-8845-3458 8845-3468
FAX: 86-574-8845-3478

立欣針車實業有限公司
LUNA INDUSTRIAL CO., LTD.
TEL: 886-2-8966-5577
FAX: 886-2-8966-5443
E-Mail : info@lunasew.com
luna0510@ms13.hinet.net

http://www.lunasew.com

SEWING MACHINE LED LIGHT

MADE IN TAIWAN

SAVE ENERGY 80%

DURABLE

LU-15BLED

ITEM	LU-15BLED
INPUT	AC 100V-120V
	AC 200-240V
OUTPUT	DC 12V
POWER	1W

LU-15ALED

ITEM	LU-15ALED
INPUT	AC 100V-120V
	AC 200-240V
OUTPUT	DC 12V
POWER	1W

LU-12MLED

ITEM	LU-12MLED
INPUT	AC 100V-240V
OUTPUT	DC 12V
POWER	1W

LU-12SLED

ITEM	LU-12SLED
INPUT	AC 100V-240V
POWER	1W

LU-12VLED

ITEM	LU-12VLED
INPUT	AC 100V-240V
POWER	1W

LUNASEW®

立欣(寧波)針車有限公司
LUNA (NINGBO) SEWING MACHINE CO., LTD.
TEL: 86-574-8845-3458 8845-3468
FAX: 86-574-8845-3478

立欣針車實業有限公司
LUNA INDUSTRIAL CO., LTD.
TEL: 886-2-8966-5577
FAX: 886-2-8966-5443
E-Mail : info@lunasew.com
luna0510@ms13.hinet.net

http://www.lunasew.com

HIGH POWER LED LIGHT

SAVE ENERGY

LU-LED-01MDW/ LU-LED-01MDP

INPUT POWER	AC100-240V 50-60Hz
OUTPUT POWER	DC6.5V
LED	2W
LINK	MOTOR SWITCH

LU-LED-02(4,6)



INPUT POWER	AC100-240V 50-60Hz
OUTPUT POWER	DC7V
LED	1.3W
LINK	MOTOR SWITCH

LU-LED-05AD

INPUT POWER	AC100-240V 50-60Hz
OUTPUT POWER	DC3.5V
LED	0.25W
LINK	MOTOR SWITCH

LU-LED-06MD

INPUT POWER	AC100-240V 50-60Hz
OUTPUT POWER	DC3.5V
LED	1W
LINK	MOTOR SWITCH

LUNASEW®

立欣(寧波)針車有限公司
LUNA (NINGBO) SEWING MACHINE CO., LTD.
TEL: 86-574-8845-3458 8845-3468
FAX: 86-574-8845-3478

立欣針車實業有限公司
LUNA INDUSTRIAL CO., LTD.
TEL: 886-2-8966-5577
FAX: 886-2-8966-5443
E-Mail : info@lunasew.com
luna0510@ms13.hinet.net

http://www.lunasew.com

HIGH POWER LED LIGHT

SAVE ENERGY

LU-LED-09D/DS

INPUT POWER	AC100-240V 50-60Hz
OUTPUT POWER	DC3.5V
LED	1W
LINK	MOTOR SWITCH

LU-LED-08D

INPUT POWER	AC100-240V 50-60Hz
OUTPUT POWER	DC6.5V
LED	0.65W
LINK	MOTOR SWITCH

LU-LED-07D

INPUT POWER	AC100-240V 50-60Hz
OUTPUT POWER	DC3.5V
LED	1W
LINK	MOTOR SWITCH

LUNASEW®

立欣(寧波)針車有限公司
LUNA (NINGBO) SEWING MACHINE CO., LTD.
TEL: 86-574-8845-3458 8845-3468
FAX: 86-574-8845-3478

立欣針車實業有限公司
LUNA INDUSTRIAL CO., LTD.
TEL: 886-2-8966-5577
FAX: 886-2-8966-5443
E-Mail : info@lunasew.com
luna0510@ms13.hinet.net

http://www.lunasew.com

LUNASEW® 立欣針車實業有限公司
LUNA INDUSTRIAL CO., LTD.

✦ 259431
繞線器
Bobbin winder

✦ SL-2
線架
2-spool stand

SL-3 3-spool stand
SL-4 4-spool stand
SL-5 5-spool stand
SL-6 6-spool stand
available



✦ S290 線架
Tape rack

✦ TR105
多功能送料架
Tape Reel & Rack

✦ FPL-2
線架
2-spool stand

✦ FPL-6
線架
6-spool stand

✦ 151257
線架
12-spool stand

✦ 40-6501
線架
24-spool stand

BABY LOCK 中國總代理
立欣(寧波)針車有限公司
LUNA (NINGBO) SEWING MACHINE CO., LTD.
TEL: 86-574-8845-3458 8845-3468
FAX: 86-574-8845-3478
E-Mail : lunaningbo@lunasew.com

BABY LOCK台灣總代理
立欣針車實業有限公司
LUNA INDUSTRIAL CO., LTD.
TEL: 886-2-8966-5577
FAX: 886-2-8966-5443
E-Mail : info@lunasew.com
luna0510@ms13.hinet.net

http://www.lunasew.com

LUNASEW® 立欣針車實業有限公司
LUNA INDUSTRIAL CO., LTD.

✦ 縫紉剪
Sewing & Tailor scissors

LUS-110 9.5"

LUS-110 8.5"

LUS-B-952-5

E-5165

LUS-37976-8.5

LUS-S928A 10"

✦ RC模型剪刀
RC hobby modeling scissors

LUS-37855S-5.5

✦ 紗布剪刀
Medical nurse bandage scissors

E-5135

✦ 繡花剪
Embroidery scissors

LUS-37877-7

✦ 廚房剪刀
Kitchen scissors

LUS-37878C-8

✦ 日本庄三郎 裁縫剪刀（黑盒）

TOKYO SHOZABURO
TOBASAMI AJK240

G20E

G20E-S

SMG

MG1

MG25873

G1

G4

G7

G8

SCI-P

SCI6

PR-1506

C15

立欣(寧波)針車有限公司
LUNA (NINGBO) SEWING MACHINE CO., LTD.
TEL: 86-574-8845-3458 8845-3468
FAX: 86-574-8845-3478

立欣針車實業有限公司
LUNA INDUSTRIAL CO., LTD.
TEL: 886-2-8966-5577
FAX: 886-2-8966-5443
E-Mail : info@lunasew.com
luna0510@ms13.hinet.net

http://www.lunasew.com

LUNASEW® 立欣針車實業有限公司
LUNA INDUSTRIAL CO., LTD.

CANARY

Chizimi

MIRO

WB1

WB8

218TM

BR1



BR2

2518P-C



9033P 172222P 55623P 2518 2518P 820921-096



110R

SN-DR1

LUS-37886-5

LUS-6003A

111R

SN-624

112R

TWE6

45N 1/16

LUS-37828-8B

115R

LT40

TC110

TC200

立欣(寧波)針車有限公司
LUNA (NINGBO) SEWING MACHINE CO., LTD.
TEL: 86-574-8845-3458 8845-3468
FAX: 86-574-8845-3478

立欣針車實業有限公司
LUNA INDUSTRIAL CO., LTD.
TEL: 886-2-8966-5577
FAX: 886-2-8966-5443
E-Mail : info@lunasew.com
luna0510@ms13.hinet.net

http://www.lunasew.com

WoollieLock Lame ウロックラメ

#日本Fuhix 富士克QQ線(共15色)

Kind 品番/品种	Composition 構成/构成	Total deci tex 纖度/纤度	Strength 強力／强力
High elasticity 高伸縮／高弾力	240dtex (Film フィルム 胺带38dtex)	270dtex	8.9N (910gf)

Elongation 伸度/抽长度	Weight 糸量/线量	Number of Colors 常備色数／常台色数
38%	25g	15

Lamé Stylo

規格 Size	成份 Composition
210 dtex 分特克斯	79% Polyester 聚酯纖維(滌倫) 21% Nylon 尼龍纖維

注意事項 Notice

1. 使用此線時請避免接觸到強酸或強鹼性的環境，不然可能會造成此金屬線變色或失去光澤。
2. 在收藏此線，請避免接觸到酸性或鹼性；物質或任何防蟲藥劑，最好放在塑料袋（聚乙烯袋/PE）中保持乾燥。
3. 避免存放在潮濕或高溫中。
4. 在使用前請確認色號，因為金屬線的顏色會因為不同的染色批次而有些微的色差。

立欣(寧波)針車有限公司
LUNA (NINGBO) SEWING MACHINE CO., LTD.
TEL: 86-574-8845-3458 8845-3468
FAX: 86-574-8845-3478

立欣針車實業有限公司
LUNA INDUSTRIAL CO., LTD.
TEL: 886-2-8966-5577
FAX: 886-2-8966-5443
E-Mail : info@lunasew.com
luna0510@ms13.hinet.net

http://www.lunasew.com

LUNASEW®

立欣針車實業有限公司

LUNA INDUSTRIAL CO., LTD.

立欣(寧波)針車有限公司

LUNA (NINGBO) SEWING MACHINE CO., LTD.

TEL: 86-574-8845-3458 8845-3468

FAX: 86-574-8845-3478

立欣針車實業有限公司

LUNA INDUSTRIAL CO., LTD.

TEL: 886-2-8966-5577

FAX: 886-2-8966-5443

E-Mail : info@lunasew.com

luna0510@ms13.hinet.net

http://www.lunasew.com

LUNASEW®

立欣針車實業有限公司

LUNA INDUSTRIAL CO., LTD.

立欣(寧波)針車有限公司

LUNA (NINGBO) SEWING MACHINE CO., LTD.

TEL: 86-574-8845-3458 8845-3468

FAX: 86-574-8845-3478

立欣針車實業有限公司

LUNA INDUSTRIAL CO., LTD.

TEL: 886-2-8966-5577

FAX: 886-2-8966-5443

E-Mail : info@lunasew.com

luna0510@ms13.hinet.net

http://www.lunasew.com

SUCTION TYPE CHAIN CUTTER

JUKI

MAT-03500-OAO(TO35)
JUKI 2416,2514,MO-2500

MAT-04100-OAO(TO41)
JUKI MO-3900

TO42
JUKI MO-3700,3900

TO43
JUKI MO-2416,2514

Yamato

2109906(K1)
YAMATO AZ8500

2109917(K2)
YAMATO AZ8000/AZ8003

PEGASUS

KH303753
PEGASUS L32 LIGHT TO MEDIUM MATERIAL

KS301148
PEGASUS E52,56

308100A-91Y,308100B-91Y
PEGASUS EXT3200/5200

*** VT,CT FOR SIRUBA ARE ALSO AVAILABLE**

立欣(寧波)針車有限公司
LUNA (NINGBO) SEWING MACHINE CO., LTD.
TEL: 86-574-8845-3458 8845-3468
FAX: 86-574-8845-3478

立欣針車實業有限公司
LUNA INDUSTRIAL CO., LTD.
TEL: 886-2-8966-5577
FAX: 886-2-8966-5443
E-Mail : info@lunasew.com
luna0510@ms13.hinet.net

http://www.lunasew.com

SUCTION TYPE CHAIN CUTTER

B-2547-372-0B0
Flat button clamp assembly

142570-3-01
Shank attachment assembly

150403-0-01
Flat button clamp assembly

212W140
Gauge set

1/4, 1/8, 3/16, 5/16 available

267269

223759

223884

223628

B-2401-372-0B0
Shank button clamp assembly



立欣(寧波)針車有限公司
LUNA (NINGBO) SEWING MACHINE CO., LTD.
TEL: 86-574-8845-3458 8845-3468
FAX: 86-574-8845-3478

立欣針車實業有限公司
LUNA INDUSTRIAL CO., LTD.
TEL: 886-2-8966-5577
FAX: 886-2-8966-5443
E-Mail : info@lunasew.com
luna0510@ms13.hinet.net

http://www.lunasew.com