



Atomic Solar Watch

\$129.95 GW700A

- Atomic Timekeeping • Tough Solar Power
- Shock Resistant • 200M Water Resistant
- Auto EL Backlight with Afterglow
- Time Recorder (30 Records)
- World Times (30 Cities)
- 12/24-Hour Formats
- 1/100 Second Stopwatch
- 4 Daily Alarms & 1 Snooze Alarm
- Hourly Time Signal • Auto-Calendar
- Battery Power Indicator • Power Saving Function



ewa-marine

Camcorder Housings

Tested for use to a depth of 33' (10m). Remarkably light and still robust, they provide effective against sand, dust, rain, seawater, mud, humidity, etc.

for Sony:

Most TR.....	#VST.....	264.95
Most TRV.....	#VDS100.....	344.95
TRV-8, 10.....	#VDS.....	274.95
TRV-950.....	#VST.....	264.95
PC-1, 7, 10.....	#VPC.....	274.95
PC-6, 8, 9, 101.....	#VPO.....	274.95
PC-115, 120.....	#VVX.....	354.95
VX-1000.....	#V1000.....	449.95
VX2000.....	#V2000.....	479.95

NEW! for Sony FX1
#VFX.....**499.95**

for JVC DV-1.....	#VJD.....	269.95
for Canon Optura.....	#VMV.....	344.95
for Canon ZR Series.....	#VDS.....	274.95
for Canon Elura.....	#VMV20.....	374.95
for Canon GL-2.....	#VXM2.....	434.95
for Canon XL-1.....	#VXL.....	949.95



2.5" Internal Color Monitor

\$199.95

with Mini 1/8" Plug
#25CMM18

with RCA Plug
#25CMRCA

- For use with All Pro-Pak 6 and Pro-Pak 8 Housings



Video Housings

Dive Buddy Plus Housings

- Depth Rated to 330' (100m)
- Internal Flip filter with a UR Pro Blue Water Filter installed
- Fully anodized with a hard coat of polyurethane paint
- Marine grade aluminum

for Sony DCR-TRV950, DSR-PDX10...#VHES0950.....**\$1754.95**

Prowler Housings

- Depth Rated to 330' (100m)
- Electronic Controls
- Machine Grade Aluminum
- Internal Color-Correction Flip Filter with a UR Pro Blue Water Filter installed
- Fully anodized with a hard coat of polyurethane paint

for Sony DCR-PC330.....#VHPC0330.....**\$1649.95**
for Sony DCR-PC350.....#VHPC0350.....**\$1789.95**

Invader Housings

- Depth Rated to 330' (100m)
- Internal color-correction flip filter
- Marine grade aluminum
- Full electronic controls 2 newly designed marine grips

for Sony DCR-HC1000.....#VHIS1000.....**\$2149.95**

Electronic Housings

- Depth Rated to 330' (100m)
- Machine Grade Aluminum
- 14 Electronic Bush Button Controls
- 5 Mechanical Bush Button Controls
- Internal color-correction flip filter

for Sony DCR-VX2000.....#VHVX2000.....**\$2994.95**
for Sony DCR-VX2100.....#VHVX2100.....**\$3094.95**



Video Housings

PC350 Housing

for Sony DCR-PC350, 330, 300

- Includes WP-25 Wide Angle Port
- Depth Rated to 450' (137m)
- Durable, "Bulletproof" Machined Aluminum, Black Anodized Finish
- LCD is the UW Viewfinder

#1010668.....**\$2795.00**

GL2 Housing

for Canon GL-2, XM-2, XV-2

- Includes WP-35 Wide Angle Port
- Depth Rated to 450' (137m)
- Durable, "Bulletproof" Machined Aluminum, Black Anodized Finish

#3510551.....**\$4350.00**

HDFX1 Housing

for Sony HDR-FX1, HVR-Z1U

- Includes SP44 Standard Port
- Depth Rated to 300' (91m)
- Durable, "Bulletproof" Machined Aluminum and 100% Reliable Mechanical Controls

#7510102.....**\$4315.00**

XL2 Housing

for Canon XL-2, XL-1, XL-1S

- Includes 3 Ports: SP45X20, SP45X16 & SP45X3
- Depth Rated to 350' (107m)
- Durable, "Bulletproof" Machined Aluminum, Black Anodized Finish

#3510551.....**\$4650.00**



DV Video Housings

- Molded of corrosion free clear polycarbonate and operates safely to 200 feet
- Provides full view camcorder info, control functions • Quad-Seal camera controls
- Includes special viewfinder enhancement device
- Weighted for near neutral buoyancy
- Dimensions 4.75 x 6 x 11" • Weight 9 lbs



CAT #	For	PRICE
#6041	Canon ZR60, 65MC, 70MC.....	\$679.95
#6043	Canon ZR80, 85, 90.....	\$679.95
#6042	Canon GL-2.....	\$1169.95
#6050	Canon Optura 30, 40, Elura 60, 65, 75.....	\$649.95
#603829	Sony DVD100.....	\$689.95
#603802	Sony DVD101, 201, 301.....	\$679.95
#603830	Sony DVD300.....	\$689.95
#603815	Sony HC20, 30.....	\$687.95
#603816	Sony HC40.....	\$679.95
#603817	Sony HC65, 85.....	\$679.95
#603818	Sony HC1000.....	\$1159.95
#603783	Sony PC109.....	\$807.95
#603784	Sony PC115, 120.....	\$799.95
#603786	Sony PC330.....	\$829.95
#603785	Sony PC350.....	\$829.95
#603712	Sony PD150, VX2000.....	\$999.95
#603714	Sony PD170, VX2100.....	\$1159.95
#603807	Sony TRV14, 19, 22, 33.....	\$679.95
#603518	Sony TRV18, 25, 27.....	\$594.95
#603814	Sony TRV128, 328, 260, 460.....	\$679.95
#603795	Sony TRV950, PDX10.....	\$1149.95



Video Housings

- Depth rated to 250' (75m) • Custom Housings can be built for any video camera with controls of choice • PVC housing material
- 5 manual controls • Optical Domeport • Removable wings
- 1" Clear, acrylic front and rear faceplates • Safety Quick-release pin, housing becomes positive, causing it to rise to the surface

Pro-Pak 6spc Housings

- Includes: .45x Wide angle lens, Dome port protector, Color correction filter & Spare parts kit

for Sony DCR-PC1000.....**\$849.95**

#PP6SPC1000.....

for Sony DCR-PC350.....**\$824.95**

#PP6SPC350.....

Pro-Pak 6 Housings

- Includes: .45x Wide angle lens, Dome port protector, Color correction filter & Spare parts kit

for Sony DCR-HC20, 32, 42.....**\$824.95**

#PP6HC20.....

for Panasonic PV-GS150.....**\$849.95**

#PP6PS150.....

Pro-Pak 8 Housings

- Includes: Dome port protector, Color correction filter & Spare parts kit

for Panasonic DVX-100.....**\$1249.95**

#PP8DVX100.....

EQ-Pro Housings

- Includes: 2.5" Color LCD monitor & Spare parts kit

for Panasonic DVX-100A Pro.....**\$2249.95**

#PP8DVX100A.....

for Sony HDR-FX1, HVR-Z1U.....**\$2749.95**

#FX1PRO.....



Pro Video Lite II Kits with Smart Charger

- Kits Include: Mounting arm, Battery pack, PPO/SpD Smart charger, Cable with in-line switch



50w #634055.....**479.95**

• Depth Rated to 300' (90m)

• Burn Time: 55 Minutes • 3400K

100w #634005.....**479.95**

• Depth Rated to 300' (90m)

• Burn Time: 25 Minutes • 3400K



Large Aqualight Light System

- Depth Rated to 400' • Easily changed lamps, no tools required
- 3300K • Machined from a solid block of marine grade aluminum
- Emits beautiful, soft, even, 180° light that has the appearance of ambient

AL01 Kit #EQAL01.....**1078.95**

Includes: 100 watt Quarts-Halogen

Light, 12 volt/12 amp Rechargeable

Lead-Acid Battery, Charger

& Control Arm

AL02 Kit #EQAL02.....**1689.95**

Includes: 2- 100 watt

Quarts-Halogen Lights,

12-volt/12-amp

Rechargeable Lead-Acid

Battery, Charger & Control Arm



**Reefmaster DC300****\$279⁹⁵** #SL140

- 3.3 megapixels • Sports Finder & 1.6" LCD Monitor
- SD/MMC Slot (8MB internal Memory) • Built-in Flash
- Easy-Dive Control System
- One-button Operation • Land Mode, Sea Mode and External Flash Mode
- Instant Delete Option After Each Picture in Both Sea & External Flash Modes • Dimensions 4.1 x 1.7 x 2.2" • Weight 4.2 oz

Housing Features:

- Depth Rated to 200' • Rubber Armored • Soft Rubber Grips

**3**
MegaPixels**Digital Still Housings for Nikon Coolpix**

- Compact Design
- Depth rated to 130' (40m)
- Compatible with slave strobe systems
- Includes Flood Insurance (1 Year)

CP-3N for 2200, 3200, 4100.....	139.95
CP-33 for 3100, 2100.....	139.95
CP-4 Sport for 4300, 885.....	119.95
CP-4 Pro for 4300, 885.....	144.95
CP-5 for 4200, 5200.....	139.95
CP-6 for 4600, 5600, 7600.....	139.95
CP-7 for 5900, 7900.....	139.95
CP-8 for 5700, 8700.....	Depth Rated to 197' (60m)..... 149.95
CP-8N for 8800.....	Depth Rated to 197' (60m)..... 149.95

**Digital Still Housings**

- For underwater shots or protects camera from the elements
- Fast and secure locking system with safety lock
- Flash diffusion plate ensure underwater flash lighting
- Clear plastic construction
- Simple loading of camera


Depth Rated to 100' (30m)	Depth Rated to 130' (40m)
WP-DC200 f/A10, 20..... 199.95	WP-DC10 f/SD100, 20..... 169.95
WP-DC200S f/A30, 40..... 169.95	WP-DC20 f/IS..... 179.95
WP-DC300 f/S30, 40, 45, 50..... 169.95	WP-DC30 f/A75, 85, SD300, 400..... 179.95
WP-DC400 f/A100, 200..... 169.95	WP-DC40 f/S60, 70..... 169.95
WP-DC500 f/S330..... 179.95	WP-DC50 f/A85..... 189.95
WP-DC600 f/S200, 230..... 169.95	WP-DC60 f/A510, 520..... 199.95
WP-DC700 f/A60, 70..... 169.95	WP-DC70 f/SD500..... 199.95
	WP-DC800 f/S400, 410, 500..... 169.95
	WP-DC900 f/A80..... 169.95

**Reefmaster DC310****\$379⁹⁵** #SL148**with Expanded Image Controls**

- 3.3 megapixels
- Sports Finder & 1.6" LCD Monitor • SD/MMC Slot (8MB internal Memory)
- Easy-Dive Control System
- One-button Operation
- Instant Delete Option After Each Picture in Both Sea & External Flash Modes • Movie Mode
- Land Mode, Sea Mode and External Flash Mode
- Dimensions 4.1 x 1.7 x 2.2" • Weight 4.2 oz

Housing Features:

- Depth Rated to 200' (60m)
- Rubber Armored • Soft Rubber Grips

**3**
MegaPixels**Digital Still Housings**

- Depth rated to 131' (40m)
- Clear Polycarbonate Construction
- Housing accesses ALL camera functions
- Clear view of the camera information and control functions


WP-CP3 for Coolpix 4600, 5600.....	#25671..... 8888.95
WP-CP4 for Coolpix 5900, 7900.....	#25703..... 8888.95
WP-CP5 for Coolpix S1.....	#25693..... 8888.95

**Digital Still Housings**

Tested for use to a depth of 10m (33 ft). Remarkably light and still robust, they provide effective against sand, dust, rain, seawater, mud, humidity, etc.

#D-A.....	239.95	#D-FA.....	164.95
#D-AM.....	94.95	#D-KOD.....	169.95
#D-AX.....	279.95	#D-LIM.....	89.95
#D-CA2.....	189.95	#D-LIM2.....	89.95
#D-CG1.....	174.95	#D-MM.....	94.95
#D-CG3.....	169.95	#D-N950.....	164.95
#D-CP1.....	89.95	#D-NC2.....	169.95
#D-CP2.....	94.95	#D-SC.....	189.95

for Canon PowerShot A5, 50, 100, 200, 300, S10, 20, 50, 60.....	D-MM
for Canon PowerShot A10, 20, 30, 40, S30, 40, 45.....	D-AM
for Canon PowerShot A60, 70, 75, 80.....	D-SC
for Canon PowerShot A310.....	D-CP1
for Canon PowerShot G3, G5.....	D-CG3
for Canon PowerShot S1 Pro 1.....	D-A
for Casio Exilim EX-Z3, 4, 30, 40.....	D-MM
for Casio Exilim EX-S1, 2, M1, 2.....	D-LIM2
for Epson PC-L400, 650, 750Z, 800.....	D-LIM
for Fuji Finepix A310, 330, 340, F401, 410, 440, 450, 700.....	D-MM
for Fuji Finepix 4800, 6800, F601, 610.....	D-FA
for Fuji Finepix 4900, 6900, S20, S602, S3500, 5000, 5500, 7000.....	D-A or D-AX
for Hewlett Packard PhotoSmart 318, 435, 620, 720, 735, C200, 500.....	D-AM
for Hewlett Packard PhotoSmart 320, 635, 812, 935, R507, 707.....	D-MM
for Hewlett Packard PhotoSmart M507.....	D-CP1
for Kodak CX-4200, 4230, 4300, DC-4330, 4530, 6440, 7440, 7630.....	D-AM
for Kodak CX-6330, 7310, 7330, 7430, 7525, 7530, DC-3200, 3800.....	D-MM
for Kodak LS-633, 743, 753.....	D-CP1
for Kyocera Finecam L3, 4, 30.....	D-CP1
for Kyocera TVS.....	D-A
for Kyocera Finecam M400, 410.....	D-AM
for Leica D-Lux.....	D-CP1
for Minolta DiMAGE 5, 7, 7i, 7Hi, A1, 2, 200, Z1, 2, 3, 10.....	D-A
for Minolta DiMAGE E-323, 6400, 500, 530, 600.....	D-MM
for Nikon Coolpix 700, 885, 2000, 2100, 2500, 3100, 3500, 4300, 4800.....	D-AM
for Nikon Coolpix 775, 880, 2200, 3200, 4100, 4200, 5200.....	D-MM
for Nikon Coolpix 950, 990, 4500.....	D-N950
for Nikon Coolpix 995.....	D-NC2
for Nikon Coolpix 3700.....	D-CP2
for Nikon Coolpix 5000, 5400.....	D-CP1
for Nikon Coolpix 8400.....	D-CG3
for Nikon Coolpix 5700, 8700, 8800.....	D-A or D-AX
for Olympus C-5000, D-390, 395, 580.....	D-AM
for Olympus C-2, 21, 40, 50, 60, 370, 470, Stylus 300, 400, 410.....	D-MM
for Olympus C-2020, 2030, 2040, 3020, 3030, 3040, 4000, 4040.....	D-CA2
for Olympus C-310, D-540.....	D-CP1
for Olympus C-70.....	D-CP2
for Olympus C-720, 730, 740, 750, 760, 765, 770.....	(Requires Adapter) D-A
for Olympus C-5050, 5060, 8080.....	D-A or D-AX
for Panasonic DMC-FX1, 2, 5, 7.....	D-CP1
for Panasonic DMC-FZ1, 2, 3.....	(Requires Adapter) D-A
for Panasonic DMC-FZ10, 20.....	D-A or D-AX
for Pentax Optio 30, 33, 330, 430, 550, 750Z, 530.....	D-MM
for Pentax Optio S4, 5, 40, 50, SV.....	D-LIM2
for Pentax Optio X.....	D-CP2
for Sony DSC-P1, 5, 7, 9, 31, 50, 51, 52, 71, 100.....	D-CP1
for Sony DSC-P8, 10, 12, 73, 92, 93.....	D-CP2
for Sony DSC-P43.....	D-MM
for Sony DSC-S70, 75, 85.....	D-CG1
for Sony DSC-V1.....	D-SC
for Samsung Digimax 370, 430, 530, V4, 5, 50.....	D-CP1

**Digital Still Housings**

- Depth rated to 131' (40m)
- Clear Polycarbonate Construction
- Housing accesses ALL camera functions
- Clear view of the camera information and control functions



for Exilim EX-Z40.....	#EWC40..... 199.95
for Exilim EX-Z55.....	#EWC55..... 199.95

**SeaSpy 5****\$499⁹⁵** #SP50

- Six Essential Controls
- Sony 5.25 Megapixel CCD
- 160' Depth rating
- 1.5" LCD Monitor
- SD card slot (16 MB Internal Memory)
- 7.7-23.1mm f/2.8-6.7 (37-111mm equiv.) • 4x Digital
- Internal Land flash • ISO 100-400
- Program, Aperture, Shutter, Manual, Exposure Compensation
- 67ø lens ring to accepts filters & WA lens • Auto Focus
- Macro • Dimensions 6.25 x 6 x 6" • Weight 33.3 oz

**5**
MegaPixels**Aquapix DX-5000G****\$1024⁹⁵** #06514

- 5.1 megapixel • 1/2.7" CCD
- 180' Depth rating • Optical viewfinder & 1.8" LCD Monitor
- SD card slot 16 MB Internal Memory • 3.4x Digital
- 5.8 -17.4mm f/2.6-4.7 (28- 85mm equiv.) • Built-in flash
- Auto, Manual & Fixed Focus • ISO 64-1600 • Movie • Macro
- Aperture priority & manual exposure • AV NTSC/PAL • USB
- PictBrige • Dimensions 4.5x 2.3 x 1.2" • Weight 7.2 oz

DX-3000G #06507 • 3.34 Megapixels

- 5.5 -16.5mm f/2.6-4.7 (35-105mm equiv.)

**5**
MegaPixels**Digital Camera Housings**

- Molded of corrosion free clear polycarbonate
- Controls are provided for most camera functions
- Rugged aluminum handles and base plate allows attachment of video lights or strobe arm systems
- Housing accepts optional wide angle adapter lenses, or fisheye lenses where available



CAT #	For	Depth to	PRICE
#1614080	Canon Powershot A80, A95.....	200 ft.	\$439.95
#16142	Canon Powershot G2.....	200 ft.	\$599.95
#16143	Canon Powershot G3, G5.....	200 ft.	\$629.95
#16145	Canon Powershot G6.....	200 ft.	\$509.95
#16144	Canon Powershot Pro 1.....	200 ft.	\$634.95
#1615481	Fuji Finepix F810.....	200 ft.	\$269.95
#16162	Kodak DX-7590.....	200 ft.	\$434.95
#16188	Nikon Coolpix 880.....	200 ft.	\$374.95
#16170	Nikon Coolpix 950.....	200 ft.	\$399.95
#16182	Nikon Coolpix 2000.....	125 ft.	\$229.95
#16181	Nikon Coolpix 2100, 3100.....	125 ft.	\$264.95
#161832	Nikon Coolpix 2200.....	125 ft.	\$254.95
#16185	Nikon Coolpix 4300, 885.....	200 ft.	\$474.95
#1618148	Nikon Coolpix 4800.....	200 ft.	\$269.95
#16186	Nikon Coolpix 4500.....	200 ft.	\$589.95
#16190	Nikon Coolpix 5000.....	200 ft.	\$789.95
#1618152	Nikon Coolpix 5200.....	200 ft.	\$269.95
#16191	Nikon Coolpix 5700.....	200 ft.	\$849.95
#16194	Nikon Coolpix 5400.....	200 ft.	\$527.95
#1619484	Nikon Coolpix 8400.....	200 ft.	\$674.95
#16198	Nikon Coolpix 8700.....	200 ft.	\$807.95
#1619888	Nikon Coolpix 8800.....	200 ft.	\$794.95
#1613050	Olympus C2040, 3040, 4040.....	200 ft.	\$424.95
#1613150	Olympus C50.....	125 ft.	\$264.95
#161301	Olympus C5000.....	200 ft.	\$479.95
#1613055	Olympus C5050.....	200 ft.	\$495.95
#1613061	Olympus C5060.....	200 ft.	\$509.95
#1613070	Olympus C7000, C70.....	200 ft.	\$269.95
#1613073	Olympus C700, 720, 730.....	200 ft.	\$509.95
#1613074	Olympus C740, 750.....	200 ft.	\$424.95
#1613075	Olympus C765.....	200 ft.	\$424.95
#1613080	Olympus C8080.....	200 ft.	\$509.95
#1613523	Olympus D230.....	150 ft.	\$264.95
#16138.4	Olympus Stylus 300, 400, 410.....	150 ft.	\$239.95
#1611075	Sony DSC-S75, 85.....	200 ft.	\$799.95
#1611091	Sony DSC-V1.....	200 ft.	\$512.95
#1611107	Sony DSC-F707.....	200 ft.	\$799.95
#1611117	Sony DSC-F717.....	200 ft.	\$809.95
#1611093	Sony DSC-V3.....	200 ft.	\$519.95
#1611128	Sony CyberShot DSC-F828.....	200 ft.	\$807.95

FUJIFILM

Digital Still Housings

- Depth rated to 131' (40m)
- Clear Polycarbonate Construction
- Housing accesses ALL camera functions
- Clear view of the camera information and control functions
- Change buoyancy by removing balance weight so housing will float



WP-FX440 for Finepix F440, 450.....#43960740.....**199.95**

KONICA MINOLTA

Digital Still Housings

- Depth rated to 100' (30m)
- Clear Polycarbonate Construction
- Housing accesses ALL camera functions
- Clear view of the camera information and control functions



MC-DG200 for Dimage Xt.....#6786101.....**189.95**
MC-DG300 for Dimage Xg.....#6798101.....**189.95**
MC-DG400 for Dimage X50.....#6734101.....**CALL**
O-Ring set (Replacement).....**19.95**

PENTAX

Digital Still Housings

- Depth rated to 131' (40m)
- Clear Polycarbonate Construction
- Housing accesses ALL camera functions
- Clear view of the camera information and control functions



O-WP1 for Optio 330RS, 430RS.....#39537.....**199.95**
O-WP2 for Optio S4i, 5i.....#39221.....**199.95**
O-WP3 for Optio S40.....#39226.....**179.95**
O-WP4 for Optio S50.....#39261.....**199.95**
WP-GR1 Silicone Grease for WP Case.....#39542.....**24.95**
WP-SL1 Silica Gel Pak for WP Case.....#39541.....**7.95**
WP-OR1 O-Ring for WP Case.....#39544.....**5.95**

OLYMPUS

Digital Still Housings

- Depth rated to 131' (40m)
- Clear Polycarbonate Construction
- Housing accesses ALL camera functions
- Clear view of the camera information & control functions



PT-016 f/Stylus Digital.....**129.95**
PT-017 for D-560.....**129.95**
PT-019 for C-5000.....**179.95**
PT-020 for C-5060.....**199.95**
PT-021 for D-575, 580.....**169.95**
PT-022 for C-765, 770.....**229.95**
PT-023 for C-8080.....**329.95**
PT-024 for C-60.....**179.95**
PT-026 for Stylus 500.....**???**
PT-027 for C-7070.....**???**

SONY

Digital Still Housings

- Sturdy ABS plastic and glass construction
- Bright yellow highlights



MPK-PEA for P73, 93.....131' (40m).....**159.95**
MPK-PHB for P100, P150.....131' (40m).....**159.95**
MPK-THB for T33.....131' (40m).....**159.95**
MPK-THA for T1.....120' (36.5m).....**159.95**
SPK-LA Sports Jacket for L1.....10' (3m).....**89.95**
Color Filter for MPK-THA.....VFMPH.....**89.95**

SEA&SEA

Conversion Lens Adapters

for Wide & Macro Lenses

#38101 for Canon WP-DC300.....**79.95**
#58113 for Minolta MC-DG400.....**109.95**
#58106 for Minolta MC-DG200, 300.....**93.95**
#58080 for Olympus PT-101, 007, 008 (Macro Only).....**54.95**
#58108 for Pentax O-WP2.....**109.95**
#58107 for Sony MPK-THA.....**89.95**
#58101 for Sony MPK-P9, PHA, PEA, PHB.....**64.95**



ikelite

Underwater Strobes

Brightest and Fastest Recycling Strobes in the Class and Support a Variety of Exposure Modes Including Manual, TTL, Rear Sync, and Matrix Balanced Fill Flash



Substrobe 50 TTL (Orange) #4043.....300' (90m).....299.95****
Substrobe 100A TTL (Black) #4046.1.....300' (90m).....409.95****
Substrobe 200 TTL (Orange) #4062.1.....300' (90m).....729.95****

ikelite

Digital Strobe Kits

Features 50 or 125 W.S. power, revised electronic circuitry for use with the latest cameras, providing both TTL and ability to provide preflash when combined with Remote TTL Sensor

DS-50 Strobe Kit #3944.40
Includes: #4044 DS-50 SubStrobe with #0561.2 diffuser #4100.5 TTL Slave Sensor #4075.1 Strobe Arm system.....**\$424.95**

DS-125 Strobe Kit #3944.75
Includes: #4065 DS-125 SubStrobe with diffuser, #4103 Sync cord, #4085.51 B.S. arm system, #4066 NC module #4063.1 110/220V charger.....**\$819.95**



ikelite

Substrobe Packages

SS-50 Photocase #3968.44.....479.95****

Includes:
• Substrobe DS-50 (Gray)
• Ikelite TTL Cord • Strobe Arm Is
• Mini C-Lite and Lite Bracket • Photocase

SS-100a Photocase #3968.4.....479.95****

Includes: • Substrobe 100a (Black) • Photocase

• Quick Grip II Arm SA-125 • Ikelite TTL Cord

SS-200 Photocase #3968.62.....975.95****

Includes: • Substrobe 200 (black) • Smart charger

• Quick Grip II Arm SA-125 • Ikelite TTL Cord • Photocase



SEA&SEA

Digital UW Lenses

- For Use with MM-II EX & Digital Cameras
- Simple Bayonet Mounting, Changeable Underwater
- Depth Rating of 150' (45m)



16mm Wide Conversion Lens #03031.....**299.95**
20mm Wide Conversion Lens #03020.....**279.95**
Macro Lens 3T with Framer #03010.....**99.95**
Macro Lens 2T with Framer #03040.....**149.95**

PATHFINDER

Triple Sensor Watch

\$199.95 PAG40

- Digital Compass
- Altimeter
- Barometer
- Thermometer
- Altitude Memory (50 Records)
- 100M Water Resistant
- Auto EL Backlight
- Daily Alarm
- 1/100 Second Stopwatch



SEA&SEA

YS Series Strobes for Digital

YS-15 Auto (Silver) #03105.....309.95****

• Guide Number: 12 • Beam Angle: 70°x55°

• Cordless Slave Control • Automatic exposure

YS-25 Auto (Smoke Grey) #03103.....349.95****

• Guide Number: 12 • Beam Angle: 70°x55°

• Cordless Slave Control • Automatic exposure

YS-55 TTL/E (Smoke Grey) #03104.....524.95****

• E-TTL Automatic exposure (for Canon D-SLRs)

• Guide Number: 18 • 6 Step G.N. Controller

• Beam Angle: 95°x64° • Cordless Slave Control

YS-90 DX (Black) #16950.....499.95****

• Guide Number: 22 • Beam Angle: 105°x95°

• Cordless Slave Control • Cordless TTL Control

• Sync Cord TTL • Compatible with Sea & Sea, Nikonos & Manual Photography

YS-90 Auto (Black) #03101.....645.95****

• Guide Number: 22 • Beam Angle: 105°x95°

• Cordless Slave Control • Automatic exposure

• Sync Cord TTL • Compatible with Sea & Sea, Nikonos & Manual Photography

LIGHTING KITS

YS-15 Kit #70002.....499.00****

Includes: YS-15 Strobe, Sea Arm Single & Fiber Optic Cable

YS-15/LX-15 Kit #70003.....773.00****

Includes: YS-15 Strobe, LX-15 Dive Light, Sea Arm Double & Fiber Optic Cable

YS-25 Kit #70004.....625.00****

Includes: YS-25 Strobe, Sea Arm Single & Fiber Optic Cable

YS-90DX Kit #70005.....529.95****

Includes: YS-90DX Strobe, Sea Arm Single & Fiber Optic Cable




Bonica

Neon Strobe III #NEONLIT3

\$299.95

- Works with any underwater digital or film camera that has a built-in flash
- Depth Rated to 165' (50m)
- Fully adjustable arm and flash head that swivels 360°
- Slave will fire with 4 different pre-flash settings as well as no pre-flash
- Variable flash power control from 100% down to 8% • G.N. 66
- 60° angle of coverage • Dual sensors
- Recycle time of 7 seconds (Full power)
- Up to 120 flashes with full power batteries
- 5700° kelvin color temperature




Sealife

SL960D Strobe #SL960D

\$299.95

- Works with any underwater digital or film camera that has a built-in flash
- Depth Rated to 200' (60m)
- Flexible, rubberized arm for easy aiming and a sure grip
- Slave will fire with 4 different pre-flash settings as well as no pre-flash
- Variable brightness control for better image exposure • G.N. 20
- 60° angle of coverage • 5700° kelvin color temperature • Recycle time of 7 seconds (Full power) • Up to 120 flashes with full power batteries



ewa-marine Camera Housings

for Point & Shoot Cameras

- depth rated to 33 feet (10m)
- Double Laminated PVC Construction
- Accesses to all camera functions through the PVC.

#U-MM**\$89.95**

#U-AM**\$84.95**

#U-AMZ**\$84.95**

Super compact for small cameras

maximum 5.1 x 3.5 x 3.5" W.H.D. **U-MM**

Compact for small cameras without zoom

maximum 5.9 x 3.5 x 2.75" W.H.D. **U-AM**

Compact for small cameras with zoom

maximum 5.9 x 3.5 x 5.1" W.H.D. **U-AMZ**



SEA&SEA

YS Series Strokes for 35mm

Compatible with Sea & Sea, Nikons & Manual Photography

YS-30 II TTL Duo (Black) #03102**\$47.95**

• Guide Number: 20 • Beam Angle: 80°x55° • Sync Cord TTL

• Cordless Slave Control • Cordless TTL Control

YS-90 TTL Duo (Black) #16900**\$118.95**

• Guide Number: 22 • Beam Angle: 105°x95° • Sync Cord TTL

• Cordless Slave Control • Cordless TTL Control

YS-120 TTL Duo**\$179.95**

(Black #18201, Orange #18301, Yellow #18101)

• Guide Number: 22 • Beam Angle: 105°x105°

• Cordless Slave Control • Sync Cord TTL

YS-350 TTL Pro**\$99.95**

(Black #18510, Orange #18500) • G.N. Control

• Guide Number: 32 • Beam Angle: 105°x95°

• Cordless Slave Control • Sync Cord TTL



SL545 SportDiver

\$99⁹⁵ #SL545

- For diving, snorkeling and land use
- 100' Depth Rating
- Fully Automatic 35mm Camera with built in flash
- Focus Free
- One-button operation
- Made of unbreakable Lexan
- Dimensions 5.5 x 5.25 x 3.25"
- Weight 17 oz.



Elph Sport Kit (APS)

\$124⁹⁵ #CAESK

- 23mm/f/4.8 Fixed Lens (35 equiv. 29mm)
- AF 2' to infinity On Land
- Large Viewfinder
- Camera Floats
- 16.4' Underwater Depth
- Auto Flash, Fill Flash, Flash Off, Slow Sync., Red-Eye Reduction • 1.5-3' Macro Mode
- Fixed Focus 2-9.8' Underwater • 4.1x2.5x2.8" • 8.2 oz.



NIKONOS

Nikonos V Outfit #NIN503525

\$739⁹⁵

The most complete interchangeable-lens underwater camera system in the world!

Outfit Includes:

Nikonos-V Camera Body & 35mm f/2.5 W-Nikkor IC Lens

Body

- Oversized, highly visible controls are simple to operate
- Provides TTL Flash Exposure Control with Optional SB-104 & SB-105 Speedlights • Nikonos Bayonet Lens Mount
- 160' Maximum Depth • Aperture Priority & Manual Exposure Modes • LED Viewfinder Info • 1/90th sec. Mechanical Speed
- 1/1000-1/30th Sec. + Bulb Shutter Speeds • Manual Focus
- Dim. 5.7 x 3.9 x 2.3" Body Only • Weight 1.54 lb Body Only
- Lens • Length 2.4" • Weight 6 oz
- f/2.5-22 f/Stop Range • Angle of View 43° UW; 62° Land



Nikonos V & Accessories

	IMP.	USA
Nikonos V Body.....	—	499.95
15/2.8.....	1449.95	CALL
20/2.8.....	719.95	CALL
28/3.5 UW.....	339.95	449.95
35/2.5.....	179.95	CALL
80/4 UW.....	399.95	449.95
SB-105 Head.....	CALL	CALL
SB-105 Outfit.....	CALL	CALL
SB-104 Head.....	899.95	999.95
SB-104 Outfit.....	999.95	1199.95
DF-10 Finder f/80mm.....	89.95	99.95
DF-11 Finder f/15mm.....	279.95	299.95
DF-12 Finder f/20/28mm.....	179.95	199.95
Close Up Kit w/o Case.....		159.95
28mm Finder.....	19.95	35-80mm Finder.....19.95
Double TTL Sync Cord #11221.....		149.95
Sync Cord #10208.....		79.95

USA = Imported and warrantied by Nikon USA
IMP. = Imported and warrantied by B&H (not qualified for Nikon USA Rebates and Warranties)

SEA & SEA ACCESSORIES FOR NIKONOS

Extension Tube 35mm 1:1.....	54.00	Extension Tube 35mm 1:2.....	54.00
Extension Tube 35mm 1:3.....	54.00	Extension Tube 28mm 1:2.....	54.00
YS-90 Flash with Cord.....	474.95	YS-120 Flash with Cord.....	599.95
YS-350 w/Nicad and Charger.....			999.95

IKELITE STROBE PACKAGES for NIKONOS

3943.45 Substrobe 50 Kit.....	379.95	3943.43 Substrobe 50 Kit.....	399.95
3946.47 Substrobe 100A Kit.....			589.95
3946.62 Substrobe 200 Kit with USA Charger.....			999.95
3946.58 Substrobe 400 Kit with USA Charger.....			1009.95

GATES ACCESSORIES FOR NIKONOS

Extension Tube Set 28mm.....			87.50
Extension Tube Set 35mm.....			119.50



Seaking II Deluxe

\$144⁹⁵ #SEADELX

- Depth rating to 150ft (50m) (4.5 atm)
- Protected by GOALI
- Controllable flash including red eye reduction
- Coated 3 element glass lens system
- 30mm f/5.6 lens, 125 sec. shutter speed
- Removable camera for land use

Multi Combo Kit Includes: Multi Snapper, Soft Case & Strobe Assembly #MUCOMB.....**\$39.00**
Handy Snapper Camera #HANDELX.....**74.95**



FREE!
Divers Watch
with any Bonica
camera (except
Handy Snapper)



Reefmaster Pro Kit

\$339⁹⁵ #SL560

Kit Includes:

- Reefmaster RC Camera
- External Flash
- Care Kit
- Deluxe Carry Case
- Macro 3x Close-up Lens & U/W Filter
- "Great Pictures Made Easy" Booklet

Reefmaster SL-200 Kit with Close-up Lens #SL511**189.95**

Underwater Flash #SL960.....**179.95**

Macro 3x Close-up Lens #SL951.....**34.95**

Macro Lens Set 8x, 16x Macro & Wand #SL959.....**89.95**



SEA&SEA

MX-10 Islander Kit

\$339⁹⁵ #041011

- 35mm f/3.5 Lens
- 150' (46m) Depth Rating
- Flash ready light
- Built-in Motordrive & Auto Flash
- LED display: Low exposure warning lamp
- Focal distance: 3'-infinity (land), 4'-infinity (U/W)
- Dimensions 6.3 x 3.7 x 2.8" • Weight 21 oz

Islander Kit Includes: YS-40A Strobe, 20mm Wide-Angle

Conversion Lens, Macro Lens with Guide Rod, Close-Up Lens,

Lens Caddy, Strap & O-ring set for camera and flash

YS-40A Flash #14200**215.00** 20mm W.A. Lens #04010**224.95**

Macro Lens #04020**119.95** Close-up Lens #04030**49.95**



SEA&SEA

Sea Arm VI Set #29090

\$187⁹⁵

Constructed of fiberglass-reinforced resin offering a lightweight yet strong arm. Suitable for either strobes or video lights.

Set Includes:

- Head SS: 4.6"/1.8 oz
- Head S: 7.3"/2.5 oz
- Double Ball S: 9.1"/3.5 oz
- Double Ball SS: 7.5"/3.0 oz
- Ball Joint Set: 2.5"/2.8 oz
- Direct Arm Set: 2.4"/3.5 oz
- Bracket Shoe: 0.5 oz



Reefmaster RC

\$129⁹⁵ #SL515

- 35mm f/3.5 Lens
- 164 Ft. Depth Rating
- Hard Molded Rubber Armored Housing
- Focus Free 4'-infinity (U/W)
- Color Corrected Underwater Flash
- Auto Advance and Rewind
- Big sports finder
- Dimensions 5.5 x 5.5 x 3.5"
- Weight 19 oz.
- Optional Close up Lens, Macro lenses and External Flash Available



Sure Shot A1 Panorama Date Kit

\$159⁹⁵ #CASSA1DK

- 32mm f/3.5 Fixed Lens
- 16.4' Maximum Depth
- AF above water, Fixed Focus underwater (macro mode)
- Auto Flash, Fill Flash, Flash Off, Red-Eye Reduction
- Panorama Mode
- Dimensions 5.3 x 3.5 x 2.1" • Weight 10.6 oz.



SEA&SEA

MX-5 II Kit with YS-20

\$349⁹⁵ Blue #61100S Yellow #61101S

- 28mm f/9 Focus Free Lens
- Built In Motordrive & Flash
- 120' (36m) Depth Rating
- Pop-up sports finder that doubles as a lens protector
- Dimensions 5.9 x 3.5 x 2.6"
- Weight 18 oz.

MX-5 II Blue #01100.....**164.95**

MX-5 II Yellow #01101.....**164.95**

Close-up Lens for MX-5 - Changeable Underwater #58130.....**44.95**



SEA&SEA

Motor Marine III

\$789⁹⁵ #01104

- 20mm f/3.8 Lens
- 200' (60m) Depth Rating
- Illuminated LCD Panel for Night diving or Dark Water
- Focal distance: 2'-infinity (U/W)
- Dimensions 4.9 x 6.9 x 3.7" • Weight 33 oz.



Sport Kit #01104S.....**1649.95**

Sport Plus Kit #01104SP.....**1819.95**

15mm W.A. Lens #52101.....**374.95** Macro Lens 2T #52103.....**233.95**

Multi Viewfinder #52104.....**208.95** Macro Lens 3.5T #52102.....**189.95**

ikelite 35mm SLR Housings

#6726



Housings include a hot shoe connection and a housing bulkhead allow addition of Ikelite Substrobes. All TTL Substrobes are compatible with the Cameras TTL system. Port Sold Separately.

#6729.1.....for Nikon N90, N90s, F90, F90s, F90x.....	\$659.95
#6728.1.....for Nikon N8008, N8008s, F801, F801s.....	\$659.95
#6710.....for Nikon F100.....	\$807.95
#6728.8.....for Nikon N80, F80.....	\$659.95
#6727.....for Nikon N70, F70.....	\$659.95
#6726.5.....for Nikon N65, F65.....	\$659.95
#6726.1.....for Nikon N60, N60-QD, F60.....	\$659.95
#6777.7.....for Canon EOS Elan 7, 7E.....	\$659.95
#6777.....for Canon EOS Elan II, IIE, 100II.....	\$659.95
#6773.....for Canon EOS Rebel G, QD, X, XS.....	\$659.95

ikelite Digital SLR Housings

#6870



Housings include a hot shoe connection and a housing bulkhead allow addition of Ikelite Substrobes. All TTL Substrobes are compatible with the Cameras TTL system. Port Sold Separately.

#6870.....for Canon EOS Digital Rebel.....	\$999.95
#6870.1.....for Canon EOS Digital Rebel with TTL.....	\$1234.95
#6871.35.....for Canon EOS Digital Rebel XT.....	\$1234.95
#6871.20.....for Canon EOS-20D with TTL.....	\$1234.95
#6152.2.....for Fuji S2 Pro SLR.....	\$1149.95
#6652.....for Fuji S2 Pro SLR with Aluminum Back.....	\$1349.95
#6807.....for Nikon D70.....	\$1079.95
#6810.....for Nikon D100 Clear Molded.....	\$1079.95
#6853.....for Olympus Evolt E-300.....	\$1079.95
#6851.....for Olympus E-1.....	\$1239.95

FANTASEA line

FD-70 Digital SLR Housing for Nikon D70

\$999⁹⁵

Includes: Anti-flood insurance and standard lens port

- Operating depth to 6m/200 ft.
- Exposure compensation
- Multi selector control
- Main Dial command
- Sub Dial command
- On/Off • Mode select menu
- Nikonos 5 PIN sync socket for external flash
- Monitor zoom • Image quality • Playback and trash
- Magnified optical viewfinder • Light control for LCD screen
- Exchangeable ports system • Exposure compensation

ikelite

Interchangeable Ports for 35mm & Digital SLR Housings

The SLR port is the cylindrical shape front of the housing that contains the camera lens. The port removes easily and is available in various lengths to accommodate different lenses. A dome front is utilized for wide angle lenses, and a flat front for macro and longer focal lengths.

DOME PORTS

Recommended for wide angle lenses from 17mm to 28mm, and short zoom lenses	
#5503.50.....for 3" to 4" Lens.....	\$139.95
#5503.55.....for 3.5" to 4.5" Lens.....	\$139.95
#5503.80.....for 4" to 5" Lens.....	\$139.95
#5503.85.....for 5" to 6" Lens.....	\$124.95
#5503.15.....for Up to 2.5" Lens.....	\$139.95
#5503.....for Up to 3" Lens.....	\$139.95
#5503.90.....for Canon 17-85mm EF.....	\$175.95
#5503.20.....for Nikon 20mm D.....	\$157.95
#5503.81.....for Nikkor 28-105mm.....	\$159.95

8" Dome Port for the new zoom lenses like Nikon 12-24mm & Canon 10-22mm. #18400.....**\$377.95**

FLAT PORT

For standard, macro and telephoto lenses.	
#5501.....for Up to 2.5" Lens.....	\$4.95
#5502.....for 2.5" to 3.5" Lens.....	\$4.95
#5502.41.....for 3.1" to 4.125" Lens.....	\$106.50
#5505.....for 3.5" to 4.5" Lens.....	\$106.50
#5505.45.....for 4.1" to 5.125" Lens.....	\$106.50
#5505.5.....for 4.5" to 5.5" Lens.....	\$106.50
#5505.58.....for 5.1" to 6.125" Lens.....	\$106.50
#5508.45.....for Canon 100/2.8 EF USM.....	\$148.95

FLAT PORT WITH FOCUS

For long lenses whose focus collar extends beyond the housing focus.

#5506.....for 3.5" to 4.5" Lens.....	\$139.95
#5506.5.....for 4.5" to 5.5" Lens.....	\$139.95
#5508.....for 6.5" to 7.5" Lens.....	\$139.95
#5508.05.....for Nikkor 105mm.....	\$148.95

NOTE: Only lenses with rotating barrel control for zoom can be used. Push-pull zoom control can not be operated.

SEA&SEA Digital SLR Housings

- Construction: Front case-ABS resin, Rear case-Polycarbonate (06101, 06111, Non-corrosive aluminum alloy (06108,
- Depth rating to 200' (60m)
- Supports Most camera functions
- External Strobe Connectors
- Special safety locks
- Port lock mechanism
- Ports Sold Separately



DX-30/60.....for Canon EOS-D30, 60.....White #06101.....	\$1699.95
DX-300D.....for Canon EOS Digital Rebel..White #06111.....	\$1849.95
DX-1Ds.....for Canon EOS-1Ds.....Red #06108.....	\$6324.95
DX-70.....for Nikon D70.....Silver #.....	\$1849.95

AQUATICA® Digital SLR Housings

- Depth rating: 300 ft
- Cast aluminum body fully anodized to military specifications and coated with polyurethane
- Balanced ergonomic design
- Adjustable Aluminum form fitting grips are for different hand sizes
- Positive bayonet port mounting system dome, macro port & rings



for Nikon D70.....#20040 \$1549.95#20041 \$1599.95	
for Nikon D100.....#20031 \$1484.95#20032 \$1539.95	
for Fuji Finepix S2.....#20033 \$1484.95#20034 \$1539.95	
for Canon Digital Rebel.....#20037 \$1569.95#20038 \$1625.95	

SEA&SEA 35mm SLR Housings

- Light and easy to use
- Optical Viewfinder
- 200-250' Depth rating
- Leak Sensor
- LCD Panel Illumination
- Corrosion resistant aluminum alloy
- 5 pin strobe connector
- Port Sold Separately



NX-80.....for Nikon N80.....Leather Black.....	\$2239.95
NX-100 Pro.....for Nikon F100.....Gunmetal.....	\$2699.95
NX-5 Pro.....for Nikon F5.....Gunmetal.....	\$3999.95
CX-603.....for Canon Rebel 2000.....Pearl White.....	CALL

AQUATICA® Interchangeable Ports for 35mm & Digital SLR Housings

8" Dome Port

for Aquatica 3, 4, 4S, 90SX #18400.....	\$377.95
for Aquatica 90, F100, 5, Sport II, D100, S2 #18405.....	\$362.50
for A80, VS, Sport (NOT for Sport II) #18402.....	\$339.95
for Aquatics #18404.....	\$281.95

Macro Port

for Aquatica 80 & Sport #18423.....	\$329.95
for Aquatica 90, 5, F100, D100, S2 with 60/2.8 AF Micro, 55/2.8 AIS or Normal Lenses #18426.....	\$298.95

SEA&SEA Interchangeable Ports

for 35mm & Digital SLR Housings

NX-90 Standard Flat Port.....#56101.....	\$246.50
NX Compact Dome Port for W.A. Lenses.....#56601.....	\$436.95
NX Compact Macro Port Base.....#56201.....	\$202.50
NX Custom Flat Port.....#56231.....	\$374.95
NX Fisheye Dome Port.....#56401.....	\$589.95
NX Zoom Flat Port.....#561101.....	\$319.95
Compact Macro Port S (35).....#56211.....	\$256.50
Compact Macro Port 52.....#56241.....	\$223.95
Compact Macro Port 79.....#56251.....	\$229.50
Compact Macro Port 111.....#56261.....	\$249.95
Compact Wide Port.....#56280.....	\$319.95
Compact Wide Port L.....#30103.....	\$374.95

SEA&SEA Video/Dive Lights

LX-15 #09103.....	888.88
Includes: Detachable Grip/Arm Adapter, Fixing Bolt, LX Hand Grip, O-ring & Silicone Grease	
• Depth Rated to 200' (60m)	
• Burn Time: 40 Minutes • 3100K	
LX-25 #35100.....	399.95
Includes: Battery, LX Hand Grip, O-ring, Arm Fixing Bolt & Silicone Grease	
• Depth Rated to 200' (60m)	
• Burn Time: 60 Minutes • 4700K	
LX-55 #35200.....	519.95
Includes: Battery, O-ring, Arm Fixing Bolt & Silicone Grease	
• Depth Rated to 200' (60m)	
• Burn Time: 30 Minutes • 4700K	



ewa-marine 35mm SLR Housings

Suitable for nearly all types of compact and SLR cameras, often also with winder, zoom lens, flash gun and autofocus lens, they provide underwater protection and also effective against sand, dust, rain, seawater, mud, humidity, etc.



for 35mm SLR Autofocus Cameras	
#U-A.....	249.95
#U-AX.....	259.95
#U-AZ.....	259.95
#U-AXP100.....	369.95
for 35mm SLR Manual Focus Cameras	
#U-F.....	189.95
#U-FX.....	204.95
#U-FXP.....	209.95
#U-FGM.....	234.95

For cameras with or without built in flash max. 5.3 x 6.7" H.D. (60').....U-A
For cameras with a top mounted flash max. 9.5 x 6.7" H.D. (60').....U-AX
For cameras with a top mounted flash (Including Nikon F5, F90;
Canon EOS 1, 3, 5) maximum 10.8 x 6.7" H.D. (150').....U-AXP
For cameras with a top mounted flash (allows the use of lenses with a 77mm filter diameter and a internal focus Incl. Nikon F5, F90;
Canon EOS 1, 3, 5) maximum 10.8 x 6.7" H.D. (150').....U-AXP100
For cameras with a Zoom Lens maximum length 9" (60').....U-AZ
For cameras with Built in Flash maximum 5.3 x 4.3" H.D. (33').....U-F
For cameras with top mounted Flash & short zoom lens
maximum 8.7 x 5.1" H.D. (33').....U-FX
For cameras with side mounted Flash.....U-FXP
For cameras with handle mount Flash
maximum 9.8 x 4.7" H.D. (33').....U-FGM

ikelite Dive Lights

#1133



All of the Dive Light below have a depth rating of 300' (90m)

Mini C-Lite Fluorescent #1133.....	54.95
• Low power consumption fluorescent tube in handle	
• Burn Time: Halogen 3.5 Hours; Fluorescent 10 Hours	
Tank-Lite Gold #1303.....	2 Hours.....9.95
PCa #1538.....	2.5 Hours.....24.95
PC #1548.....	3.5 Hours.....28.95
RCD Halogen #120300.....	6 Hours.....43.95
RCD HR Rechargeable #120318.....	1.25 Hours.....134.95
RCD Super-8 #1228.....	6 Hours.....67.95
Mini C-Lite Halogen #110300.....	3.5 Hours.....24.95