



2013 PHOTO-VIDEO COLLECTION

TRIPODS | HEADS | BAGS | CASES



VANGUARD®

Cover page photo: © Yves Krier - www.yveskrier.com

© Pete Webb - www.petewebb.com



Tripods

AUCTUS Plus	06
ABEO Pro	08
ABEO Plus	10
ABEO	12
ABEO Photo Family	14
ABEO Video Family	16
Alta Pro	18
Alta Pro Kit	20
Alta+ Kit	22
Espod Plus & Espod	24
Nivelo	26
MAK	28
ABEO & Espod Monopods	30

Heads

GH-300T	34
GH	36
BBH	38
TBH	40
SBH	42
PH Video	44
PH	46
VS, QS & Accessories	48

Bags

Xcenior Trolley	52
Xcenior Shoulder Bag	54
Skyborne	56
Quovio 41	58
Quovio Backpack, Shoulder & Trolley	60
The Herald	62
Outlawz	64
Kinray	66
UP-Rise Messenger Bag	68
UP-Rise II Backpack & Sling Bag	70
UP-Rise II Shoulder & Zoom Bag	72
Vojo	74
Adaptor	76
Kinray Lite	78
2GO	80
2GO Shoulder & Zoom Bag	82
Nivelo	84
Pampas II	86
BIIN Backpack & Daypack	88
BIIN Sling Bag	89
BIIN Shoulder & Zoom Bag	90
ICS Vest, Belt, Harness, Bags & Pouches	92
Camera Pouches	94

Cases

Supreme	98
VGP	100
Accessories	102

Specifications & Compatibilities 106-119







Tripods

AUCTUS Plus Series

Tripods



AUCTUS Plus 323CT

VANGUARD's top-of-the-line AUCTUS Plus tripod is loved by photographers for its stability and flexibility. It's designed to go from shooting in a studio to outdoors in a moment.


AUCTUS Plus' leg locks are exceptionally solid and secure, and they seal out dust and sand to provide impressive reliability. Setup is quick, too, with one-twist-to-loosen leg locks. Unique All-terrain Feet convert from anti-rust spikes to angled, textured rubber for use on a variety of terrains. It's flexible, too, with legs that adjust to 25, 50 and 80-degree angles for use on uneven terrain and for low angle photography.

Other features include large bubble level, anti-shock ring, leg scales for precise height adjustment, rubber foam grips and even snow/sand shoes.



For the AUCTUS Plus 323CT

FEATURES



Quick leg angle adjustment:
Simply pull the leg cap up to adjust leg angles from 25, 50 & 80 degree angles.



Solid leg locks:
Dust and sand proof, rock solid leg locks provide reliable protection.



All-terrain feet with included snow and sand shoes:
Unique feet convert from anti-rust spikes to angled, textured rubber.

3 IN 1

Extreme Support Height Positioning (ESHP) Wheel System:



Ultra-smooth ESHP Wheel System is a dual-function wheel gear that adjusts central column height smoothly and securely while supporting heavy gear.



Easy height adjustment even while supporting heavy gear




Impressively precise ESHP Wheel System also enables height fine tuning, while supporting an extreme loading weight

Innovative locking camera screw wheel:



Elevating central column plate



Screw adapts from 1/4" to 3/8"

- Extreme Support Height Positioning (ESHP) Wheel System
- Dust and sand proof leg locks
- Unique feet convert from anti-rust spikes to angled, with bonus snow/sand shoes
- Anti-shock ring
- Legs available in aluminum or carbon fiber
- Large bubble level
- Quarter twist leg locks
- Strap attachment ring
- Rubber foam grips
- Leg scale for precise height adjustment
- Center column tension control



	AUCTUS Plus 283CT	AUCTUS Plus 323CT	AUCTUS Plus 283AT	AUCTUS Plus 323AT
Folded Height	680 mm 26 3/4 in	710 mm 28 in	680 mm 26 3/4 in	710 mm 28 in
Extended Height	1700 mm 66 7/8 in	1800 mm 70 7/8 in	1700 mm 66 7/8 in	1800 mm 70 7/8 in
Min. Extended Height	1360 mm 53 1/2 in	1450 mm 57 1/8 in	1360 mm 53 1/2 in	1450 mm 57 1/8 in
Macro Height	190 mm 7 1/2 in	190 mm 7 1/2 in	190 mm 7 1/2 in	190 mm 7 1/2 in
Diameter of Leg	28 mm	32 mm	28 mm	32 mm
Number of Sections	3	3	3	3
Max. Loading	14 kg 30.9 lbs	18 kg 39.7 lbs	14 kg 30.9 lbs	18 kg 39.7 lbs
Weight	3.15 kg 6.94 lbs	3.65 kg 8.05 lbs	3.45 kg 7.61 lbs	4.05 kg 8.93 lbs



ABEO Pro Series

ABEO Pro & ABEO Pro Tripod Kits



ABEO Pro 283AT

Loaded with advanced features for rapid setup at any angle - on any terrain - ABEO Pro tripods combine our most celebrated innovations to help take your photography to the next level.

ABEO Pro tripods provide unmatched, unlimited versatility by bringing together our GH-300T pistol grip ball head with Hot Trigger shutter release, Multi-Angle Central Column with Instant-Swivel-Stop-N-Lock system, Quick Adjustment central column pivot lock, individually adjustable leg angles with ergonomic release buttons, and 3-in-1 All-Terrain Feet.

GH-300T (included with ABEO Pro 283CGHT and 283AGHT) is the industry-leading grip head with built-in remote shutter release control. It lets you trip your camera's shutter without removing your hand from the grip - perfect for capturing fast-moving objects. Dual panning axes, including a 72-click-point panning base, ensure precise panoramic photography, and smooth movements for following the action, even when shooting HDSLR video.

ABEO Pro's Multi-Angle Central Column system allows users to move the central column from 0 to 180-degree angles in variable vertical and horizontal positions, making macro-photography and unique angle shots a breeze; its Instant Swivel Stop-n-Lock (ISSL) System securely repositions the central column in one simple movement, in just a few seconds, while maintaining the tripod's stability.

When the central column is set in an angled position, a Quick Adjustment lever lock makes pivoting the central column simple; flip the lock open, rotate the column to the desired position, and flip the lock closed.

ABEO Pro's legs feature quick-flip locks and individually adjust to 25, 50, and 80 degree angles with use of ergonomic release buttons for easy setup on uneven terrain or spreading out flat for super low angle photography.

What's more, 3-in-1 All-Terrain feet provide the perfect solution for any surface: angled rubber, spikes, and a set of snow/sand shoes.


FEATURES



Shutter Release Trigger

on Pistol Grip:

Industry-leading innovation of build-in remote control. Capture fast-moving object easily.



Fastest setup tripod in the world:

- MACC system & ISSL Lock
- Flip type central column lock
- Flip type leg lock



3-in-1 All-Terrain Feet:

Versatile feet ensure the perfect solution for any surface.




TC 2 & TN 2 shutter cables are included

TC 2

CANON RS-60E3

TN 2

NIKON MC-D2



Legs individually adjust to 25, 50 and 80-degree angles

Legs

- Hexagon-shaped central column
- Tension Adjustable Leg Locks
- Available in heavy gauge aluminum or diamond woven carbon fiber legs
- Accessory hook and low angle adaptor

Versatile: Universal 2.5mm DC shutter release cable input jack compatible with most DSLRs (only for ABEO Pro 283AGH / 283CGH)



Anti-shock ring

GH-300T

- GPR (Grip, Position, Release) System
- Versatile Movement
- Two bubble levels
- 8-stop Handle Positioning
- Friction control system
- 38mm standard Quick Shoe
- Ergonomic Grip
- 360-degree panning
- 72-point click function



ABEO Pro 283AB



ABEO Pro 283AGH



	ABEO Pro 283AT	ABEO Pro 283CGH	ABEO Pro 283AGH	ABEO Pro 283AB
Folded Height	660 mm 26 in	765 mm 30 1/8 in	765 mm 30 1/8 in	725 mm 28 1/2 in
Extended Height	1600 mm 63 in	1715 mm 67 1/2 in	1715 mm 67 1/2 in	1700 mm 66 7/8 in
Min. Extended Height	1270 mm 50 in	1385 mm 54 1/2 in	1385 mm 54 1/2 in	1375 mm 54 1/8 in
Diameter of Leg	28 mm	28 mm	28 mm	28 mm
Number of Sections	3	3	3	3
Head	-	GH-300T	GH-300T	BBH-100
Lateral tilt	-	+90°~-32°	+90°~-32°	+90°~-35°
Frontal tilt	-	+90°~-8°	+90°~-8°	-
Quick Shoe	-	QS-60	QS-60	QS-60
Rotation	-	360°	360°	360°
Max. Loading	8 kg 17.6 lbs	6 kg 13.2 lbs	6 kg 13.2 lbs	8 kg 17.6 lbs
Weight	2.45 kg 5.4 lbs	3.05 kg 6.7 lbs	3.3 kg 7.3 lbs	2.9 kg 6.39 lbs



ABEO Plus Series

Tripods



ABEO Plus 283AT



ABEO Plus 323CT




ABEO Plus 363CT

ABEO Plus delivers the total support you demand, coupled with the versatility and ease of use you deserve. Its unique Quick Height Adjustment central column locking mechanism lets you instantly adjust the position of your camera with minimal effort. Simply flip the large lever lock open, adjust the central column to the desired height, and flip the lock back into place, securing your gear into position.

Thanks to its Tension Adjustable Leg Locks, ABEO Plus' legs will always stand strong, keeping your gear safe and secure for years to come. Over time, normal wear and tear can start to take a toll on ordinary flip locks, but with Abeo Plus, simply tighten the adjustable leg locks to the desired tension for peak performance. Three versatile feet options ensure the ideal solution for any surface. First, angled rubber feet give the perfect grip in studio or on hard ground. Second, spikes can dig into and hold firm on soft terrain or ice, and lastly, the supplied set of snow shoes spread the load on soft surfaces — great for sand and snow.

FEATURES



Rapid Central Column Lock:

Abeo Plus' unique central column locking mechanism lets you instantly adjust the position of your camera.




Tension Adjustable Leg Locks:


Thanks to its Tension Adjustable Leg Locks, Abeo Plus' legs will always stand strong.



3-in-1 All-Terrain Feet: Versatile feet ensure the perfect solution for any surface.



Low-angle photography: Short column adaptor lets users get close to the ground



Quick setup and adjustment: Legs individually adjust to 25, 50 and 80-degree angles with an ergonomic button.



Accessory hook



1/4" to 3/8" attachment screw interface

- Available in heavy gauge aluminum or lightweight-yet-strong diamond woven carbon fiber
- Anti-spin central column
- Anti-shock ring
- Thick foam hand grips



	ABEO Plus 323CT	ABEO Plus 363CT	ABEO Plus 323AT	ABEO Plus 363AT
Folded Height	670 mm 26 3/8 in	715 mm 28 1/8 in	670 mm 26 3/8 in	715 mm 28 1/8 in
Extended Height	1800 mm 70 7/8 in	1900 mm 74 3/4 in	1800 mm 70 7/8 in	1900 mm 74 3/4 in
Min. Extended Height	1345 mm 53 in	1550 mm 61 in	1345 mm 53 in	1550 mm 61 in
Macro Height	210 mm 8 1/4 in	220 mm 8 5/8 in	210 mm 8 1/4 in	220 mm 8 5/8 in
Diameter of Leg	32 mm	36 mm	32 mm	36 mm
Number of Sections	3	3	3	3
Head	-	-	-	-
Bubble	Yes	Yes	Yes	Yes
Max. Loading	12 kg 26.4 lbs	16 kg 35.3 lbs	12 kg 26.4 lbs	16 kg 35.3 lbs
Weight	2.45 kg 5.4 lbs	2.9 kg 6.39 lbs	2.8 kg 6.17 lbs	3.32 kg 7.32 lbs



ABEO Series

Tripods



ABEO 323AT

ABEO 283AT


Solid. Secure. Sleek. ABEO professional tripods are built to support with unwavering reliability and stability thanks to premium magnesium diecast construction.

Their legs adjust to 25, 50 and 80-degree angles with an ergonomic release button – ultra fast and securely. Quick-flip leg locks enable fast setup and are tension adjustable.


FEATURES



Solid and secure:
Abeo's premium magnesium die-cast construction provides impressive support for a heavy loading weight.



Quick setup and adjustment:
Legs individually adjust to 25, 50 and 80-degree angles with an ergonomic button.



Low-angle photography:
Short column adaptor lets users get close to the ground



Anti-spin central column stays in position



1/4" and 3/8" attachment screw interface



Large bubble level on canopy



Rubber feet for solid grip



Thick foam on legs enables a secure grip even in wet conditions



	ABEO 283AT	ABEO 323AT
Folded Height	630 mm 24 3/4 in	685 mm 27 in
Extended Height	1585 mm 62 3/8 in	1830 mm 72 in
Min. Extended Height	1365 mm 53 3/4 in	1515 mm 69 5/8 in
Macro Height	205 mm 8 in	220 mm 8 5/8 in
Diameter of Leg	28 mm	32 mm
Number of Sections	3	3
Max. Loading	8 kg 17.6 lbs	10 kg 22 lbs
Weight	1.94 kg 5.73 lbs	2.43 kg 5.36 lbs



ABEO Photo Family

ABEO Plus & ABEO Tripod Kits with Ball Head



ABEO 283AB

ABEO tripod kits for still photography pair the unwavering support of our ABEO Plus and ABEO tripods with our acclaimed, precise ball heads to provide the perfect solution for advanced to professional photographers.

FEATURES



3-in-1 All-Terrain Feet:

Versatile feet ensure the perfect solution for any surface. Uniquely angled rubber feet for in studio or on hard ground; threaded spikes to dig in and hold firm on soft terrain or ice; and a bonus set of snow shoes to stand tall, even in wintery conditions.



Rapid Level System:

BBH ball head allows users to instantly position their camera level with the base of the head. When the switch is engaged, an internal mechanism helps guide the camera to level. This makes changing from portrait orientation to landscape very simple and quick to do.



Steady and Secure:

BBH's oversized, easy-to-grip lever provides secure locking so your equipment stays in place, no matter the angle.




Unlock the base to employ panorama



1/4" and 3/8" attachment screw interface



Short column adaptor for low-angle photography



Legs individually adjust to 25, 50 and 80-degree angles with an ergonomic button.



Accessory hook

- Detachable BBH or SBH professional ball head included (depends on model)
- Available in heavy gauge aluminum or lightweight-yet-strong diamond-woven carbon fiber
- Anti-spin central column
- Anti-shock ring

SBH heads

- Lightweight magnesium alloy
- Precision milled ball head
- Impressive loading weight (up to 32kg/70lbs)
- Micro function adjustment knob
- Handles off-center load



Abeo Plus 323AB



Abeo Plus 283AB



	ABEO Plus 323CB	ABEO Plus 323AB	ABEO Plus 363AB	ABEO 283AB	ABEO 323AB
Folded Height	780 mm 30 3/4 in	780 mm 30 3/4 in	830 mm 32 5/8 in	725 mm 28 1/2 in	775 mm 30 1/2 in.
Extended Height	1910 mm 75 1/4 in	1910 mm 75 1/4 in	2015 mm 79 3/8 in	1705 mm 67 1/8 in	1940 mm 76 3/8 in.
Min. Extended Height	1455 mm 57 1/4 in	1455 mm 57 1/4 in	1700 mm 66 7/8 in	1485 mm 58 1/2 in	1630 mm 64 1/8 in.
Macro Height	320 mm 12 5/8 in	320 mm 12 5/8 in	335 mm 13 1/4 in	205 mm 8 1/8 in	215 mm 8 1/2 in.
Diameter of Leg	32 mm	32 mm	36 mm	28 mm	32 mm
Number of Sections	3	3	3	3	3
Head	BBH-200	BBH-200	BBH-300	SBH-100	SBH-250
Bubble	Yes	Yes	Yes	Yes	Yes
Max. Loading	12 kg 26.4 lbs	12 kg 26.4 lbs	16 kg 35.3 lbs	8 kg 17.6 lbs	10 kg 22 lbs
Weight	2.98 kg 6.57 lbs	3.3 kg 7.27 lbs	3.98 kg 8.78 lbs	2.33 kg 5.14 lbs	2.95 kg 6.5 lbs



ABEO Video Family

ABEO Plus & ABEO Tripod Kits with Pan Head



ABEO Plus 323AV


ABEO tripod kits for videography pair our unwavering ABEO Plus and ABEO tripods with our range of smooth and fluid, two-way video pan heads. From compact, lightweight kits to feature-packed full-size models made to support heavy loads, they're the ideal solution for advanced to professional video work.

ABEO video kits can also be used with spotting scopes, making them well-suited for nature observation.

FEATURES



Solid and secure:
Abeo's premium magnesium die-cast construction provides impressive support for a heavy loading weight.



Quick setup and adjustment:
Legs individually adjust to 25, 50 and 80-degree angles with an ergonomic button.



Low-angle videography:
Short column adaptor lets users get close to the ground



PH Video pan head included



Legs

- Rubber feet for solid grip
- Thick foam on legs enable a secure grip even in wet conditions
- Anti-spin central column stays in position
- Large bubble level on canopy
- 1/4" and 3/8" camera screw interface

PH heads

- Dual safety locks
- Tilt platform for photography at 90-degree angles



	ABEO Plus 323AV	ABEO Plus 363AV	ABEO 203AV	ABEO 243CV	ABEO 283CV	ABEO 243AV	ABEO 283AV
Folded Height	805 mm 31 3/4 in	840 mm 33 1/8 in	635 mm 25 in	675 mm 26 5/8 in	720 mm 28 3/8 in	675 mm 26 5/8 in	720 mm 28 3/8 in
Extended Height	1905 mm 75 in	2015 mm 79 1/4 in	1565 mm 61 5/8 in	1570 mm 61 3/4 in	1690 mm 66 1/2 in	1570 mm 61 3/4 in	1690 mm 66 1/2 in
Min. Extended Height	1545 mm 60 7/8 in	1700 mm 66 7/8 in	1275 mm 50 1/4 in	1350 mm 53 1/8 in	1470 mm 57 5/8 in	1350 mm 53 1/8 in	1470 mm 57 5/8 in
Diameter of Leg	32 mm	36 mm	20 mm	24 mm	28 mm	24 mm	28 mm
Number of Sections	3	3	3	3	3	3	3
Head	PH-123V	PH-124V	PH-111V	PH-113V	PH-114V	PH-113V	PH-114V
Front Tilt	+60° ~ -90°	+60° ~ -90°	+60° ~ -90°	+45° ~ -90°	+60° ~ -90°	+45° ~ -90°	+60° ~ -90°
Quick Shoe	QS-67	QS-67	QS-36	QS-66	QS-66	QS-66	QS-66
Rotation	360°	360°	360°	360°	360°	360°	360°
Max. Loading	6 kg 13.2 lbs	8 kg 17.6 lbs	2 kg 4.4 lbs	4 kg 8.8 lbs	4 kg 8.8 lbs	4 kg 8.8 lbs	4 kg 8.8 lbs
Weight	3.74 kg 8.2 lbs	4.62 kg 10.19 lbs	1.56 kg 3.43 lbs	1.77 kg 3.89 lbs	2.1 kg 4.62 lbs	2.05 kg 4.51 lbs	2.50 kg 5.51 lbs



Alta Pro Series

Tripods



Alta Pro 253CT

Alta Pro 254CT

Alta Pro 264AT

Alta Pro 283CT

Alta Pro 284CT

Alta Pro tripod has unmatched flexibility and stability, enabling more angle possibilities than ever before. Its innovative Multi-Angle Central Column (MACC) System allows users to move the central column from 0 to 180-degree angles in variable vertical and horizontal positions making macro-photography and special wide-angle shots a breeze.

The Instant Swivel Stop-n-Lock (ISSL) System securely repositions the central column in one simple movement in just a few seconds while maintaining the tripod's stability. Other features include advanced camera vibration and shock control, legs that adjust to 25, 50 and 80-degree angles, quarter-twist leg locks (carbon fiber models), patented premium magnesium die-cast canopy and head, hexagon-shaped central column for extra stability, non-slip spiked rubber feet for changing terrains, and a removable hook for hanging camera accessories.



For Alta Pro Series



reddot design award
best of the best 2010

For Alta Pro 283CT




product
design
award

2011
For Alta Pro 283CT

FEATURES



ISSL:
Instant Swivel
Stop-n-Lock



MACC:
Multi-Angle Central
Column



Legs:
Aluminum alloy
or carbon fiber legs



Bonus: 1 carrying bag

- Rubber feet with retractable spikes
- Foam rubber hand grips
- Enables extreme flexibility
- Quarter-twist leg locks (carbon fiber)
- Quick-flip leg locks (aluminum alloy)
- Legs adjust to 25, 50 and 80-degree angles



	Alta Pro 253CT	Alta Pro 254CT	Alta Pro 283CT	Alta Pro 284CT	Alta Pro 263AT	Alta Pro 264AT
Folded Height	630 mm 24 3/4 in	530 mm 20 7/8 in	640 mm 25 1/4 in	535 mm 21 1/8 in	630 mm 24 3/4 in	535 mm 21 1/8 in
Extended Height	1650 mm 65 in	1550 mm 61 in	1700 mm 66 7/8 in	1600 mm 63 in	1650 mm 65 in	1550 mm 61 in
Min. Extended Height	1340 mm 52 3/4 in	1330 mm 52 3/8 in	1365 mm 53 3/4 in	1280 mm 50 3/8 in	1325 mm 52 1/8 in	1280 mm 50 3/8 in
Macro Height	160 mm 6 1/4 in	145 mm 5 3/4 in	165 mm 6 1/2 in	130 mm 5 1/8 in	160 mm 6 1/4 in	150 mm 5 7/8 in
Diameter of Leg	25 mm	25 mm	28 mm	28 mm	26 mm	26 mm
Number of Sections	3	4	3	4	3	4
Max. Loading	7.0 kg 15.4 lbs	7.0 kg 15.4 lbs	8.0 kg 18.0 lbs	8.0 kg 18.0 lbs	7.0 kg 15.4 lbs	7.0 kg 15.4 lbs
Max. Loading when Tilting	5.0 kg 11.0 lbs	5.0 kg 11.0 lbs	7.0 kg 15.4 lbs	7.0 kg 15.4 lbs	5.0 kg 11.0 lbs	5.0 kg 11.0 lbs
Weight	1.66 kg 3.66 lbs	1.57 kg 3.46 lbs	1.70 kg 3.75 lbs	1.73 kg 3.81 lbs	2.0 kg 4.41 lbs	2.10 kg 4.63 lbs



Alta Pro Kit Series

Alta Pro Tripod Kits with Ball or Grip Head



Alta Pro 263AGH

By popular demand, we merged our award-winning Alta Pro tripod with our popular SBH ball head, GH-100 grip head, and PH photo pan head. Alta Pro tripod kit has unmatched versatility and stability and enables more angle possibilities than ever. Its innovative Multi-Angle Central Column (MACC) System allows users to move the central column from 0 to 180-degree angles in variable vertical and horizontal positions, making macro-photography and special-angle shots a breeze. The Instant Swivel Stop-n-Lock (ISSL) System quickly and securely repositions the central column in one simple movement while maintaining the tripod's stability.



For Alta Pro Series



For GH-100



reddot design award
winner 2012



product
designaward
2012



GOOD
DESIGN



FEATURES




GH-100 allows versatile movement



Double locking system on SBH ball head quick release



Anti-shock ring protects gear



Legs quickly adjust to 25°, 50°, 80°



Bonus: 1 carrying bag

Legs

- Central column moves from 0 to 180 degrees
- Aluminum alloy or carbon fiber legs
- Hexagon-shaped central column
- Spiked rubber feet
- Lightweight magnesium alloy canopy
- Thick foam hand grips

SBH Heads

- Fluid-like ball head
- Smooth locking knobs
- Outstanding loading capacity (up to 10kg)
- 360 degree scale

GH-100 Head

- GPR (Grip, Position, Release) System: position your camera as you want with ultra speed
- Friction Control enables precise adjustment to accommodate changes in equipment weight and balance
- 72-point panoramic, 360-degree panning
- 8-stop handle position
- Industry-leading pistol grip style
- Bubble level

PH Heads

- Arched design
- Double safety lock
- Fluid pan head for video



Alta Pro 263AP

Alta Pro 284CP

Alta Pro 264AB 100



	Alta Pro 283CGH	Alta Pro 263AGH	Alta Pro 263AB 100	Alta Pro 264AB 100	Alta Pro 263AP
Folded Height	740 mm 29 1/8 in	725 mm 28 1/2 in	715 mm 28 1/8 in	625 mm 24 5/8 in	725 mm 28 1/2 in
Extended Height	1800 mm 70 7/8 in	1755 mm 69 1/8 in	1730 mm 68 1/8 in	1625 mm 64 in	1775 mm 69 7/8 in
Min. Extended Height	1485 mm 58 1/2 in	1425 mm 56 1/8 in	1425 mm 56 1/8 in	1390 mm 54 3/4 in	1465 mm 57 5/8 in
Macro Height	270 mm 10 5/8 in	265 mm 10 3/8 in	265 mm 10 3/8 in	260 mm 10 1/4 in	265 mm 10 3/8 in
Diameter of Leg	28 mm	26 mm	26 mm	26 mm	26 mm
Number of Sections	3	3	3	4	3
Head	GH-100	GH-100	SBH-100	SBH-100	PH-32
Rotation	360°	360°	360°	360°	360°
Quick Shoe	QS-65GH	QS-65GH	QS-39 x 2	QS-39 x 2	QS-51
Max. Loading	6 kg 13.2 lbs	7.0 kg 15.4 lbs	7.0 kg 15.4 lbs	7.0 kg 15.4 lbs	5.0 kg 11.0 lbs
Weight	2.38 kg 5.24 lbs	2.65 kg 5.84 lbs	2.44 kg 5.38 lbs	2.51 kg 5.53 lbs	2.6 kg 5.73 lbs

	Alta Pro 253CB 50	Alta Pro 254CB 50	Alta Pro 283CB 100	Alta Pro 284CB 100	Alta Pro 253CP	Alta Pro 283CP
Folded Height	700 mm 27 1/2 in	600 mm 23 5/8 in	730 mm 28 3/4 in	635 mm 25 in	710 mm 28 in	740 mm 29 1/8 in
Extended Height	1740 mm 68 1/2 in	1640 mm 64 5/8 in	1805 mm 71 1/8 in	1705 mm 67 1/8 in	1725 mm 68 in	1810 mm 71 1/4 in
Min. Extended Height	1430 mm 56 1/4 in	1415 mm 55 3/4 in	1470 mm 57 7/8 in	1485 mm 58 1/2 in	1435 mm 56 1/2 in	1505 mm 59 1/4 in
Macro Height	130 mm 5 1/8 in	130 mm 5 1/8 in	145 mm 5 3/4 in	145 mm 5 3/4 in	130 mm 5 1/8 in	145 mm 5 3/4 in
Diameter of Leg	25 mm	25 mm	28 mm	28 mm	25 mm	28 mm
Number of Sections	3	4	3	4	3	3
Head	SBH-50	SBH-50	SBH-100	SBH-100	PH-22	PH-32
Rotation	360°	360°	360°	360°	360°	360°
Quick Shoe	QS-39 x 2	QS-39 x 2	QS-39 x 2	QS-39 x 2	QS-50	QS-51
Max. Loading	6 kg 13.2 lbs	6.0 kg 13.2 lbs	8 kg 18 lbs	8 kg 18 lbs	3.0 kg 6.6 lbs	5.0 kg 11.0 lbs
Weight	1.95 kg 4.3 lbs	1.86 kg 4.10 lbs	2.15 kg 4.74 lbs	2.18 kg 4.81 lbs	2.04 kg 4.49 lbs	2.34 kg 5.17 lbs



Alta+ Kit Series

Alta+ Tripod kits with Pan, Ball or Grip Head



Hailed as the world's most lightweight and compact high-quality tripod, Alta+ was designed by professional photographers to meet the most demanding requirements, all in a sleek, modern design. As light as 1.79 lbs./0.81 kg and as compact at 13.5 inches/345 mm, Alta+ is perfect for air travel and backpacking.

Alta+ combines the ultra stability, durability, ease of use and reliability every photographer needs. Its legs adjust to 25, 50 and 80-degree angles with a simple push of easy-release buttons for terrain changes and low angle shooting. Other features include advanced camera vibration and shock control, all-weather foam grip legs, patented premium magnesium diecast canopy and head, non-slip spiked rubber feet for changing terrain, and a removable hook for hanging camera accessories.

To meet the most demanding requirements, we merged our most lightweight and compact tripod with PH pan head, SBH ball head and the industry-leading pistol style grip head GH-100.

With uncompromising quality and functionality, Alta+ kit combines the ultra stability, durability, ease of use and reliability every photographer needs. When with PH series pan head, it provides smooth panning and precise tilt adjustments for meticulous photography. When with SBH, its precision machined, one piece magnesium ball head moves swiftly and steadily, so you won't miss the action. When with GH-100, the GPR (Grip, Position, Release) system enables users to position their camera or spotting scope quickly with unmatched versatility.

Alta+ tripod kits with



Pan Head

OR



Ball Head

OR



Grip Head

FEATURES



Ergonomic release button easily adjusts leg angles



Stabilization hook: add weight for increased stability



Rubber, spiked feet are stable on any terrain



Compact and Practical: Alta+ tripod is a great choice for travelers; it's easy to carry and compact for attaching to a camera bag



Bonus: carrying bag

Legs

- Legs adjust to 25, 50 and 80-degree angles
- Ultra lightweight and compact
- Advanced camera vibration control
- Non-slip, spiked rubber feet
- Reversible central column
- Short column adaptor included

SBH Heads


- Fluid-like ball head
- Smooth locking knobs
- Outstanding loading capacity
- 360° scale

GH-100 Head

- GPR (Grip, Position, Release) System: position your camera as you want with ultra speed
- Friction Control enables precise adjustment to accommodate changes in equipment weight and balance
- 72-point panoramic
- 8-stop handle position
- Industry-leading pistol grip style

PH Heads

- Adjustable gravity center (PH-21/31)
- Arched design
- Double safety lock
- Fluid pan head for video



	Alta+ 263AGH	Alta+ 234AB	Alta+ 235AB 50	Alta+ 263AB 100	Alta+ 264AB 100
Folded Height	670 mm 26 3/8 in	535 mm 21 1/8 in	475 mm 18 3/4 in	660 mm 26 in	570 mm 22 1/2 in
Extended Height	1640 mm 64 5/8 in	1450 mm 57 1/8 in	1245 mm 49 in	1650 mm 65 in	1540 mm 60 5/8 in
Min. Extended Height	1310 mm 51 1/2 in	1240 mm 48 7/8 in	1140 mm 44 7/8 in	1330 mm 52 3/8 in	1305 mm 51 3/8 in
Diameter of Leg	26 mm	23 mm	23 mm	26 mm	26 mm
Number of Sections	3	4	5	3	4
Head	GH-100	SBH-50	SBH-50	SBH-100	SBH-100
Rotation	360°	360°	360°	360°	360°
Quick Shoe	QS-65GH	QS-39	QS-39	QS-39	QS-39
Max. Loading	5.0 kg 11.0 lbs	3.0 kg 6.6 lbs	3.0 kg 6.6 lbs	5.0 kg 11.0 lbs	5.0 kg 11.0 lbs
Weight	2.16 kg 4.75 lbs	1.50 kg 3.31 lbs	1.45 kg 3.20 lbs	1.95 kg 4.30 lbs	1.94 kg 4.28 lbs

	Alta+ 203AP	Alta+ 204AP	Alta+ 233AP	Alta+ 234AP	Alta+ 263AP	Alta+ 264AP
Folded Height	570 mm 22 1/2 in	485 mm 19 1/8 in	620 mm 24 3/8 in	525 mm 20 5/8 in	635 mm 25 in	565 mm 22 1/4 in
Extended Height	1450 mm 57 1/8 in	1300 mm 51 1/8 in	1600 mm 63 in	1450 mm 57 1/8 in	1650 mm 65 in	1550 mm 61 in
Min. Extended Height	1165 mm 45 7/8 in	1120 mm 44 1/8 in	1280 mm 50 3/8 in	1230 mm 48 3/8 in	1325 mm 52 1/8 in	1340 mm 52 3/4 in
Diameter of Leg	20 mm	20 mm	23 mm	23 mm	26 mm	26 mm
Number of Sections	3	4	3	4	3	4
Head	PH-12	PH-12	PH-22	PH-22	PH-32	PH-32
Rotation	360°	360°	360°	360°	360°	360°
Quick Shoe	QS-50	QS-50	QS-50	QS-50	QS-51	QS-51
Max. Loading	2.0 kg 4.4 lbs	2.0 kg 4.4 lbs	3.0 kg 6.6 lbs	3.0 kg 6.6 lbs	5.0 kg 11.0 lbs	5.0 kg 11.0 lbs
Weight	1.36 kg 3.00 lbs	1.35 kg 2.98 lbs	1.60 kg 3.53 lbs	1.55 kg 3.42 lbs	2.0 kg 4.41 lbs	1.99 kg 4.39 lbs



Espod Plus & Espod Series

Espod Plus & Espod Tripod Kits



Espod Plus Series

Sturdy, yet lightweight and compact, Espod Plus is simple to set up and take down. With its unique, ergonomic leg angle release button, you can effortlessly adjust the legs to 25°, 50° or 80° to get your camera in position very quickly. By reversing the central column, it's also perfect for macro photography.

Espod Series

Espod Series tripod, modeled after Espod Plus, is great for hobbyist photographers. It has a three-second set up, and its legs adjust to 25-degree angles. There is a tightening ring that enables adjustment of the central column in just a few seconds and an anti-shock ring that prevents camera vibration. Other features include a bubble level for precision, detachable central column hook to attach more weight for added stability, anti-slip rubber feet, quick-flip leg locks, removable quick shoe and two foam grips.

FEATURES



3-way pan head
(Espod Plus/Espod)



3 leg angles (25°, 50°, 80°)
(Espod Plus)



Macro photography
(Espod Plus)



Angled rubber
feet (Espod)



Central column
Low Angle
Adaptor



For low profile
photography

Espod Plus series

- Center column reverses for macro photography
- Includes removable 3-way fluid pan head
- Strong aluminum alloy canopy
- Spiked rubber feet
- Includes short column adaptor
- Tripod bag included

Espod series

- Central column tightening ring
- Anti-shock ring
- Bubble level



Espod Plus 203AB



Espod Plus 233AP



	Espod Plus 203AB	Espod Plus 203AP	Espod Plus 233AP	Espod 203AP	Espod 233AP
Folded Height	570 mm 22 1/2 in.	570 mm 22 1/2 in.	610 mm 24 in	570 mm 22 1/2 in	620 mm 24 1/2 in
Extended Height	1450 mm 57 1/8 in.	1450 mm 57 1/8 in.	1600 mm 63 in	1450 mm 57 1/8 in	1650 mm 65 in
Min. Extended Height	1235 mm 48 5/8 in.	1235 mm 48 5/8 in.	1270 mm 50 in	1235 mm 48 5/8 in	1300 mm 51 1/8 in
Macro Height	205 mm 8 1/8 in.	205 mm 8 1/8 in.	225 mm 8 7/8 in	- -	- -
Diameter of Leg	20 mm	20 mm	23 mm	20 mm	23 mm
Number of Sections	3	3	3	3	3
Head	SBH-20	PH-20	PH-30	PH-20	PH-30
Quick Shoe	QS-36	QS-36	QS-36	QS-36	QS-36
Max. Loading	2 kg 4.4 lbs	2 kg 4.4 lbs	3 kg 6.6 lbs	2 kg 4.4 lbs	3 kg 6.6 lbs
Weight	1.3 kg 2.87 lbs	1.3 kg 2.87 lbs	1.66 kg 3.31 lbs	1.32 kg 2.91 lbs	1.8 kg 3.97 lbs



Nivelo Series

Tripods

Meet Nivelo, the sleek, industry-changing compact tripod that folds in a few seconds flat and boasts all the features of a full-size tripod, minus the hassle. Set up in a flash, take a great shot and get a move on.

Its innovative open canopy with Quick Fold Central Column makes it collapsible in one second and so ultra compact, you can tote it in a purse or small bag. Plus, the central column can be inverted for great macro photography.

This stylish, new generation kind of tripod is perfect for popular and compact mirrorless, interchangeable lens cameras. Take smooth panoramic shots with its 360-degree rotating head and unique-angle shots with its side-to-side tilting function.

And there's so much more, including shock-absorbing contoured rubber feet, a bubble level on the pan head for balance and an anti-spin central column.



FEATURES



Open canopy design for easy folding



Lightweight open canopy enables one-second fold up, versatile angles and macro photography




Ultra compact



Quick Shoe release plate (244BK and 245BK only) for easy set up



Bonus: 1 carrying bag



Anti-shock rubber ring



Strong 24-mm diameter legs can be individually positioned at 25 and 50-degree angles (for 244BK and 245BK)



Control the length of all leg sections simply by twisting the foot

- Super lightweight and ultra compact
- Legs extend to partial or full height with Twist-n-Lock Legs
- Quick Fold Central Column (QFCC System)

Available in 4 colors





	Nivelo 204BK	Nivelo 214	Nivelo 244BK	Nivelo 245BK
Folded Height	300 mm 11 3/4 in.	350 mm 13 3/4 in	410 mm 16 1/4 in	370 mm 14 5/8 in
Extended Height	1010 mm 39 3/4 in.	1200 mm 47 1/4 in	1450 mm 57 1/8 in	1610 mm 63 3/8 in
Diameter of Leg	20 mm	21 mm	24 mm	24 mm
Number of Sections	4	4	4	5
Max. Loading	2.0 kg 4.4 lbs	2.0 kg 4.4 lbs	3.0 kg 6.6 lbs	3.0 kg 6.6 lbs
Weight	0.6 kg 1.32 lbs	0.73 kg 1.61 lbs	1.05 kg 2.31 lbs	1.10 kg 2.42 lbs
Color	BK	BK SL WH PK	BK	BK



MAK Series

Tripods



MAK S


MAK is a reliable, easy-to-use, lightweight tripod featuring all of the essentials for great balance and stability. Its two-way or three-way pan head enables smooth panoramic panning at an array of angles.

A strong canopy supports cameras with exceptional reliability, its gear elevator (except MAK S) enables precise height adjustment and a leg brace with lock provides extra stability.

FEATURES



Height adjustment gear (excluding MAK S)



Strong canopy



Supporting brace lock



Smooth, panoramic panning at an array of angles



2-way pan head



3-way pan head



MAK 203



MAK 263



	MAKS	MAK203	MAK233	MAK234	MAK263
Folded Height	510 mm 20 1/8 in	600 mm 23 5/8 in	620 mm 24 3/8 in	530 mm 20 7/8 in	630 mm 24 3/4 in
Extended Height	1300 mm 51 1/8 in	1550 mm 61 in	1650 mm 65 in	1550 mm 61 in	1650 mm 65 in
Min. Extended Height	1040 mm 41 in	1235 mm 48 5/8 in	1330 mm 52 3/8 in	1310 mm 51 5/8 in	1340 mm 52 3/4 in
Diameter of Leg	20 mm	20 mm	23 mm	23 mm	26 mm
Number of Sections	3	3	3	4	3
Panhead Movements	2	3	3	3	3
Quick Shoe	-	QS-28	QS-28	QS-28	QS-28
Max. Loading	2.0 kg 4.4 lbs	2.0 kg 4.4 lbs	3.0 kg 6.6 lbs	3.0 kg 6.6 lbs	5.0 kg 11.0 lbs
Weight	0.92 kg 2.03 lbs	1.10 kg 2.42 lbs	1.30 kg 2.87 lbs	1.24 kg 2.73 lbs	1.53 kg 3.37 lbs



ABEO & Espod Monopod Series

Monopods



Espod AM-2045



ABEO AP-284

ABEO Monopod Series

ABEO monopods are the perfect camera support solution for photographers and nature observers on the move. Their quick-flip leg locks let you set up anytime, anywhere with ease. Lightweight-yet-sturdy construction make them convenient to carry, and a thick, foam grip ensures Ageo monopod stays comfortably and securely in hand, even in unpleasant weather conditions.

Espod Monopod Series

Espod AM Series monopods offer reliable camera support, on demand. Designed for the on-the-go photographer, these sturdy, lightweight, quick set-up monopods are perfect for traveling, active shooting and capturing life's improvised images.

Its simple tilt head enables you to position your camera in landscape or 90° portrait mode, giving you complete control of the shot, no matter the locale. Featuring aluminum alloy construction, quick-flip leg locks, ergonomic foam grip and a spiked foot to firmly position on any terrain, Espod is built for travel.

FEATURES



Lightweight and convenient to carry



Simple tilt head for horizontal or vertical composition (ball head for Espod AM-2045)



Quick-Flip Leg Locks



Adaptable 1/4" to 3/8" attachment screw (for Ageo Monopods)

ABEO Monopod Series

- Adaptable 1/4" to 3/8 inch attachment screw
- Karabiner for convenient carrying
- Large, anti-slip rubber foot for any terrain
- Quick adjustment wrist strap
- Lightweight aluminum alloy/carbon fiber (depending on model)

Espod Monopod Series

- Lightweight and convenient aluminum monopod
- Simple tilt pan head for vertical or horizontal composition
- Foam grip
- Quick flip locks
- Feet convert from rubber to spikes
- Karabiner



ABE0 AM-284



ABE0 AM-364



ABE0 CM-284



ABE0 CM-324



Espod AM-233



Espod AM-263



	Espod AM-204S	Espod AM-203	Espod AM-233	Espod AM-263
Folded Height	490 mm 19 1/4 in	600 mm 23 5/8 in	635 mm 25 in	665 mm 26 1/8 in
Extended Height	1440 mm 56 3/4 in	1450 mm 57 1/8 in	1550 mm 61 in	1600 mm 63 in
Diameter of Leg	20 mm	20 mm	23 mm	26 mm
Number of Sections	4	3	3	3
Max. Loading	3.0 kg 6.6 lbs	3.0 kg 6.6 lbs	3.0 kg 6.6 lbs	5.0 kg 11.0 lbs
Weight	320 g 11.3 oz	385 g 13.6 oz	460 g 16.2 oz	650 g 22.9 oz

	ABE0 CM-284	ABE0 CM-324	ABE0 AM-284	ABE0 AM-324	ABE0 AM-325	ABE0 AM-364	ABE0 AP-284
Folded Height	530 mm 20 7/8 in	570 mm 22 1/2 in	530 mm 20 7/8 in	570 mm 22 1/2 in	505 mm 19 7/8 in	595 mm 23 3/8 in	590 mm 23 1/4 in
Extended Height	1550 mm 61 in	1700 mm 66 7/8 in	1550 mm 61 in	1700 mm 66 7/8 in	1610 mm 63 3/8 in	1800 mm 70 7/8 in	1620 mm 63 3/4 in
Diameter of Leg	28 mm	32 mm	28 mm	32 mm	32 mm	36 mm	28 mm
Number of Sections	4	4	4	4	5	4	4
Max. Loading	8 kg 17.6 lbs	10 kg 22 lbs	8 kg 17.6 lbs	10 kg 22 lbs	10 kg 22 lbs	12 kg 26.5 lbs	5 kg 11.0 lbs
Weight	420 g 0.93 lbs	530 g 1.17 lbs	540 g 1.19 lbs	660 g 1.45 lbs	640 g 1.41 lbs	780 g 1.72 lbs	760 g 1.68 lbs







Heads

GH-300T

GH Pistol Grip Ball Head with Shutter Release Trigger



Ground breaking. Innovative. First-of-its-kind. GH-300T pistol grip ball head with Hot Trigger shutter release reinvents the standard for what a tripod head can do for you.

This industry-leading grip head with built-in remote shutter release on the handle enables you to trip your camera's shutter without pulling your hand from the grip. It's ideal for pursuing and capturing fast-moving subjects, even while making zoom lens adjustments.

To operate in bulb, or "B" mode, simply slide the release trigger mechanism upward to manually control exposure time by depressing the release trigger. GH-300T employs a universal 2.5 mm DC shutter release cable input jack and comes with two cables compatible with 80 percent of DSLRs on the market today.

GH-300T also features two axes for panning: a 72-click-point panning base just below the camera mounting plate for perfectly aligned panoramic images, and a second 360-degree panning base at the tripod mounting base for horizontal panning and following subjects in motion. This second axis also makes GH-300T a perfect choice video work with an HDSLR.

With a locking force rated for over 17.5 lbs., GH-300T supports standard and large zoom lenses with impressive security. Its universal, 38mm quick release system with clamp knob and safety pin is compatible with other 38mm systems and allows for micro adjustments forward and backward while providing a steady center of gravity and no worries of accidental release.

Like its predecessors in the GH series, GH-300T provides smooth movements with impressive ergonomic control, thanks to its anodized center ball and Grip Position Release system.

The GPR System with pistol grip-style handle lets you unlock, reposition and lock gear into place with ease. Depression of the handle allows 360-degrees of panning movement and -32 to +90-degrees of side-to-side tilt and -8 to +90-degree back to front tilt movement all round. It instantly locks into place by simply releasing the handle. Its Friction Control System allows you to modify the level of resistance on the ball to accommodate changing equipment weight.

GH-300T's handle also rotates 360 degrees to one of 8 positions for maximum comfort while shooting.

FEATURES



Shutter Release Trigger on Pistol Grip: industry-leading innovation of built-in remote control. Capture fast-moving object easily.



2 panoramic axes:
A. 72 click panning base for perfect panorama
B. Second panning base makes it easy to follow the action



Versatile: Universal 2.5mm DC jack compatible to most of the DSLRs



Versatile Movement: Provides impressive versatility in positioning with 360° horizontal movement and 90 degree angle tilt



8-stop Handle Positioning: Rotate the handle 360 degrees to any of 8 preset positions



White markers designate 5-degree segments to aid in shooting accurate panorama



Two bubble levels: Lateral and frontal tilt levels help users position GH-300T for perfect panoramic photography



Ergonomic grip with textured rubber armor provides comfortable use



1/4 & 3/8 Screw Adapter Adaptable 1/4" to 3/8" attachment screws.



Friction control system: Enables precise adjustment to accommodate changes in equipment weight and balance.



38mm standard Quick Shoe: Universal quick shoe plate is compatible with other equipment



GH-300T

Lateral Tilt	+90°~ -32°
Frontal Tilt	+90°~ -8°
Rotation	360°
Quick Shoe	QS-60
Max. Loading	6.0 kg 13.20 lbs
Weight	850 g 30 oz
Height	184 mm 7 1/4 in.
Bubble Level	2



GH Series

Tripod Pistol Grip Ball Heads



GH-100



GH-200

Fusing the smooth precision of a ball head with impressive ergonomic control, GH series enables you to position your camera or spotting scope quickly with unmatched versatility. This well-engineered ball head has the GPR (Grip, Position, Release) System with an industry-leading pistol grip-style handle, which rotates 360 degrees and enables you to unlock, reposition and lock gear into place with ease. Its one-handed, maximum comfort and convenient operation frees your other hand to make lens zoom adjustments. Depression of the handle allows 360 degrees of panning movement and -32 to +90-degrees of side-to-side tilt and -8 to +90-degree back to front tilt movement all around. It instantly positions into place with a simple release of the handle.



For the GH-100

FEATURES



B&G DESIGN - Ball/Grip Head 2-in-1:
It enables you to follow an object ultra smoothly by pressing the trigger.



FC SYSTEM -Friction Control System:
Friction control switch enables precise adjustment



Versatile Movement :
Provides impressive versatility in positioning with 360° horizontal movement and 90 degree angle tilt

GPR SYSTEM: Magnesium Alloy Grip Head



Position your camera as you want with ultra speed.



Two bubble levels (GH-200)



Universal standard quick shoe plate (GH-200)

Perfect Friction Control



It enables you to follow an object ultra smoothly by pressing the trigger



Fine-tuning and precise adjustment can be made when the trigger is released



- 360-degree panning
- 72-point click function enables perfect panoramic photography
- 8-stop handle position

GH-200

- 2 bubble levels
- Universal standard quick shoe plate
- Contoured, ergonomic handle



	GH-100	GH-200
Lateral Tilt	+90°~-32°	+90°~-32°
Frontal Tilt	+90°~-8°	+90°~-8°
Rotation	360°	360°
Quick Shoe	QS-65GH	QS-60
Max. Loading	6.0 kg 13.2 lbs	6.0 kg 13.2 lbs
Weight	635 g 22.4 oz	805 g 28.4 oz
Height	105 mm 4 1/8 in	115 mm 4 5/8 in
Bubble Level	1	2

BBH Series

Tripod Ball Heads



BBH-100



BBH-200



BBH-300

VANGUARD's top-of-the-line BBH Series ball head delivers in all of the key areas – accuracy, precision, convenience and ease of use. No matter the camera's position, its Rapid Level System enables you to guide the camera to be perfectly level with the base, quickly and efficiently. When the level position is attained, BBH holds your camera in place. This, coupled with use of its two bubble levels to ensure the tripod's balance, enables perfectly accurate 360-degree panoramic photography and videography. This magnesium ball head has a unique open body design that helps maintain a lighter weight. The ball also boasts a scratch-free, oxidized surface for ultra smooth moment. BBH can be positioned at accurate 90-degree angles in one second.



reddot design award
winner 2012



GOOD
DESIGN

For the BBH-200

FEATURES



Rapid Level System:
No matter the camera's position, this switch enables you to guide the camera to be perfectly level with the base quickly and efficiently. When the level position is attained, BBH holds your camera in place.



Steady and Secure:
Its oversized, easy-to-grip lever provides perfectly secure locking so your gear stays in place, no matter the angle.



Fast portrait shots:
BBH can be positioned accurately at 90-degrees rapidly.



Release the main lock



Slide the Rapid Level System switch to the right



Move until the ball clicks into place



Retighten the main lock

- Two bubble levels
- 1/4" to 3/8" adaptor on base
- Universal, standard clamp allows fine tuning movement, while securely holding gear
- Universal, 38 mm quick shoe plate
- Magnesium construction



	BBH-100	BBH-200	BBH-300
Lateral Tilt	+90°~-35°	+90°~-30°	+90°~-35°
Rotation	360°	360°	360°
Quick Shoe	QS-60	QS-60	QS-61
Max. Loading	10 kg 22 lbs	20 kg 44 lbs	30 kg 66 lbs
Weight	450 g 15.9 oz	530 g 18.7 oz	660 g 23.3 oz
Height	100 mm 3 7/8 in	110 mm 4 3/8 in	115 mm 4 1/2 in
Bubble Level	2	2	2



TBH Series

Tripod Ball Heads



TBH-40



TBH-300

TBH 40 & TBH 100

TBH ball head has it all: Security, versatility, and ease of use. Its universal, 38-mm quick shoe plate with clamp knob not only allows for hassle-free use with other standardized tripod heads, but it also enables fine camera placement adjustments when attached without risk of accidental release thanks to its built in safety pin. An oversized, easy-to-grip lever can be repositioned easily for comfortable use and provides unwaveringly secure locking, so your gear stays in place, no matter the angle. An oxidation anodized surface on the ball ensures it will remain scratch free and provide ultra-smooth and precise movements.

TBH 250 & TBH 300

In addition, TBH-250 and TBH-300 also feature a fine tuning knob that gives total control over ball friction for precise adjustments, even when the main lever lock is released. Use the fine tuning knob with the locking knob to set the perfect friction for your gear, so you can reposition swiftly and simply.

FEATURES



•Universal, 38 mm quick shoe system



Steady and Secure



Friction control
(for TBH-250 & TBH-300)



Oversized locking knob can be repositioned for convenient use



1/4" ~ 3/8" screw adaptor included, compatible with all sizes of tripods



Oxidation anodized central Ball



Individual 360-degree panning lock

- 360-degree panning
- Durable magnesium housing



TBH-100



TBH-250



	TBH-40	TBH-100	TBH-250	TBH-300
Lateral Tilt	-90°~+35°	-90°~+36°	-90°~+33°	-90°~+38°
Rotation	360°	360°	360°	360°
Quick Shoe	QS-60	QS-60	QS-60	QS-61
Max. Loading	6 kg 13.2 lbs	10 kg 22 lbs	20 kg 44 lbs	30 kg 66 lbs
Weight	310 g 10.93 oz	390 g 13.76 oz	450 g 15.87 oz	560 g 19.75 oz
Height	95 mm 3 3/4 in	115 mm 4 1/2 in.	120 mm 4 3/4 in	125 mm 4 7/8 in
Bubble Level	2	2	2	2



SBH Series

Tripod Ball Heads



Best-selling SBH precision-cut ball head moves swiftly and steadily so you won't miss the action. Constructed of solid, strong magnesium alloy, it's durable and yet lighter in weight than the industry standard.

Unlike other ball heads, SBH is designed with molded body parts, not assembled cut parts, like the competition. Its smooth locking knobs allow you to move the ball head swiftly and securely into the perfect position, even with the heaviest lenses and cameras. It includes 360-degree scale, fine-tuning knob and a safety lock for extra stability.

A special universal VANGUARD quick shoe is also included, so you can upgrade your system to quick-release immediately.

FEATURES



Double locking system (excluding SBH-20, SBH-20P)



Bubble level (excluding SBH-20, SBH-20P)



Removable platform for off-center loading (SBH-250 & 300)



3/8" - 16 UNC
1/4" - 20 UNC
1/4" to 3/8" adapter included



- Lightweight magnesium alloy
- Precision milled ball head
- Impressive loading weight (up to 32kg/70lbs)
- Micro function adjustment knob
- Handles off-center load



SBH-20P



SBH-20P



SBH-250



SBH-300



	SBH-20P	SBH-20	SBH-30
Lateral Tilt	+90°~-90°	+90°~-90°	+90°~-35°
Rotation	360°	360°	360°
Quick Shoe	-	QS-36	QS-39 x 2
Max. Loading	4.0 kg 8.8 lbs	4.0 kg 8.8 lbs	5.0 kg 11.0 lbs
Weight	99 g 3.5 oz	165 g 5.8 oz	270 g 9.5 oz
Height	59 mm 2 3/8 in	69 mm 2 3/4 in	80 mm 3 1/8 in
Bubble Level	-	-	2

	SBH-50	SBH-100	SBH-250	SBH-300
Lateral Tilt	+90°~-35°	+90°~-35°	+90°~-35°	+90°~-40°
Rotation	360°	360°	360°	360°
Quick Shoe	QS-39 x 2	QS-39 x 2	QS-39 x 2	QS-45
Max. Loading	6.0 kg 13.2 lbs	10.0 kg 22.0 lbs	20.0 kg 44.0 lbs	32.0 kg 70.0 lbs
Weight	290 g 10.2 oz	450 g 15.9 oz	580 g 20.5 oz	750 g 26.5 oz
Height	90 mm 3 1/2 in	105 mm 4 1/8 in	110 mm 4 3/8 in	120 mm 4 3/4 in
Bubble Level	2	2	2	2



PH Video Series

Pan Heads for Video Usage



PH-111V

PH-111V

For a lightweight, space saving pan head with true fluid movement, you can't go wrong with PH-111V.

This compact, two-way fluid head was created for use with smaller HD camcorder setups or with spotting scopes for nature observation in the field.

User friendly features include a quick release system with DIN standard quick shoe and dual safety locks, ergonomic locking knobs, and a long handle with rubber grip that can be installed from the front or back.



PH-123V

PH-124V, PH-123V

PH-124V and PH-123V fluid video heads with adjustable drag tension provide incredibly smooth pan and tilt functions and rigid magnesium, closed-type construction for steady videography with HD camcorders and add-ons.


Spring loaded, adjustable counter balance ensures the perfect amount of balance for the weight of the camera being used. Simply flip the counterbalance switch between "off" and "on" (PH-123V) or choose between "off" and "Level 1" or "Level 2" (PH-124V).

PH fluid video head features a large quick shoe safety release button and front-to-back movement fine tuning capabilities for optimal center of gravity positioning. Built to support more than 17.5 lbs., PH fluid video head also has a long handle for use with heavy equipment (PH-124V features an extendable handle for added torque), and can easily be used with a second handle attached via its Pull-N-Lock Lever system. For use with other add-ons, PH fluid video heads also feature a 1/4" and 3/8" attachment interface.

FEATURES



Rigid Magnesium alloy structured fluid video head



Multiple balance system:
A. Slidable Quick shoe to optimize the position of the center of gravity
B. Adjustable tilt/Panning drag tension
C. Long handle for heavier gears operation



Spring loaded counter balance switch:

1. PH-123V – 2 Steps (on and off)
2. PH-124V – 3 Steps (on, level 1, level 2)



Multi drag tension adjustment (tilt & panning)
(Only for PH-124V)



Disk type bubble level



PH-111V:
Compact & light weight 2-way video head for smaller HD camcorders

PH-111V

- Compact & lightweight 2-way video head for compact HD camcorders
- Fluid movement: Smooth pan and tilt assured by a fixed system of fluid cartridges
- Dual safety lock and DIN standard quick shoe (QS-36)
- Ergonomic locking knobs for solid grip and greater control
- Long handle for greater precision and torque

PH-123/124V

- Spring-loaded counterbalance switch: Easily set drag tension
- Extra quick shoe included
- Second handle attachable via Pull-n-Lock Lever



	PH-111V	PH-113V	PH-114V	PH-123V	PH-124V
Frontal Tilt	+60°~ -90°	+45°~ -90°	+60°~ -90°	+60°~ -90°	+60°~ -90°
Rotation	360°	360°	360°	360°	360°
Quick Shoe	QS-36	QS-66	QS-66	QS-67	QS-67
Max. Loading	2.0 kg 4.4 lbs	6.0 kg 13.2 lbs	8.0 kg 17.6 lbs	6.0 kg 13.2 lbs	8.0 kg 17.6 lbs
Weight	400 g 14.1 oz	530 g 18.7 oz	570 g 20.1 oz	830 g 29.3 oz	1.3 kg 2.87 lbs
Max. Length	230 mm 9 in	-	-	400 mm 15 3/4 in	500 mm 19 5/8 in
Width	97 mm 3 7/8 in	-	-	132 mm 5 3/4 in	110 mm 4 3/8 in
Height	78 mm 3 1/8 in	85 mm 3 3/8 in	95 mm 3 3/4 in.	106 mm 4 1/8 in	115 mm 4 1/2 in
Buble Level	-	-	-	1	1



PH Series

Tripod Pan Heads & Window Mounts



PH-30

PH Pan Heads

PH Series pan head features 360-degree, smooth panning and impressive tilting angles. It's a brilliant combination for any photographer who demands meticulous positioning for the perfect shot.



PH-20



PH-10



Cylindric panorama

New Handles for PH-22 & PH-32

PH-32

FEATURES

PH Pan Heads



Adjustable gravity center



Various bubble level types



1-handle 3-way compact pan head

PH Window Mounts



Can be used with a tripod to support additional gear



PH mounts to trees branches, fences, park signs and other common objects



Securely mounts to vehicle windows



PH-240's V-grooved clamp provides ultra secure attachment to tubes and tripod legs

PH Pan Heads

- Rapid-action button for quick and smooth panning (PH-32 only)
- Dual safety locks
- Tilt platform for photography at 90-degree angles



PH-222

PH Window Mounts

Capture the moment no matter the location. No tripod? PH pan head window mounts have unique bases and non-slip platforms. They easily attach to vehicle windows, tubular structures and other solid platforms, enabling steady use of cameras, camcorders or spotting scopes.



PH-240



PH-242



PH-304



PH WINDOW MOUNTS

	PH-201	PH-304	PH-222	PH-242
Lateral Tilt	+90°~ -60°	+90°~ -60°	+90°~ -60°	+90°~ -60°
Frontal Tilt	-	0°~ +90°	0°~ +90°	-
Rotation	360°	360°	360°	360°
Quick Shoe	-	QS-36	QS-36	QS-52
Max. Loading	2.0 kg 4.4 lbs	4.0 kg 8.8 lbs	2.0 kg 4.4 lbs	3.0 kg 6.6 lbs
Weight	395 g 13.9 oz	730 g 25.7 oz	622 g 21.9 oz	705 g 24.9 oz
Height	110 mm 4 3/8 in	145 mm 5 3/4 in	150 mm 5 7/8 in	175 mm 6 7/8 in
Bubble Level	-	-	-	1

PH PAN HEADS

	PH-10	PH-12	PH-20	PH-22	PH-30	PH-32
Lateral Tilt	0°	+90°~ -60°	+90°~ -60°	+90°~ -60°	+90°~ -60°	+90°~ -60°
Frontal Tilt	+90°~ -90°	+90°~ -30°	0°~ +90°	90°~ -30°	0°~ +90°	90°~ -30°
Rotation	0°	360°	360°	360°	360°	360°
Quick Shoe	-	QS-50	QS-36	QS-50	QS-36	QS-51
Max. Loading	4.9 kg 11.0 lbs	3.0 kg 6.6 lbs	2.0 kg 4.4 lbs	3.0 kg 6.6 lbs	3.0 kg 6.6 lbs	5.0 kg 11.0 lbs
Weight	225 g 7.9 oz	300 g 10.6 oz	330 g 11.6 oz	360 g 12.7 oz	390 g 13.8 oz	500 g 17.6 oz
Height	60 mm 2 3/8 in	72 mm 2 7/8 in	70 mm 2 3/4 in	90 mm 3 1/2 in	72 mm 2 7/8 in	121 mm 4 3/4 in
Bubble Level	-	1	-	2	-	3



VS & QS Series

Table Pods, Quick Shoes & Accessories

VS Series

VS tabletop tripod, available in various sizes, is ultracompact, lightweight and convenient.



QS Series

QS quick release plates make attaching and removing your camera a breeze. They securely keep your gear in position.



QS-26

- Quick shoe, with 1/4" camera screw for Nivelto 244/245



QS-28

- Quick shoe, with 1/4" camera screw & pin



QS-36

- Quick shoe, with 1/4" camera screw & pin



QS-39

- Quick shoe, with 1/4" camera screw



QS-40

- Quick shoe, with 3/8" camera screw



QS-45

- Quick shoe, with 1/4" & 3/8" camera screw & pin
- 90mm length



QS-46

- Quick shoe, with 1/4" & 3/8" camera screw & pin
- 140mm length



QS-50

- Quick shoe, with 1/4" camera screw & pin



QS-52

- Quick shoe, for camera & Spotting scopes with 1/4" screw & pin



QS-60

- Quick shoe, with 1/4" camera screw



QS-61

- Quick shoe, with 1/4" camera screw in a removable slot & pin



QS-66

- Quick shoe, with 1/4" camera screw & pin for PH-113V & PH-114V



QS-67

- Quick shoe, with 1/4" camera screw & pin for PH-123V & PH-124V



QS-65GH

- Plate adaptors, with 1/4" camera screw
- Designed for GH-100 ball head



QS-47PF

- Plate adaptors, with 1/4" & 3/8" camera screw & pin
- 90mm length




QS-48PF

- Plate adaptors, with 1/4" & 3/8" camera screw & pin
- 140mm length


• Quick shoe compatibility chart is on pages 118-119

Accessories




QS-100CS

- Stainless 1/4" to 3/8" reversible screw



QS-101EW

- Elevating Wheel, with crank, screw and washer set (for Auctus Plus)



QS-100HK

- Stainless steel Accessories Hook
- Compatible with 1/4" 20UNC thread screw



QS-100RF

- Special angled rubber foot cap



QS-100SS

- Extra large tiltable snow shoe



QS-114HD

- Long handle for PH-114V



QS-124HD

- Long handle for PH-124V



QS-123HD

- Long handle for PH-123V



Multi-Mount 6

- Ø 28 x 450 mm
1 1/8 x 24 inches
- WT 1.07 kg
2.36 lbs



Alta strap 30
Carrying Straps

- Main Material: Jersey + PP for Alta+ tripods



SB-100
Stone bag

- Main Material: 420D Polyester Universal for all tripods

ALTA BAG & PRO BAG TRIPOD BAGS

Alta bag 50

- Ø 110 x 500 mm
4 3/4 x 19 5/8 inches
- WT 140 g
4.9 oz

Alta bag 60

- Ø 120 x 600 mm
4 3/4 x 23 5/8 inches
- WT 160 g
5.6 oz

Alta bag 70

- Ø 120 x 700 mm
4 3/4 x 27 1/2 inches
- WT 180 g
6.3 oz

Pro bag 80

- Ø 155 x 800 mm
6 1/8 x 31 1/2 inches
- WT 370 g
13.1 oz

Pro bag 85

- Ø 155 x 850 mm
6 1/8 x 33 1/2 inches
- WT 400 g
14.1 oz

- **TC 1**
Shutter Cable
- GH-300T shutter cable for Canon high-end camera

- **TC 2**
Shutter Cable
- GH-300T shutter cable for Canon popular camera

- **TN 1**
Shutter Cable
- GH-300T shutter cable for Nikon high-end camera

- **TN 2**
Shutter Cable
- GH-300T shutter cable for Nikon popular camera

- **TS 1**
Shutter Cable
- GH-300T shutter cable for Sony camera

• Tripod bags compatibility chart is on page 118



	VS-30	VS-34	VS-62	VS-82	VS-86
Folded Height	200 mm 7 7/8 in	200 mm 7 7/8 in	135 mm 5 3/8 in	230 mm 9 in	230 mm 9 in
Extended Height	110 mm 4 3/8 in	136 mm 5 3/8 in	160 mm 6 1/4 in	250 mm 9 7/8 in	255 mm 10 in
Diameter of Leg	15 mm	15 mm	10 mm	20 mm	20 mm
Number of Sections	1	1	2	2	1
Panhead Movements	2	Ball	Ball	2	Ball
Max. Loading	1.0 kg 2.2 lbs	1.0 kg 2.2 lbs	0.5 kg 1.1 lbs	2.5 kg 5.5 lbs	2.5 kg 5.5 lbs
Weight	360 g 12.7 oz	410 g 14.5 oz	160 g 5.6 oz	390 g 13.8 oz	400 g 14.1 oz







Bags

Xcenior Series

Photo/Video Trolleys



Xcenior 62T

Xcenior 48T

Xcenior 41T

The travel-loving Xcenior Trolley is a trusted companion for the jet-setting professional photographer and is airline carry-on friendly.* It's ultra secure, customizable and easy to use so you can bring your studio along anywhere in the world!

Inside, it's completely configurable with hook-and-loop fasteners so you can adjust to fit your gear. Tote your tripod, too, by attaching to its front or side straps. Your laptop will stay well protected in its padded sleeve.

Oversized wheels enable smooth rolling and molded feet provide great stability. A strong trolley handle extends and collapses with ease. Three handles enable you to conveniently load it into airplane overhead compartments. Its top handle is thick and moves smoothly.

Xcenior's generous in the details, too, with a roomy front pocket and durable, high-end buckles, zippers and straps so you'll be worry free about your gear's safety.

Xcenior doubles as luggage for general use, too! Simply remove the padded inner compartment. Also features a bonus accessory pouch.

* Airline carry-on regulations are subject to change and vary by airline and country. To meet the requirements, you may need to remove laptops, tripod holders and attachments. Call your airline or visit its website for current size and weight restrictions.

FEATURES



Studio on-the-go



Impressive protection



Front and side tripod carrying system



Padded laptop compartment inside



3-handle system enable you to lift the trolley easily



Bonus: 1 combination lock + 1 pouch



Oversized wheels enable smooth rolling



Strong trolley extends and collapses easily

- Large capacity for effortless transportation
- Doubles as luggage with a removable interior
- Airline carry-on friendly*
- Laptop compartment (12" for 41T, 14" for 48T, 17" for 62T)

- Exterior fabric: 1000D*1200D + 1000D*1000D + 1680D*1680D Polyester
- Interior fabric: 150D Polyester + Velvet

- Weather proof exterior fabric



	Xcenior 41T	Xcenior 48T	Xcenior 62T
Inside Dimensions (LxWxD)	370 x 170 x 310 mm 14 5/8 x 6 3/4 x 12 1/4 in	310 x 170 x 410 mm 12 1/4 x 6 3/4 x 16 1/8 in	350 x 170 x 550 mm 13 3/4 x 6 3/4 x 21 5/8 in
Outside Dimensions (LxWxD)	430 x 290 x 485 mm 16 7/8 x 11 3/8 x 19 1/8 in	380 x 290 x 485 mm 15 x 11 3/8 x 19 1/8 in	470 x 310 x 685 mm 18 1/2 x 12 1/4 x 27 in
Max. Loading	10.5 kg 23.2 lbs	15 kg 33.1 lbs	22 kg 48.5 lbs
Weight	3.95 kg 8.71 lbs	4.25 kg 9.37 lbs	5.1 kg 11.24 lbs
Main compartment	12"	14"	17"



Xcenior Series

Photo/Video Shoulder Bags



Xcenior 36

Xcenior Series shoulder bag is the modern professional photographer's studio on the go, delivering impressive performance in all of the key areas. It has a large capacity to keep an array of gear organized. It offers standout protection too, with an innovative multi-layered interior and anti-shock bottom.

Busy photographers can pack a complete set of gear with great security and highly comfortable features that make Xcenior stand out as one of the best on the market for carrying from shoot to shoot with ease. Anti-

scratch, moisture-resistant fabric on the bottom keeps gear protected from dust and water. Beyond its sleek, attractive design, Xcenior takes protection seriously. It has a molded, semi-solid exterior. It also boasts a tripod carrying system. Your full-size tripod stays ultra safe by conveniently securing to Xcenior's sturdy handle and holding snugly against the bag with two adjustable straps.

Unlike other shoulder bags, Xcenior provides impressive protection with innovative multi-layered, anti-shock bottom and a semisolid front panel. It's customizable too, with dividers with hook-and-loop fasteners. Photographers can tailor it to fit their exact needs, which may change depending on the scenario and gear needed. There are numerous pockets on all sides and on the interior to keep all of your accessories stored exactly where you need them. Extra loops enable you to attach lens cases and pouches from the ICS system. Its rain cover conveniently tucks away for use when needed. Also features an accessory pouch and memory card sleeve.

Security is also a top priority for Xcenior, with three secure points on the upper part of the bag, so you're assured your expensive gear is safe. Xcenior is very comfortable to carry, even when fully loaded. An anti-slip shoulder strap evenly distributes weight on your shoulder and its innovative padded T-shaped handle provides reliable support.

FEATURES



Large capacity for studio on-the-go



Innovative multi-layered, anti-shock bottom and semi-solid front panel



Tripod carrying system



Trolley attachment loop



Detachable rain cover



Compatible with Vanguard ICS Harness



Bonus: Accessory pouch



Side Hanging System of ICS System pouches

- Tripod carrying system: Your full-size tripod stays ultra safe by conveniently securing to Xcenior's sturdy handle and holding snugly against the bag with two adjustable straps.
- Vanguard ICS Harness compatible
- Laptop compartment (10" for 30, 14" for 36, 15" for 41)
- Exterior fabric: 1000D*1200D + 1680D*1680D Polyester
- Interior fabric: 150D Polyester + Velvet
- Weather proof exterior fabric



	Xcenior 30	Xcenior 36	Xcenior 41
Inside Dimensions (L x W x D)	300 x 180 x 240 mm 11 3/4 x 7 1/8 x 9 1/2 in	360 x 180 x 280 mm 14 1/8 x 7 1/8 x 11 in	410 x 180 x 300 mm 16 1/8 x 7 1/8 x 11 3/4 in
Outside Dimensions (L x W x D)	420 x 320 x 320 mm 16 1/2 x 12 5/8 x 12 5/8 in	500 x 340 x 350 mm 19 5/8 x 13 3/8 x 13 3/4 in	550 x 340 x 400 mm 21 5/8 x 13 3/8 x 15 3/4 in
Max. Loading	8.5 kg 18.8 lbs	11.5 kg 25.4 lbs	15 kg 33.1 lbs
Weight	2.15 kg 4.74 lbs	2.7 kg 5.95 lbs	2.95 kg 6.5 lbs
Main compartment	10"	14"	15"



Skyborne Series

Photo/Video Backpacks & Daypacks



Skyborne 53

Skyborne 45

Skyborne is an adventure loving backpack that will have you out exploring in no time. Its advanced design with air-infused cushioning in key areas results in reliable gear protection while being the lightest, most comfortable bag you'll ever use. Attach your tripod to its easy-to-adjust buckled strap and holder and securely carry your laptop in its well-padded compartment with anti-theft buckles. Top and bottom access points enable you to go from traveling to shooting mode in just a few seconds.

* Airline carry-on regulations are subject to change and vary by airline and country. To meet the requirements, you may need to remove laptops, tripod holders and attachments. Call your airline or visit its website for current size and weight restrictions.



For Skyborne Series

FEATURES



Air-tech system
Air-infused padding throughout



Ergonomic carrying



Quick access system for 45/48/51



Impressive capacity:
Skyborne 49/53 open fully



Air-cushioned feet



Top & bottom access for Skyborne 45/48/51



Bonus: 1 laptop sleeve + 1 mobile phone holder



Tripod holding system

- Impressive capacity with quick access function
- Super lightweight with unique Air-Tech system
- Ergonomic
- Laptop sleeve: Skyborne 45/49 for 12" screen, Skyborne 48 for 14", Skyborne 51 for 15", Skyborne 53 for 17"
- Adjustable tripod holding system
- Innovative lightweight buckles
- Numerous pockets for accessories
- Airline carry-on compatible size* : Skyborne 45/49
- Rain cover included

- Exterior fabric: 1000*1200D Polyester + 1000*1000D Polyester ripstop + 600D Polyester ripstop
- Interior fabric: 210D Nylon + Velvet
- Weather proof exterior fabric



	Skyborne 45		Skyborne 48	
Inside Dimensions (L x W x D)	260 x 160 x 180 mm	10 1/4 x 6 1/4 x 7 1/8 in	290 x 160 x 220 mm	11 3/8 x 6 1/4 x 8 5/8 in
Outside Dimensions (L x W x D)	340 x 340 x 490 mm	13 3/8 x 13 3/8 x 19 1/4 in	360 x 350 x 520 mm	14 1/8 x 13 3/4 x 20 1/2 in
Max. Loading	9 kg 19.8 lbs		11.5 kg 25.3 lbs	
Weight	2.32 kg 5.11 lbs		2.58 kg 5.69 lbs	
Main compartment				
	12"		14"	

	Skyborne 49		Skyborne 51		Skyborne 53	
Inside Dimensions (L x W x D)	290 x 160 x 410 mm	11 3/8 x 6 1/4 x 16 1/8 in	320 x 160 x 270 mm	12 5/8 x 6 1/4 x 10 5/8 in	320 x 160 x 510 mm	12 5/8 x 6 1/4 x 20 1/8 in
Outside Dimensions (L x W x D)	350 x 350 x 505 mm	13 3/4 x 13 3/4 x 19 7/8 in	370 x 380 x 560 mm	14 5/8 x 15 x 22 in	390 x 440 x 600 mm	15 3/8 x 17 3/8 x 23 5/8 in
Max. Loading	12.6 kg 27.77 lbs		13.8 kg 30.4 lbs		18 kg 39.7 lbs	
Weight	2.56 kg 5.64 lbs		2.75 kg 6.06 lbs		3.34 kg 7.36 lbs	
Main compartment						
	12"		15"		17"	



Quovio 41

Photo/Video Shoulder Bag



Quovio 41

Whether shooting stills or video, QUOVIO 41 is filled with the features you need for professional results on the move.

QUOVIO 41's Quick Access main opening enables you to quickly grab your gear on the go by simple pulling its large handle. Inside this sleek shoulder bag, a spacious interior offers plenty of room and thick padding for a mid-sized digital video camera or a pro DSLR setup. Its innovative interior divider system can be easily configured to accommodate a photo or video setup, giving you the functionality of two bags in one.

Dual built-in tripod holders give you even more options. When shooting video, strap your heavy-duty tripod to the top of the bag for more stable carrying; when shooting stills, attach your tripod to the front of the bag to make use of QUOVIO Quick Access main opening when shooting on the go. QUOVIO 41 is also big on the small details, from its two mesh pouches for carrying cables, headsets and other gear to the included memory card wallet for organized storage.

FEATURES



Quick access main opening



Compact & unique for photo or video use



Tripod holding system: 2 ways to carry



ICS Harness (sold separately) compatible



Numerous accessory pockets



Trolley attachment loop



Side hanging system for ICS System pouches



Water-resistant bottom with anti-shock feet



Bonus: 2 mesh pouches + 1 memory card wallet

- Multiple ways to carry: Deluxe strap, thickly padded handles, trolley attachment loop, ICS Harness compatible (sold separately)
- Name card holder
- Rain cover included
- Exterior fabric: 1000D*1000D Polyester + 70*200D Nylon + Jersey
- Interior fabric: 150D Polyester + Velvet
- Weather proof exterior fabric



Quovio 41

Inside Dimensions (L x W x D)	410 x 250 x 260 mm 16 1/8 x 9 7/8 x 10 1/4 in
Outside Dimensions (L x W x D)	460 x 265 x 305 mm 18 1/8 x 10 3/8 x 12 in
Max. Loading	15.8 kg 34.82 lbs
Weight	2.67 kg 5.88 lbs
Main compartment	       14"

or      14"



Quovio Series

Photo/Video Backpack, Shoulder Bag & Trolley



Quovio 26

A working professional's job never stops and passion never quits. That's why Vanguard's Quovio bags were made to fit with your active style and needs. Whether carrying a full or partial set of gear for stills or video — across town or cross country — there's a Quovio bag or trolley to suit your working style.

Quovio 26's Quick Strap Adjustment makes it easier and simpler than ever to make your camera bag fit you on the go. Just slide the large D-shaped ring, and then pull the strap until it reaches the desired length. Don't be fooled by its slim, sleek exterior: Quovio 26 boasts plenty of room for a DSLR with attached lens, and an additional lens or flash, as well as a built-in compartment for a tablet device. There is no shortage in ways to carry this convenient bag. Use its comfortable shoulder strap with or without its removable support strap, which can be fixed around your waist or leg for additional stability. Alternatively, connect it to Vanguard's ICS Harness (sold separately) for use as a

small backpack. Quovio 26 also features a large belt loop for use with Vanguard's ICS Belt (sold separately).

Quovio 44's extra-large, Quick Side Access puts your full-size, professional DSLR at your fingertips with just one zip, so you'll never miss the action. Inside this sleek backpack, a spacious interior offers plenty of room for a DSLR with attached zoom lens, additional zoom and other lenses, flash, and other accessories. A convenient tripod holder with Quick Adjustment Straps makes bringing your tripod along quicker and simpler than ever. Quovio 44 easily converts from a backpack to a day pack with separate compartment by simply rearranging its customizable interior dividers. Or, use either set up as a fast-acting sling bag by simply detaching and stowing one of its two shoulder straps in the built in pouch. It's like having three bags in one!

Quovio 49T trolley is airline carry-on compatible and lightweight, so you, and your gear, will reach your destination with ease. But that doesn't mean it's short on space; there's plenty of room for a DSLR with attached zoom lens, as well as an additional zoom and other lenses, flash, and other accessories. A well-padded laptop compartment keeps your personal computer safe and nearby. Traveling without your gear? Simply remove Quovio 49T's customizable interior for use as a roomy carry-on bag. A convenient and inconspicuously stowed tripod holder with Quick Adjustment Straps makes bringing your tripod along for the ride quick and simple.

FEATURES



Quick action strap adjustment (for Quovio 26)




3-in-1 bag: Backpack, daypack, and sling bag (for Quovio 44)



2-in-1 trolley for gear or luggage (for Quovio 49T)




Extra large quick side access (Quovio 44)



Compartment for tablet device (Quovio 26/44)



Compartment for laptop or tablet (Quovio 49T)



Quick adjustment tripod holding system (Quovio 44/49T)



Bonus for Quovio 26/44

Bonus for Quovio 49T

Quovio 26

- Convenient, quick access to gear
- Included accessory pouch
- Side hanging system
- Water-resistant material on the bottom
- Name card holder
- Rain cover included

Quovio 44

- Compartment for tablet device
- Accessories pouch
- Multiple ways to carry
- Water-resistant material on the bottom
- Name card holder
- Rain cover included

Quovio 49T

- Compartment for laptop or tablet
- Numerous accessory pockets
- Included accessory pouches
- Side hanging system
- Name card holder
- Rain cover included

- Exterior fabric: 1000D*1000D Polyester + 70*200D Nylon + Jersey
- Interior fabric: 150D Polyester + Velvet

- Weather proof exterior fabric



Quovio 49T



Quovio 44



	Quovio 26	Quovio 44	Quovio 49T
Inside Dimensions (L x W x D)	235 x 120 x 260 mm 9 1/4 x 4 3/4 x 10 1/4 in	240 x 200 x 415 mm 9 1/2 x 7 7/8 x 16 3/8 in.	310 x 160 x 420 mm 12 1/4 x 6 1/4 x 16 1/2 in
Outside Dimensions (L x W x D)	305 x 210 x 295 mm 12 x 8 1/4 x 11 5/8 in	300 x 270 x 465 mm 11 3/4 x 10 5/8 x 18 1/4 in.	370 x 235 x 510 mm 14 5/8 x 9 1/4 x 20 1/8 in
Max. Loading	5.5 kg 12.12 lbs	9.8 kg 21.6 lbs	12.4 kg 27.33 lbs
Weight	0.87 kg 1.92 lbs	1.79 kg 3.95 lbs	3.28 kg 7.23 lbs
Main compartment			



The Herald Series

Photo/Video Shoulder Bags



The Herald 33

Don't let clumsy camera bags stand in the way of telling your story. With The Herald's Quick Top Access you'll never miss a moment of the action, or be beaten by the competition because you were fumbling with your gear. With just one quick zip, you'll be grabbing that shot in an instant!

Tripods might be a necessity, especially for today's video-driven photojournalist, but you don't have to let it slow you down. Simply secure your tripod to The Herald's built in tripod sling, and forget about it until you need it.

A great bag is one you want to carry even when you're off the clock. The Herald's detachable inner pouch lets you remove, and reload, all your gear in one easy step, giving you a seamless transition from comfortable camera bag to everyday messenger bag, and back!



For The Herald Series

FEATURES



2-in-1 bag with removable inner box



Tripod Holder: Simply secure your tripod to The Herald's built in tripod sling



Quick Top Access



Secure shoulder strap system



Easy to carry with trolley



Built-in memory card holders




Bonus: Accessory pouch + Laptop sleeve can be used separately

- Extremely comfortable, padded anti-slip shoulder strap that distributes weight evenly on your shoulder
- Numerous accessory pockets to store loose gear
- Laptop sleeve can be used separately (10" for 28, 13" for 33 and 15" for 38)
- Secure shoulder strap system
- Bonus accessory pouch
- Rain cover included

- Exterior fabric: 1000*1000D Polyester
- Interior fabric: 150D Polyester+Velvet

- Weather proof exterior fabric



The Herald 28

Inside Dimensions (L x W x D)	250 x 160 x 200 mm 9 7/8 x 6 1/4 x 7 7/8 in
Outside Dimensions (L x W x D)	340 x 265 x 270 mm 13 3/8 x 10 3/8 x 10 5/8 in
Max. Loading	6.5 kg 14.33 lbs
Weight	1.25 kg 2.76 lbs
Main compartment	



The Herald 33

Inside Dimensions (L x W x D)	330 x 160 x 280 mm 13 x 6 1/4 x 11 in
Outside Dimensions (L x W x D)	420 x 270 x 350 mm 16 1/2 x 10 5/8 x 13 3/4 in
Max. Loading	10.5 kg 23.14 lbs
Weight	1.62 kg 3.57 lbs
Main compartment	



The Herald 38

Inside Dimensions (L x W x D)	380 x 160 x 280 mm 15 x 6 1/4 x 11 in
Outside Dimensions (L x W x D)	470 x 270 x 350 mm 18 1/2 x 10 5/8 x 13 3/4 in
Max. Loading	13 kg 28.65 lbs
Weight	1.80 kg 3.97 lbs
Main compartment	



Outlawz Series

Photo/Video Zoom Bags



A rule breaker by design, Outlawz zoom bag is designed for fast-action shooting with its quick access top opening with smooth-open zipper. Secure at your waist or use its unique ergonomic shoulder strap that's angled at the base to rest comfortably on your shoulder. Inside, your camera with large zoom lens stays securely protected with a DSLR cradle and soft LCD screen protector. Other features include side pockets for accessories, rain cover, water bottle holder and even a leg strap to keep Outlawz in position when you need to move fast.

FEATURES



Zip and unzip in a few seconds flat



Ergonomic design with unique leg strap



LCD screen cover and DSLR cradle



Accessory holder



Front pocket with memory card holder



Rain cover included

- Quick access system
- LCD screen cover
- DSLR cradle
- Numerous pockets (front and side pockets, side hanging system)
- Rear hooks for chest harness (harness sold separately)

- Exterior fabric: 1000*1200D Polyester + 1000*1000D Polyester ripstop + 600D Polyester ripstop
- Interior fabric: 210D Nylon + Velvet
- Weather proof exterior fabric



Outlawz 16Z

Inside Dimensions (L x W x D)	170 x 170 x 240 mm 6 3/4 x 6 3/4 x 9 1/2 in.
Outside Dimensions (L x W x D)	210 x 210 x 290 mm 8 1/4 x 8 1/4 x 11 3/8 in.
Max. Loading	3.4 kg 7.5 lbs
Weight	0.96 kg 2.12 lbs
Main compartment	

Outlawz 17Z

Inside Dimensions (L x W x D)	170 x 170 x 290 mm 6 3/4 x 6 3/4 x 11 3/8 in.
Outside Dimensions (L x W x D)	210 x 210 x 340 mm 8 1/4 x 8 1/4 x 13 3/8 in.
Max. Loading	4 kg 8.8 lbs
Weight	1.06 kg 2.34 lbs
Main compartment	



Kinray Series

Photo/Video Backpacks & Sling Bags



Kinray series is inspired by the unique needs of birders and outdoor photographers. Made from durable, weather-resistant materials, it is customizable for a perfect fit. Roomy on the inside with removable dividers, it'll securely hold a spotting scope and DSLR camera for digiscoping or DSLR camera and attached telephoto lens.

Large quick access from the front enables fast, organized removal of your gear. It's comfortable, too, with length-adjustable shoulder straps and an adjustable chest harness that provides an impressive, ergonomic fit. Breathable fabric on the back helps to keep you dry - great for warmer days.

Kinray converts from a daypack into a backpack, depending on your needs, by simple removal of the lens pillow and other dividers. It can even be used as an everyday backpack by removing all dividers.

Kinray also boasts a tripod holder and adjustable upper strap. A stowed rain cover provides quick protection should the weather turn foul. Zippered pockets conveniently hold and keep organised small items like snacks, keys, guidebooks, etc. A front strap with karabiner holds small accessories. Two lower front straps hold larger accessories such as sleeping bags or jackets.

Smaller accessories such as pouches can be clipped onto the side loops of the bag.

FEATURES



3-in-1 bag: Photo-video daypack and backpack; also used as an everyday backpack



Roomy interior for spotting scope or telephoto lens



Extra large quick access



Tripod holding system



Front accessory pocket



Air system at back panel




Bottom straps hold a compact sleeping bag or light jacket



Ergonomic back panel



Accessory pocket on belt



Multiple adjustment points



Rain cover included

- Exterior fabric: 600D*600D Polyester + 150D Nylon + 1000D*1000D Polyester
- Interior fabric: 150D Polyester + Velvet
- Weather proof exterior fabric

Available in 2 colors





	Kinray 43	Kinray 48	Kinray 53
Inside Dimensions (L x W x D) Lower Compartment	200 x 140 x 230 mm 7 7/8 x 4 1/2 x 9 in	260 x 160 x 260 mm 10 1/4 x 6 1/4 x 10 1/4 in	320 x 180 x 280 mm 12 5/8 x 7 1/8 x 11 in
Inside Dimensions (L x W x D)	200 x 140 x 430 mm 7 7/8 x 4 1/2 x 16 7/8 in	260 x 160 x 480 mm 10 1/4 x 6 1/4 x 18 7/8 in	320 x 180 x 530 mm 12 5/8 x 7 1/8 x 20 7/8 in
Outside Dimensions (L x W x D)	270 x 215 x 435 mm 10 5/8 x 8 1/2 x 17 1/8 in	300 x 215 x 490 mm 11 3/4 x 8 1/2 x 19 1/4 in	350 x 270 x 545 mm 13 3/4 x 10 5/8 x 21 1/2 in
Max. Loading	5.2 kg 11.5 lbs	14.8 kg 32.7 lbs	20 kg 44.1 lbs
Weight	1.01 kg 2.23 lbs	1.4 kg 3.09 lbs	21.6 kg 3.53 lbs
Lower Compartment			
Main Compartment			
Color			



UP-Rise Messenger Series

Photo/Video Messenger Bags



UP-Rise 38

UP-Rise 33

UP-Rise 28

UP-Rise Series messenger bag is a stylish, ultra-padded and lightweight photo bag that doubles as a regular bag thanks to its customizable interior and unique design. Quick-access from the top enables you to retrieve your gear fast. It has super thick padding for great protection and detachable dividers for photo gear. It securely holds a laptop, too, and it boasts an innovative ability to expand in size to accommodate changing gear sizes.



For UP-Rise Series

FEATURES



Expanded

Expanding system:
2 sizes in 1!



2-in-1 bag with
Well-padded
interior




Rapid Access
system



Carry with
included long
or short strap




Easy to
carry with
trolley



Enhanced
padding
for extra
durability



Convenient laptop
compartment
eliminates need
to carry extra
computer bag



Strong carry
strap



Sleek, stylish
design

- Enhanced padding for extra durability
- Multiple ways to carry
- Waterproof bottom
- Convenient laptop compartment (10" for UP-Rise 28, 12" for UP-Rise 33, 15" for UP-Rise 38)
- Quick access rain cover

- Exterior fabric: 1000D Polyester ripstop + 1680D Polyester
- Interior fabric: 150D Polyester+Velvet
- Weather proof exterior fabric



	UP-Rise 28		UP-Rise 33		UP-Rise 38	
Inside Dimensions (L x W x D)	280 x 165 (105 + 60) x 240 mm	11 x 6 1/2 (4 1/8 + 2 3/8) x 9 1/2 in	330 x 165 (105 + 60) x 280 mm	13 x 6 1/2 (4 1/8 + 2 3/8) x 11 in	380 x 165 (105 + 60) x 280 mm	15 x 6 1/2 (4 1/8 + 2 3/8) x 11 in
Outside Dimensions (L x W x D)	360 x 225 x 320 mm	14 1/8 x 8 7/8 x 12 5/8 in	390 x 225 x 360 mm	15 3/8 x 8 7/8 x 14 1/8 in	445 x 225 x 360 mm	17 1/2 x 8 7/8 x 14 1/8 in
Max. Loading	7 kg 15.4 lbs		8.1 kg 17.9 lbs		9.1 kg 20.1 lbs	
Weight	1.36 kg 3.00 lbs		1.545 kg 3.41 lbs		1.62 kg 3.57 lbs	
Main compartment						



UP-Rise II Series

Photo/Video Daypacks & Sling Bags

Daypacks

If you're looking to carry a serious amount of gear comfortably and securely, look no further than UP-Rise II backpacks. Packing a longer lens or extra flash? No problem! UP-Rise II can expand to accommodate different gear needs with one easy zipper motion, while still keeping gear protected, thanks to built-in protective foam in the expansion section. Its two sizes in one!

Innovative new buckles enable you to retrieve gear via UP-Rise II's Quick Side Access in one seamless motion. Just squeeze the buckle and pull to open, then snap the top portion onto the base to lock it shut. UP-Rise II backpacks and sling bags offer full access to your gear from the front, making it easier than ever to pack and organize a full set of gear for travel.




UP-Rise II 46

UP-Rise II 34

Sling bags

Whether you're out on assignment or a leisurely photo walk, UP-Rise II sling bags keep your gear handy at a moment's notice. UP-Rise II sling rests comfortably on your back and easily rotates to the front, giving you quick, safe access to your camera as needed. Its unique ability to expand allows you to fit different gear needs with one easy zipper motion, while still keeping gear protected, thanks to built-in protective foam in the expansion section. Innovative new buckles enable you to retrieve gear via UP-Rise II's Quick Side Access in one seamless motion. Just squeeze the buckle and pull to open, then snap the top portion onto the base to lock it shut. UP-Rise II backpacks and sling bags offer full access to your gear from the front, making it easier than ever to pack and organize a full set of gear for travel.

FEATURES



Expands

Expands quickly for changing gear needs



Quicker side access



Extra secure tripod holder with quick adjustment straps (Backpacks only)



Fully-opening front access



Laptop compartment (for UP-Rise II 46 & 48)



Breathable back panel & ergonomic harness system



Name card holder



3-point attachment strap keeps bag in place on the go (Sling Bags only)




Exterior pocket and D-ring for carrying and attaching accessories

- Exterior pocket and D-ring for carrying and attaching accessories
- Orange interior makes it easy to find small items
- Rain cover included

- Exterior fabric: 600D*600D + 1260D*1680D + 1200D*1200D Polyester
- Interior fabric: 150D Polyester+Velvet

- Weather proof exterior fabric



SLING BAGS

Inside Dimensions (L x W x D)	180 x 170 (130 + 40) x 175 mm 7 1/8 x 6 3/4 (5 1/8 + 1 5/8) x 6 7/8 in
Outside Dimensions (L x W x D)	240 x 230 x 375 mm 9 1/2 x 9 x 14 3/4 in
Max. Loading	3.5 kg 7.71 lbs
Weight	0.93 kg 2.05 lbs
Main compartment	

UP-Rise II 34

UP-Rise II 43

Inside Dimensions (L x W x D)	200 x 180 (130 + 50) x 230 mm 7 7/8 x 7 1/8 (5 1/8 + 2) x 9 in
Outside Dimensions (L x W x D)	250 x 245 x 460 mm 9 7/8 x 9 5/8 x 18 1/8 in
Max. Loading	4.2 kg 9.26 lbs
Weight	1.22 kg 2.69 lbs
Main compartment	

DAYPACKS

UP-Rise II 45

UP-Rise II 46

UP-Rise II 48

Inside Dimensions (L x W x D)	260 x 190 (130 + 60) x 230 mm 10 1/4 x 7 1/2 (5 1/8 + 2 3/8) x 9 in	260 x 190 (130 + 60) x 230 mm 10 1/4 x 7 1/2 (5 1/8 + 2 3/8) x 9 in	300 x 190 (130 + 60) x 250 mm 11 3/4 x 7 1/2 (5 1/8 + 2 3/8) x 9 7/8 in
Outside Dimensions (L x W x D)	320 x 255 x 490 mm 12 5/8 x 10 x 19 1/4 in	320 x 270 x 490 mm 12 5/8 x 10 5/8 x 19 1/4 in	340 x 270 x 520 mm 13 3/8 x 10 5/8 x 20 1/2 in
Max. Loading	5.8 kg 12.78 lbs	7.8 kg 17.19 lbs	9.3 kg 20.5 lbs
Weight	1.55 kg 3.42 lbs	1.77 kg 3.90 lbs	2.00 kg 4.41 lbs
Main compartment			



UP-Rise II Series

Shoulder & Zoom Bags



UP-Rise II 15

UP-Rise II 18

UP-Rise II 22

Shoulder bags

Smart UP-Rise II shoulder bags are made to accommodate your set up. Using a longer lens than usual? No problem! UP-Rise II zoom and shoulder bags expand to fit different gear needs with one easy zipper motion.

FEATURES



Quickly expands for changing gear needs



Multiple ways to carry



Accessory pocket



Screen protector on shoulder bags



Camera cradle on zoom bags



Exterior pocket and D-ring for carrying and attaching accessories



Memory card holder



ICS Belt compatible (sold separately)

Shoulder bags

- Soft screen protector
- Exterior pocket and D-ring for carrying and attaching accessories
- Vanguard ICS Belt compatible (sold separately)
- Rain cover included

Zoom bags

- Camera cradle
- Exterior pocket and D-ring for carrying and attaching accessories
- Vanguard ICS Belt compatible (sold separately)
- Rain cover included

- Exterior fabric: 600D*600D + 1260D*1680D + 1200D*1200D Polyester
- Interior fabric: 150D Polyester+Velvet
- Weather proof exterior fabric



UP-Rise II 14Z

UP-Rise II 15Z

UP-Rise II 16Z

Zoom bags

UP-Rise II zoom bags give you the freedom to choose the best lens for your trip, thanks to its innovative ability to expand in size to meet changing gear needs with one easy zipper motion.



SHOULDER BAGS		UP-Rise II 15	UP-Rise II 18	UP-Rise II 22
Inside Dimensions (L x W x D)		150 x 105 x 165 (140 + 25) mm 5 7/8 x 4 1/8 x 6 1/2 (5 1/2 + 1) in	180 x 110 x 190 (160 + 30) mm 7 1/8 x 4 3/8 x 7 1/2 (6 1/4 + 1 1/8) in	220 x 115 x 215 (180 + 35) mm 8 5/8 x 4 1/2 x 8 1/2 (7 1/8 + 1 3/8) in
Outside Dimensions (L x W x D)		170 x 160 x 200 mm 6 3/4 x 6 1/4 x 7 7/8 in	200 x 170 x 240 mm 7 7/8 x 6 3/4 x 9 1/2 in	240 x 170 x 260 mm 9 1/2 x 6 3/4 x 10 1/4 in
Max. Loading		1.5 kg 3.31 lbs	2.3 kg 5.07 lbs	2.5 kg 5.51 lbs
Weight		0.39 kg 0.86 lbs	0.45 kg 0.99 lbs	0.53 kg 1.17 lbs
Main compartment				
ZOOM BAGS		UP-Rise II 14Z	UP-Rise II 15Z	UP-Rise II 16Z
Inside Dimensions (L x W x D)		140 x 110 x 190 (160 + 30) mm 5 1/2 x 4 3/8 x 7 1/2 (6 1/4 + 1 1/8) in	150 x 115 x 250 (205 + 45) mm 5 7/8 x 4 1/2 x 9 7/8 (8 1/8 + 1 3/4) in	160 x 115 x 295 (240 + 55) mm 6 1/4 x 4 1/2 x 11 5/8 (9 1/2 + 2 1/8) in
Outside Dimensions (L x W x D)		175 x 165 x 225 mm 6 7/8 x 6 1/2 x 8 7/8 in	185 x 170 x 285 mm 7 1/4 x 6 3/4 x 11 1/4 in	190 x 170 x 300 mm 7 1/2 x 6 3/4 x 11 3/4 in
Max. Loading		1.2 kg 2.64 lbs	2.2 kg 4.85 lbs	2.8 kg 6.17 lbs
Weight		0.40 kg 0.88 lbs	0.48 kg 1.06 lbs	0.5 kg 1.10 lbs
Main compartment				



Vojo Series

Photo/Video Traveling Shoulder Bags



Vojo 10GR



Vojo 13BK

Vojo 8/10/13

When traveling with your compact, mirrorless camera system, there's no clearer path for carrying your equipment than Vanguard's Vojo series shoulder bags. A refined organizer, Vojo shoulder bags for compact systems offer space for a Mirrorless Interchangeable Lens Camera (MILC) with attached pancake (model 8), standard zoom (model 10), or telephoto zoom and pancake (model 13) lens, all in a good looking bag made with soft, canvas-style material and leather accents. Carry Vojo by shoulder, or detach its strap and carry it on your belt by using the back attachment flap.

Vojo compact shoulder bags also feature a front compartment and flap pocket for lens caps and other accessories and an included rain cover. Vojo 13 also makes an excellent field bag for optics, with space for a full-size binocular and observation guide.

FEATURES



Refined organizer with removable inner bag



Compact shoulder bag for MILC system (for size 8/10/13 only)



Quick top access (for size 22/25/28 only)

Vojo 22/25/28



Padded tablet compartment (Size 28 holds 11" Ultrabook)



Protective & adjustable flap



Trolley holder also can be used as handle for short-term carrying



Double security straps & buckles at both sides keep the bag slim when without the inner box

Vojo 8/10/13

- Refined shoulder bag for MILC system
- Can be carried on belt
- Protective flap
- Accessory pockets for other daily essentials
- Genuine leather accents
- Rain cover included

Vojo 22/25/28

- Refined organizer for camera, tablet/laptop & daily essentials
- Quick Top Access
- Removable inner box allows use as everyday bag
- Zippered inner bag conveniently stores gear
- Padded compartment for tablet or laptop
- Double security straps and buckles at both sides keep bag compact while used as everyday bag

Vojo 8/10/13



Can be carried on belt



Removable shoulder strap

Available in 2 colors



Black Green Olive

- Exterior fabric: 1800D*1800D Polyspun Polyester + 1000D*1000D Polyspun Polyester
- Interior fabric: 150D Polyester (vojo 8/10/13) 150D Polyester+Velvet (vojo 22/25/28)
- Weather proof exterior fabric



Vojo 22BK



Vojo 25GR

Vojo 22/25/28

When traveling with camera gear, there's no clearer path for carrying your equipment than Vanguard's Vojo series shoulder bags. A refined organizer, Vojo offers space for a camera, personal items, and a padded compartment for a tablet device (model 22 & 25) or a compact laptop computer (model 28), all in a good looking shoulder bag made with soft, canvas-style material and leather accents that doesn't shout "camera equipment inside".

A soft, removable inner box with zippered top safely houses your camera and accessories while also allowing for easy removal for use in a different bag or to use Vojo as an everyday bag. Side adjustment straps can be used to keep the bag compact when used without camera gear.

Vojo also features zippered Quick Top Access, letting you get your camera in hand whenever the moment strikes. A front accessory compartment, zippered front pocket, and flap pocket provide plenty of space for small accessories.

Other features include genuine leather accents, a wide shoulder strap with anti-slip pad, luggage trolley attachment loop that doubles as a handle for short-term carrying, adjustable protective flap, and attached rain cover.



	Vojo 8	Vojo 10	Vojo 13
Inner Box Inside Dimensions (L x W x D)	-/-	-/-	-/-
Inside Dimensions (L x W x D)	86 x 48 x 120 mm 3 3/8 x 1 7/8 x 4 3/4 in	100 x 90 x 125 mm 3 7/8 x 3 1/2 x 4 7/8 in	130 x 75 x 145 mm 5 1/8 x 3 x 5 3/4 in
Outside Dimensions (L x W x D)	115 x 85 x 155 mm 4 1/2 x 3 3/8 x 6 1/8 in	170 x 125 x 160 mm 6 3/4 x 4 7/8 x 6 1/4 in	205 x 115 x 180 mm 8 1/8 x 4 1/2 x 7 1/8 in
Max. Loading	0.45 kg 0.99 lbs	0.90 kg 1.98 lbs	1.20 kg 2.64 lbs
Weight	0.17 kg 0.37 lbs	0.24 kg 0.53 lbs	0.27 kg 0.60 lbs
Main compartment			
Color	BK GR	BK GR	BK GR
	Vojo 22	Vojo 25	Vojo 28
Inner Box Inside Dimensions (L x W x D)	180 x 105 x 180 mm 7 1/8 x 4 1/8 x 7 1/8 in	220 x 105 x 190 mm 8 5/8 x 4 1/8 x 7 1/2 in	250 x 140 x 190 mm 9 7/8 x 5 1/2 x 7 1/2 in
Inside Dimensions (L x W x D)	220 x 130 x 200 mm 8 5/8 x 5 1/8 x 7 7/8 in	250 x 130 x 210 mm 9 7/8 x 5 1/8 x 8 1/4 in	280 x 170 x 210 mm 11 x 6 3/4 x 8 1/4 in
Outside Dimensions (L x W x D)	360 x 185 x 240 mm 14 1/8 x 7 1/4 x 9 1/2 in	390 x 185 x 250 mm 15 3/8 x 7 1/4 x 9 7/8 in	400 x 230 x 260 mm 15 3/4 x 9 x 10 1/4 in
Max. Loading	3.20 kg 7.05 lbs	4.20 kg 9.26 lbs	5.50 kg 12.12 lbs
Weight	0.79 kg 1.74 lbs	0.92 kg 2.03 lbs	1.05 kg 2.31 lbs
Main compartment			
Color	BK GR	BK GR	BK GR



Adaptor Series

Photo/Video Daypacks & Backpack



Adaptor 41

Adaptor 48

Daypacks

Adaptor earned its name because it's a versatile camera backpack that's uniquely designed to be everything you need and more. Whether you shoot right or left handed, Adaptor delivers with quick-access zippered gear openings on both left and right sides so you can get to your gear quickly and easily. It's a great protector, too, with a roomy, customizable interior and thick padding.

Easily convert from backpack style to a sling bag by repositioning one of the shoulder straps and neatly stowing the other in its pocket. There's also a zippered and buckled top compartment for additional gear or other supplies. Additional features include a tripod holder, and zippered pockets for small accessories and lens caps.

Backpacks

Adaptor 48 holds an impressive amount of gear and fully opens from the front for easy loading.

FEATURES



Wear as sling or backpack (except Adaptor 48)



Quick dual side access (except Adaptor 48)



3-point tripod holder



Adaptor 48 opens fully



Adaptor 48 is backpack style



Customizable interior



Rain cover included

- Quick-access openings on left and right sides to accommodate left and right-handed photographers (models 41, 45, 46)
- Easily converts to a sling bag by repositioning one of the shoulder straps and neatly stowing the other
- Zippered and buckled top compartment for additional gear or other supplies
- Padded, breathable fabric on backside
- Numerous zippered pockets as well as mesh pockets on both sides for accessories including memory cards
- Buckled tripod holder
- Side clips for pouches and other accessories
- Padded laptop holder (13" for Adaptor 46 only)

- Exterior fabric: 420D Nylon + 600D Polyester
- Interior fabric: 150D Polyester + Velvet
- Weather proof exterior fabric



	Adaptor 41	Adaptor 45	Adaptor 46	Adaptor 48
Inside Dimensions (L x W x D)	200 x 140 x 200 mm 7 7/8 x 5 1/2 x 7 7/8 in	240 x 155 x 260 mm 9 1/2 x 6 1/8 x 10 1/4 in	240 x 155 x 260 mm 9 1/2 x 6 1/8 x 10 1/4 in	240 x 155 x 430 mm 9 1/2 x 6 1/8 x 16 7/8 in.
Outside Dimensions (L x W x D)	230 x 200 x 410 mm 9 x 7 7/8 x 16 1/8 in	270 x 230 x 455 mm 10 5/8 x 9 x 17 7/8 in	270 x 250 x 455 mm 10 5/8 x 9 7/8 x 17 7/8 in	270 x 230 x 455 mm 10 5/8 x 9 x 17 7/8 in.
Max. Loading	4 kg 8.82 lbs	6.5 kg 14.33 lbs	8.5 kg 18.7 lbs	6.5 kg 14.33 lbs
Weight	0.65 kg 1.43 lbs	0.90 kg 1.98 lbs	1.00 kg 2.20 lbs	0.98 kg 2.16 lbs
Main compartment				



Kinray Lite Series

Photo/Video Backpacks / Sling Bags & Beltpacks



Kinray Lite 15B BK

Kinray Lite 15B/22B

Versatile Kinray Lite belt packs provide multiple carrying solutions for active photographers and outdoor enthusiasts who want their gear on hand in a compact, convenient package.

Wear Kinray Lite belt pack around your waist or sling-style over one shoulder for quick, unencumbered access to equipment. A soft inner compartment with adjustable dividers safely houses your camera and accessories or binoculars and can easily be removed, transforming Kinray Lite into an everyday bag. Size 22 also includes a tuck-away waist belt and detachable shoulder strap for even more carrying options.

Kinray Lite belt packs also feature pockets and pouches for accessories and include a rain cover.



Kinray Lite 22B BK

FEATURES



One bag for all: Size 32/45/48 with removable inner box can be used as photo-video daypack, backpack & everyday backpack.



Versatile beltpack: Beltpack models can be carried in the way you want.



Monopod/ walking stick holding system (for size 32/45/48)

Kinray Lite 32/45/48



Ergonomic harness system



Front zipper pocket



Top space for personal items



Rain cover included

Kinray Lite 15B/22B



With removable inner box



Kinray Lite 22B comes with tuck-away belt and shoulder strap to offer more carrying solutions

- Exterior fabric: 420D*420D Polyester + 600D*600D Polyester + 210D*210D Nylon
- Interior fabric: 150D Polyester + Velvet
- Weather proof exterior fabric

Available in 2 colors





Kinray Lite 32BK



Kinray Lite 48GR

Kinray Lite 32/45/48

Created to meet the needs of active photographers and nature enthusiasts, Kinray LITE sling bag and daypacks provide a streamlined, lightweight carrying solution for nearly any outdoors application.

Modeled after our acclaimed Kinray series outdoor bags, Kinray LITE daypacks and slings can be easily arranged for use as a daypack with side camera access and space for accessories or a top-loading backpack to carry a spotting scope, binoculars, and other observation needs.

Or remove the soft inner compartment for use as an everyday backpack.

Kinray LITE offers plenty of space for outdoors essentials, including an upper compartment for personal items, zippered front pocket, and side mesh pocket for carrying a water bottle.

Kinray LITE also features a monopod/walking stick holder, ergonomic harness system with chest and waist strap, and rain cover for protection from the elements.



	Kinray Lite 15B	Kinray Lite 22B
Inside Dimensions (L x W x D)	150 x 105 x 145 mm 5 7/8 x 4 1/8 x 5 3/4 in	220 x 110 x 180 mm 8 5/8 x 4 3/8 x 7 1/8 in
Outside Dimensions (L x W x D)	220 x 140 x 170 mm 8 5/8 x 5 1/2 x 6 3/4 in	260 x 170 x 190 mm 10 1/4 x 6 3/4 x 7 1/2 in
Max. Loading	1.7 kg 3.75 lbs	2.8 kg 6.17 lbs
Weight	0.23 kg 0.51 lbs	0.38 kg 0.84 lbs
Main compartment		
Color		

	Kinray Lite 32	Kinray Lite 45	Kinray Lite 48
Inside Dimensions (L x W x D)	190 x 130 x 180 mm 7 1/2 x 5 1/8 x 7 1/8 in	200 x 130 x 230 mm 7 7/8 x 5 1/8 x 9 in	240 x 130 x 240 mm 9 1/2 x 5 1/8 x 9 1/2 in
Outside Dimensions (L x W x D)	240 x 170 x 340 mm 19 1/2 x 6 3/4 x 13 3/8 in	260 x 205 x 460 mm 10 1/4 x 8 1/8 x 18 1/8 in	280 x 205 x 490 mm 11 x 8 1/8 x 19 1/4 in
Max. Loading	3 kg 6.61 lbs	4.50 kg 9.92 lbs	6.50 kg 14.33 lbs
Weight	0.51 kg 1.21 lbs	0.81 kg 1.79 lbs	0.89 kg 1.96 lbs
Main compartment			
Color			



2GO Series

Photo/Video Backpacks / Sling Bags & Messenger Bags



2GO Messenger Bags 30/33

2GO messenger is a sleek, hassle-free bag for bringing your camera and other items along - wherever you go! Inside 2GO's main compartment, a soft inner box securely holds your camera and flash or extra lens, leaving space for other daily needs. Transform 2GO into an everyday messenger bag by simply removing this compartment. It's like having 2 bags in 1!

2GO messenger's zippered front compartment also features a padded holder for a compact laptop or tablet device, and plenty of pockets for pens, cell phones, and other items.

Uniquely cushioned, dot-shaped feet on the bottom protect equipment from shock, and a side hanging system and mesh pocket make it easy to bring along an extra lens pouch and water bottle. Versatile 2GO messenger offers multiple carrying solutions - a shoulder strap with anti-slip pad, top handle for hand carrying, and a trolley attachment loop for when traveling with luggage.

FEATURES



2-in-1 messenger bag: Photo video messenger bag holds cameras & laptop, also doubles as daily shoulder bag with removable inner box.



Quick access point from front & side



Super organization: Large inner space with multiple accessory pockets to hold daily essentials



Tripod holding system: When not carrying a tripod, top strap can be used as a side hanging system & mesh pocket to hold a water bottle



Cushioned feet at bottom for better protection: Unique dotted feet bottom better protects gear inside



Cushioned feet at bottom for better protection



Trolley holder



Size 46 holds 13" wide screen laptop



Side hanging system



Ergonomic harness system



Mesh pocket to hold water bottle



Mesh pocket, & inner pocket on front lid for other accessory

2GO 32/39/46

- Unique dotted feet for anti-shock protection
- Built-in laptop compartment (2GO 46)
- Large space for daily essentials
- Rain cover included

- Exterior fabric: 1680D*1680D Polyester + 600D*600D Polyester
- Interior fabric: 150D Polyester + Velvet
- Weather proof exterior fabric

2GO 30/33

- Built-in laptop compartment on front
- Inner space and multiple accessory pockets keep things well organized
- Multiple carrying solutions: hand carry, shoulder bag, trolley attachment loop
- Rain cover included

Available in 2 colors





2GO 39GR



2GO 46BK

2GO Backpacks & Sling Bags 32/39/46

2GO daypack and slings are sleek, hassle-free camera bags that keep your camera equipment secure and at hand—no matter where you go!

Quick side and front access points make light work of retrieving and loading your camera and accessories. 2GO is an excellent organizer, with a top compartment for personal items or additional accessories and several pockets for smaller items, like lens caps, cleaning cloths, and memory cards.

Uniquely cushioned, dot-shaped feet on the bottom protect equipment from shock, and a convenient side pocket-and-strap tripod holder can be used to hold a water bottle and attach additional lens pouches or accessories when not carrying a tripod.

What's more, 2GO features an ergonomic harness system, including a chest strap (model 46) or 3-point attachment strap (model 32 & 39) and includes a rain cover for wet conditions. 2GO 46 features a padded compartment for a laptop up to 13 inches.



	2GO 30	2GO 33
Inner Box Inside Dimensions (L x W x D)	180 × 105 × 200 mm 7 1/8 × 4 1/8 × 7 7/8 in	180 × 105 × 200 mm 7 1/8 × 4 1/8 × 7 7/8 in
Inside Dimensions (L x W x D)	300 × 130 × 240 mm 11 3/4 × 5 1/8 × 9 1/2 in	330 × 130 × 260 mm 13 × 5 1/8 × 10 1/4 in
Outside Dimensions (L x W x D)	350 × 205 × 260 mm 13 3/4 × 8 1/8 × 10 1/4 in	390 × 205 × 290 mm 15 3/8 × 8 1/8 × 11 3/8 in
Max. Loading	3.2 kg 7.05 lbs	4.2 kg 9.26 lbs
Weight	0.78 kg 1.72 lbs	0.89 kg 1.96 lbs
Main compartment	 11"	 13"
Color		

	2GO 32	2GO 39	2GO 46
Inner Box Inside Dimensions (L x W x D)	- -	- -	- -
Inside Dimensions (L x W x D)	190 × 130 × 180 mm 7 1/2 × 5 1/8 × 7 1/8 in	200 × 140 × 230 mm 7 7/8 × 5 1/2 × 9 in	240 × 155 × 240 mm 9 1/2 × 6 1/8 × 9 1/2 in
Outside Dimensions (L x W x D)	235 × 190 × 355 mm 9 1/4 × 7 1/2 × 14 in	250 × 200 × 415 mm 9 7/8 × 7 7/8 × 16 3/8 in	300 × 235 × 475 mm 11 3/4 × 9 1/4 × 18 3/4 in
Max. Loading	3.5 kg 7.71 lbs	5 kg 11.02 lbs	8.50 kg 18.73 lbs
Weight	0.64 kg 1.41 lbs	0.76 kg 1.68 lbs	1.06 kg 2.34 lbs
Main compartment			 13"
Color			



2GO Series

Photo/Video Shoulder & Zoom Bags

2GO is a sleek camera bag designed to be carried everywhere, providing fast access to your gear.

Beyond its good looks, it's well padded on the inside with uniquely designed dotted feet bottom. Access to your camera and accessories is fast thanks to its wide top opening with dual zippers. Other features include a belt loop, water bottle holder and pockets for accessories.



2GO 14ZGR



2GO 14Z

FEATURES



Easy opening



Cushioned feet



Rain cover included



Front pocket for lens cap and accessories



Side pocket



Belt loop



Side hanging system (pouch sold separately)

- Unique cushioned bottom
- Front pocket for lens cap and accessories
- Belt loop
- Water bottle holder

- Exterior fabric: 1680D*1680D Polyester + 600D*600D Polyester
- Interior fabric: 150D Polyester + Velvet

- Weather proof exterior fabric

Available in 2 colors





2GO 22



2GO 22GR



	2GO 12Z		2GO 14Z	
Inside Dimensions (L x W x D)	120 x 95 x 120 mm 4 3/4 x 3 3/4 x 4 3/4 in		140 x 110 x 160 mm 5 1/2 x 4 3/8 x 6 1/4 in	
Outside Dimensions (L x W x D)	180 x 120 x 190 mm 7 1/8 x 4 3/4 x 7 1/2 in		200 x 130 x 225 mm 7 7/8 x 5 1/8 x 8 7/8 in	
Max. Loading	1.5 kg 3.3 lbs		1.8 kg 4.0 lbs	
Weight	0.24 kg 0.52 lbs		0.28 kg 0.61 lbs	
Main compartment				
Color				

	2GO 10	2GO 15	2GO 22	2GO 25
Inside Dimensions (L x W x D)	100 x 90 x 125 mm 3 7/8 x 3 1/2 x 4 7/8 in	145 x 105 x 140 mm 5 3/4 x 4 1/8 x 5 1/2 in	220 x 110 x 180 mm 8 5/8 x 4 3/8 x 7 1/8 in	250 x 150 x 190 mm 9 7/8 x 5 7/8 x 7 1/2 in
Outside Dimensions (L x W x D)	140 x 115 x 210 mm 5 1/2 x 4 1/2 x 8 1/4 in	180 x 130 x 215 mm 7 1/8 x 5 1/8 x 8 1/4 in	265 x 150 x 250 mm 10 3/8 x 5 7/8 x 9 7/8 in	290 x 190 x 270 mm 11 3/8 x 7 1/2 x 10 5/8 in
Max. Loading	0.89 kg 2.0 lbs	1.30 kg 2.9 lbs	2.35 kg 5.2 lbs	3.2 kg 7.1 lbs
Weight	0.22 kg 0.48 lbs	0.24 kg 0.52 lbs	0.43 kg 0.95 lbs	0.54 kg 1.18 lbs
Main compartment				
Color				



Nivelo Series

Photo/Video Shoulder Bags

Nivelo is generous in space, designed to protect your mirrorless, interchangeable lens camera (or small DSLR), lens and accessories.

The interior is packed with padding and boasts tall sides to keep your gear safe and secure while you're on the go. It also has rubber feet on its base that provide shock absorption. Weather-resistant fabric keeps moisture from your camera, lens and other accessories.



FEATURES




Compact shoulder bag for MILC system



Reliable protection for gear



Rubber bottom feet



Numerous pockets to hold accessories



Sleek space-saving design



Memory card holder

- Ultra soft, scratch-resistant interior fabric
- Durable, weather-resistant fabric
- Numerous pockets to hold accessories
- Adjustable shoulder strap

- Exterior fabric: Jersey + 1680D Polyester
- Interior fabric: Velvet + 70D Polyester

- Weather proof exterior fabric

Available in 2 colors





	Nivelo 15	Nivelo 15
Inside Dimensions (L x W x D)	150 x 105 x 140 mm 5 7/8 x 4 1/8 x 5 1/2 in	180 x 105 x 160 mm 7 1/8 x 4 1/8 x 6 1/4 in
Outside Dimensions (L x W x D)	190 x 135 x 160 mm 7 1/2 x 5 3/8 x 6 1/4 in	220 x 135 x 180 mm 8 5/8 x 5 3/8 x 7 1/8 in
Max. Loading	1.3 kg 2.87 lbs	1.8 kg 3.97 lbs
Weight	0.25 kg 0.55 lbs	0.29 kg 0.64 lbs
Main compartment		
Color	BK RD	BK RD



Pampas II Series

Photo/Video Shoulder Bags



This stylish shoulder bag has all of the storage you need to stay organized, without any extra baggage. Light in weight but big on protection, Pampas II won't ever slow you down or wear you out. Its smooth shoulder strap makes sure it instantly fits with comfort. Pampas II also fits your style, with four colors to choose from.

FEATURES




4 color options to fit your style



Light weight, heavy protection



Anti-shock feet on bottom



Multiple accessory pockets to keep gear organized

- Quick shoulder strap adjustment system
- Comfortable shoulder strap
- Anti-shock feet on bottom

- Exterior fabric: 1200D*1200D Polyester
- Interior fabric: 150D Polyester + Velvet

- Weather proof exterior fabric

Available in 4 colors





Pampas II 22BK



Pampas II 15KG



	Pampas II 13	Pampas II 15	Pampas II 18	Pampas II 22
Inside Dimensions (L x W x D)	130 x 75 x 145 mm 5 1/8 x 3 x 5 3/4 in	150 x 105 x 145 mm 5 7/8 x 4 1/8 x 5 3/4 in	180 x 105 x 160 mm 7 1/8 x 4 1/8 x 6 1/4 in	220 x 110 x 180 mm 8 5/8 x 4 3/8 x 7 1/8 in
Outside Dimensions (L x W x D)	195 x 110 x 175 mm 7 5/8 x 4 3/8 x 6 7/8 in	220 x 140 x 185 mm 8 5/8 x 5 1/2 x 7 1/4 in	260 x 140 x 200 mm 10 1/4 x 5 1/2 x 7 7/8 in	295 x 155 x 220 mm 11 5/8 x 6 1/8 x 8 5/8 in
Max. Loading	1.2 kg 2.64 lbs	1.4 kg 3.09 lbs	1.8 kg 3.97 lbs	2.8 kg 6.17 lbs
Weight	0.21 kg 0.46 lbs	0.25 kg 0.55 lbs	0.32 kg 0.71 lbs	0.37 kg 0.82 lbs
Main compartment				
Color				



BIIN Series

Photo/Video Backpacks / Daypacks & Sling Bags



BIIN 59

BIIN 59

BIIN 50

Backpacks

BIIN Series Backpack is lightweight, built without the bulkiness usually associated with standard backpacks. It boasts a large gear capacity and numerous pockets for accessories. You can also carry small items and other essentials in the separate upper compartment.

Daypacks

BIIN Series Daypack is an organizer by nature, holding an exceptional amount of gear securely and organized. Other features include small pockets for accessories, a water bottle holder and an organizer strap system.

FEATURES

BIIN Sling Bags (BIIN 37/47)



Quick access system



3-point strap system



Large capacity

BIIN Daypack (BIIN 59)



Detachable compartment



Convenient tilt opening



Upper opening for frequently-accessed gear

BIIN Backpack (BIIN 50)



Customizable interior with dividers



Front pocket for accessories

- Exterior fabric: 150D Polyester ripstop + 600*600D Polyester
- Interior fabric: 100*150D Polyester + Velvet
- Weather proof exterior fabric

Available in 4 colors
Black Green Orange



Sling Bags

BIIN Series Sling Bag is a fast-access bag that repositions in one quick swing motion, eliminating wasted time fumbling with bulky bags.

BIIN Sling Bag enables you to stop mid-stroll, and reach your camera quickly. Additional features include pockets for accessories and a detachable stabilizer strap that holds your bag in place when you need to move fast, such as while biking.



	BIIN 37	BIIN 47	BIIN 50	BIIN 59
Inside Dimensions (L x W x D)	190 x 130 x 170 mm 7 1/2 x 5 1/8 x 6 3/4 in	190 x 130 x 250 mm 7 1/2 x 5 1/8 x 9 7/8 in	215 x 115 x 285 mm 8 1/2 x 4 1/2 x 11 1/4 in	290 x 140 x 200 mm 11 3/8 x 5 1/2 x 7 7/8 in
Outside Dimensions (L x W x D)	230 x 210 x 320 mm 9 x 8 1/4 x 12 5/8 in	230 x 210 x 380 mm 9 x 8 1/4 x 15 in	250 x 230 x 335 mm 9 7/8 x 9 x 13 1/4 in	320 x 240 x 440 mm 12 5/8 x 9 1/2 x 17 3/8 in
Max. Loading	3.5 kg 7.7 lbs	4.5 kg 9.9 lbs	4.0 kg 8.8 lbs	5.5 kg 12.1 lbs
Weight	0.45 kg 0.99 lbs	0.56 kg 1.23 lbs	0.54 kg 1.19 lbs	0.76 kg 1.68 lbs
Main compartment				
Color				



BIIN Series

Photo/Video Backpacks / Daypacks & Sling Bags



Zoom Bags

BIIN zoom bag packs great gear protection into a compact, easy-to-carry bag.

With durable fabric on the outside and a soft interior, you'll be worry free. Other features include a zippered interior pocket, a front pocket for a lens cap, belt loop and adjustable shoulder strap.

FEATURES



Front pocket



Zippered interior pocket



Side loop enables attachment (for BIIN 21/25)

Zoom Bags

- Durable fabric
- Zippered interior pocket
- Front pocket for lens cap
- Belt loop
- Adjustable shoulder strap

Shoulder Bags

- Spacious interior
- Durable fabric
- Buckled front and zippered top opening
- Reliable padding throughout
- Soft interior
- Zippered mesh pocket inside
- Side loop enables attachment of other accessories
- Adjustable shoulder strap
- Front pocket for lens cap

- Exterior fabric: 150D Polyester + 600*600D Polyester
- Interior fabric: 70D Polyester
- Weather proof exterior fabric

Available in 2 colors





Shoulder Bags

BIIN shoulder bag blends function and style into one good looking, well-organized gear protector. Made of durable fabric and with reliable padding, it's ready to keep your gear safe and secure. It has a spacious interior and some models feature adjustable padded dividers so you can create the perfect fit.

A buckled front and zippered top opens to a soft interior with inside pocket for accessories. Additional features include a mesh side pocket for accessories, a side loop for attachment of other items and a zippered front pocket.



	BIIN 12Z	BIIN 14Z	BIIN 10
Inside Dimensions (L x W x D)	120 x 90 x 120 mm 5 3/8 x 3 1/2 x 4 3/4 in	135 x 100 x 160 mm 5 3/8 x 3 7/8 x 6 1/4 in	100 x 90 x 125 mm 3 7/8 x 3 1/2 x 4 7/8 in
Outside Dimensions (L x W x D)	160 x 128 x 185 mm 6 1/4 x 5 x 7 1/4 in	175 x 160 x 210 mm 6 7/8 x 6 1/4 x 8 1/4 in	150 x 140 x 180 mm 5 7/8 x 5 1/2 x 7 1/8 in
Max. Loading	1.0 kg 2.20 lbs	1.5 kg 3.31 lbs	0.9 kg 1.98 lbs
Weight	0.165 kg 0.36 lbs	0.185 kg 0.41 lbs	0.17 kg 0.37 lbs
Main compartment			
Color			

	BIIN 14	BIIN 17	BIIN 21	BIIN 25
Inside Dimensions (L x W x D)	135 x 90 x 125 mm 5 3/8 x 3 1/2 x 4 7/8 in	170 x 80 x 110 mm 6 3/4 x 3 1/8 x 4 3/8 in	210 x 110 x 180 mm 8 1/4 x 4 3/8 x 7 1/8 in	250 x 120 x 180 mm 9 7/8 x 4 3/4 x 7 1/8 in
Outside Dimensions (L x W x D)	180 x 135 x 185 mm 7 1/8 x 5 3/8 x 7 1/4 in	220 x 145 x 165 mm 8 5/8 x 5 3/4 x 6 1/2 in	250 x 170 x 235 mm 9 7/8 x 6 3/4 x 9 1/4 in	290 x 190 x 240 mm 11 3/8 x 7 1/2 x 9 1/2 in
Max. Loading	1.3 kg 2.87 lbs	1.8 kg 3.97 lbs	2.3 kg 5.07 lbs	3.5 kg 7.71 lbs
Weight	0.195 kg 0.43 lbs	0.215 kg 0.47 lbs	0.335 kg 0.74 lbs	0.405 kg 0.89 lbs
Main compartment				
Color				



ICS Series

Photo/Video accessories



ICS Vest



ICS Harness



ICS Belt

ICS Vest

For deadline-driven projects, VANGUARD ICS Vest is the perfect carrying solution to ensure you're always prepared to catch the perfect shots. Attach ICS pouches for DSLR bodies, lenses and hot shoe flash in any combination to suit you.

ICS Vest

ICS Harness can be attached to a shoulder bag/zoom bag, making it function as a backpack.

ICS Belt

ICS Belt is a comfortable gear carrying system perfect for event photographers and sports photographers, as well as today's growing community of journalists who shoot for fast-paced, deadline-driven projects. ICS Belt is thickly padded with a durable buckle and fabric. If you're carrying a lighter load, you can easily remove the extra padding. It works best with ICS Vest.

FEATURES

ICS Vest

- Thickly-padded shoulder straps
- Adjustable chest harness
- Mesh at the back ensures ventilation to keep users dry
- 2 side pockets for small accessories
- Cable port on right pocket
- 2 adjustable straps on each side for comfortable fit
- Hook-and-loop straps on both shoulder straps hold camera straps securely in place
- Chest harness keeps camera shoulder strap in place
- Additional buckles increase carrying strength and help hold camera straps in place
- Can be easily attached to VANGUARD ICS Belt

ICS Harness

- Thickly-padded shoulder straps
- Adjustable chest harness
- Mesh at the back ensures ventilation, perfect on warm days
- Hook-and-loop straps on both shoulder straps hold camera straps securely in place
- Chest harness keeps camera shoulder strap in place

ICS Belt

- Numerous pockets for small accessories
- Durable buckle and fabric
- Thickly padded
- If padding is unnecessary, it can be easily removed

ICS Bag

- Great protection with thick padding and a soft interior
- Includes rain cover

ICS Lens

- Sleek design
- Hook-and-loop fasteners for bag attachment
- Thickly padded
- Includes rain cover

ICS Flash

- Battery holder
- Thickly padded
- Includes rain cover

ICS Body

- Built-in memory card holder
- Connecting flap for attachment to bag
- Thickly padded
- Structured protection
- Includes rain cover

- Exterior fabric: Jersey + 1000*1000D Polyester
- Interior fabric: 150D Polyester

- Weather proof exterior fabric



	ICS Vest S	ICS Vest L	ICS Harness S	ICS Harness L	ICS Belt S	ICS Belt M	ICS Belt L
Fits chest size	85 ~ 105 cm 33 1/2 ~ 41 3/8 in	100 ~ 140 cm 39 3/8 ~ 55 1/8 in	S for S/M	L for L/XL	85 ~ 120 cm 33 1/2 ~ 47 1/4 in	95 ~ 135 cm 37 3/8 ~ 53 1/8 in	105 ~ 150 cm 41 3/8 ~ 59 in
Max. Loading	5500 g 12.12 lbs	5500 g 12.12 lbs	2500 g 5.51 lbs	2500 g 5.51 lbs	5000 g 11.02 lbs	5000 g 11.02 lbs	5000 g 11.02 lbs
Weight	675 g 1.49 lbs	740 g 1.63 lbs	335 g 0.74 lbs	340 g 0.75 lbs	390 g 0.86 lbs	415 g 0.91 lbs	440 g 0.97 lbs

	ICS Lens 18	ICS Lens 25	ICS Body	ICS Flash
Inside Dimensions (L x W x D)	110 x 100 x 150 mm 4 3/8 x 3 7/8 x 5 7/8 in	110 x 100 x 220 mm 4 3/8 x 3 7/8 x 8 5/8 in	170 x 70 x 170 mm 6 3/4 x 2 3/4 x 6 3/4 in	80 x 60 x 210 mm 3 1/8 x 2 3/8 x 8 1/4 in
Outside Dimensions (L x W x D)	130 x 145 x 190 mm 5 1/8 x 5 3/4 x 7 1/2 in	130 x 145 x 260 mm 5 1/8 x 5 3/4 x 10 1/4 in	195 x 120 x 205 mm 7 5/8 x 4 3/4 x 8 1/8 in	105 x 100 x 210 mm 4 1/8 x 3 7/8 x 8 1/4 in
Max. Loading	1000 g 2.20 lbs	1500 g 3.31 lbs	1200 g 2.64 lbs	600 g 1.32 lbs
Weight	260 g 0.57 lbs	305 g 0.67 lbs	310 g 0.68 lbs	235 g 0.52 lbs
Main compartment				

	ICS Bag 8	ICS Bag 12	ICS Bag 14
Inside Dimensions (L x W x D)	76 x 48 x 120 mm 3 x 1 7/8 x 4 3/4 in	130 x 70 x 80 mm 5 1/8 x 2 3/4 x 3 1/8 in	135 x 95 x 160 mm 5 3/8 x 3 3/4 x 6 1/4 in
Outside Dimensions (L x W x D)	100 x 90 x 155 mm 3 7/8 x 3 1/2 x 6 1/8 in	160 x 115 x 115 mm 6 1/4 x 4 1/2 x 4 1/2 in	160 x 150 x 200 mm 6 1/4 x 5 7/8 x 7 7/8 in
Max. Loading	350 g 0.77 lbs	500 g 1.10 lbs	1600 g 3.53 lbs
Weight	140 g 0.31 lbs	170 g 0.37 lbs	340 g 0.75 lbs
Main compartment			



Pouches Series

Camera Pouches



Sevilla Series

Available in 4 colors
Black Orange Pink Blue

Available in 4 colors
Red Purple Khaki Black

Pampas II Series



Malmö Series

Available in 4 colors
Black Pink Red Brown

Available in 4 colors
Black Orange Pinky Pacific

Beneto Series





Dakar Series



Seattle Series

Available in 2 colors
Black Grey



Cardiff Series



Chicago Series



BIIN 5B & 6A



BIIN 7H & 8H



	Sevilla 6C	Pampas II 5B	Pampas II 6A	Pampas II 6B
Inside Dimensions (L x W x D)	62 x 15 x 107 mm 2 1/2 x 5/8 x 4 1/4 in	58 x 22 x 95 mm 2 1/4 x 7/8 x 3 3/4 in	62 x 25 x 105 mm 2 1/2 x 1 x 4 1/8 in	65 x 35 x 110 mm 2 1/2 x 1 3/8 x 4 3/8 in
Outside Dimensions (L x W x D)	75 x 20 x 150 mm 3 x 3/4 x 5 7/8 in	85 x 40 x 115 mm 3 3/8 x 1 5/8 x 4 1/2 in	90 x 40 x 125 mm 3 1/2 x 1 5/8 x 4 7/8 in	90 x 55 x 130 mm 3 1/2 x 2 1/8 x 5 1/8 in
Exterior fabric	Cotton	1200D*1200D Poyester	1200D*1200D Poyester	1200D*1200D Poyester
Interior fabric	Cotton	70D Polyester + Velvet	70D Polyester + Velvet	70D Polyester + Velvet
Color				

	Malmö 6C	Beneto 6C	Dakar 5B	Dakar 6A	Seattle 6C
Inside Dimensions (L x W x D)	62 x 15 x 107 mm 2 1/2 x 5/8 x 4 1/4 in	62 x 15 x 107 mm 2 1/2 x 5/8 x 4 1/4 in.	58 x 22 x 95 mm 2 1/4 x 7/8 x 3 3/4 in	62 x 25 x 105 mm 2 1/2 x 1 x 4 1/8 in	62 x 15 x 107 mm 2 1/2 x 5/8 x 4 1/4 in.
Outside Dimensions (L x W x D)	86 x 28 x 132 mm 3 3/8 x 1 1/8 x 5 1/4 in	87 x 30 x 127 mm 3 3/8 x 1 1/8 x 5 in.	84 x 32 x 118 mm 3 1/4 x 1 1/4 x 4 5/8 in	88 x 35 x 128 mm 3 1/2 x 1 3/8 x 5 in	86 x 26 x 130 mm 3 3/8 x 1 x 5 1/8 in.
Exterior fabric	Jersey	Jersey	210D Polyester	210D Polyester	Eco Sponge
Interior fabric	Jersey	Jersey	150D Polyester	150D Polyester	Jersey
Color					

	Cardiff 5B	Cardiff 6A	Chicago 6B	Chicago 7	Chicago 8
Inside Dimensions (L x W x D)	58 x 22 x 95 mm 2 1/4 x 7/8 x 3 3/4 in	62 x 25 x 105 mm 2 1/2 x 1 x 4 1/8 in	65 x 35 x 110 mm 2 1/2 x 1 3/8 x 4 3/8 in	70 x 40 x 115 mm 2 3/4 x 1 5/8 x 4 1/2 in	76 x 48 x 120 mm 3 x 1 7/8 x 4 3/4 in
Outside Dimensions (L x W x D)	82 x 48 x 117 mm 3 1/4 x 1 7/8 x 4 5/8 in	90 x 56 x 132 mm 3 1/2 x 2 1/4 x 5 1/4 in	88 x 65 x 133 mm 3 1/2 x 2 1/2 x 5 1/4 in	96 x 77 x 138 mm 3 3/4 x 3 x 5 3/8 in	100 x 78 x 145 mm 4 x 3 1/8 x 5 3/4 in
Exterior fabric	Nylon-Polyester 210D + PU	Nylon-Polyester 210D + PU	1680D Polyester	1680D Polyester	1680D Polyester
Interior fabric	Velvet	Velvet	Velvet	Velvet	Velvet
Color					

	BIIN 5B	BIIN 6A	BIIN 6B	BIIN 7H	BIIN 8H
Inside Dimensions (L x W x D)	58 x 22 x 95 mm 2 1/4 x 7/8 x 3 3/4 in	62 x 25 x 105 mm 2 1/2 x 1 x 4 1/8 in	65 x 35 x 110 mm 2 1/2 x 1 3/8 x 4 3/8 in	115 x 40 x 70 mm 4 1/2 x 1 5/8 x 2 3/4 in	130 x 70 x 80 mm 5 1/8 x 2 3/4 x 3 1/8 in
Outside Dimensions (L x W x D)	86 x 46 x 118 mm 3 3/8 x 1 3/4 x 4 5/8 in	90 x 49 x 128 mm 3 1/2 x 1 7/8 x 5 in	94 x 58 x 133 mm 3 3/4 x 2 1/4 x 5 1/4 in	150 x 70 x 90 mm 5 7/8 x 2 3/4 x 3 1/2 in	170 x 88 x 105 mm 6 3/4 x 3 1/2 x 4 1/8 in
Exterior fabric	150D Polyester + 600D Polyester	150D Polyester + 600D Polyester	150D Polyester + 600D Polyester	150D Polyester + 600D Polyester	150D Polyester + 600D Polyester
Interior fabric	70D Polyester	70D Polyester	70D Polyester	70D Polyester	70D Polyester
Color					







Cases

Supreme Series

Photo/Video Cases



Supreme 46

Supreme 53F

Virtually indestructible, rugged Supreme Series has innovative features for unmatched strength and durability. It's O-ring sealed, waterproof (up to a depth of 16.5 feet/5 meters), airtight and built to withstand the most extreme conditions (-40°F/-40°C to 203°F/95°C).

Supreme is great for airline travel, with an automatic pressure equalization valve and ability to support up to 265 lbs./120 kg. of exterior weight. Anti-slip rubber feet and a solid carrying handle offer extra durability. Thick, quick-release latches lock in place and steel-reinforced lock holders are great for use with padlocks for added security.

For Supreme's interior, choose customizable foam for an extremely tailored fit for gear, or a soft, removable divider bag, for easy customization, great protection and greater versatility.

*Divider bag also available separately.

FEATURES



Pressurized equalization valve for airline travel



Incredibly strong and rugged (Supports up to 120 kg / 265 lbs of exterior weight)



Supreme 53 features durable wheels and a retractable handle to effortlessly transport heavy gear



Waterproof up to 5 meters

- Water, air and dust proof up to 5 meters
- Undergoes unbelievably stringent quality testing to test weather resistance
- Resistant from -40°C to +95°C / -40°F to 203°F
- Supports up to 120 kg / 265 lbs of exterior weight
- Automatic pressure equalization valve
- Easy-locking heavy-duty latches
- Steel-reinforced padlock receptacles
- Customizable die cut foam or removable soft divider bag
- Anti-slip rubber feet



Divider Bag
Sold separately or with case

The Supreme D Series

Supreme Case + Divider Bag



Supreme 40F + Divider Bag 40 = Supreme 40D



	Supreme 27F / 27D	Supreme 37F / 37D	Supreme 38
Inside Dimensions (L x W x D)	250 x 190 x 150 mm 9 7/8 x 7 1/2 x 5 7/8 in	380 x 260 x 175 mm 15 x 10 1/4 x 6 7/8 in	430 x 295 x 105 mm 16 7/8 x 11 5/8 x 4 1/8 in
Outside Dimensions (L x W x D)	280 x 250 x 170 mm 11 x 9 7/8 x 6 3/4 in	415 x 325 x 195 mm 16 3/8 x 12 3/4 x 7 5/8 in	465 x 365 x 125 mm 18 1/4 x 14 3/8 x 4 7/8 in
Weight	(27F) 1.9 kg 4.19 lbs (27D) 2.1 kg 4.63 lbs	(37F) 3.9 kg 8.6 lbs (37D) 4.2 kg 9.26 lbs	3.2 kg 7.05 lbs
Max. Loading Weight	15 kg 33 lbs	20 kg 44 lbs	12 kg 26 lbs

	Supreme 40F / 40D	Supreme 46F / 46D	Supreme 53F / 53D
Inside Dimensions (L x W x D)	430 x 295 x 175 mm 16 7/8 x 11 5/8 x 6 7/8 in.	480 x 370 x 200 mm 18 7/8 x 14 5/8 x 7 7/8 in	560 x 450 x 200 mm 22 x 17 3/4 x 7 7/8 in
Outside Dimensions (L x W x D)	465 x 365 x 195 mm 18 1/4 x 14 3/8 x 7 5/8 in.	515 x 435 x 220 mm 20 1/4 x 17 1/8 x 8 5/8 in	630 x 520 x 240 mm 24 3/4 x 20 1/2 x 9 1/2 in
Weight	(40F) 4.4 kg 9.7 lbs (40D) 4.7 kg 10.36 lbs	(46F) 6.8 kg 14.99 lbs (46D) 7.2 kg 15.87 lbs	(53F) 10.4 kg 22.93 lbs (53D) 11.22 kg 24.74 lbs
Max. Loading Weight	25 kg 55 lbs	30 kg 66 lbs	35 kg 77 lbs

	Divider Bag 27	Divider Bag 37	Divider Bag 40	Divider Bag 46	Divider Bag 46
Inside Dimensions (L x D x H)	270 x 140 x 125 mm 8 1/2 x 5 1/2 x 4 7/8 in	345 x 205 x 150 mm 13 5/8 x 8 1/8 x 5 7/8 in	395 x 245 x 150 mm 15 1/2 x 9 5/8 x 5 7/8 in	445 x 325 x 175 mm 17 1/2 x 12 3/4 x 6 7/8 in	535 x 400 x 175 mm 21 1/8 x 15 3/4 x 6 7/8 in
Outside Dimensions (L x D x H)	250 x 165 x 140 mm 9 7/8 x 6 1/2 x 5 1/2 in	380 x 240 x 170 mm 15 x 9 1/2 x 6 3/4 in	430 x 275 x 170 mm 16 7/8 x 10 7/8 x 6 3/4 in	480 x 345 x 195 mm 18 7/8 x 13 5/8 x 7 5/8 in	560 x 425 x 200 mm 22 x 16 3/4 x 7 7/8 in
Weight	0.34 kg 0.75 lbs	0.75 kg 1.65 lbs	0.9 kg 1.98 lbs	1.34 kg 2.95 lbs	1.65 kg 3.64 lbs
Max. Loading weight	15 kg 33 lbs	20 kg 44 lbs	12 kg 26 lbs	25 kg 55 lbs	30 kg 66 lbs



VGP Series

Photo/Video Cases



There's a good reason VGP is our best selling universal hard case: Durable and strong, VGP has a solid aluminum alloy frame and ABS Sides with a sleek, professional style. Customizable foam and adjustable dividers ensure a secure fit for your gear. (VGP 13, 13S have dividers and foam; VGP-3200, 3201 & 3202 have foam only; VGP-31, 32 & 33 have dividers only). Great for flying, it's rugged and ready to withstand rough travel. It boasts a comfortable handle and removable reinforced carrying strap. It includes dual locks with two keys.


FEATURES



Solid aluminum alloy frame



Metal-reinforced corner and strong profiles



Interior has adjustable dividers on almost all models



Interior has customizable foam on almost all models



Dual locks with two keys



Strong handle



VGP 3200

VGP 3202



	VGP-13	VGP-3200	VGP-3201	VGP-3202
Inside Dimensions (L x W x D)	445 x 310 x 150 mm 17 1/2 x 12 1/8 x 6 in	220 x 175 x 85 mm 8 3/4 x 6 7/8 x 3 7/8 in	285 x 175 x 85 mm 11 1/4 x 6 7/8 x 3 3/8 in	315 x 245 x 115 mm 12 3/8 x 9 5/8 x 4 1/2 in
Outside Dimensions (L x W x D)	460 x 325 x 170 mm 18 1/8 x 12 3/4 x 6 3/4 in	240 x 190 x 100 mm 9 1/2 x 7 1/2 x 4 in	300 x 190 x 100 mm 11 7/8 x 7 1/2 x 3 7/8 in	330 x 260 x 130 mm 13 x 10 1/4 x 5 1/8 in
Weight	3.18 kg 7.01 lbs	1.1 kg 2.42 lbs	1.25 kg 2.76 lbs	1.88 kg 4.14 lbs
Max. Loading Weight	10 kg 22 lbs	3 kg 6.6 lbs	5 kg 11 lbs	8 kg 18 lbs

Accessories

Ultra Lens Cleaner (ULC)

3 functions in 1 with air blower, brush, and soft polishing tip

- 50 mm 2.0 inch rubber bulb diameter
- 185 mm 7.3 inch long



EASY TO USE



Powerful dust and dirt blower



Flexible Soft-tip



3 FUNCTIONS IN 1



Power Lens Cleaner (PLC)


Triple function cleaning pen with air blower, brush and soft polishing tip

Power lens cleaner

- 45 mm rubber bulb diameter
- 165 mm long

Microfiber cleaning cloth

- 300 x 300 mm (11 3/4 x 11 3/4 inches)



2-in-1 Cleaning Kit (CK2N1)

Compact lens cleaner with soft microfiber cleaning cloth. Compact size is great for travel.

Lens cleaner


- 17 mm diameter
- 95 mm long

Microfiber cleaning cloth

- 300 x 300 mm (11 3/4 x 11 3/4 inches)



TRAVEL PACK



3-in-1 Cleaning Kit (CK3N1)

Triple-function power lens cleaner with soft microfiber cleaning cloth with cleaning solution. Great for camera lenses and other electronics.

Power lens cleaner

- 45 mm rubber bulb diameter
- 165 mm long

Microfiber cleaning cloth

- 300 x 300 mm (11 3/4 x 11 3/4 inches)

Cleaning liquid

- Cleaning liquid spray bottle: 30 ml



6-in-1 Cleaning Kit (CK6N1)

Great for cameras, computer screens, TVs, cell phones, and other electronics devices.

Power lens cleaner

- 45 mm rubber bulb diameter
- 165 mm long

Microfiber cleaning cloth

- 300 x 300 mm (11 3/4 x 11 3/4 inches)

Cleaning liquid

- Cleaning liquid spray bottle: 60 ml

Pre-moistened and dry lens combo

- 6 pcs/set

Cleaning sticks

- 10 pcs/set

Cleaning tissue

- 30 pcs/set

- Cleaning kit carrying bag



Memory Card Cases



MCC 11

- Holds 4 CF cards
- Dimensions: 100 x 60 x 15 mm; 4 x 2 3/8 x 5/8 in
- Materials: Aluminum



MCC 12

- Holds 8 SD cards
- Dimensions: 100 x 60 x 15 mm; 4 x 2 3/8 x 5/8 in
- Materials: Aluminum



MCC 21

- Holds 6 CF cards
- Dimensions: 100 x 60 x 15 mm; 4 x 2 3/8 x 5/8 in
- Materials: ABS Sheet



MCC 22

- Holds 12 SD cards
- Dimensions: 110 x 65 x 20 mm; 4 3/8 x 2 5/8 x 3/4 in
- Materials: ABS Sheet



MCC 31

- Holds 3 CF cards
- Dimensions: 60 x 60 x 18 mm; 2 3/8 x 2 3/8 x 7/8 in
- Materials: PP Sheet



MCC 32

- Holds 6 SD cards
- Dimensions: 60 x 60 x 18 mm; 2 3/8 x 2 3/8 x 7/8 in
- Materials: PP Sheet



MCC 41

- Holds 4 CF cards
- Dimensions: 103 x 50 x 15 mm; 4 x 2 x 5/8 in
- Materials: PP Sheet



MCC 42

- Holds 6 SD cards
- Dimensions: 95 x 46 x 13 mm; 3 3/4 x 1 7/8 x 1/2 in
- Materials: PP Sheet

Screen Protectors

Great for use on camera LCD screens, Protector Series keeps sensitive screens safe and scratch-free. Various sizes fit an array of cameras.

Protector 44

- Dimensions: 42 x 55 mm; 1 5/8 x 2 1/2 in
- Chart: Special for SONY DC 2.7"

Protector 45

- Dimensions: 46 x 61 mm; 1 3/4 x 2 3/8 inches
- Chart: for 3.0" LCD

Protector 46

- Dimensions: 52.3 x 70.1 mm; 2 x 2 3/4 inches
- Chart: for 3.5" LCD



*Cleaning cloth included







Specifications & Compatibilities

Tripod Specifications

AUCTUS Plus Series

	AUCTUS Plus 283CT	AUCTUS Plus 323CT	AUCTUS Plus 283AT	AUCTUS Plus 323AT
Folded Height	680 mm 26 3/4 in	710 mm 28 in	680 mm 26 3/4 in	710 mm 28 in
Extended Height	1700 mm 66 7/8 in	1800 mm 70 7/8 in	1700 mm 66 7/8 in	1800 mm 70 7/8 in
Min. Extended Height	1360 mm 53 1/2 in	1450 mm 57 1/8 in	1360 mm 53 1/2 in	1450 mm 57 1/8 in
Macro Height	190 mm 7 1/2 in	190 mm 7 1/2 in	190 mm 7 1/2 in	190 mm 7 1/2 in
Diameter of Leg	28 mm	32 mm	28 mm	32 mm
Number of Sections	3	3	3	3
Max. Loading	14 kg 30.9 lbs	18 kg 39.7 lbs	14 kg 30.9 lbs	18 kg 39.7 lbs
Weight	3.15 kg 6.94 lbs	3.65 kg 8.05 lbs	3.45 kg 7.61 lbs	4.05 kg 8.93 lbs

ABEO Pro Series

	ABEO Pro 283AT	ABEO Pro 283CGH	ABEO Pro 283AGH	ABEO Pro 283AB
Folded Height	660 mm 26 in	765 mm 30 1/8 in	765 mm 30 1/8 in	725 mm 28 1/2 in
Extended Height	1600 mm 63 in	1715 mm 67 1/2 in	1715 mm 67 1/2 in	1700 mm 66 7/8 in
Min. Extended Height	1270 mm 50 in	1385 mm 54 1/2 in	1385 mm 54 1/2 in	1375 mm 54 1/8 in
Diameter of Leg	28 mm	28 mm	28 mm	28 mm
Number of Sections	3	3	3	3
Head	-	GH-300T	GH-300T	BBH-100
Lateral tilt	-	+90°~ -32°	+90°~ -32°	+90°~ -35°
Frontal tilt	-	+90°~ -8°	+90°~ -8°	-
Quick Shoe	-	QS-60	QS-60	QS-60
Rotation	-	360°	360°	360°
Max. Loading	8 kg 17.6 lbs	6 kg 13.2 lbs	6 kg 13.2 lbs	8 kg 17.6 lbs
Weight	2.45 kg 5.4 lbs	3.05 kg 6.7 lbs	3.3 kg 7.3 lbs	2.9 kg 6.39 lbs

ABEO Plus & ABEO Series

	ABEO Plus 323CT	ABEO Plus 363CT	ABEO Plus 323AT	ABEO Plus 363AT	ABEO 283AT	ABEO 323AT
Folded Height	670 mm 26 3/8 in	715 mm 28 1/8 in	670 mm 26 3/8 in	715 mm 28 1/8 in	630 mm 24 3/4 in	685 mm 27 in
Extended Height	1800 mm 70 7/8 in	1900 mm 74 3/4 in	1800 mm 70 7/8 in	1900 mm 74 3/4 in	1585 mm 62 3/8 in	1830 mm 72 in
Min. Extended Height	1345 mm 53 in	1550 mm 61 in	1345 mm 53 in	1550 mm 61 in	1365 mm 53 3/4 in	1515 mm 69 5/8 in
Macro Height	210 mm 8 1/4 in	220 mm 8 5/8 in	210 mm 8 1/4 in	220 mm 8 5/8 in	205 mm 8 in	220 mm 8 5/8 in
Diameter of Leg	32 mm	36 mm	32 mm	36 mm	28 mm	32 mm
Number of Sections	3	3	3	3	3	3
Head	-	-	-	-	-	-
Bubble	Yes	Yes	Yes	Yes	-	-
Max. Loading	12 kg 26.4 lbs	16 kg 35.3 lbs	12 kg 26.4 lbs	16 kg 35.3 lbs	8 kg 17.6 lbs	10 kg 22 lbs
Weight	2.45 kg 5.4 lbs	2.9 kg 6.39 lbs	2.8 kg 6.17 lbs	3.32 kg 7.32 lbs	1.94 kg 5.73 lbs	2.43 kg 5.36 lbs

ABEO Photo Family

	ABEO Plus 323CB	ABEO Plus 323AB	ABEO Plus 363AB	ABEO 283AB	ABEO 323AB
Folded Height	780 mm 30 3/4 in	780 mm 30 3/4 in	830 mm 32 5/8 in	725 mm 28 1/2 in	775 mm 30 1/2 in
Extended Height	1910 mm 75 1/4 in	1910 mm 75 1/4 in	2015 mm 79 3/8 in	1705 mm 67 1/8 in	1940 mm 76 3/8 in
Min. Extended Height	1455 mm 57 1/4 in	1455 mm 57 1/4 in	1700 mm 66 7/8 in	1485 mm 58 1/2 in	1630 mm 64 1/8 in
Macro Height	320 mm 12 5/8 in	320 mm 12 5/8 in	335 mm 13 1/4 in	205 mm 8 1/8 in	215 mm 8 1/2 in
Diameter of Leg	32 mm	32 mm	36 mm	28 mm	32 mm
Number of Sections	3	3	3	3	3
Head	BBH-200	BBH-200	BBH-300	SBH-100	SBH-250
Bubble	Yes	Yes	Yes	Yes	Yes
Max. Loading	12 kg 26.4 lbs	12 kg 26.4 lbs	16 kg 35.3 lbs	8 kg 17.6 lbs	10 kg 22 lbs
Weight	2.98 kg 6.57 lbs	3.3 kg 7.27 lbs	3.98 kg 8.78 lbs	2.33 kg 5.14 lbs	2.95 kg 6.5 lbs

ABEO Video Family

	ABEO Plus 323AV	ABEO Plus 363AV	ABEO 203AV	ABEO 243CV	ABEO 283CV	ABEO 243AV	ABEO 283AV
Folded Height	805 mm 31 3/4 in	840 mm 33 1/8 in	635 mm 25 in	675 mm 26 5/8 in	720 mm 28 3/8 in	675 mm 26 5/8 in	720 mm 28 3/8 in
Extended Height	1905 mm 75 in	2015 mm 79 1/4 in	1565 mm 61 5/8 in	1570 mm 61 3/4 in	1690 mm 66 1/2 in	1570 mm 61 3/4 in	1690 mm 66 1/2 in
Min. Extended Height	1545 mm 60 7/8 in	1700 mm 66 7/8 in	1275 mm 50 1/4 in	1350 mm 53 1/8 in	1470 mm 57 5/8 in	1350 mm 53 1/8 in	1470 mm 57 5/8 in
Diameter of Leg	32 mm	36 mm	20 mm	24 mm	28 mm	24 mm	28 mm
Number of Sections	3	3	3	3	3	3	3
Head	PH-123V	PH-124V	PH-111V	PH-113V	PH-114V	PH-113V	PH-114V
Front Tilt	+60°~ -90°	+60°~ -90°	+60°~ -90°	+45°~ -90°	+60°~ -90°	+45°~ -90°	+60°~ -90°
Quick Shoe	QS-67	QS-67	QS-36	QS-66	QS-66	QS-66	QS-66
Rotation	360°	360°	360°	360°	360°	360°	360°
Max. Loading	6 kg 13.2 lbs	8 kg 17.6 lbs	2 kg 4.4 lbs	4 kg 8.8 lbs	4 kg 8.8 lbs	4 kg 8.8 lbs	4 kg 8.8 lbs
Weight	3.74 kg 8.2 lbs	4.62 kg 10.19 lbs	1.56 kg 3.43 lbs	1.77 kg 3.89 lbs	2.1 kg 4.62 lbs	2.05 kg 4.51 lbs	2.50 kg 5.51 lbs

Alta Pro Series

	Alta Pro 253CT	Alta Pro 254CT	Alta Pro 283CT	Alta Pro 284CT	Alta Pro 263AT	Alta Pro 264AT
Folded Height	630 mm 24 3/4 in	530 mm 20 7/8 in	640 mm 25 1/4 in	535 mm 21 1/8 in	630 mm 24 3/4 in	535 mm 21 1/8 in
Extended Height	1650 mm 65 in	1550 mm 61 in	1700 mm 66 7/8 in	1600 mm 63 in	1650 mm 65 in	1550 mm 61 in
Min. Extended Height	1340 mm 52 3/4 in	1330 mm 52 3/8 in	1365 mm 53 3/4 in	1280 mm 50 3/8 in	1325 mm 52 1/8 in	1280 mm 50 3/8 in
Macro Height	160 mm 6 1/4 in	145 mm 5 3/4 in	165 mm 6 1/2 in	130 mm 5 1/8 in	160 mm 6 1/4 in	150 mm 5 7/8 in
Diameter of Leg	25 mm	25 mm	28 mm	28 mm	26 mm	26 mm
Number of Sections	3	4	3	4	3	4
Max. Loading	7.0 kg 15.4 lbs	7.0 kg 15.4 lbs	8.0 kg 18.0 lbs	8.0 kg 18.0 lbs	7.0 kg 15.4 lbs	7.0 kg 15.4 lbs
Max. Loading when Tilting	5.0 kg 11.0 lbs	5.0 kg 11.0 lbs	7.0 kg 15.4 lbs	7.0 kg 15.4 lbs	5.0 kg 11.0 lbs	5.0 kg 11.0 lbs
Weight	1.66 kg 3.66 lbs	1.57 kg 3.46 lbs	1.70 kg 3.75 lbs	1.73 kg 3.81 lbs	2.0 kg 4.41 lbs	2.10 kg 4.63 lbs

Alta Pro Kit Series

	Alta Pro 283CGH	Alta Pro 263AGH	Alta Pro 263AB 100	Alta Pro 264AB 100	Alta Pro 263AP
Folded Height	740 mm 29 1/8 in	725 mm 28 1/2 in	715 mm 28 1/8 in	625 mm 24 5/8 in	725 mm 28 1/2 in
Extended Height	1800 mm 70 7/8 in	1755 mm 69 1/8 in	1730 mm 68 1/8 in	1625 mm 64 in	1775 mm 69 7/8 in
Min. Extended Height	1485 mm 58 1/2 in	1425 mm 56 1/8 in	1425 mm 56 1/8 in	1390 mm 54 3/4 in	1465 mm 57 5/8 in
Macro Height	270 mm 10 5/8 in	265 mm 10 3/8 in	265 mm 10 3/8 in	260 mm 10 1/4 in	265 mm 10 3/8 in
Diameter of Leg	28 mm	26 mm	26 mm	26 mm	26 mm
Number of Sections	3	3	3	4	3
Head	GH-100	GH-100	SBH-100	SBH-100	PH-32
Rotation	360°	360°	360°	360°	360°
Quick Shoe	QS-65GH	QS-65GH	QS-39 x 2	QS-39 x 2	QS-51
Max. Loading	6 kg 13.2 lbs	7.0 kg 15.4 lbs	7.0 kg 15.4 lbs	7.0 kg 15.4 lbs	5.0 kg 11.0 lbs
Weight	2.38 kg 5.24 lbs	2.65 kg 5.84 lbs	2.44 kg 5.38 lbs	2.51 kg 5.53 lbs	2.6 kg 5.73 lbs

	Alta Pro 253CB 50	Alta Pro 254CB 50	Alta Pro 283CB 100	Alta Pro 284CB 100	Alta Pro 253CP	Alta Pro 283CP
Folded Height	700 mm 27 1/2 in	600 mm 23 5/8 in	730 mm 28 3/4 in	635 mm 25 in	710 mm 28 in	740 mm 29 1/8 in
Extended Height	1740 mm 68 1/2 in	1640 mm 64 5/8 in	1805 mm 71 1/8 in	1705 mm 67 1/8 in	1725 mm 68 in	1810 mm 71 1/4 in
Min. Extended Height	1430 mm 56 1/4 in	1415 mm 55 3/4 in	1470 mm 57 7/8 in	1485 mm 58 1/2 in	1435 mm 56 1/2 in	1505 mm 59 1/4 in
Macro Height	130 mm 5 1/8 in	130 mm 5 1/8 in	145 mm 5 3/4 in	145 mm 5 3/4 in	130 mm 5 1/8 in	145 mm 5 3/4 in
Diameter of Leg	25 mm	25 mm	28 mm	28 mm	25 mm	28 mm
Number of Sections	3	4	3	4	3	3
Head	SBH-50	SBH-50	SBH-100	SBH-100	PH-22	PH-32
Rotation	360°	360°	360°	360°	360°	360°
Quick Shoe	QS-39 x 2	QS-39 x 2	QS-39 x 2	QS-39 x 2	QS-50	QS-51
Max. Loading	6 kg 13.2 lbs	6.0 kg 13.2 lbs	8 kg 18 lbs	8 kg 18 lbs	3.0 kg 6.6 lbs	5.0 kg 11.0 lbs
Weight	1.95 kg 4.3 lbs	1.86 kg 4.10 lbs	2.15 kg 4.74 lbs	2.18 kg 4.81 lbs	2.04 kg 4.49 lbs	2.34 kg 5.17 lbs

Alta+ Kit Series

	Alta+ 263AGH	Alta+ 234AB	Alta+ 235AB 50	Alta+ 263AB 100	Alta+ 264AB 100
Folded Height	670 mm 26 3/8 in	535 mm 21 1/8 in	475 mm 18 3/4 in	660 mm 26 in	570 mm 22 1/2 in
Extended Height	1640 mm 64 5/8 in	1450 mm 57 1/8 in	1245 mm 49 in	1650 mm 65 in	1540 mm 60 5/8 in
Min. Extended Height	1310 mm 51 1/2 in	1240 mm 48 7/8 in	1140 mm 44 7/8 in	1330 mm 52 3/8 in	1305 mm 51 3/8 in
Diameter of Leg	26 mm	23 mm	23 mm	26 mm	26 mm
Number of Sections	3	4	5	3	4
Head	GH-100	SBH-50	SBH-50	SBH-100	SBH-100
Rotation	360°	360°	360°	360°	360°
Quick Shoe	QS-65GH	QS-39	QS-39	QS-39	QS-39
Max. Loading	5.0 kg 11.0 lbs	3.0 kg 6.6 lbs	3.0 kg 6.6 lbs	5.0 kg 11.0 lbs	5.0 kg 11.0 lbs
Weight	2.16 kg 4.75 lbs	1.50 kg 3.31 lbs	1.45 kg 3.20 lbs	1.95 kg 4.30 lbs	1.94 kg 4.28 lbs

	Alta+ 203AP	Alta+ 204AP	Alta+ 233AP	Alta+ 234AP	Alta+ 263AP	Alta+ 264AP
Folded Height	570 mm 22 1/2 in	485 mm 19 1/8 in	620 mm 24 3/8 in	525 mm 20 5/8 in	635 mm 25 in	565 mm 22 1/4 in
Extended Height	1450 mm 57 1/8 in	1300 mm 51 1/8 in	1600 mm 63 in	1450 mm 57 1/8 in	1650 mm 65 in	1550 mm 61 in
Min. Extended Height	1165 mm 45 7/8 in	1120 mm 44 1/8 in	1280 mm 50 3/8 in	1230 mm 48 3/8 in	1325 mm 52 1/8 in	1340 mm 52 3/4 in
Diameter of Leg	20 mm	20 mm	23 mm	23 mm	26 mm	26 mm
Number of Sections	3	4	3	4	3	4
Head	PH-12	PH-12	PH-22	PH-22	PH-32	PH-32
Rotation	360°	360°	360°	360°	360°	360°
Quick Shoe	QS-50	QS-50	QS-50	QS-50	QS-51	QS-51
Max. Loading	2.0 kg 4.4 lbs	2.0 kg 4.4 lbs	3.0 kg 6.6 lbs	3.0 kg 6.6 lbs	5.0 kg 11.0 lbs	5.0 kg 11.0 lbs
Weight	1.36 kg 3.00 lbs	1.35 kg 2.98 lbs	1.60 kg 3.53 lbs	1.55 kg 3.42 lbs	2.0 kg 4.41 lbs	1.99 kg 4.39 lbs

Espod Plus & Espod Series

	Espod Plus 203AB	Espod Plus 203AP	Espod Plus 233AP	Espod 203AP	Espod 233AP
Folded Height	570 mm 22 1/2 in.	570 mm 22 1/2 in.	610 mm 24 in	570 mm 22 1/2 in	620 mm 24 1/2 in
Extended Height	1450 mm 57 1/8 in.	1450 mm 57 1/8 in.	1600 mm 63 in	1450 mm 57 1/8 in	1650 mm 65 in
Min. Extended Height	1235 mm 48 5/8 in.	1235 mm 48 5/8 in.	1270 mm 50 in	1235 mm 48 5/8 in	1300 mm 51 1/8 in
Macro Height	205 mm 8 1/8 in.	205 mm 8 1/8 in.	225 mm 8 7/8 in	- -	- -
Diameter of Leg	20 mm	20 mm	23 mm	20 mm	23 mm
Number of Sections	3	3	3	3	3
Head	SBH-20	PH-20	PH-30	PH-20	PH-30
Quick Shoe	QS-36	QS-36	QS-36	QS-36	QS-36
Max. Loading	2 kg 4.4 lbs	2 kg 4.4 lbs	3 kg 6.6 lbs	2 kg 4.4 lbs	3 kg 6.6 lbs
Weight	1.3 kg 2.87 lbs	1.3 kg 2.87 lbs	1.66 kg 3.31 lbs	1.32 kg 2.91 lbs	1.8 kg 3.97 lbs



Tripod, Monopod, and Head Specifications

Nivelo Series

	Nivelo 204BK	Nivelo 214	Nivelo 244BK	Nivelo 245BK
Folded Height	300 mm 11 3/4 in.	350 mm 13 3/4 in	410 mm 16 1/4 in	370 mm 14 5/8 in
Extended Height	1010 mm 39 3/4 in.	1200 mm 47 1/4 in	1450 mm 57 1/8 in	1610 mm 63 3/8 in
Diameter of Leg	20 mm	21 mm	24 mm	24 mm
Number of Sections	4	4	4	5
Max. Loading	2.0 kg 4.4 lbs	2.0 kg 4.4 lbs	3.0 kg 6.6 lbs	3.0 kg 6.6 lbs
Weight	0.6 kg 1.32 lbs	0.73 kg 1.61 lbs	1.05 kg 2.31 lbs	1.10 kg 2.42 lbs
Color				

MAK Series

	MAK S	MAK 203	MAK 233	MAK 234	MAK 263
Folded Height	510 mm 20 1/8 in	600 mm 23 5/8 in	620 mm 24 3/8 in	530 mm 20 7/8 in	630 mm 24 3/4 in
Extended Height	1300 mm 51 1/8 in	1550 mm 61 in	1650 mm 65 in	1550 mm 61 in	1650 mm 65 in
Min. Extended Height	1040 mm 41 in	1235 mm 48 5/8 in	1330 mm 52 3/8 in	1310 mm 51 5/8 in	1340 mm 52 3/4 in
Diameter of Leg	20 mm	20 mm	23 mm	23 mm	26 mm
Number of Sections	3	3	3	4	3
Panhead Movements	2	3	3	3	3
Quick Shoe	-	QS-28	QS-28	QS-28	QS-28
Max. Loading	2.0 kg 4.4 lbs	2.0 kg 4.4 lbs	3.0 kg 6.6 lbs	3.0 kg 6.6 lbs	5.0 kg 11.0 lbs
Weight	0.92 kg 2.03 lbs	1.10 kg 2.42 lbs	1.30 kg 2.87 lbs	1.24 kg 2.73 lbs	1.53 kg 3.37 lbs

Espod Monopod Series

	Espod AM-204S	Espod AM-203	Espod AM-233	Espod AM-263
Folded Height	490 mm 19 1/4 in	600 mm 23 5/8 in	635 mm 25 in	665 mm 26 1/8 in
Extended Height	1440 mm 56 3/4 in	1450 mm 57 1/8 in	1550 mm 61 in	1600 mm 63 in
Diameter of Leg	20 mm	20 mm	23 mm	26 mm
Number of Sections	4	3	3	3
Max. Loading	3.0 kg 6.6 lbs	3.0 kg 6.6 lbs	3.0 kg 6.6 lbs	5.0 kg 11.0 lbs
Weight	320 g 11.3 oz	385 g 13.6 oz	460 g 16.2 oz	650 g 22.9 oz

ABEO Monopod Series

	ABEO CM-284	ABEO CM-324	ABEO AM-284	ABEO AM-324	ABEO AM-325	ABEO AM-364	ABEO AP-284
Folded Height	530 mm 20 7/8 in	570 mm 22 1/2 in	530 mm 20 7/8 in	570 mm 22 1/2 in	505 mm 19 7/8 in	595 mm 23 3/8 in	590 mm 23 1/4 in
Extended Height	1550 mm 61 in	1700 mm 66 7/8 in	1550 mm 61 in	1700 mm 66 7/8 in	1610 mm 63 3/8 in	1800 mm 70 7/8 in	1620 mm 63 3/4 in
Diameter of Leg	28 mm	32 mm	28 mm	32 mm	32 mm	36 mm	28 mm
Number of Sections	4	4	4	4	5	4	4
Max. Loading	8 kg 17.6 lbs	10 kg 22 lbs	8 kg 17.6 lbs	10 kg 22 lbs	10 kg 22 lbs	12 kg 26.5 lbs	5 kg 11.0 lbs
Weight	420 g 0.93 lbs	530 g 1.17 lbs	540 g 1.19 lbs	660 g 1.45 lbs	640 g 1.41 lbs	780 g 1.72 lbs	760 g 1.68 lbs

VS Series

	VS-30	VS-34	VS-62	VS-82	VS-86
Folded Height	200 mm 7 7/8 in	200 mm 7 7/8 in	135 mm 5 3/8 in	230 mm 9 in	230 mm 9 in
Extended Height	110 mm 4 3/8 in	136 mm 5 3/8 in	160 mm 6 1/4 in	250 mm 9 7/8 in	255 mm 10 in
Diameter of Leg	15 mm	15 mm	10 mm	20 mm	20 mm
Number of Sections	1	1	2	2	1
Panhead Movements	2	Ball	Ball	2	Ball
Max. Loading	1.0 kg 2.2 lbs	1.0 kg 2.2 lbs	0.5 kg 1.1 lbs	2.5 kg 5.5 lbs	2.5 kg 5.5 lbs
Weight	360 g 12.7 oz	410 g 14.5 oz	160 g 5.6 oz	390 g 13.8 oz	400 g 14.1 oz

GH Series

	GH-100	GH-200	GH-300T
Lateral Tilt	+90°~ -32°	+90°~ -32°	+90°~ -32°
Frontal Tilt	+90°~ -8°	+90°~ -8°	+90°~ -8°
Rotation	360°	360°	360°
Quick Shoe	QS-65GH	QS-60	QS-60
Max. Loading	6.0 kg 13.2 lbs	6.0 kg 13.2 lbs	6.0 kg 13.2 lbs
Weight	635 g 22.4 oz	805 g 28.4 oz	850 g 30 oz
Height	105 mm 4 1/8 in	115 mm 4 5/8 in	184 mm 7 1/4 in.
Bubble Level	1	2	2

BBH Series

	BBH-100	BBH-200	BBH-300
Lateral Tilt	+90°~ -35°	+90°~ -30°	+90°~ -35°
Rotation	360°	360°	360°
Quick Shoe	QS-60	QS-60	QS-61
Max. Loading	10 kg 22 lbs	20 kg 44 lbs	30 kg 66 lbs
Weight	450 g 15.9 oz	530 g 18.7 oz	660 g 23.3 oz
Height	100 mm 3 7/8 in	110 mm 4 3/8 in	115 mm 4 1/2 in
Bubble Level	2	2	2

TBH Series

	TBH-40	TBH-100	TBH-250	TBH-300
Lateral Tilt	-90°~ +35°	-90°~ +36°	-90°~ +33°	-90°~ +38°
Rotation	360°	360°	360°	360°
Quick Shoe	QS-60	QS-60	QS-60	QS-61
Max. Loading	6 kg 13.2 lbs	10 kg 22 lbs	20 kg 44 lbs	30 kg 66 lbs
Weight	310 g 10.93 oz	390 g 13.76 oz	450 g 15.87 oz	560 g 19.75 oz
Height	95 mm 3 3/4 in	115 mm 4 1/2 in.	120 mm 4 3/4 in	125 mm 4 7/8 in
Bubble Level	2	2	2	2

SBH Series

	SBH-20P	SBH-20	SBH-50	SBH-50	SBH-100	SBH-250	SBH-300
Lateral Tilt	+90°~ -90°	+90°~ -90°	+90°~ -35°	+90°~ -35°	+90°~ -35°	+90°~ -35°	+90°~ -40°
Rotation	360°	360°	360°	360°	360°	360°	360°
Quick Shoe	-	QS-36	QS-39 x 2	QS-39 x 2	QS-39 x 2	QS-39 x 2	QS-45
Max. Loading	4.0 kg 8.8 lbs	4.0 kg 8.8 lbs	5.0 kg 11.0 lbs	6.0 kg 13.2 lbs	10.0 kg 22.0 lbs	20.0 kg 44.0 lbs	32.0 kg 70.0 lbs
Weight	99 g 3.5 oz	165 g 5.8 oz	270 g 9.5 oz	290 g 10.2 oz	450 g 15.9 oz	580 g 20.5 oz	750 g 26.5 oz
Height	59 mm 2 3/8 in	69 mm 2 3/4 in	80 mm 3 1/8 in	90 mm 3 1/2 in	105 mm 4 1/8 in	110 mm 4 3/8 in	120 mm 4 3/4 in
Bubble Level	-	-	2	2	2	2	2

PH Video Series

	PH-111V	PH-113V	PH-114V	PH-123V	PH-124V
Frontal Tilt	+60°~ -90°	+45°~ -90°	+60°~ -90°	+60°~ -90°	+60°~ -90°
Rotation	360°	360°	360°	360°	360°
Quick Shoe	QS-36	QS-66	QS-66	QS-67	QS-67
Max. Loading	2.0 kg 4.4 lbs	6.0 kg 13.2 lbs	8.0 kg 17.6 lbs	6.0 kg 13.2 lbs	8.0 kg 17.6 lbs
Weight	400 g 14.1 oz	530 g 18.7 oz	570 g 20.1 oz	830 g 29.3 oz	1.3 kg 2.87 lbs
Max. Length	230 mm 9 in	-	-	400 mm 15 3/4 in	500 mm 19 5/8 in
Width	97 mm 3 7/8 in	-	-	132 mm 5 3/4 in	110 mm 4 3/8 in
Height	78 mm 3 1/8 in	85 mm 3 3/8 in	95 mm 3 3/4 in.	106 mm 4 1/8 in	115 mm 4 1/2 in
Bubble Level	-	-	-	1	1

PH Series

PH WINDOW MOUNTS

	PH-201	PH-304	PH-222	PH-242
Lateral Tilt	+90°~ -60°	+90°~ -60°	+90°~ -60°	+90°~ -60°
Frontal Tilt	-	0°~ +90°	0°~ +90°	-
Rotation	360°	360°	360°	360°
Quick Shoe	-	QS-36	QS-36	QS-52
Max. Loading	2.0 kg 4.4 lbs	4.0 kg 8.8 lbs	2.0 kg 4.4 lbs	3.0 kg 6.6 lbs
Weight	395 g 13.9 oz	730 g 25.7 oz	622 g 21.9 oz	705 g 24.9 oz
Height	110 mm 4 3/8 in	145 mm 5 3/4 in	150 mm 5 7/8 in	175 mm 6 7/8 in
Bubble Level	-	-	-	1

PH PAN HEADS

	PH-10	PH-12	PH-20	PH-22	PH-30	PH-32
Lateral Tilt	0°	+90°~ -60°	+90°~ -60°	+90°~ -60°	+90°~ -60°	+90°~ -60°
Frontal Tilt	+90°~ -90°	+90°~ -30°	0°~ +90°	90°~ -30°	0°~ +90°	90°~ -30°
Rotation	0°	360°	360°	360°	360°	360°
Quick Shoe	-	QS-50	QS-36	QS-50	QS-36	QS-51
Max. Loading	4.9 kg 11.0 lbs	3.0 kg 6.6 lbs	2.0 kg 4.4 lbs	3.0 kg 6.6 lbs	3.0 kg 6.6 lbs	5.0 kg 11.0 lbs
Weight	225 g 7.9 oz	300 g 10.6 oz	330 g 11.6 oz	360 g 12.7 oz	390 g 13.8 oz	500 g 17.6 oz
Height	60 mm 2 3/8 in	72 mm 2 7/8 in	70 mm 2 3/4 in	90 mm 3 1/2 in	72 mm 2 7/8 in	121 mm 4 3/4 in
Bubble Level	-	1	-	2	-	3





Bag Specifications

Xcenior Series

	Xcenior 41T	Xcenior 48T	Xcenior 62T
Inside Dimensions (L x W x D)	370 x 170 x 310 mm 14 5/8 x 6 3/4 x 12 1/4 in	310 x 170 x 410 mm 12 1/4 x 6 3/4 x 16 1/8 in	350 x 170 x 550 mm 13 3/4 x 6 3/4 x 21 5/8 in
Outside Dimensions (L x W x D)	430 x 290 x 485 mm 16 7/8 x 11 3/8 x 19 1/8 in	380 x 290 x 485 mm 15 x 11 3/8 x 19 1/8 in	470 x 310 x 685 mm 18 1/2 x 12 1/4 x 27 in
Max. Loading	10.5 kg 23.2 lbs	15 kg 33.1 lbs	22 kg 48.5 lbs
Weight	3.95 kg 8.71 lbs	4.25 kg 9.37 lbs	5.1 kg 11.24 lbs
Main compartment	 12"	 14"	 17"
	Xcenior 30	Xcenior 36	Xcenior 41
Inside Dimensions (L x W x D)	300 x 180 x 240 mm 11 3/4 x 7 1/8 x 9 1/2 in	360 x 180 x 280 mm 14 1/8 x 7 1/8 x 11 in	410 x 180 x 300 mm 16 1/8 x 7 1/8 x 11 3/4 in
Outside Dimensions (L x W x D)	420 x 320 x 320 mm 16 1/2 x 12 5/8 x 12 5/8 in	500 x 340 x 350 mm 19 5/8 x 13 3/8 x 13 3/4 in	550 x 340 x 400 mm 21 5/8 x 13 3/8 x 15 3/4 in
Max. Loading	8.5 kg 18.8 lbs	11.5 kg 25.4 lbs	15 kg 33.1 lbs
Weight	2.15 kg 4.74 lbs	2.7 kg 5.95 lbs	2.95 kg 6.5 lbs
Main compartment	 10"	 14"	 15"

Skyborne Series

	Skyborne 45	Skyborne 48	Skyborne 49	Skyborne 51	Skyborne 53
Inside Dimensions (L x W x D)	260 x 160 x 180 mm 10 1/4 x 6 1/4 x 7 1/8 in	290 x 160 x 220 mm 11 3/8 x 6 1/4 x 8 5/8 in	290 x 160 x 410 mm 11 3/8 x 6 1/4 x 16 1/8 in	320 x 160 x 270 mm 12 5/8 x 6 1/4 x 10 5/8 in	320 x 160 x 510 mm 12 5/8 x 6 1/4 x 20 1/8 in
Outside Dimensions (L x W x D)	340 x 340 x 490 mm 13 3/8 x 13 3/8 x 19 1/4 in	360 x 350 x 520 mm 14 1/8 x 13 3/4 x 20 1/2 in	350 x 350 x 505 mm 13 3/4 x 13 3/4 x 19 7/8 in	370 x 380 x 560 mm 14 5/8 x 15 x 22 in	390 x 440 x 600 mm 15 3/8 x 17 3/8 x 23 5/8 in
Max. Loading	9 kg 19.8 lbs	11.5 kg 25.3 lbs	12.6 kg 27.7 lbs	13.8 kg 30.4 lbs	18 kg 39.7 lbs
Weight	2.32 kg 5.11 lbs	2.58 kg 5.69 lbs	2.56 kg 5.64 lbs	2.75 kg 6.06 lbs	3.34 kg 7.36 lbs
Main compartment	 12"	 14"	 12"	 15"	 17"

Quovio Series

	Quovio 26	Quovio 41	Quovio 44	Quovio 49T
Inside Dimensions (L x W x D)	235 x 120 x 260 mm 9 1/4 x 4 3/4 x 10 1/4 in	410 x 250 x 260 mm 16 1/8 x 9 7/8 x 10 1/4 in	240 x 200 x 415 mm 9 1/2 x 7 7/8 x 16 3/8 in.	310 x 160 x 420 mm 12 1/4 x 6 1/4 x 16 1/2 in
Outside Dimensions (L x W x D)	305 x 210 x 295 mm 12 x 8 1/4 x 11 5/8 in	460 x 265 x 305 mm 18 1/8 x 10 3/8 x 12 in	300 x 270 x 465 mm 11 3/4 x 10 5/8 x 18 1/4 in.	370 x 235 x 510 mm 14 5/8 x 9 1/4 x 20 1/8 in
Max. Loading	5.5 kg 12.12 lbs	15.8 kg 34.82 lbs	9.8 kg 21.6 lbs	12.4 kg 27.33 lbs
Weight	0.87 kg 1.92 lbs	2.67 kg 5.88 lbs	1.79 kg 3.95 lbs	3.28 kg 7.23 lbs
Main compartment	 10"	 14" or  14"	 12"	 14"

The Herald Series

	The Herald 28	The Herald 33	The Herald 38
Inside Dimensions (L x W x D)	250 x 160 x 200 mm 9 7/8 x 6 1/4 x 7 7/8 in	330 x 160 x 280 mm 13 x 6 1/4 x 11 in	380 x 160 x 280 mm 15 x 6 1/4 x 11 in
Outside Dimensions (L x W x D)	340 x 265 x 270 mm 13 3/8 x 10 3/8 x 10 5/8 in	420 x 270 x 350 mm 16 1/2 x 10 5/8 x 13 3/4 in	470 x 270 x 350 mm 18 1/2 x 10 5/8 x 13 3/4 in
Max. Loading	6.5 kg 14.33 lbs	10.5 kg 23.14 lbs	13 kg 28.65 lbs
Weight	1.25 kg 2.76 lbs	1.62 kg 3.57 lbs	1.80 kg 3.97 lbs
Main compartment	 10"	 13"	 15"

Outlawz Series

	Outlawz 16Z	Outlawz 17Z
Inside Dimensions (L x W x D)	170 x 170 x 240 mm 6 3/4 x 6 3/4 x 9 1/2 in.	170 x 170 x 290 mm 6 3/4 x 6 3/4 x 11 3/8 in.
Outside Dimensions (L x W x D)	210 x 210 x 290 mm 8 1/4 x 8 1/4 x 11 3/8 in.	210 x 210 x 340 mm 8 1/4 x 8 1/4 x 13 3/8 in.
Max. Loading	3.4 kg 7.5 lbs	4 kg 8.8 lbs
Weight	0.96 kg 2.12 lbs	1.06 kg 2.34 lbs
Main compartment	 8"	 8"

Kinray Series

	Kinray 43	Kinray 48	Kinray 53
Inside Dimensions (L x W x D)	200 x 140 x 230 mm 7 7/8 x 4 1/2 x 9 in	260 x 160 x 260 mm 10 1/4 x 6 1/4 x 10 1/4 in	320 x 180 x 280 mm 12 5/8 x 7 1/8 x 11 in
Inside Dimensions (L x W x D)	200 x 140 x 430 mm 7 7/8 x 4 1/2 x 16 7/8 in	260 x 160 x 480 mm 10 1/4 x 6 1/4 x 18 7/8 in	320 x 180 x 530 mm 12 5/8 x 7 1/8 x 20 7/8 in
Outside Dimensions (L x W x D)	270 x 215 x 435 mm 10 5/8 x 8 1/2 x 17 1/8 in	300 x 215 x 490 mm 11 3/4 x 8 1/2 x 19 1/4 in	350 x 270 x 545 mm 13 3/4 x 10 5/8 x 21 1/2 in
Max. Loading	5.2 kg 11.5 lbs	14.8 kg 32.7 lbs	20 kg 44.1 lbs
Weight	1.01 kg 2.23 lbs	1.4 kg 3.09 lbs	21.6 kg 47.6 lbs
Lower Compartment	 8"	 8"	 8"
Main Compartment	 8" or  8"	 8" or  8"	 8" or  8"
Color	 PR GR	 PR GR	 PR GR

UP-Rise Messenger Series

	UP-Rise 28	UP-Rise 33	UP-Rise 38
Inside Dimensions (L x W x D)	280 x 165 (105 + 60) x 240 mm 11 x 6 1/2 (4 1/8 + 2 3/8) x 9 1/2 in	330 x 165 (105 + 60) x 280 mm 13 x 6 1/2 (4 1/8 + 2 3/8) x 11 in	380 x 165 (105 + 60) x 280 mm 15 x 6 1/2 (4 1/8 + 2 3/8) x 11 in
Outside Dimensions (L x W x D)	360 x 225 x 320 mm 14 1/8 x 8 7/8 x 12 5/8 in	390 x 225 x 360 mm 15 3/8 x 8 7/8 x 14 1/8 in	445 x 225 x 360 mm 17 1/2 x 8 7/8 x 14 1/8 in
Max. Loading	7 kg 15.4 lbs	8.1 kg 17.9 lbs	9.1 kg 20.1 lbs
Weight	1.36 kg 3.00 lbs	1.545 kg 3.41 lbs	1.62 kg 3.57 lbs
Main compartment			

UP-Rise II Series

	UP-Rise II 34	UP-Rise II 43
Inside Dimensions (L x W x D)	180 x 170 (130 + 40) x 175 mm 7 1/8 x 6 3/4 (5 1/8 + 1 5/8) x 6 7/8 in	200 x 180 (130 + 50) x 230 mm 7 7/8 x 7 1/8 (5 1/8 + 2) x 9 in
Outside Dimensions (L x W x D)	240 x 230 x 375 mm 9 1/2 x 9 x 14 3/4 in	250 x 245 x 460 mm 9 7/8 x 9 5/8 x 18 1/8 in
Max. Loading	3.5 kg 7.71 lbs	4.2 kg 9.26 lbs
Weight	0.93 kg 2.05 lbs	1.22 kg 2.69 lbs
Main compartment		

	UP-Rise II 45	UP-Rise II 46	UP-Rise II 48
Inside Dimensions (L x W x D)	260 x 190 (130 + 60) x 230 mm 10 1/4 x 7 1/2 (5 1/8 + 2 3/8) x 9 in	260 x 190 (130 + 60) x 230 mm 10 1/4 x 7 1/2 (5 1/8 + 2 3/8) x 9 in	300 x 190 (130 + 60) x 250 mm 11 3/4 x 7 1/2 (5 1/8 + 2 3/8) x 9 7/8 in
Outside Dimensions (L x W x D)	320 x 255 x 490 mm 12 5/8 x 10 x 19 1/4 in	320 x 270 x 490 mm 12 5/8 x 10 5/8 x 19 1/4 in	340 x 270 x 520 mm 13 3/8 x 10 5/8 x 20 1/2 in
Max. Loading	5.8 kg 12.78 lbs	7.8 kg 17.19 lbs	9.3 kg 20.5 lbs
Weight	1.55 kg 3.42 lbs	1.77 kg 3.90 lbs	2.00 kg 4.41 lbs
Main compartment			

	UP-Rise II 15	UP-Rise II 18	UP-Rise II 22
Inside Dimensions (L x W x D)	150 x 105 x 165 (140 + 25) mm 5 7/8 x 4 1/8 x 6 1/2 (5 1/2 + 1) in	180 x 110 x 190 (160 + 30) mm 7 1/8 x 4 3/8 x 7 1/2 (6 1/4 + 1 1/8) in	220 x 115 x 215 (180 + 35) mm 8 5/8 x 4 1/2 x 8 1/2 (7 1/8 + 1 3/8) in
Outside Dimensions (L x W x D)	170 x 160 x 200 mm 6 3/4 x 6 1/4 x 7 7/8 in	200 x 170 x 240 mm 7 7/8 x 6 3/4 x 9 1/2 in	240 x 170 x 260 mm 9 1/2 x 6 3/4 x 10 1/4 in
Max. Loading	1.5 kg 3.31 lbs	2.3 kg 5.07 lbs	2.5 kg 5.51 lbs
Weight	0.39 kg 0.86 lbs	0.45 kg 0.99 lbs	0.53 kg 1.17 lbs
Main compartment			

	UP-Rise II 14Z	UP-Rise II 15Z	UP-Rise II 16Z
Inside Dimensions (L x W x D)	140 x 110 x 190 (160 + 30) mm 5 1/2 x 4 3/8 x 7 1/2 (6 1/4 + 1 1/8) in	150 x 115 x 250 (205 + 45) mm 5 7/8 x 4 1/2 x 9 7/8 (8 1/8 + 1 3/4) in	160 x 115 x 295 (240 + 55) mm 6 1/4 x 4 1/2 x 11 5/8 (9 1/2 + 2 1/8) in
Outside Dimensions (L x W x D)	175 x 165 x 225 mm 6 7/8 x 6 1/2 x 8 7/8 in	185 x 170 x 285 mm 7 1/4 x 6 3/4 x 11 1/4 in	190 x 170 x 300 mm 7 1/2 x 6 3/4 x 11 3/4 in
Max. Loading	1.2 kg 2.64 lbs	2.2 kg 4.85 lbs	2.8 kg 6.17 lbs
Weight	0.40 kg 0.88 lbs	0.48 kg 1.06 lbs	0.5 kg 1.10 lbs
Main compartment			

Vojo Series

	Vojo 8	Vojo 10	Vojo 13
Inner Box Inside Dimensions (L x W x D)	-	-	-
Inside Dimensions (L x W x D)	86 x 48 x 120 mm 3 3/8 x 1 7/8 x 4 3/4 in	100 x 90 x 125 mm 3 7/8 x 3 1/2 x 4 7/8 in	130 x 75 x 145 mm 5 1/8 x 3 x 5 3/4 in
Outside Dimensions (L x W x D)	115 x 85 x 155 mm 4 1/2 x 3 3/8 x 6 1/8 in	170 x 125 x 160 mm 6 3/4 x 4 7/8 x 6 1/4 in	205 x 115 x 180 mm 8 1/8 x 4 1/2 x 7 1/8 in
Max. Loading	0.45 kg 0.99 lbs	0.90 kg 1.98 lbs	1.20 kg 2.64 lbs
Weight	0.17 kg 0.37 lbs	0.24 kg 0.53 lbs	0.27 kg 0.60 lbs
Main compartment			
Color			

	Vojo 22	Vojo 25	Vojo 28
Inner Box Inside Dimensions (L x W x D)	180 x 105 x 180 mm 7 1/8 x 4 1/8 x 7 1/8 in	220 x 105 x 190 mm 8 5/8 x 4 1/8 x 7 1/2 in	250 x 140 x 190 mm 9 7/8 x 5 1/2 x 7 1/2 in
Inside Dimensions (L x W x D)	220 x 130 x 200 mm 8 5/8 x 5 1/8 x 7 7/8 in	250 x 130 x 210 mm 9 7/8 x 5 1/8 x 8 1/4 in	280 x 170 x 210 mm 11 x 6 3/4 x 8 1/4 in
Outside Dimensions (L x W x D)	360 x 185 x 240 mm 14 1/8 x 7 1/4 x 9 1/2 in	390 x 185 x 250 mm 15 3/8 x 7 1/4 x 9 7/8 in	400 x 230 x 260 mm 15 3/4 x 9 x 10 1/4 in
Max. Loading	3.20 kg 7.05 lbs	4.20 kg 9.26 lbs	5.50 kg 12.12 lbs
Weight	0.79 kg 1.74 lbs	0.92 kg 2.03 lbs	1.05 kg 2.31 lbs
Main compartment			
Color			

Adaptor Series

	Adaptor 41	Adaptor 45	Adaptor 46	Adaptor 48
Inside Dimensions (L x W x D)	200 x 140 x 200 mm 7 7/8 x 5 1/2 x 7 7/8 in	240 x 155 x 260 mm 9 1/2 x 6 1/8 x 10 1/4 in	240 x 155 x 260 mm 9 1/2 x 6 1/8 x 10 1/4 in	240 x 155 x 430 mm 9 1/2 x 6 1/8 x 16 7/8 in.
Outside Dimensions (L x W x D)	230 x 200 x 410 mm 9 x 7 7/8 x 16 1/8 in	270 x 230 x 455 mm 10 5/8 x 9 x 17 7/8 in	270 x 250 x 455 mm 10 5/8 x 9 7/8 x 17 7/8 in	270 x 230 x 455 mm 10 5/8 x 9 x 17 7/8 in.
Max. Loading	4 kg 8.82 lbs	6.5 kg 14.33 lbs	8.5 kg 18.7 lbs	6.5 kg 14.33 lbs
Weight	0.65 kg 1.43 lbs	0.90 kg 1.98 lbs	1.00 kg 2.20 lbs	0.98 kg 2.16 lbs
Main compartment				

Kinray Lite Series

	Kinray Lite 15B	Kinray Lite 22B	Kinray Lite 32	Kinray Lite 45	Kinray Lite 48
Inside Dimensions (L x W x D)	150 x 105 x 145 mm 5 7/8 x 4 1/8 x 5 3/4 in	220 x 110 x 180 mm 8 5/8 x 4 3/8 x 7 1/8 in	190 x 130 x 180 mm 7 1/2 x 5 1/8 x 7 1/8 in	200 x 130 x 230 mm 7 7/8 x 5 1/8 x 9 in	240 x 130 x 240 mm 9 1/2 x 5 1/8 x 9 1/2 in
Outside Dimensions (L x W x D)	220 x 140 x 170 mm 8 5/8 x 5 1/2 x 6 3/4 in	260 x 170 x 190 mm 10 1/4 x 6 3/4 x 7 1/2 in	240 x 170 x 340 mm 19 1/2 x 6 3/4 x 13 3/8 in	260 x 205 x 460 mm 10 1/4 x 8 1/8 x 18 1/8 in	280 x 205 x 490 mm 11 x 8 1/8 x 19 1/4 in
Max. Loading	1.7 kg 3.75 lbs	2.8 kg 6.17 lbs	3 kg 6.61 lbs	4.50 kg 9.92 lbs	6.50 kg 14.33 lbs
Weight	0.23 kg 0.51 lbs	0.38 kg 0.84 lbs	0.51 kg 1.21 lbs	0.81 kg 1.79 lbs	0.89 kg 1.96 lbs
Main compartment					
Color					



Bag Specifications

2GO Series

	2GO 30	2GO 33	2GO 32	2GO 39	2GO 46
Inner Box Inside Dimensions (L x W x D)	180 x 105 x 200 mm 7 1/8 x 4 1/8 x 7 7/8 in	180 x 105 x 200 mm 7 1/8 x 4 1/8 x 7 7/8 in	-/-	-/-	-/-
Inside Dimensions (L x W x D)	300 x 130 x 240 mm 11 3/4 x 5 1/8 x 9 1/2 in	330 x 130 x 260 mm 13 x 5 1/8 x 10 1/4 in	190 x 130 x 180 mm 7 1/2 x 5 1/8 x 7 1/8 in	200 x 140 x 230 mm 7 7/8 x 5 1/2 x 9 in	240 x 155 x 240 mm 9 1/2 x 6 1/8 x 9 1/2 in
Outside Dimensions (L x W x D)	350 x 205 x 260 mm 13 3/4 x 8 1/8 x 10 1/4 in	390 x 205 x 290 mm 15 3/8 x 8 1/8 x 11 3/8 in	235 x 190 x 355 mm 9 1/4 x 7 1/2 x 14 in	250 x 200 x 415 mm 9 7/8 x 7 7/8 x 16 3/8 in	300 x 235 x 475 mm 11 3/4 x 9 1/4 x 18 3/4 in
Max. Loading	3.2 kg 7.05 lbs	4.2 kg 9.26 lbs	3.5 kg 7.71 lbs	5 kg 11.02 lbs	8.50 kg 18.73 lbs
Weight	0.78 kg 1.72 lbs	0.89 kg 1.96 lbs	0.64 kg 1.41 lbs	0.76 kg 1.68 lbs	1.06 kg 2.34 lbs
Main compartment					
Color	BK GR	BK GR	BK GR	BK GR	BK GR

	2GO 12Z	2GO 14Z
Inside Dimensions (L x W x D)	120 x 95 x 120 mm 4 3/4 x 3 3/4 x 4 3/4 in	140 x 110 x 160 mm 5 1/2 x 4 3/8 x 6 1/4 in
Outside Dimensions (L x W x D)	180 x 120 x 190 mm 7 1/8 x 4 3/4 x 7 1/2 in	200 x 130 x 225 mm 7 7/8 x 5 1/8 x 8 7/8 in
Max. Loading	1.5 kg 3.3 lbs	1.8 kg 4.0 lbs
Weight	0.24 kg 0.52 lbs	0.28 kg 0.61 lbs
Main compartment		
Color	BK GR	BK GR

	2GO 10	2GO 15	2GO 22	2GO 25
Inside Dimensions (L x W x D)	100 x 90 x 125 mm 3 7/8 x 3 1/2 x 4 7/8 in	145 x 105 x 140 mm 5 3/4 x 4 1/8 x 5 1/2 in	220 x 110 x 180 mm 8 5/8 x 4 3/8 x 7 1/8 in	250 x 150 x 190 mm 9 7/8 x 5 7/8 x 7 1/2 in
Outside Dimensions (L x W x D)	140 x 115 x 210 mm 5 1/2 x 4 1/2 x 8 1/4 in	180 x 130 x 215 mm 7 1/8 x 5 1/8 x 8 1/4 in	265 x 150 x 250 mm 10 3/8 x 5 7/8 x 9 7/8 in	290 x 190 x 270 mm 11 3/8 x 7 1/2 x 10 5/8 in
Max. Loading	0.89 kg 2.0 lbs	1.30 kg 2.9 lbs	2.35 kg 5.2 lbs	3.2 kg 7.1 lbs
Weight	0.22 kg 0.48 lbs	0.24 kg 0.52 lbs	0.43 kg 0.95 lbs	0.54 kg 1.18 lbs
Main compartment				
Color	BK GR	BK GR	BK GR	BK GR

Nivelo Series

	Nivelo 15	Nivelo 15
Inside Dimensions (L x W x D)	150 x 105 x 140 mm 5 7/8 x 4 1/8 x 5 1/2 in	180 x 105 x 160 mm 7 1/8 x 4 1/8 x 6 1/4 in
Outside Dimensions (L x W x D)	190 x 135 x 160 mm 7 1/2 x 5 3/8 x 6 1/4 in	220 x 135 x 180 mm 8 5/8 x 5 3/8 x 7 1/8 in
Max. Loading	1.3 kg 2.87 lbs	1.8 kg 3.97 lbs
Weight	0.25 kg 0.55 lbs	0.29 kg 0.64 lbs
Main compartment		
Color	BK RD	BK RD

Pampas II Series

	Pampas II 13	Pampas II 15	Pampas II 18	Pampas II 22
Inside Dimensions (L x W x D)	130 x 75 x 145 mm 5 1/8 x 3 x 5 3/4 in	150 x 105 x 145 mm 5 7/8 x 4 1/8 x 5 3/4 in	180 x 105 x 160 mm 7 1/8 x 4 1/8 x 6 1/4 in	220 x 110 x 180 mm 8 5/8 x 4 3/8 x 7 1/8 in
Outside Dimensions (L x W x D)	195 x 110 x 175 mm 7 5/8 x 4 3/8 x 6 7/8 in	220 x 140 x 185 mm 8 5/8 x 5 1/2 x 7 1/4 in	260 x 140 x 200 mm 10 1/4 x 5 1/2 x 7 7/8 in	295 x 155 x 220 mm 11 5/8 x 6 1/8 x 8 5/8 in
Max. Loading	1.2 kg 2.64 lbs	1.4 kg 3.09 lbs	1.8 kg 3.97 lbs	2.8 kg 6.17 lbs
Weight	0.21 kg 0.46 lbs	0.25 kg 0.55 lbs	0.32 kg 0.71 lbs	0.37 kg 0.82 lbs
Main compartment				
Color	BK KG PR RD	BK KG PR RD	BK KG PR RD	BK KG PR RD

BIIN Series

	BIIN 12Z	BIIN 14Z	BIIN 10
Inside Dimensions (L x W x D)	120 x 90 x 120 mm 4 3/4 x 3 1/2 x 4 3/4 in	135 x 100 x 160 mm 5 3/8 x 3 7/8 x 6 1/4 in	100 x 90 x 125 mm 3 7/8 x 3 1/2 x 4 7/8 in
Outside Dimensions (L x W x D)	160 x 128 x 185 mm 6 1/4 x 5 x 7 1/4 in	175 x 160 x 210 mm 6 7/8 x 6 1/4 x 8 1/4 in	150 x 140 x 180 mm 5 7/8 x 5 1/2 x 7 1/8 in
Max. Loading	1.0 kg 2.20 lbs	1.5 kg 3.31 lbs	0.9 kg 1.98 lbs
Weight	0.165 kg 0.36 lbs	0.185 kg 0.41 lbs	0.17 kg 0.37 lbs
Main compartment			
Color	BK OR	BK OR	BK OR

	BIIN 14	BIIN 17	BIIN 21	BIIN 25
Inside Dimensions (L x W x D)	135 x 90 x 125 mm 5 3/8 x 3 1/2 x 4 7/8 in	170 x 80 x 110 mm 6 3/4 x 3 1/8 x 4 3/8 in	210 x 110 x 180 mm 8 1/4 x 4 3/8 x 7 1/8 in	250 x 120 x 180 mm 9 7/8 x 4 3/4 x 7 1/8 in
Outside Dimensions (L x W x D)	180 x 135 x 185 mm 7 1/8 x 5 3/8 x 7 1/4 in	220 x 145 x 165 mm 8 5/8 x 5 3/4 x 6 1/2 in	250 x 170 x 235 mm 9 7/8 x 6 3/4 x 9 1/4 in	290 x 190 x 240 mm 11 3/8 x 7 1/2 x 9 1/2 in
Max. Loading	1.3 kg 2.87 lbs	1.8 kg 3.97 lbs	2.3 kg 5.07 lbs	3.5 kg 7.71 lbs
Weight	0.195 kg 0.43 lbs	0.215 kg 0.47 lbs	0.335 kg 0.74 lbs	0.405 kg 0.89 lbs
Main compartment				
Color	BK OR	BK OR	BK OR	BK OR

BIIN Series

	BIIN 37	BIIN 47	BIIN 50	BIIN 59
Inside Dimensions (L x W x D)	190 x 130 x 170 mm 7 1/2 x 5 1/8 x 6 3/4 in.	190 x 130 x 250 mm 7 1/2 x 5 1/8 x 9 7/8 in.	215 x 115 x 285 mm 8 1/2 x 4 1/2 x 11 1/4 in	290 x 140 x 200 mm 11 3/8 x 5 1/2 x 7 7/8 in
Outside Dimensions (L x W x D)	230 x 210 x 320 mm 9 x 8 1/4 x 12 5/8 in.	230 x 210 x 380 mm 9 x 8 1/4 x 15 in.	250 x 230 x 335 mm 9 7/8 x 9 x 13 1/4 in	320 x 240 x 440 mm 12 5/8 x 9 1/2 x 17 3/8 in
Max. Loading	3.5 kg 7.7 lbs	4.5 kg 9.9 lbs	4.0 kg 8.8 lbs	5.5 kg 12.1 lbs
Weight	0.45 kg 0.99 lbs	0.56 kg 1.23 lbs	0.54 kg 1.19 lbs	0.76 kg 1.68 lbs
Main compartment				
Color				

ICS Series

	ICS Vest S	ICS Vest L	ICS Harness S	ICS Harness L	ICS Belt S	ICS Belt M	ICS Belt L
Fits chest size	85 ~ 105 cm 33 1/2 ~ 41 3/8 in	100 ~ 140 cm 39 3/8 ~ 55 1/8 in	S for S/M	L for L/XL	85 ~ 120 cm 33 1/2 ~ 47 1/4 in	95 ~ 135 cm 37 3/8 ~ 53 1/8 in	105 ~ 150 cm 41 3/8 ~ 59 in
Max. Loading	5500 g 12.12 lbs	5500 g 12.12 lbs	2500 g 5.51 lbs	2500 g 5.51 lbs	5000 g 11.02 lbs	5000 g 11.02 lbs	5000 g 11.02 lbs
Weight	675 g 1.49 lbs	740 g 1.63 lbs	335 g 0.74 lbs	340 g 0.75 lbs	390 g 0.86 lbs	415 g 0.91 lbs	440 g 0.97 lbs

	ICS Lens 18	ICS Lens 25	ICS Body	ICS Flash
Inside Dimensions (L x W x D)	110 x 100 x 150 mm 4 3/8 x 3 7/8 x 5 7/8 in	110 x 100 x 220 mm 4 3/8 x 3 7/8 x 8 5/8 in	170 x 70 x 170 mm 6 3/4 x 2 3/4 x 6 3/4 in	80 x 60 x 210 mm 3 1/8 x 2 3/8 x 8 1/4 in
Outside Dimensions (L x W x D)	130 x 145 x 190 mm 5 1/8 x 5 3/4 x 7 1/2 in	130 x 145 x 260 mm 5 1/8 x 5 3/4 x 10 1/4 in	195 x 120 x 205 mm 7 5/8 x 4 3/4 x 8 1/8 in	105 x 100 x 210 mm 4 1/8 x 3 7/8 x 8 1/4 in
Max. Loading	1000 g 2.20 lbs	1500 g 3.31 lbs	1200 g 2.64 lbs	600 g 1.32 lbs
Weight	260 g 0.57 lbs	305 g 0.67 lbs	310 g 0.68 lbs	235 g 0.52 lbs
Main compartment				

	ICS Bag 8	ICS Bag 12	ICS Bag 14
Inside Dimensions (L x W x D)	76 x 48 x 120 mm 3 x 1 7/8 x 4 3/4 in	130 x 70 x 80 mm 5 1/8 x 2 3/4 x 3 1/8 in	135 x 95 x 160 mm 5 3/8 x 3 3/4 x 6 1/4 in
Outside Dimensions (L x W x D)	100 x 90 x 155 mm 3 7/8 x 3 1/2 x 6 1/8 in	160 x 115 x 115 mm 6 1/4 x 4 1/2 x 4 1/2 in	160 x 150 x 200 mm 6 1/4 x 5 7/8 x 7 7/8 in
Max. Loading	350 g 0.77 lbs	500 g 1.10 lbs	1600 g 3.53 lbs
Weight	140 g 0.31 lbs	170 g 0.37 lbs	340 g 0.75 lbs
Main compartment			

Pouches

	Sevilla 6C	Pampas II 5B	Pampas II 6A	Pampas II 6B
Inside Dimensions (L x W x D)	62 x 15 x 107 mm 2 1/2 x 5/8 x 4 1/4 in	58 x 22 x 95 mm 2 1/4 x 7/8 x 3 3/4 in	62 x 25 x 105 mm 2 1/2 x 1 x 4 1/8 in	65 x 35 x 110 mm 2 1/2 x 1 3/8 x 4 3/8 in
Outside Dimensions (L x W x D)	75 x 20 x 150 mm 3 x 3/4 x 5 7/8 in	85 x 40 x 115 mm 3 3/8 x 1 5/8 x 4 1/2 in	90 x 40 x 125 mm 3 1/2 x 1 5/8 x 4 7/8 in	90 x 55 x 130 mm 3 1/2 x 2 1/8 x 5 1/8 in
Exterior fabric	Cotton	1200D*1200D Ployester	1200D*1200D Ployester	1200D*1200D Ployester
Interior fabric	Cotton	70D Polyester + Velvet	70D Polyester + Velvet	70D Polyester + Velvet
Color				

	Malmö 6C	Beneto 6C	Dakar 5B	Dakar 6A	Seattle 6C
Inside Dimensions (L x W x D)	62 x 15 x 107 mm 2 1/2 x 5/8 x 4 1/4 in	62 x 15 x 107 mm 2 1/2 x 5/8 x 4 1/4 in.	58 x 22 x 95 mm 2 1/4 x 7/8 x 3 3/4 in	62 x 25 x 105 mm 2 1/2 x 1 x 4 1/8 in	62 x 15 x 107 mm 2 1/2 x 5/8 x 4 1/4 in.
Outside Dimensions (L x W x D)	86 x 28 x 132 mm 3 3/8 x 1 1/8 x 5 1/4 in	87 x 30 x 127 mm 3 3/8 x 1 1/8 x 5 in.	84 x 32 x 118 mm 3 1/4 x 1 1/4 x 4 5/8 in	88 x 35 x 128 mm 3 1/2 x 1 3/8 x 5 in	86 x 26 x 130 mm 3 3/8 x 1 x 5 1/8 in.
Exterior fabric	Jersey	Jersey	210D Polyester	210D Polyester	Eco Sponge
Interior fabric	Jersey	Jersey	150D Polyester	150D Polyester	Jersey
Color					

	Cardiff 5B	Cardiff 6A	Chicago 6B	Chicago 7	Chicago 8
Inside Dimensions (L x W x D)	58 x 22 x 95 mm 2 1/4 x 7/8 x 3 3/4 in	62 x 25 x 105 mm 2 1/2 x 1 x 4 1/8 in	65 x 35 x 110 mm 2 1/2 x 1 3/8 x 4 3/8 in	70 x 40 x 115 mm 2 3/4 x 1 5/8 x 4 1/2 in	76 x 48 x 120 mm 3 x 1 7/8 x 4 3/4 in
Outside Dimensions (L x W x D)	82 x 48 x 117 mm 3 1/4 x 1 7/8 x 4 5/8 in	90 x 56 x 132 mm 3 1/2 x 2 1/4 x 5 1/4 in	88 x 65 x 133 mm 3 1/2 x 2 1/2 x 5 1/4 in	96 x 77 x 138 mm 3 3/4 x 3 x 5 3/8 in	100 x 78 x 145 mm 4 x 3 1/8 x 5 3/4 in
Exterior fabric	Nylon-Polyester 210D + PU	Nylon-Polyester 210D + PU	1680D Polyester	1680D Polyester	1680D Polyester
Interior fabric	Velvet	Velvet	Velvet	Velvet	Velvet
Color					

	BIIN 5B	BIIN 6A	BIIN 6B	BIIN 7H	BIIN 8H
Inside Dimensions (L x W x D)	58 x 22 x 95 mm 2 1/4 x 7/8 x 3 3/4 in	62 x 25 x 105 mm 2 1/2 x 1 x 4 1/8 in	65 x 35 x 110 mm 2 1/2 x 1 3/8 x 4 3/8 in	115 x 40 x 70 mm 4 1/2 x 1 5/8 x 2 3/4 in	130 x 70 x 80 mm 5 1/8 x 2 3/4 x 3 1/8 in
Outside Dimensions (L x W x D)	86 x 46 x 118 mm 3 3/8 x 1 3/4 x 4 5/8 in	90 x 49 x 128 mm 3 1/2 x 1 7/8 x 5 in	94 x 58 x 133 mm 3 3/4 x 2 1/4 x 5 1/4 in	150 x 70 x 90 mm 5 7/8 x 2 3/4 x 3 1/2 in	170 x 88 x 105 mm 6 3/4 x 3 1/2 x 4 1/8 in
Exterior fabric	150D Polyester + 600D Polyester	150D Polyester + 600D Polyester	150D Polyester + 600D Polyester	150D Polyester + 600D Polyester	150D Polyester + 600D Polyester
Interior fabric	70D Polyester	70D Polyester	70D Polyester	70D Polyester	70D Polyester
Color					

Case Specifications

Supreme Series

	Supreme 27F / 27D	Supreme 37F / 37D	Supreme 38
Inside Dimensions (L x W x D)	250 x 190 x 150 mm 9 7/8 x 7 1/2 x 5 7/8 in	380 x 260 x 175 mm 15 x 10 1/4 x 6 7/8 in	430 x 295 x 105 mm 16 7/8 x 11 5/8 x 4 1/8 in
Outside Dimensions (L x W x D)	280 x 250 x 170 mm 11 x 9 7/8 x 6 3/4 in	415 x 325 x 195 mm 16 3/8 x 12 3/4 x 7 5/8 in	465 x 365 x 125 mm 18 1/4 x 14 3/8 x 4 7/8 in
Weight	(27F) 1.9 kg 4.19 lbs (27D) 2.1 kg 4.63 lbs	(37F) 3.9 kg 8.6 lbs (37D) 4.2 kg 9.26 lbs	3.2 kg 7.05 lbs
Max. Loading Weight	15 kg 33 lbs	20 kg 44 lbs	12 kg 26 lbs

	Supreme 40F / 40D	Supreme 46F / 46D	Supreme 53F / 53D
Inside Dimensions (L x W x D)	430 x 295 x 175 mm 16 7/8 x 11 5/8 x 6 7/8 in.	480 x 370 x 200 mm 18 7/8 x 14 5/8 x 7 7/8 in	560 x 450 x 200 mm 22 x 17 3/4 x 7 7/8 in
Outside Dimensions (L x W x D)	465 x 365 x 195 mm 18 1/4 x 14 3/8 x 7 5/8 in.	515 x 435 x 220 mm 20 1/4 x 17 1/8 x 8 5/8 in	630 x 520 x 240 mm 24 3/4 x 20 1/2 x 9 1/2 in
Weight	(40F) 4.4 kg 9.7 lbs (40D) 4.7 kg 10.36 lbs	(46F) 6.8 kg 14.99 lbs (46D) 7.2 kg 15.87 lbs	(53F) 10.4 kg 22.93 lbs (53D) 11.22 kg 24.74 lbs
Max. Loading Weight	25 kg 55 lbs	30 kg 66 lbs	35 kg 77 lbs

	Divider Bag 27	Divider Bag 37	Divider Bag 40	Divider Bag 46	Divider Bag 46
Inside Dimensions (L x D x H)	270 x 140 x 125 mm 8 1/2 x 5 1/2 x 4 7/8 in	345 x 205 x 150 mm 13 5/8 x 8 1/8 x 5 7/8 in	395 x 245 x 150 mm 15 1/2 x 9 5/8 x 5 7/8 in	445 x 325 x 175 mm 17 1/2 x 12 3/4 x 6 7/8 in	535 x 400 x 175 mm 21 1/8 x 15 3/4 x 6 7/8 in
Outside Dimensions (L x D x H)	250 x 165 x 140 mm 9 7/8 x 6 1/2 x 5 1/2 in	380 x 240 x 170 mm 15 x 9 1/2 x 6 3/4 in	430 x 275 x 170 mm 16 7/8 x 10 7/8 x 6 3/4 in	480 x 345 x 195 mm 18 7/8 x 13 5/8 x 7 5/8 in	560 x 425 x 200 mm 22 x 16 3/4 x 7 7/8 in
Weight	0.34 kg 0.75 lbs	0.75 kg 1.65 lbs	0.9 kg 1.98 lbs	1.34 kg 2.95 lbs	1.65 kg 3.64 lbs
Max. Loading weight	15 kg 33 lbs	20 kg 44 lbs	12 kg 26 lbs	25 kg 55 lbs	30 kg 66 lbs

VGP Series

	VGP-13	VGP-3200	VGP-3201	VGP-3202
Inside Dimensions (L x W x D)	445 x 310 x 150 mm 17 1/2 x 12 1/8 x 6 in	220 x 175 x 85 mm 8 3/4 x 6 7/8 x 3 3/8 in	285 x 175 x 85 mm 11 1/4 x 6 7/8 x 3 3/8 in	315 x 245 x 115 mm 12 3/8 x 9 5/8 x 4 1/2 in
Outside Dimensions (L x W x D)	460 x 325 x 170 mm 18 1/8 x 12 3/4 x 6 3/4 in	240 x 190 x 100 mm 9 1/2 x 7 1/2 x 4 in	300 x 190 x 100 mm 11 7/8 x 7 1/2 x 3 7/8 in	330 x 260 x 130 mm 13 x 10 1/4 x 5 1/8 in
Weight	3.18 kg 7.01 lbs	1.1 kg 2.42 lbs	1.25 kg 2.76 lbs	1.88 kg 4.14 lbs
Max. Loading Weight	10 kg 22 lbs	3 kg 6.6 lbs	5 kg 11 lbs	8 kg 18 lbs

Bag Compatibilities

Pouches Compatibility Chart

  	
Camera models CANON PowerShot A495, A490, A480, A1000IS, A1100IS, A2000IS, A2100IS, E1, SX200, SX210 IS, SX200 IS, SX230 HS, SX220 HS, SX260 HS, SX240 HS, A1200, A800, S100, NIKON COOLPIX L15, L16, L18, L19, L20, S9300, S9100, P300, P310, AW100/AW100s, S1200pj, S100, S8200, S30, L610, S800c SONY HX30V, HX10V, HX9, RX100 PANASONIC DMC-LX3, ZS7, ZS5, ZS3, ZS1, TZ20, TZ10, TZ8, TS3, ZS10, ZS8, F300EXR, ZS8, ZS10, TZ18, ZS15, TZ30 SAMSUNG WB500, WB550, EXF2, WB850 RICOH CX5, CX4, CX3, CX2, CX1, R8, R10, Caplio GX100, Caplio GX200, GR DIGITAL, GR DIGITAL II, GR DIGITAL III, GR DIGITAL IV, CX6	CASIO EX-G1, H20G, H20, FH100 OLYMPUS FE-350 WIDE, FE-310, μ 1010, μ 1020, μ 9000, SZ-20, SH-21, SZ-12, SP-620UZ, SZ-12, SP-620UZ, Tough TG-1 iHS FUJIFILM FinePix F550EXR, F505EXR, F500EXR, F300EXR/ F305EXR, XP30, XP20/XP22, F770EXR, F600EXR, F605EXR, F800EXR, XF1, XP170 PENTAX Optio WG-1/WG-1 GPS, RZ10, W90, RZ18, VS20 Bags BIIN 6B Pampas II 6B Chicago 6B
Camera models CANON IXUS 110IS, 860IS, 870IS, 950IS, 960IS, 970IS, 980IS, 990IS, 200IS, 210, 230 HS, 300 HS, 500 HS, 1000 HS, 1100 HS, 310 HS, A3000, A3100 IS, A1200 IS, S90, S95, S100, A1300, A810, S110 NIKON COOLPIX S50C, S51c, S52c, S60, S500, S510, S520, S560, S600, S610c, S620, S630, S700, S710, S1000pj, S8000, L26, L25, L24, L23, L22, L21, S6100, S1100pj, S8100, S6150, S6300, S6200, S6400 SONY DSC-T500, S750, S780, W150, W170, W300, W290, S980, S950, S930, W180, W210, W270, W190, HX-5, S2100, W370, H55, HX7 PANASONIC DMC-ZR3, ZR1, FH27, FH25, FP7, FP5, S3, S1, FX77, FX75, FX700, FH22, FT3, FT1, TS-2, TS1, LS85, ZX1, FS11, FS10, FS33, FS30, FT2, ZX3, FH1, FH3, FH20, TS10, EX-H30, EX-ZR100, S3.S1, FX78, TZ18, 3D1, SZ7, SZ1, ZS20, S2, TS20, TS4, SZ5 SAMSUNG D860, S860, S760, S1060, S1070, NV9, NV24HD, NV100HD, L310W, i80, SL202, SL620, SL802, WB850, WB600, WB100, WB2000, WB1000, ES60, ES17, PL200, PL150, PL55, PL70/SL720, IT100/SL820, PL65/SL620/PL60/SL202, ES15/SL30, ES28, ES55/SL102, ES10, ES15, TL350, ST600, ST100, ST5500, ST5000, WB210, WB700, WB750, ST30, ST6500, PL210, ES80, WE150F, MV900F CASIO EX-V8, V7, Z10, Z110, Z120, Z850, Z1050, Z300, Z270, Z400, FC100, H10, Z450, H15, Z550, H30, H5, Z16, Z37, Z35, Z2300, Z2000, Z550, Z350, S200, ZR100, ZR10, FC150, FC100, ZS100, ZR15, ZS150, S300, ZR200, ZR20, ZR15, FC200S, N20, N10, N2, N1, H35	OLYMPUS FE-370, FE-5000, μ 840, μ 850sw, μ 1030sw, μ 1050sw, μ 1060, μ 5000, μ 7000, μ 6000, μ 8000, μ 7020, μ 7010, μ 6010, FE-46, FE-26, FE-4000, FE-5020, mju TOUCH 3000, mju 9010, mju 7040, mju 7030 , FE-47, Stylus TOUGH-6020, Stylus TOUGH-8010, Stylus TOUGH-3000, VR-330, VR-320, VR-310, TG-810, TG610, TG310, TG-820, TG-620, TG-320, VH-510, VH-210, VR-360, VR-350, VR-340, VG-170 FUJIFILM FinePix A850, Z30, F50fd, F60fd, F100fd, F200EXR, Z35, Z37, A175/170, A225/220, F75EXR/F70EXR, F80EXR/F85EXR, Z800EXR/Z808EXR, Z900EXR, XP10/XP11, T300/T305, T200/T205, JZ500/JZ505, JZ300/JZ305, AX380/AX385, AX350/AX355, AX330/AX335, AX300/AX305, AX250, AX200/AX205, AV280/AV285, AV250/AV255, AV230/AV235, AV200/AV205, AV150, AV100/AV105, Z950 EXR, Z909EXR, Z1000EXR, Z1100EXR PENTAX I-10, E90, 60, W80, 60, 30 RICOH PX Bags Pampas II 6A Cardiff 6A Dakar 6A BIIN 6A
Camera models CANON IXUS 75 , 80IS, 82IS, 85IS, 90IS, 95IS, 100IS, 125 HS, 120IS, 130, 115 HS, 105, 240 HS, 220 HS, 100HS, 500HS, 510HS, 520HS, 110HS, 250 HS, 245 HS, PowerShot A3300 IS, A3200 IS, A2200, A4000 IS, A3400 IS, A2400 IS, A2300 NIKON COOLPIX S210, S220, S230, S550, S570, S70, S640, S4000, S3100, S4100, S80, S6000, S5100, S2500, S3000, S70, S6200, S4150, S4300, S4150, S3300, S2600, S630, S01 SONY DSC-W120, W130, T2, T70, W220, W230, T700, T77, T900, T99, T90, WX1, TX1, W310, W320, W330, W350, W380, TX5, TX9, TX100V, T110, TX10, HX7V, WX10, WX9, WX7, WX5, WX390, WX380, W570, W530, W510, J10, TX55, WX30, TX300V, TX200V, TX66, TX55, TX20, WX70, WX50, WX30, W670, W630, W610, W620, W650, WX170 PANASONIC DMC-FH5, FH2, FX68, FX66, FX60, FX48, FX40, F3, FH3, FH1, FP3, FP1, FS12, FX65, FP8, FX580, FX550, FS62, FS42, FS25, FS15, FS7, FS6, FS715, ZS3, FH7, FH8, FH6, FX80, VG-160, VG-150 SAMSUNG P800, P1000, L100, L200, L210, L201, i8, i100, NV20, NV30, NV40, NV4, NV100HD, TL225, TL220, CL65/ST1000, PL10/CL5, ST10, TL100/ST50, PL100, ST80, ST60, ST70, PL80, ES30, ES75, ES-73, ES70, ES65, ES25, ST5000, AQ100/WP10, SH100, PL90, PL20, ST700, PL170, PL120, ST130, ST65, ST90, ST95, ST6500, SL600, SL50, SL605, ST93, MV800, ST77, ST76 OLYMPUS FE-340, 360, 3010, 5030, 4040, 4020, 4030, μ 1040, mju 5010, VG-120, 130, 110, 140, 145 Stylus-5010, 7040, 7030, T100, VG-160	CASIO EX-Z80, Z85, Z70, Z700, Z75, Z750, Z77, Z60, Z600, Z65, Z5, Z500, Z200, Z250, Z1, Z100, Z1000, Z1200, Z150, S600, S600, S770, S880, S10, S12, FS10, Z90, E33, Z280, Z330, Z35, S7, S8, S6, S5, Z800, ZS10, ZS5, Z450, Z2, Z400, Z270, Z300, Z33, Z29, S9, ZS15, ZS12, ZS20, ZS6, Z3000, Z88, Z680, Z27 FUJIFILM FinePix J10, J15, J100, J110W, J120, J150W, J20, J250, A100, A150, Z10fd, Z20fd, Z100fd, Z200fd, Z33WP, Z300, J26/27, J30/35/38, Z700/Z707EXR, Z90/Z91, Z80/Z81, Z70/Z71, Z35, XP10, JX400/JX405, JX350/JX355, JX300/JX305, JX250, JX200/JX205, JX250/JX255, JV150, JV100/JV105, J30/J35, J27/J26, A220/A225, JX420, JX370, JX375 PENTAX Optio S1, RS1000, NB1000, H90, P80, WS80, E70, E30, P70, M60, M50, M30, E50, E40, S12, S10, V20, V10, A36, A30, Z10, L36, T30, RS1500 Bags Pampas II 5B Dakar 5B Cardiff 5B BIIN 5B Malmö 6C Beneto 6C Seattle 6C Sevilla 6C
Camera models CANON PowerShot A470, A560, A570IS, A580 , A590IS, A720IS, D20 NIKON COOLPIX P50 SAMSUNG TL500/EX1 FUJIFILM FinePix Real 3D W3, W1 CASIO Ex-TR100 OLYMPUS XZ-1, SZ-30MR, SZ-11, SZ-31 MR, SZ-14, SZ-12 RICOH G600	Bags Chicago 7
Camera models CANON PowerShot A650IS, SX100IS, SX150 IS, G9, G10, G11, SX120IS, SX130IS, D10, G12, SX160 IS, G15 NIKON COOLPIX P7000, P7100 PENTAX Optio WG-2/WG-2 GPS PANASONIC DMC-LX7 RICOH G700SE, G700	Bags Vojo 8 ICS Bag 8 Chicago 8

Bag Compatibilities

Bags Compatibility Chart

	WITH		AND	
Interchangeable-lens camera				
SONY NEX-5 NEX-C3 NEX-3 NEX-5N NEX-7 NEX-5R NEX-6 NEX-F3 • Best compatible • Compatible	SAMSUNG NX100 NX200 NX1000 NX210 NX20 CANON EOS M	OLYMPUS E-P1 E-P2 E-P3 E-PL1 E-PL2 E-PL3 E-PL1s E-PM1 OM-D E-M5 E-PM2 E-PL5	NIKON J1 V1 J2 PANASONIC GF1 GF2 GF3 GX1 PENTAX Pentax Q K-01 Q10	
VANGUARD Bags	Pancake	Standard/ wide-angle zoom	Pancake+standard/ wide-angle zoom	Pancake+standard/ wide-angle zoom+Medium telephoto/telephoto zoom
Vojo 8	•			
Chicago 8	•			
ICS Bag 8	•			
Vojo 10	•	•		
2G0 10	•	•		
BIIN 10	•	•		
2G0 12Z	•	•		
BIIN 12Z	•	•		
Vojo 13	•	•	•	
Pampas II 13	•	•	•	
BIIN 14	•	•	•	
UP-Rise II 15	•	•	•	
Pampas II 15	•	•	•	
Nivelo 15	•	•	•	
2G0 15	•	•	•	
UP-Rise II 18	•	•	•	•
Nivelo 18	•	•	•	•
Pancake	Canon 22mm f/2 Sony 16mm f/2.8 Olympus 17mm f/2.8 Panasonic 14mm f/2.5, Panasonic 20mm f/1.7 Samsung 20mm, 30mm, 16mm f/2.4 Pentax-01 Standard Prime, Pentax-04 Toy Lens Wide, Pentax-05 Toy Lens Tele Photo Nikon 1 Nikkor 10mm f/2.8			
Standard /Standard zoom	Canon 18-55mm f/3.5-5.6 Olympus 45mm F1.8 Sony 30mm f/3.5, 18-55mm f/3.5-5.6, 50mm f/1.8, 16-50mm f/3.5-5.6 Samsung 18-55mm, 20-50mm Pentax-02 Standard Zoom			
Wide-angle/ Wide-angle zoom	Olympus 12mm f/2.0, 14-42mm f/3.5-5.6, 14-42mm f/3.5-5.6 II, 9-18mm f/4.0-5.6, 75mm f/1.8 Panasonic 14-45mm f/3.5-5.6, 45mm f/2.8, 7-14mm f/4.0 Sony 24mm f/1.8 ZA, 35mm f/1.8 OSS, 10-18mm f/4 OSS Pentax-03 Fish Eye Nikon 1 Nikkor 10-30mm f/3.5-5.6, 18.5mm f/1.8, 11-27.5mm f/3.5-5.6			
Medium telephoto zoom	Olympus 40-150mm f/4.0-5.6, 14-150mm f/4.0-5.6, 12-50mm f/3.5-6.3, 60mm f/2.8 Macro Panasonic 14-140mm f/4.0-5.8 Samsung 60mm f/2.8 Nikon 1 Nikkor 30-110mm f/3.8-5.6 Pentax-06 Telephoto Zoom			
Telephoto zoom	Sony 18-200mm f/3.5-6.3, 55-210mm f/4.5-6.3, 18-200mm f/3.5-6.3 Olympus 75-300mm f/4.8-6.7 Panasonic 45-200mm f/4.0-5.6, 100-300mm f/4.0-5.6, 35-100mm f/2.8 Samsung 50-200mm, 18-200mm, 85mm f/1.4 Nikon 1 Nikkor 10-100mm f/4.5-5.6			

	WITH		AND	
Entry camera				
CANON EOS 300D 350D 400D 450D 1000D 500D 550D 600D 1100D 650D NIKON D40 D50 D40x D60 D70 D70s D80 D90 D5000 D3000 D3100 D5100 J1 V1 GF2 GF3 D3200 J2 FUJIFILM X-Pro1 X-E1	SONY NEX-3 NEX-5 NEX-5N NEX-7 NEX-5R NEX-6 NEX-F3 α33 α37 α55 α57 α65 α200 α230 α300 α330 α350 α380 α290 α390 PANASONIC DMC-G1 GH1 GH2 GH3 DMC-G2 DMC-G3 DMC-G10	OLYMPUS E-P1 E-P2 E-PL1 E-PL2 E-PL1s E-M5 E400 E410 E420 E450 E500 E510 E520 E620 E-PM2 E-PL5 PENTAX K10D K100D K20D K200D K-m K-x K-r K-01 Pentax Q Q10 SAMSUNG NX5 NX10 NX11 NX100 NX200 NX1000 NX2110 NX20	Bags UP-Rise II15 UP-Rise II18 UP-Rise II 22 UP-Rise II14Z UP-Rise II 15Z Vojo 22 Vojo 25 Adpator 41 Adpator 45 Adpator 46 Adpator 48 Kinray Lite 15B Kinray Lite 22B Kinray Lite 32 Kinray Lite 45 Kinray Lite 48 2G0 30 2G0 33 2G0 32 2G0 39 2G0 46 BIIN 37 BIIN 47 BIIN 50 BIIN 59 BIIN 21 BIIN 25 BIIN 14Z Pampas II 15 Pampas II 18 Pampas II 22 Nivelo 15 Nivelo 18 2G0 15 2G0 22 2G0 25 2G0 12Z 2G0 14Z ICS Bag 14	50 mm 18-55 mm 18-135 mm 18-200 mm 70-300 mm

Bags Compatibility Chart

							
		WITH		AND			
Prosumer camera				Bags			
						18-55 mm	18-135 mm
						18-200 mm	70-300 mm
						70-200 mm	
CANON		PENTAX		Xceniur 41T		▶ ●	●
EOS		K-7		Xceniur 48T		▶ ●	●
20D		K-5		Xceniur 62T		▶ ●	●
30D		K10D		Xceniur 30		▶ ●	●
40D		K20D		Xceniur 36		▶ ●	●
50D		K-5 II		Xceniur 41		▶ ●	●
5D		K-5 IIs		Skybome 45		▶ ●	●
6D				Skybome 48		▶ ●	●
7D		PANASONIC		Skybome 49		▶ ●	●
5D Mark II		DMC-L1		Skybome 51		▶ ●	●
60Da		DMC-L10		Quovio 26		▶ ●	●
5D Mark III				Quovio 41		▶ ●	●
NIKON		SIGMA		Quovio 44		▶ ●	●
D100		SD10		Quovio 49T		▶ ●	●
D200		SD14		The Heraldier 28		▶ ●	●
D300		SAMSUNG		The Heraldier 33		▶ ●	●
D600		GX10		The Heraldier 38		▶ ●	●
D700		GX20		Outlawz 16Z		▶ ●	●
D300s		OLYMPUS		Outlawz 17Z		▶ ●	●
D7000		E1		Kinray 43		▶ ●	●
D800		E300		Kinray 48		▶ ●	●
D800E		E330		Kinray 53		▶ ●	●
SONY		E30		UP-Rise 28		▶ ●	●
α700		E3		UP-Rise 33		▶ ●	●
α900				UP-Rise 38		▶ ●	●
α500				UP-Rise II 34		▶ ●	●
α550				UP-Rise II 43		▶ ●	●
α580				UP-Rise II 45		▶ ●	●
α450				UP-Rise II 46		▶ ●	●
α77				UP-Rise II 48		▶ ●	●
α99				UP-Rise II 22		▶ ●	●
				UP-Rise II 16Z		▶ ●	●
				Vojo 25		▶ ●	●
				Vojo 28		▶ ●	●
				Kinray Lite 48		▶ ●	●
				2GO 46		▶ ●	●
				Adaptor 41		▶ ●	●
				Adaptor 45		▶ ●	●
				Adaptor 46		▶ ●	●
				Adaptor 48		▶ ●	●
				Pampas II 22		▶ ●	●
				ICS Lens 18		▶ ●	●
				ICS Lens 25		▶ ●	●

Tripod Bags Compatibility Chart

 **Heads, Monopods & Tripods Compatibility Chart**

 118.

- Auctus Plus 283CT
Auctus Plus 323CT
Auctus Plus 283AT
Auctus Plus 284AT
Auctus Plus 323AT
Auctus Plus 324AT
Auctus 283CT
Auctus 323CT
Auctus 283AT
Auctus 323AT
Abeo Plus 283CT
Abeo Plus 323CT
Abeo Plus 363CT
Abeo Plus 283AT
Abeo Plus 323AT
Abeo Plus 363AT
Abeo 283AT
Abeo 323AT
Abeo Plus 283CB
Abeo Plus 323CB
Abeo Plus 363CB
Abeo Plus 283AB
Abeo Plus 323AB
Abeo Plus 363AB
Abeo 243AB
Abeo 283AB
Abeo 283AV
Abeo 323AB
Abeo 323AV
Alta Pro 263AB 100
Alta Pro 264AB 100
Alta Pro 263AGH
Alta pro 253CB 50
Alta pro 254CB 50
Alta pro 283CB 100
Alta pro 284CB 100
Alta pro 253CT
Alta pro 254CT
Alta pro 283CT
Alta pro 284CT
Alta pro 263AT
Alta pro 264AT
Alta+ 224CB
Alta+ 225CB
Alta+ 254CB
Alta+ 253CT
Alta+ 283CT
Alta+ 233AO
Alta+ 264AO
Alta+ 263AGH
Alta+ 234AB
Alta+ 235AB 50
Alta+ 263AB 100
Alta+ 264AB 100
Alta+ 203AP
Alta+ 204AP
Alta+ 233AP
Alta+ 234AP
Alta+ 263AP
Alta+ 264AP
Espod Plus 233CB
Espod Plus 203AB
Espod Plus 203AP
Espod Plus 204AP
Espod Plus 233AP
Espod Plus 234AP
Espod 203AP
Espod 233AP
Nivelo 204BK
Nivelo 204PK
Nivelo 204SL
Nivelo 214BK
Nivelo 214PK
Nivelo 214SL
Nivelo 214WH
Nivelo 244BK
Nivelo 245BK
MAK S
MAK 203
MAK 233
MAK 234
MAK 263

[illegible]



VANGUARD®

www.vanguardworld.com