

[Home](#) » [SIRUI](#) » **SIRUI ME-P172 Jupiter 50mm Macro T2 Full Frame Cine Prime Lens User Manual** 




**Jupiter 50mm macro T2 Full Frame Cine Prime Lens (PL/EF Mount)**  
**USER MANUAL**



**Contents** [ [hide](#) ]

- [1 Main Parts](#)
- [2 Features](#)
- [3 Lens Setup](#)
- [4 Precautions](#)
- [5 Documents / Resources](#)
  - [5.1 References](#)
- [6 Related Posts](#)

## Main Parts



## EF Mount

1. Top Lens Cap
2. Focus Ring
3. Indicator Ring
4. Aperture Ring
5. Bottom Lens Cap



## PL Mount

1. Top Lens Cap
2. Focus Ring
3. Indicator Ring
4. Aperture Ring
5. Bottom Lens Cap

## Features

1. Macro lens.
2. Focus and aperture rings are geared.
3. Constant aperture in T stops.
4. Precise color rendering and negligible distortion.
5. Unified focus and iris position across the whole range.
6. Constructed with aircraft aluminum housing and precision copper focus components.  
All elements feature a multi-layer nano-coating, except for the front element with a waterproof and dustproof coating.

## **Lens Setup**

1. EF Mount Installation Align the red dot on the lens with the white dot on the camera, then twist the lens clockwise until you hear a clicking sound.
2. EF Mount Removal Hit the lock button on the camera. Twist the lens counterclockwise to take it out.
3. PL Mount Installation
  - 3.1 Align the red dot on the lens with the white dot on the camera.
  - 3.2 Twist the lens clockwise until you hear a clicking sound.
4. PL Mount Removal
  - 4.1 Twist the lens counterclockwise.
  - 4.2 Take out the lens.

Please change the bottom lens cap and the camera lens cap when the lens is not in use.

## **Precautions**

1. Please avoid any long-term exposure of the lens to a wet environment which may produce mold and rust on the lens. Store the lens in an airtight cabinet with a drying agent. For other options, contact your SI RUI rep for information on SIRU I High-Performance Humidity Control Cabinet or visit [www.sirui.com](http://www.sirui.com).
2. Do not touch the lens elements with your fingers. Gently remove dust and dirt with a cleaning cloth or lens brush. Wipe off fingerprints with lens cleaning products and a lens cloth. Do not clean the lens with general household cleaners.
3. Please avoid using the lens on rainy days or near water as this may damage the lens and void the warranty.

4. Put the lens into a camera bag or sealed plastic bag when transporting it from cold to warm, otherwise, the lens elements may mist up.

|                                    |                                                   |
|------------------------------------|---------------------------------------------------|
| Model                              | Jupiter 50 mm macro T2 Full Frame Cine Prime Lens |
| Lens Mount                         | PL/EF                                             |
| Focal Length                       | 50mm                                              |
| Maximum Aperture                   | T2                                                |
| Minimum Aperture                   | T22                                               |
| Lens Structure                     | 13 Elements in 10 Groups                          |
| Aperture Blade                     | 11                                                |
| Maximum Support Frame              | Full Frame                                        |
| Shooting Distance                  | 0.79ft (0.24m) -∞                                 |
| Focus Method                       | Manual Focusing                                   |
| Filter Spec                        | M92X0.75                                          |
| Rotation Angle of the Focus Ring   | 220°                                              |
| Max. Diameter                      | 95mm                                              |
| Diameter of the Focus Gear Ring    | 88mm                                              |
| Diameter of the Aperture Gear Ring | 88mm                                              |
| Gear Pitch                         | mr0.8                                             |

|                                    |                          |                           |
|------------------------------------|--------------------------|---------------------------|
| Weight<br>(Lens Caps included)     | PL:1.066kg/2.35lbs       | EF: 1.058kg/2.33lbs       |
| Length<br>(Lens Caps not included) | PL<br>115.2mm/4.54inches | EF<br>123.2mm/4.135inches |



### Global Distributor Directory

|                                                         |                                                                                                                                                                       |                                                                                           |
|---------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
|                                                         | <p>News and Tutorials</p>  <p>YouTube</p>                                           |                                                                                           |
| <a href="http://mob.sirui.com">http://mob.sirui.com</a> | <a href="https://www.youtube.com/channel/UCG4fH7Gi0VrIQ9zLo-cNKCA?view_as=subscriber">https://www.youtube.com/channel/UCG4fH7Gi0VrIQ9zLo-cNKCA?view_as=subscriber</a> | <a href="https://www.facebook.com/SIRUIImaging">https://www.facebook.com/SIRUIImaging</a> |

Thank you for purchasing SIRUI products! SIRUI will provide a free warranty service if the product fails due to poor materials and workmanship under normal use. The global agents are ranked in no particular order. If after-sales service is required, please contact the local agent first.

**Headquarter of SIRUI Optical Co., Ltd.**

After-Sale Service-Hotline: 400 830 2299

Complaints Hotline: 181 6563 9388

**Singapore/T K Foto Technic Pte Ltd**

Address: Funan 107 North Bridge Rd #03-09 Singapore 179105

Tel: +65 6904 6610

Fax: +65 6904 6620

<http://www.tkfoto.com.sg>

E-mail: [ark@tkfoto.com.sg](mailto:ark@tkfoto.com.sg)

**India/Foto center Trading Pvt. Ltd**

Address: Foto Centre Trading Pvt.Ltd\* 303, 3rd Floor, Ravi Building, 189-191, Dr. D. N.

Road, Mumbai-400 001.Maharashtra, India

Tel: 0091-9820110120

<http://www.sirui.in>

E-mail: [info@sirui.in](mailto:info@sirui.in)

**Canada/LightPro Group Inc**

Address: 3206 Wharton Way Mississauga, ON L4X 2C1 Toll-Free: 1-[800-361-9682](tel:800-361-9682)

Tel: [905-940-9262](tel:905-940-9262)

<http://www.lightprogroup.com>

E-mail: [Sales@lightprogroup.com](mailto:Sales@lightprogroup.com)

**Kazakhstan/PSP Digital**

**Garantie Warranty**

**SIRUI Professional Photographic Equipment**

<http://mob.sirui.com>

| Product                                        | Warranty length |
|------------------------------------------------|-----------------|
| Tripods / Monopods / Heads / Accessories       | 6 years         |
| Humidity Control Cabinet (only Cabinet)        | 6 years         |
| Humidity Control Cabinet (Electronics)         | 3 years         |
| Filters / Smartphonetools / Electronic Devices | 2 years         |

Model .....

Date .....

Dealer .....

European Service Center:

SIRUI Optical GmbH

Ernst-Augustin-Str. 1a

12489 Berlin

Germany

Phone: +49 30 991 94 94 00

Email Address: [info@siruioptical.eu](mailto:info@siruioptical.eu)

SIRUI Optical GmbH, Ernst-Augustin-Str. 1a, 12489 Berlin, guarantees purchasers that this product will remain free from manufacturing and workmanship defects for 6 years from the date of purchase. Damage caused by mechanical damage, excessive heat, improper use, and loss is not covered by this warranty. This warranty is valid only in connection with this warranty card and a receipt issued in Europe.

Statutory rights — in particular the statutory warranty rights — remain unaffected. In the event of a warranty claim please contact the service center listed overleaf.

### **SIRUI USA, LLC**

For technical support, service, or repairs please, contact:

29 Commerce Court Verona, NJ 07044

[info@sirui.com](mailto:info@sirui.com)

Phone: [866-373-0829](tel:866-373-0829)

Thank you for your purchase of Sirui professional products! Sirui warrants that your purchase is free from defects in materials and workmanship, under normal use during the Limited Warranty period. The warranty period starts on the original date of purchase on your sales receipt. If service is required, please include a copy of the sales receipt and this warranty card, with an explanation of the problem. Please store your sales receipt and warranty card in a safe location.

| Product                    | Warranty period            |
|----------------------------|----------------------------|
| Tripods and Heads          | 6 years                    |
| Optical and Smart Products | 1 year (Battery: 6 months) |

|                           |                                   |
|---------------------------|-----------------------------------|
| Humidity Control Cabinets | 6 years (Electronic components: 3 |
|---------------------------|-----------------------------------|

Model purchased:.....

Date:.....

Store:.....

Serial number:.....

### **Sirui USA Limited Warranty**

This warranty is limited to the repair, adjustment, and/or replacement, at Sirui or its authorized distributor's option, of defective parts, free of charge (except the cost of transportation to the distributor/service center). Responsibility is limited to the actual cost of the item. Register online at [www.sirui.com](http://www.sirui.com). Call or email with questions or problems, before sending the product in for repair. For warranty service on products purchased in the USA, all shipping and insurance charges must be prepaid. Include a copy of the sales receipt, this warranty card, and an explanation of the problem. The product or defective part(s) may be sent through a local authorized SIRUI USA dealer or directly to the SIRUI USA distributor/service center indicated on this warranty card. Sirui will not be responsible for expenses or inconveniences, consequential damages to equipment or breach of any expressed or implied warranty. Out-of-warranty repairs – An estimate (including shipping costs) will be provided by the SIRUI USA distributor/service center indicated on this warranty card and repairs will begin once the estimate is approved and payment is received. A return shipping fee will be charged for refused estimates.

### **Limitations**

The warranty is non-transferable. This warranty covers all defects encountered in normal use of the equipment and does not apply in the following cases:


1. If the equipment has been serviced by other than an authorized Sirui distributor or service center.
2. Damage to the equipment due to modification, overloading, mishandling, abuse, accident, sand, corrosive, water damage, or not following operating instructions.
3. No valid proof of purchase is provided.
4. Damage caused by acts of nature (including, but, not limited to fires, floods, or

earthquakes).

**This warranty is only valid when the product is purchased from an authorized SIRUI USA dealer.**

**Please visit SIRUI's USA official website or consult the local dealer for the Return and Exchange Policy.**


## Documents / Resources

|                                                                                   |                                                                                                                                                                                                                              |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <a href="#">SIRUI ME-P172 Jupiter 50mm Macro T2 Full Frame Cine Prime Lens [pdf]</a><br>] User Manual<br>ME-P172 Jupiter 50mm Macro T2 Full Frame Cine Prime Lens, ME-P172, Jupiter 50mm Macro T2 Full Frame Cine Prime Lens |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## References

- [User Manual](#)

## Related Posts



[SIRUI 534981 Jupiter 35mm Macro T2 Full Frame Cine Prime Lens User Manual](#)

SIRUI 534981 Jupiter 35mm Macro T2 Full Frame Cine Prime Lens Main Parts EF Mount CD Top Lens...



[Rokinon SP 10mm F3.5 Full Frame lens Instruction Manual](#)

10mm F3.5 Instruction Manual Thank you for purchasing the Rokinon SP 10mm F3.5 Full Frame lens. Its high-performance...

[dji DJA2ML Action 2 Macro Lens User Guide](#)

Macro Lens Product Information v1.0 2021.10 WE ARE HERE FOR YOU Contact DJI



Facebook Messenger

[http://weixin.qq.com/q/02Y8HiZQ\\_2eF410000g03M...](http://weixin.qq.com/q/02Y8HiZQ_2eF410000g03M...)



[irix Cine Lens User Manual](#)

irix Cine Lens TH Swiss AG Switzerland

info@irixlens.com irixlens.com MAINTENANCE The lenses have an anti-reflective coating and are...

■ SIRUI

♦ Jupiter 50mm Macro T2 Full Frame Cine Prime Lens, ME-P172, ME-P172 Jupiter 50mm Macro T2 Full Frame Cine Prime Lens, SIRUI

---

## Leave a comment

Your email address will not be published. Required fields are marked \*

Comment \*

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

**Post Comment**

## Search:

e.g. whirlpool wrf535swhz

**Search**

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [About Us](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#) | [LinkedIn](#) | [FaceBook](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.