

## MÄRKPENNA Artline 400-XF, grön 27100171

Last changed: 25/06/2012

Internal No: 27100171

#### 1 Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

RELEVANT IDENTIFIED USES

Trade name / designationMÄRKPENNA Artline 400-XF, grön 27100171GROUP NAMEMärkpennor

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Metal. Plastic. Glass. Rubber.

Vendor art. number 27100155

#### 1.3 Details of the supplier of the safety data sheet

## NATIONAL MANUFACTURER/IMPORTER

AB THURE BÜNGER
BRUKSVÄGEN 4
342 35 ALVESTA
SVERIGE
+46 472 453 53

Farrier and the Black of the State of the St	Type of eccletopee	
1.4 Emergency Telephone Number		

Emergency Phone	Type of assistance	Opening Hours
	112	

### 2 Hazards identification

#### 2.1 Classification of the substance or mixture

**DPD Classification:** 

**CLP Classification:** 

Most important HSE hazard effects:

#### 2.2 Label elements

Signal word: None

EC-Label: No

#### COMPOSITION

Nafta (petroleum), hydrogenbehandlet tung; lavtkokende hydrogenbehandlet nafta ((50-60))

### SUPPLEMENTAL HAZARD INFORMATION (EU)

Not classified.

#### 2.3 Other hazards

### 3 Composition/information on ingredients

## 3.2 Mixtures



## MÄRKPENNA Artline 400-XF, grön 27100171

Last changed: 25/06/2012			Int	ternal No: 27100171		
Ingredient name	Reg.No	EC No.	CAS No.	Conc. (wt%)	DPD-Classification	CLP-classification
Nafta (petroleum), hydrogenbehandlet tung; lavtkokende hydrogenbehandlet nafta		265-150-3	64742-48- 9	(50-60)		Flam. Liq. 1 H224 Acute Tox. 4 H302 Carc. 1B H350

Full text of R-, H- and EUH-phrases: see section 16.

The EUH hazard statements mentioned in CLP-classification are only label elements.

## 4 First aid measures

# 4.1 Description of first aid measures

## INHALATION

Fresh air and rest.

#### INGESTION

DO NOT INDUCE VOMITING! Get medical advice if discomfort develops.

#### SKIN CONTACT

Wash off with soap and water.

#### EYE CONTACT

Rinse immediately with plenty of water. Get medical advice if discomfort continues.

## 4.2 Most important symptoms and effects, both acute and delayed

## 4.3 Indication of any immediate medical attention and special treatment needed

#### 5 Fire-fighting measures

### 5.1 Extinguishing media

#### SUITABLE EXTINGUISHING MEDIA:

CO2, foam, dry chemical.

### 5.2 Special hazards arising from the substance or mixture

## 5.3 Advice for fire-fighters

#### ADVICE FOR FIREFIGHTERS

Large fires: Respiratory protection may be necessary.

#### 6 Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

### 6.2 Environmental precautions

## 6.3 Methods and material for containment and cleaning up METHODS AND MATERIAL

Can be treated as ordinary waste.

## 6.4 Reference to other sections



## MÄRKPENNA Artline 400-XF, grön 27100171

Last changed: 25/06/2012

#### Internal No: 27100171

## 7 Handling and Storage

## 7.1 Precautions for safe handling PRECAUTION FOR SAFE HANDLING

Always keep away from sources of ignition.

## 7.2 Conditions for safe storage, including any incompatibilities CONDITION FOR SAFE STORAGE, INCLUDING ANY UNCOMPATIBILITIES

Keep container tightly closed and dry. Keep in a cool place. Keep away from ignition sources.

7.3 Specific end uses

### 8 Exposure controls / Personal protection

## 8.1 Control parameters

#### 8.2 Exposure controls

## APPROPRIATE ENGINEERING CONTROLS

Provide good ventilation.

#### EYE PROTECTION

Avoid contact with eyes.

## 9 Physical and chemical Properties

### 9.1 Information on basic physical and chemical properties

PHYSICAL STATE Not translated to English

ODOUR Not translated to English

Parameter	Value/unit	Method/reference	Observation
pH consentrate	No data		
pH in solution	No data		
Melting point	No data		
Freezing point	No data		
Initial boiling point and boiling range	No data		
Flash point	5 °C		
Evaporation rate	No data		
Flammability (solid, gas)	No data		
Flammability limits	No data		
Explotion limits	No data		
Vapour pressure	No data		
Vapour density	No data		
Relative density	No data		
Partition coefficient	No data		
Auto-ignition temprature	No data		
Decomposition temprature	No data		
Viscosity	No data		

## 9.2 Other safety information

Parameter	Value/unit	Method/reference	Observation
Density	0,9 - 1 g/cm <sup>3</sup>		



## MÄRKPENNA Artline 400-XF, grön 27100171

Last changed: 25/06/2012 Intern

Note no.

Comments

Internal No: 27100171

## 10 Stability and Reactivity

10.1 Reactivity

## 10.2 Chemical stability

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

## 10.5 Incompatible materials

10.6 Hazardous decomposition products:

## 11 Toxicological information

## 11.1 Toxicological effects

ACUTE TOXICITY - ORAL

Ingestion may cause:

## ACUTE TOXICITY - DERMAL

Irritant

## ACUTE TOXICITY - INHALATION

Prolonged or repeated exposure may cause: Vapours may cause drowsiness and dizziness.

## SERIOUS EYE DAMAGE/IRRITATION

May cause irritation/smarting.

## **12 Ecological information**

## 12.1 Toxicity

Nafta (petroleum), hydrogenbehandlet tung; lavtkokende hydrogenbehandlet nafta				
Test	Exposure time	Value/unit	Species	Source
EC50 (Acute Daphnia)	48h	2,6 mg/l	daphnia	
LC50 (Acute fish)	96h	220 mg/l	fisk	

## 12.2 Persistence and degradability

## 12.3 Bioaccumulative potential

12.4 Mobility in soil

## 12.5 Results of PBT and vPvB assessment

## 12.6 Other adverse effects

#### OTHER INFORMATION

Dangerous for the environment

## 13 Disposal considerations



## MÄRKPENNA Artline 400-XF, grön 27100171

Last changed: 25/06/2012

Internal No: 27100171

### 13.1 Waste treatment methods

#### GENERAL REGULATIONS

Can be treated as ordinary waste.EWC 080112Larger spill: Treat as dangerous waste.

## 14 Transport information

Classified as Dangerous Goods: No

Land transport			
14.1 UN-No.		14.4 Dooking	Netapplicable
14.1 011-110.	Not applicable.	14.4 Packing group	Not applicable.
14.2 Proper	Not applicable.	14.5	Not applicable.
Shipping	Not applicable.	Environmental	Not applicable.
Name		hazards	
14.3	Not applicable.		
Class(es)			
Hazard	Not applicable.		
label(s)			
Hazard ID:	Not applicable.	Tunnel	Not applicable.
		restriction	
		code	
Inland water w	ays transport (ADN)		
14.1 UN-No.	Not applicable.	14.4 Packing	Not applicable.
		group	
14.2 Proper	Not applicable.	14.5	Not applicable.
Shipping		Environmental	
Name		hazards	
14.3 Class(es)	Not applicable.		
Enviromentally	Not applicable.		
hazardous in			
tank-vessels			
Saa transport (	IMPC)		
Sea transport (			<b>K</b> 1 · · · · · · · · · · · · · · · · · · ·
14.1 UN-No.	Not applicable.	14.4 Packing	Not applicable.
14.2 Dropor	Not appliable	group 14.5	Not appliable
14.2 Proper Shipping	Not applicable.	Environmental	Not applicable.
Name		hazards	
14.3	Not applicable.	11020103	
Class(es)	Not applicable.		
Sub Risk:	Not applicable.		
	Not applicable.		
segregation	Not applicable.		
group			
Marine	Not applicable.		
pollutant			
EMS:	Not applicable.		
	· ·		
Air transport (I	CAO-TI / IATA-DGR)		
14.1 UN-No.	Not applicable.	14.4 Packing	Not applicable.
		group	•••
14.2 Proper	Not applicable.	14.5	Not applicable.
Shipping		Environmental	•••
Name		hazards	
14.3	Not applicable.		
Class(es)			
Hazard	Not applicable		

# 15 Regulatory information

Not applicable.

Hazard

label(s)

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



# MÄRKPENNA Artline 400-XF, grön 27100171

Last changed: 25/06/2012

Internal No: 27100171

## 15.2 Chemical Safety Assessment

## OTHER INFORMATION

Not classified.

## 16 Other information

#### VENDOR NOTES

Information in this safety data sheet is based on our present knowledge, and is intended to be a description of the health and safety aspects of the product.

## LIST OF RELEVANT R-PHRASES

R12	Extremely flammable.
R45	May cause cancer.
R65	Harmful: may cause lung damage if swallowed.

## LIST OF RELEVANT H-STATEMENTS

H224	Extremely flammable liquid and vapour.
H302	Harmful if swallowed.
H350	May cause cancer.