

MÄRKPENNA Artline 400-XF, gul 27100270

Last changed: 25/06/2012 Internal No: 27100270

1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name / designation MÄRKPENNA Artline 400-XF, gul 27100270

GROUP NAME Märkpennor

1.2 Relevant identified uses of the substance or mixture and uses advised against

RELEVANT IDENTIFIED USES

Metal. Plastic. Glass. Rubber.

Vendor art. number

27100155

1.3 Details of the supplier of the safety data sheet

NATIONAL MANUFACTURER/IMPORTER

Enterprise AB THURE BÛNGER
Address BRUKSVÄGEN 4
Postal code 342 35 ALVESTA
Country SVERIGE

Telephone +46 472 453 53

1.4 Emergency Telephone Number

Emergency Phone	Type of assistance	Opening Hours
	112	

2 Hazards identification

2.1 Classification of the substance or mixture

DPD Classification:

CLP Classification:

Most important HSE hazard effects:

2.2 Label elements

Signal word: None

EC-Label: No

COMPOSITION

Nafta (petroleum), hydrogenbehandlet tung; lavtkokende hydrogenbehandlet nafta ((50-60))

SUPPLEMENTAL HAZARD INFORMATION (EU)

Not classified.

2.3 Other hazards

3 Composition/information on ingredients

3.2 Mixtures



Last changed: 25/06/2012 Internal No: 27100270

Ingredient name	Reg.No	EC No.	CAS No.	Conc. (wt%)	DPD-Classification	CLP-classification
Nafta (petroleum), hydrogenbehandlet tung; lavtkokende hydrogenbehandlet nafta		265-150-3	64742-48- 9	(50-60)	,	Flam. Liq. 1 H224 Acute Tox. 4 H302 Carc. 1B H350

Full text of R-, H- and EUH-phrases: see section 16.

The EUH hazard statements mentioned in CLP-classification are only label elements.

4 First aid measures

4.1 Description of first aid measures

INHALATION

Fresh air and rest.

INGESTION

DO NOT INDUCE VOMITING!

Get medical advice if discomfort develops.

SKIN CONTACT

Wash off with soap and water.

EYE CONTACT

Rinse immediately with plenty of water. Get medical advice if discomfort continues.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

5 Fire-fighting measures

5.1 Extinguishing media

SUITABLE EXTINGUISHING MEDIA:

CO2, foam, dry chemical.

5.2 Special hazards arising from the substance or mixture

5.3 Advice for fire-fighters

ADVICE FOR FIREFIGHTERS

Large fires: Respiratory protection may be necessary.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.2 Environmental precautions

6.3 Methods and material for containment and cleaning up

METHODS AND MATERIAL

Can be treated as ordinary waste.

6.4 Reference to other sections



MÄRKPENNA Artline 400-XF, gul 27100270

Last changed: 25/06/2012 Internal No: 27100270

7 Handling and Storage

7.1 Precautions for safe handling

PRECAUTION FOR SAFE HANDLING

Always keep away from sources of ignition.

7.2 Conditions for safe storage, including any incompatibilities

CONDITION FOR SAFE STORAGE, INCLUDING ANY UNCOMPATIBILITIES

Keep container tightly closed and dry.

Keep in a cool place.

Keep away from ignition sources.

7.3 Specific end uses

8 Exposure controls / Personal protection

8.1 Control parameters

8.2 Exposure controls

APPROPRIATE ENGINEERING CONTROLS

Provide good ventilation.

EYE PROTECTION

Avoid contact with eyes.

9 Physical and chemical Properties

9.1 Information on basic physical and chemical properties

PHYSICAL STATE Not translated to English

ODOUR Not translated to English

Parameter	Value/unit	Method/reference	Observation
pH consentrate	No data		
pH in solution	No data		
Melting point	No data		
Freezing point	No data		
Initial boiling point and boiling range	No data		
Flash point	5 °C		
Evaporation rate	No data		
Flammability (solid, gas)	No data		
Flammability limits	No data		
Explotion limits	No data		
Vapour pressure	No data		
Vapour density	No data		
Relative density	No data		
Partition coefficient	No data		
Auto-ignition temprature	No data		
Decomposition temprature	No data		
Viscosity	No data		

9.2 Other safety information

Parameter	Value/unit	Method/reference	Observation
Density	0,9 - 1 g/cm ³		



MÄRKPENNA	Artline 400)-XF, gul 27100270	
Last changed: 25/06/2012			Internal No: 27100270
Note no.	Comment	S	
10 Stability and Reactivity			
10.1 Reactivity			
10.2 Chemical stability			
10.3 Possibility of hazardous reaction	ns		
10.4 Conditions to avoid			
10.5 Incompatible materials			
10.6 Hazardous decomposition produ	ucts:		
11 Toxicological information			
11 1 Toyicological offeets			
11.1 Toxicological effects ACUTE TOXICITY - ORAL			
Ingestion may cause:			
ACUTE TOXICITY - DERMAL			
Irritant			
ACUTE TOXICITY - INHALATION			
Prolonged or repeated exposure may cause: Vap	ours may cause	drowsiness and dizziness.	
SERIOUS EYE DAMAGE/IRRITATION			
May cause irritation/smarting.			
12 Ecological information			
12 Ecological illiormation			
12.1 Toxicity			
Nafta (petroleum), hydrogenbehandlet tung	1		
Test Exposure time EC50 (Acute Daphnia) 48h	Value/unit 2,6 mg/l	Species daphnia	Source
LC50 (Acute fish) 96h	220 mg/l	fisk	
12.2 Develotones and degradability			
12.2 Persistence and degradability			
12.3 Bioaccumulative potential			
12.4 Mobility in soil			
12.5 Results of PBT and vPvB assess	ment		
12 / Other adverse affects			
12.6 Other adverse effects OTHER INFORMATION			
Dangerous for the environment			
13 Disposal considerations			



MÄRKPENNA Artline 400-XF, gul 27100270

Last changed: 25/06/2012 Internal No: 27100270

13.1 Waste treatment methods

GENERAL REGULATIONS

Can be treated as ordinary waste. EWC 080112Larger spill: Treat as dangerous waste.

14 Transport information

Classified as Dangerous Goods: No

Land transpor	Land transport (ADR/RID)			
14.1 UN-No.	Not applicable.	14.4 Packing group	Not applicable.	
14.2 Proper Shipping Name	Not applicable.	14.5 Environmental hazards	Not applicable.	
14.3 Class(es)	Not applicable.			
Hazard label(s)	Not applicable.			
Hazard ID:	Not applicable.	Tunnel restriction code	Not applicable.	

Inland water wa	ys transport (ADN)			
14.1 UN-No.	Not applicable.	14.4 Packing group	Not applicable.	
14.2 Proper Shipping Name	Not applicable.	14.5 Environmental hazards	Not applicable.	
14.3 Class(es)	Not applicable.			
Enviromentally hazardous in tank-vessels	Not applicable.			

Sea transport	Sea transport (IMDG)				
14.1 UN-No.	Not applicable.	14.4 Packing group	Not applicable.		
14.2 Proper Shipping Name	Not applicable.	14.5 Environmental hazards	Not applicable.		
14.3 Class(es)	Not applicable.				
Sub Risk:	Not applicable.				
IMDG Code segregation group	Not applicable.				
Marine pollutant	Not applicable.				
EMS:	Not applicable.				

Air transport (Air transport (ICAO-TI / IATA-DGR)			
14.1 UN-No.	Not applicable.	14.4 Packing group	Not applicable.	
14.2 Proper Shipping Name	Not applicable.	14.5 Environmental hazards	Not applicable.	
14.3 Class(es)	Not applicable.			
Hazard label(s)	Not applicable.			

15 Regulatory information

 $15.1\ Safety,\ health\ and\ environmental\ regulations/legislation\ specific\ for\ the\ substance\ or\ mixture$



MÄRKPENNA Artline 400-XF, gul 27100270

Last changed: 25/06/2012 Internal No: 27100270

15.2 Chemical Safety Assessment

OTHER INFORMATION

Not classified.

16 Other information

VENDOR NOTES

Information in this safety data sheet is based on our present knowledge, and is intended to be a description of the health and safety aspects of the product.

LIST O	RELEVANT R-PHRASES
R12	Extremely flammable.
R45	May cause cancer.
R65	Harmful: may cause lung damage if swallowed.

LIST OF R	LIST OF RELEVANT H-STATEMENTS	
H224	Extremely flammable liquid and vapour.	
H302	Harmful if swallowed.	
H350	May cause cancer.	