

LogiLink®




Outdoor 3-Way Outlet with
Energy Cost Meter and
LCD Display

Art. No.: EM0008



Convenient Charging and Power Monitoring Solution

Spot inefficient electrical equipment in your household or in the garden. Set timer to save power cleverly while tracking energy usage. Help you to reduce your energy costs and reduce your electricity bill.



To Save Energy & Reduce Costs


Set the electricity tariff and you can check any appliance in the household or in the garden. Simply read the electricity consumption, electricity costs, duration of electricity consumption from the display.



Environmentally friendly

IP44

Splashproof protection lid for outdoor use



LCD

Easy Operation with Large LCD Display

5 display modes with real-time power monitoring, easy to operate with 3 buttons.



Realtime Monitoring



Time-based Billing



Precise Measurement



Safe to Use

3x CEE 7/3 output sockets with safety shutter and overload protection.



1.4 m cable with CEE 7/7 Safety plug



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.



EM0008



Made in China

Specification:

Rated Voltage	230 V~ 50 Hz, 16 A, 3600 W max.
Output Sockets	3x safety sockets CEE 7/3
Type of Plug	Safety plug CEE 7/7
Standby Power Consumption	0.5 W
Type of Socket	German socket CEE 7/3
Measurement Accuracy	±2%
Power Display Range	0.0–9999 W
Voltage Display Range	000.0–9999 V
Energy Consumption Display	0.0–6553 kWh
Electrical Cost Setting Range	00.00–99.99 kWh
Total Cost Display	0.00–9999 €
With Overload Protection	Yes
With Safety Shutter	Yes
Protection Class	IP44
LCD Display Size	2"
Buttons	Mode, UP, Reset
LED	Red
Cable Specification	H05RR-F 3G 1.5 mm ² , 1.4 m
Color	Black/Orange
Housing Material	PC
Operating Temperature	0–35°C
Operating Humidity	40–75% RH (non-condensing)
Dimensions	27.4 x 7 x 5.1 cm (without cable)
Weight	539 g

Package Contents:

- » 1x Outdoor 3-way Outlet
- » 1x User Manual

Package Information:

- » Packing Dimension: 290 x 130 x 65 mm
- » Packing Weight: 0.623 kg
- » Carton Dimension: 540 x 345 x 315 mm
- » Carton Q'ty: 20 pcs
- » Carton Weight: 11.45 kg



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

