


# IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761-2816 • (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



## CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at [pld.iapmo.org](http://pld.iapmo.org)

Effective Date: March 2018 -Rev. 8/8/2018- Void After: March 2019

Product: Ceramic Plumbing Fixtures File No. 2937

Issued To: Toto USA, Inc.  
5351 E. JURUPA ST.  
ONTARIO, CA 91761

Identification: Ceramic Plumbing Fixtures shall be marked with the manufacturer's name or registered trademark, or in the case of private labeling, the name of the customer for whom the fixture was manufactured. Markings shall be permanent, legible, and visible after installation.

The model number of close-coupled water closets shall be marked on both the tank and the bowl.

Water closets and urinals shall be marked to identify the average water consumption, expressed in litres and gallons per flush. The litre or gallon value may be stated first, at the manufacturer's option.

Gravity flush tanks shall be marked with a water level mark or with the information necessary to determine the water level in the tank needed to deliver the intended flush volume. This mark shall be applied to the ceramic body of the tank, the tank liner, or the flush valve overflow tube. The vertical distance between the water level mark and the lowest point of the tank overflow channel shall not exceed 38 mm (1.5 in).

Water closet tanks shall have a label indicating at least the following:  
(a) the telephone number or contact information of a service department from which end-users can obtain replacement parts;  
(b) the serial or part number of the flush valve seal; and  
(c) information on procuring replacement parts for maintaining the original flush volume.

All packaging shall be marked with the manufacturer's name or registered trademark; or in case of private labeling, the name of the customer for whom the fixture was manufactured and the model number. Packaging for water closets and urinals shall be marked with the water consumption in gpf and Lpf.

Each fixture shall be marked with the cUPC® certification mark. In the case where the tank and the bowl are sold separately, both shall have the certification mark.

Fixtures that require proprietary (i.e., non-standard) components, e.g., supply fittings, waste fittings, or water closet seats, shall indicate, in the packaging or the accompanying literature, that such components are provided by the manufacturer and shall identify the proper replacement parts.

Fixtures that do not comply with one or more of the dimensional requirements of this Standard shall be marked with an "N" to indicate the non-standard nature of the fixture.

Characteristics: Ceramic plumbing fixtures may include water closets, lavatories, urinals, bidets, service sinks and drinking fountains. To be installed in accordance with the manufacturer's instructions, the latest edition of the Uniform Plumbing Code, and the National Plumbing Code of Canada.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)  
National Plumbing Code of Canada  
International Plumbing Code (IPC®)

Products are in compliance with the following standard(s):

ASME A112.19.2-2013/CSA B45.1-13 including Update No. 1 dated October 2013

MODELS:

Note: These products are also in compliance with the requirements of the Chicago Plumbing Code

**WATER CLOSETS:**

<u>Model No.</u>	<u>Description</u>	<u>CLASS</u>	<u>GPF</u>
CST243EF	2pc toilet (C243EF bowl + ST243E tank)	HET	1.28
CST244EF	2pc toilet (C244EF bowl + ST243E tank)	HET	1.28
CST404CEF(G)	Gravity fed, C404CUF(G) bowl & ST403E tank,	HET	1.28
CST404CUF(G)	Gravity fed, C404CUF(G) bowl & ST403U tank	HET	1.0
CST405F	2pc toilet (C405F bowl + ST406 tank)	L/C	1.6
CST406F	2pc toilet (C406F bowl + ST406 tank)	L/C	1.6
CST423EF	2pc toilet (C423EF bowl + ST423E tank or ST424E tank)1	HET	1.28
CST423SF	2pc toilet (C423EF bowl + ST423S tank or ST424S tank)1	L/C	1.6
CST424EF	2pc toilet (C424EF bowl + ST423E tank or ST424E tank)1	HET	1.28
CST424SF	2pc toilet (C424EF bowl + ST423S tank or ST424S tank)1	L/C	1.6
CST453CEFG	2 pc toilet (C453CUFG-Bowl, ST454E-Tank)	HET	1.28
CST453CUFG	2 pc toilet (C453CUFG-Bowl, ST453U-Tank)	HET	1.28
CST454CEF	2pc toilet (C454CEF bowl + ST454E tank)	HET	1.28
CST454CUFG	2pc toilet (C454CUFG bowl + ST453U tank)	HET	1.00
CST604CUF(G)	One-Piece, Gravity Feed, Elongated Bowl, Siphon Wash, ADA, Water Closet (may be sold as MS604114CUF)	HET	1.00
CST604CEF	One-Piece, Gravity Feed, Elongated Bowl, Siphon Wash, ADA, Water Closet (may be sold as MS604***CEF)	HET	1.28
*CST474CEF	2pc toilet (CT474CEF bowl+ ST454E tank), ADA	HET	1.28
*CST474CUFG	2pc toilet (CT474FUFU bowl+ ST453U tank), ADA	HET	1.0
*CST614CEF	One-Piece, Gravity Feed, Elongated Bowl, Siphon Wash, ADA, Water Closet (may be sold as MS614***CEF)	HET	1.28
*CST614CUF	One-Piece, Gravity Feed, Elongated Bowl, Siphon Wash, ADA, Water Closet (may be sold as MS614***CUF)	HET	1.0
*CST624CEF	One-Piece, Gravity Feed, Elongated Bowl, Siphon Wash, ADA, Water Closet (may be sold as MS624***CEF)	HET	1.28
*CST626CEF	One-Piece, Gravity Feed, Elongated Bowl, Siphon Wash, ADA, Water Closet (may be sold as MS626***CEF)	HET	1.28
CST634CEF	One-Piece, Gravity Feed, Elongated Bowl, Siphon Wash, ADA, Water Closet (may be sold as MS634***CEF)	HET	1.28
*CST644CEF	One-Piece, Gravity Feed, Elongated Bowl, Siphon Wash, ADA, Water Closet (may be sold as MS644***CEF)	HET	1.28
CST703(X).10	Bowl#C703.10/Tank#ST703 or ST706 close-coupled reg. rim, 10" rough-in	L/C	1.6
CST703.14	Bowl#C703/Tank#ST701, 14" rough-in	L/C	1.6
CST704	Bowl#C704/Tank#ST703 close-coupled elongated rim	L/C	1.6
CST704.10	2 piece, close-coupled, 10" rough-in, elongated (C704.10bowl/ST703tank or ST706)	L/C	1.6
CST704.14	Bowl#C704/Tank#ST701, rough-in	L/C	1.6
CST704L	Bowl#C704L/Tank#ST703 close-coupled elongated rim	L/C	1.6
CST704L.14	Bowl#C704L/Tank#ST701, rough-in	L/C	1.6
CST715	Bowl#C715/Tank#ST706 (May be followed by a "D")	L/C	1.6
CST715.10	Bowl#C715.10/Tank#ST706 (May be followed by a "D", i.e.: ST706D to denote an insulated tank) tank close-coupled reg. rim, 10"rough-in	L/C	1.6
CST716	Bowl#C716/TANK#ST706 (May be followed by a "D")	L/C	1.6
CST716.10	Bowl#C716.10/Tank#ST706 (May be followed by a "D", i.e.: ST706D to denote an insulated tank) tank close-coupled elongated rim	L/C	1.6
CST723	Bowl#C723/Tank#ST723, close-coupled, elongated rim, Siphon wash	L/C	1.6
CST724	Bowl#C724/Tank#ST723, gravity fed, one-piece tank close-coupled elongated rim	L/C	1.6
CST733F	Gravity Fed, close-coupled, low consumption, round rim contour, 12" rough-in, Bowl#C733F, Tank#ST733	L/C	1.6

CST734F	Gravity fed, close-coupled, low consumption, elongated rim contour, 12" rough-in, Bowl#C734F, Tank#ST733	L/C	1.6
CST743E	Two-piece, gravity, round rim (bowl #C743E, tank #ST743E)	HET	1.28
CST743EN	Two-piece, gravity, round rim (bowl #C743E, tank #ST744E)	HET	1.28
CST743SD	Drake" C743E or S Bowl/ST743SD Tank	L/C	1.6
CST743ST09	Drake" Bowl#C743E or S/Tank#ST743S09	L/C	1.6
CST744E	Two-piece, gravity, elongated (bowl #C744E, tank #ST743E)	HET	1.28
CST744EF.10	Eco Drake C744EF.10 bowl / ST743E tank	HET	1.28
CST744EFN.10	Eco Drake C744EF.10 bowl / ST744E tank	HET	1.28
CST744EL	Two-piece, gravity, elongated (bowl #C744EL tank #ST743E)	HET	1.28
CST744ELN	Two-piece, gravity, elongated (bowl #C744EL tank #ST744E)	HET	1.28
CST744EN	Two-piece, gravity, elongated (bowl #C744E, tank #ST744E)	HET	1.28
CST744SLT09	Bowl#C744EL/Tank#ST743ST09 close-coupled elongated Handicapped	L/C	1.6
CST744ST09	2 Piece W. C. Gravity (C744S bowl/ST743ST09)	L/C	1.6
CST754EF	Two-Piece, Gravity Feed, Elongated Bowl, Siphon Wash, ADA, Water Closet (ST753E Tank/ C754EF Bowl)	HET	1.28
CST754EFN	Two-Piece, Gravity Feed, Elongated Bowl, Siphon Wash, ADA, Water Closet (ST754E Tank/ C754EF Bowl)	HET	1.28
CST754SF(N)	Gravity fed, close-coupled elongated rim contour, 12" Rough-in (C754EF bowl + ST754S or ST753S)	L/C	1.6
CST754SFN	Gravity fed, close-coupled, elongated rim contour, 12" rough-in, vitreous china (C754EF bowl/ST754S Tank)	L/C	1.6
CST756SF	Gravity fed, close-coupled elongated rim contour, 12" Rough-in Sold as MS756***SF, tankST755S/bowl C756SF/bowl w/seat CM756***SF	L/C	1.6
*CST764SG	Bowl#CT764SG/Tank#ST707S, closed-coupled, elongated rim, siphon-wash	L/C	1.6
*CST774S	Gravity fed, 2 piece, elongated bowl (10", 12" and 14" rough-in) (Bowl#CT774S/Tank#ST774S)	L/C	1.6
CST784EF	Two-Piece, Gravity Feed, Elongated Bowl, Siphon Wash, ADA, Water Closet (ST784E Tank/ C784EF Bowl)	HET	1.28
CST784SF	Gravity fed, close-coupled, low consumption, elongated rim contour, 12" rough-in, (C784EF bowl+ST784S tank)	L/C	1.6
CST794EF	Two-piece, gravity, elongated (bowl #CT794EF tank #ST794E)	HET	1.28
CST794SF	2 Piece W. C. Gravity (CT794EF bowl+ST794S tank)	L/C	1.6
*CST804S	Bowl#CT804S/Tank#ST804S, close coupled, gravity fed, elongated bowl	L/C	1.6
CST814CEF(G)	Gravity fed, one piece (Sold as MS814***CEF(G))	HET	1.28
CST814CUF(G)	Gravity fed, one piece (Sold as MS814***CUF(G))	HET	1.0
CST853	Gravity fed, one piece (Sold as MS853***)	L/C	1.6
CST853E	One-piece, gravity, round rim top contour, siphon wash Sold as MS853***E	HET	1.28
CST853S	Gravity fed, one piece (Sold as MS853***S)	L/C	1.6
CST854	Gravity fed, one piece (Sold as MS854***)	L/C	1.6
CST854E	One-piece, gravity, elongated rim top contour, siphon wash Sold as MS854***E	HET	1.28
CST854EL	One-piece, gravity, elongated rim top contour, siphon wash Sold as MS854***EL	HET	1.28
CST854S	Gravity fed, one piece (Sold as MS854***S)	L/C	1.6
CST854SL	Gravity fed, one piece, elongated, siphoned wash ADA (Sold as MS854***SL)	L/C	1.6
CST863	Gravity fed, one piece (Sold as MS863***)	L/C	1.6
CST863E	One-piece, gravity, round rim top contour, siphon wash Sold as MS863***E	HET	1.28
CST864	Gravity fed, one piece (Sold as MS864***)	L/C	1.6
CST864E	One-piece, gravity, elongated rim top contour, siphon wash Sold as MS864***E	HET	1.28
CST864L	Gravity fed, one piece, elongated, siphoned wash ADA (sold as MS864***L)	L/C	1.6
CST866	Gravity fed, one piece (Sold as MS866***)	L/C	1.6
*CST874S	Gravity fed, one piece (Sold as MS874***S)	L/C	1.6
*CST884	Gravity fed, one piece (Sold as MS884***)	L/C	1.6
CST894	Gravity fed, one piece (Sold as MS894***)	L/C	1.6
*CST904	Gravity fed, one piece (Sold as MS904***)	L/C	1.6
*CST914	Gravity fed, one piece (Sold as MS914***)	L/C	1.6
CST924F	One-Piece, Elongated Rim Top Contour (Sold as MS924154)		
*CST934EF	One-piece, gravity, elongated rim top contour, siphon wash (Sold as MS934***EF)	HET	1.28
*CST934SF	Gravity fed, one-piece, elongated rim contour, 12" rough-in, vitreous china (Sold as MS934***SF)	L/C	1.6
*CST964CEF	One-piece, gravity, elongated rim top contour, siphon wash (Sold as MS964***CEF)	HET	1.28
CST964CF	Gravity fed, one-piece, elongated rim top contour, 12" rough-in, ADA (Sold as MS964***CF)	L/C	1.6
*CST974CEF	1pc toilet sold as MS974***CEF	HET	1.28
*CST974CF	Gravity fed, one-piece, low consumption, elongated rim top Contour, modular rough-in, vitreous china water closet (sold as MS974***CF)	L/C	1.6
CT418FG	Aquia wall hung toilet (when used w/ single flush carrier)	L/C	1.6
CT705	Flushometer type elongated rim	L/C	1.6
CT705E	Floor Mount, floor outlet commercial bowl	HET	1.28
CT705EL	Floor Mount, floor outlet commercial bowl, ADA height	HET	1.28
CT705ELN	Floor Mount, floor outlet commercial bowl, ADA height	HET	1.28
CT705EN	Floor Mount, floor outlet commercial bowl	HET	1.28
CT705H	1 Piece Flushometer type, elongated bowl (To be used w/listed Flushometer valves)	L/C	1.6
CT705L	Flushometer type elongated rim, handicapped	L/C	1.6

CT705LH	1 Piece handicapped Flushometer type elongated bowl (To be used w/listed Flushometer valves)	L/C	1.6
CT705UN(G) (X)	***Floor-Mounted, Flushometer Toilet for 1.0/1.28/1.6 GPF Flush Valve		
CT705ULN(G) (X)	***Floor-Mounted, Flushometer ADA Toilet for 1.0/1.28/1.6 GPF Flush Valve		
CT708U(V) (G) (X)	***Wall-Mounted Flushometer Toilet for 1.0/1.28/1.6 GPF Flush Valve		
CT708(V)	Wall-hung Flushometer type bowl	L/C	1.6
CT708E(V)	Wall mount, wall outlet commercial bowl, V type is rear spud inlet	HET	1.28
CT708H	1 Piece Flushometer type elongated bowl (To be used w/listed Flushometer valves)	L/C	1.6
MS984244CFG	1-Piece Toilet	L/C	1.6
T*CST744S	Bowl#C744E/Tank#ST743S	L/C	1.6
TCST743S	Drake" Bowl#C743E or S/Tank#ST743S	L/C	1.6
TCST744SL	Bowl#C744EL/Tank#ST743S close-coupled elongated Handicapped	L/C	1.6

T = using WDI B3834E fill valve & WDI B4800G flush valve

Above model may appear with the following suffixes:

B = lid and tank bolt down kit, G = Sanagloss finish, R = right hand trip lever.  
\*12" Rough-In with optional 10" & 14" Rough-In, X= Recycled Water

Note: Certain toilet models may be packaged and sold with different seat combinations for which an alternate model nomenclature from the "CST" form is utilized. In these cases, the model number may start with an MS or MW, followed by the 3 digit numerical toilet model number, followed by a 3 digit toilet seat model number (\*\*\*), followed by any combination of finish and trim codes "#YZ". Seat model numbers can be 000-999. Finish and trim codes may be 00-99

Footnotes: 1Tanks are same design but different model number is used to distinguish alternate manufacturing location.

#### **BISETS**

<u>MODEL NO.</u>	<u>DESCRIPTION</u>
cBT500A	Vitreous China bidet for deck mounted faucet
BT500B	Vitreous China bidet for deck mounted faucet
BT774B	Vitreous China bidet for deck mounted faucet
BT784B	Vitreous China bidet for deck mounted faucet
BT904A	Vitreous China bidet for deck mounted faucet
BT930B	Vitreous China bidet for deck mounted faucet

#### **URINALS**

<u>MODEL NO.</u>	<u>DESCRIPTION</u>	<u>CLASS</u>	<u>GPF</u>
UT370	Flushometer type washout back spud	L/C	1.0
UT370V	Flushometer type washout top spud	L/C	1.0
UT447	Flushometer type washout back spud	L/C	1.0
UT447V	Flushometer type washout top spud	L/C	1.0
UT104	Flushometer type washout top spud	L/C	1.0
UT104V	Flushometer type washout back spud	L/C	1.0
UT930	Flushometer w/ 3/4" Top Spud and 1-1/2" IPS Outlet	L/C	1.0
UT104E(V) (X)	Wall mount urinal, V type is rear spud inlet	HEU	0.5
UT105U(V) (X)	Wall mount urinal, V type is rear spud inlet	HEU	0.13
UT445U(X)	Wall mount urinal, Top Spud Inlet	HEU	0.125
UT445U(V) (X)	Wall mount urinal, Back Spud Inlet	HEU	0.125
UT447E(V) (X)	Wall mount urinal, V type is rear spud inlet	HEU	0.5

Above model may appear with the following suffixes:

G = Sanagloss finish  
X = Recycled Water

#### **LAVATORIES:**

Available in wall hung, pedestal, drop-in and self rimming configurations.

<u>MODEL NO.</u>	<u>DESCRIPTION</u>
LHT241	(combination of either LT241G, LT241.4G or LT241.8G Bowl and HT242 trap cover)
LHT242	(combination of either LT242G, LT242.4G or LT242.8G bowl and HT242 trap cover)
LPT223.1	Pedestal Lavatory (LPT223=LT223+PT223)
LPT223.4	Pedestal Lavatory 4" CC (LPT223.4=LT223.4+PT223)
LPT223.8	Pedestal Lavatory 8" CC (LPT223.8=LT223.8+PT223)
LPT237	Pedestal Lavatory (LPT237=LT237+PT237)
LPT237.4	Pedestal Lavatory 4" CC (LPT237.4=LT237.4+PT237)
LPT239	Pedestal Lavatory (LPT239=LT239+PT239)
LPT239.4	Pedestal Lavatory 4" (LPT239.4=LT239.4+PT239)
LPT239.8	Pedestal Lavatory 8" (LPT239.8=LT239.8+PT239)
LPT241	(combination of either LT241G, LT241.4G, or LT241.8G Bowl and either PT243 pedestal or HT 242 trap cover)
LPT242	(combination of either LT242G, LT242.4G or LT242.8G bowl and either PT243 pedestal or HT 242 trap cover)
LPT243	Pedestal Lavatory (LPT243 = LT243+PT243)
LPT243.4	Pedestal Lavatory 4"center (LPT243.4 = LT243.4+PT243)
LPT243.8	Pedestal Lavatory 8"center (LPT243.8 = LT243.8+PT243)
LPT315	Pedestal Lavatory Single Hole (LPT315=LT315+PT315)

LPT315.4 Pedestal Lavatory 4" Centers (LPT315.4=LT315.4+PT315)  
LPT315.8 Pedestal Lavatory 8" Centers (LPT315.8=LT315.8+PT315)  
LPT325 Pedestal Lavatory Single Hole (LPT325=LT325+PT325)  
LPT325.4 Pedestal Lavatory 4" Centers (LPT325.4=LT325.4+PT325)  
LPT325.8 Pedestal Lavatory 8" Centers (LPT325.8=LT325.8+PT325)  
LPT510 Pedestal Lavatory (LPT510=LT510+PT511)  
LPT510.4 Pedestal Lavatory 4" (LPT510.4=LT510.4+PT511)  
LPT510.8 Pedestal Lavatory 8" (LPT510.8=LT510.8+PT511)  
LPT530N Pedestal Lavatory Single Hole (LPT530N=LT530+PT530N)  
LPT530.4N Pedestal Lavatory 4" CC (LPT530.4N=LT530.4+PT530N)  
LPT530.8N Pedestal Lavatory 8" CC (LPT530.8N=LT530.8+PT530N)  
LPT532N(.4N,.8N) Pedestal Lavatory (LPT532N/.4N/.8N=LT532/.4/.8+PT530N)  
LPT620N(.4N,.8N) Pedestal Lavatory (LPT620N,.4N,.8N=LT620,LT620.4,LT620.8+PT620N)  
LPT630N(.4N,.8N) Pedestal Lavatory (LPT630N,.4N,.8N=LT630,LT630.4,or LT630.8+PT630N)  
LPT640 (combination of LT640, LT640.4 or LT640.8 bowl and PT640 pedestal)  
LPT642 Pedestal Lavatory (LPT642=LT642+PT642)  
LPT642.4 Pedestal Lavatory 4" (LPT642.4=LT642.4+PT642)  
LPT642.8 Pedestal Lavatory 8" (LPT642.8=LT642.8+PT642)  
LPT660(.4/.8) Lavatory series (660/660.4/660.8)-Pedestal Lavatory with different  
hole punching variations (LPT660(.4/.8G)= LT660(.4/.8G)+PT660)  
LPT670 Pedestal Lavatory with Single Hole Punchings for Faucets  
(LPT670=LT670+PT670)  
LPT670.4 Pedestal Lavatory with 4" Punchings for faucets  
(LPT670.4=LT670.4+PT670)  
LPT670.8 Pedestal Lavatory with 8" Punchings for Faucets  
(LPT670.8=LT670.8+PT670)  
LPT680(.4/.8) Lavatory series (680/680.4/680.8)-Pedestal Lavatory with different hold  
punching variations (LPT680(.4/.8G)= LT680(.4/.8G)+PT680)  
LPT690 Pedestal Lavatory with Single Hole Punchings for faucets  
(LPT690=LT690+PT690)  
LPT690.4 Pedestal Lavatory with 4" Punchings for faucets  
(LPT690.4=LT690.4+PT690)  
LPT690.8 Pedestal Lavatory with 8" Punchings for Faucets  
(LPT690.8=LT690.8+PT690)  
LPT750 Pedestal Lavatory (LPT750=LT750+PT750)  
LPT750.4 Pedestal Lavatory, 4" (LPT750.4=LT750.4+PT750)  
LPT750.8 Pedestal Lavatory, 8" (LPT750.8=LT750.8+PT750)  
LPT754 Pedestal Lavatory (LPT754=LT754+PT754)  
LPT754.4 Pedestal Lavatory, 4" (LPT754.4=LT754.4+PT754)  
LPT754.8 Pedestal Lavatory, 8" (LPT754.8=LT754.8+PT754)  
LPT770 Pedestal Lavatory (LPT770=LT770+PT770)  
LPT770.4 Pedestal Lavatory, 4" (LPT770.4=LT770.4+PT770)  
LPT770.8 Pedestal Lavatory, 8" (LPT770.8 =LT770.8+PT770)  
LPT780 Pedestal Lavatory (LPT780=LT780+PT780)  
LPT780.4 Pedestal Lavatory, 4" (LPT780.4=LT780.4+PT780)  
LPT780.8 Pedestal Lavatory, 8" (LPT780.8=LT780.8+PT780)  
LPT790,.4,.8 Pedestal Lavatory (LPT790,.4,.8=LT790, LT790.4, or LT790.8+PT790)  
LPT890 Pedestal Lavatory (LPT890=LT890+PT890)  
LPT890.4 Pedestal Lavatory, 4" (LPT890.4=LT890.4+PT890)  
LPT890.8 Pedestal Lavatory, 8" (LPT890.8=LT890.8+PT890)  
LPT908N Pedestal Lavatory (LPT908N=LT908+PT908N)  
LPT908.4N Pedestal Lavatory, 4" (LPT908.4N=LT908.4+PT908N)  
LPT908.8N Pedestal Lavatory, 8" (LPT908.8N=LT908.8+PT908N)  
LPT930 Pedestal Lavatory (LPT930=LT930+PT930)  
LPT930.4 Pedestal Lavatory, 4" (LPT930.4=LT930.4+PT930)  
LPT930.8 Pedestal Lavatory, 8" (LPT930.8=LT930.8+PT930)  
LPT960 Pedestal Lavatory with Single Hole (LPT960=LT960+PT960)  
LPT960.4 Pedestal Lavatory with 4" Faucet Centers (LPT960.4=LT960.4+PT960)  
LPT960.8 Pedestal Lavatory with 8" Faucet Centers (LPT960.8=LT960.8+PT960)  
LPT962 Pedestal Lavatory with Single Hole Punchings for Faucets  
(LPT962=LT962+PT960)  
LPT962.4 Pedestal Lavatory with 4" Punchings for Faucets  
(LPT962.4=LT962.4+PT960)  
LPT962.8 Pedestal Lavatory with 8" Punchings for Faucets  
(LPT962.8=LT962.8+PT960)  
LPT970 Pedestal lavatory with Single Hole Punchings for Faucets  
(LPT970=LT970+PT970)  
LPT970.4 Pedestal Lavatory with 4" Punchings for Faucets  
(LPT970.4=LT970.4+PT970)  
LPT970.8 Pedestal Lavatory with 8" Punchings for Faucets  
(LPT970.8=LT970.8+PT970)  
LPT972 Pedestal Lavatory with Single Hole (LPT972=LT972+PT970)  
LPT972.4 Pedestal Lavatory with 4" Faucet Centers (LPT972.4=LT972.4+PT970)  
LPT972.8 Pedestal Lavatory with 8" Faucet Centers (LPT972.8=LT972.8+PT970)  
LT973G Under-mount lavatory  
LT180 Self-rimming Lavatory  
LT181 Undercounter Lavatory  
LT182 Self-rimming Lavatory  
LT183 Undercounter Lavatory  
LT185 Lavatory  
LT191 Undercounter Lavatory  
LT193 Undercounter Lavatory  
LT221 Undermount Lavatory  
LT223.1 Wall-Hung Lavatory  
LT223.4 Wall-Hung Lavatory 4" CC  
LT223.8 Wall-Hung Lavatory 8" CC  
LT231 Undermount Lavatory  
LT233 Undermount Lavatory

LT237.1	Wall-Hung Lavatory
LT237.4	Wall-Hung Lavatory 4" CC
LT307.1	Wall-Hung Lavatory
LT307.4	Wall-Hung Lavatory 4" CC
LT307.8	Wall-Hung Lavatory 8" CC
LT308 (A)	Single hole, 4" & 11" Punchings, wheelchair lavatory, wall-hung, "A" represents optional soap dispenser hole drilling
LT308.4 (A)	Single hole, 4" & 11" Punchings, wheelchair lavatory, wall-hung, "A" represents optional soap dispenser hole drilling
LT308.11 (A)	Single hole, 4" & 11" Punchings, wheelchair lavatory, wall-hung, "A" represents optional soap dispenser hole drilling
LT380	Counter-mounted, Vessel Lavatory w/ No Overflow
LT382	Drop-In Lavatory w/No Overflow Drain Hole or Openings for Supply Fittings
LT401	Oval, Self-Rimming Lavatory
LT401.4	Oval, Self-Rimming Lavatory
LT401.8	Oval, Self-Rimming Lavatory
LT402	Round, Self-Rimming Lavatory
LT402.4	Round, Self-Rimming Lavatory
LT402.8	Round, Self-Rimming Lavatory
LT480	Vessel Lavatory
LT481	Undercounter Lavatory
LT483	Undercounter Lavatory
LT491	Undercounter Lavatory
LT501.4	Oval, Drop-in Lavatory 4" CC
LT501.8	Oval, Drop-in Lavatory 8" CC
LT502.4	Round, Drop-in Lavatory 4" CC
LT502.8	Round, Drop-in Lavatory 8" CC
LT511 (.4, .8)	20" x 17" Self-Rimming Lavatory
LT512 (.4, .8)	20" x 17" Self-Rimming Lavatory
LT521	Pedestal Lavatory
LT521.4	Pedestal Lavatory 4"
LT521.8	Pedestal Lavatory 8"
LT523	Countertop Vessel Lavatory
LT524	Countertop Vessel Lavatory
LT531 (.4) (.8)	Self-Rimming Lavatory
LT533	Undercounter Lavatory
LT540	Undercounter Lavatory
LT542G	Undercounter Lavatory
LT546	Undercounter Lavatory
LT548	Undercounter Lavatory
LT553	Undercounter Lavatory
LT569	Oval, Undermount Lavatory
LT572	Round, Vessel Lavatory
LT573	Round, Vessel Lavatory
LT574	Square, Vessel Lavatory
LT577	Undercounter Lavatory
LT579 (.4, .8)	17" x 14" Undercounter Lavatory
LT587	Oval, Undermount Lavatory
LT597 (.4 .8)	19" x 15" Undercounter Lavatory
LT621	Self-Rimming Lavatories
LT621.4	Self-Rimming Lavatories
LT621.8	Self-Rimming Lavatories
LT624	Undercounter Lavatory
LT626	Undercounter Lavatory
LT631	Self-Rimming Lavatories
LT631.4	Self-Rimming Lavatories
LT631.8	Self-Rimming Lavatories
LT641	Undermount Lavatory
LT643	Undermount Lavatory
LT645	Vessel Lavatory
LT645.4	Vessel Lavatory
LT645.8	Vessel Lavatory
LT650	Wall Hung Lavatory
LT751	Self-rimming lavatory w/Punchings for Centerset Hole Only Supply Fittings
LT751.4	Self-rimming Lavatory w/Punchings for Centerset Supply Fittings
LT751.8	Self-rimming Lavatory w/Punchings for Separate Faucet and Combination Fittings
LT753	Self Rimming Lavatory w/Punchings for Centerset Hole Only Supply Fittings
LT753.4	Self Rimming Lavatory w/Punchings for Centerset Supply Fittings
LT753.8	Self Rimming Lavatory w/Punchings for Separate Faucets and Combination Supply Fittings
LT771	Self-rimming lavatories
LT771.4	Self-rimming lavatories
LT771.8	Self-rimming lavatories
LT781	Self-rimming lavatories
LT781.4	Self-rimming lavatories
LT781.8	Self-rimming lavatories
LT791	Self-rimming Lavatory (.4, .8)
LT909	Single hole, spread self rimming
LT909.4	Single hole, 4" spread self-rimming
LT909.8	Single hole, 8" spread self-rimming
LT931	Undermount Lavatory
LT963	Self-Rimming Lavatory with Single Hole
LT963.4	Self-Rimming Lavatory with 4" Faucet Centers
LT963.8	Self-Rimming Lavatory with 8" Faucet Centers

LT967	Undercounter Lavatory
LT971	Drop-In Lavatory with Single Hole Punchings for Faucets
LT971.4	Drop-In Lavatory with 4" Punchings for Faucets
LT971.8	Drop-In Lavatory with 8" Punchings for Faucets
LT987	Drop-In Lavatory with Single Hole Punching for Faucets
LT994G	Self-rimming lavatorywith no overflow, with drain vent opening
LT995G	Self-rimming lavatorywith no overflow, with drain vent opening

**NON-VITREOUS CHINA FIXTURES:**

MODELS:

<u>Lavatory Models</u>	<u>Description</u>
LT155/LT155.8	Self-rimming
LT156	Under-counter
LT171/LT171.8	Vessel
LT172/LT172.8	Vessel
LT415G (.4, .8)	Rectangle, Vessel Lavatory
LT416G (.8)	Rectangle, Vessel Lavatory
LT425G	Rectangle, Vessel Lavatory
LT426G	Rectangle, Vessel Lavatory
LT475G	Rectangle, Vessel Lavatory
LT476G	Rectangle, Vessel Lavatory

**Neorest Lavatory:**

Lavatory (with faucet): LFC991G(Q)  
 Lavatory (without faucet) TCU991G

Above models may appear with following suffixes:

"G" to denote a custom glaze finish (SanaGloss)  
 "T20" to denote custom hole punchings  
 "T40" to denote custom hole punchings  
 "#XX" where XX may be 01-99 to denote color finish

These products are in compliance with the requirements of the International Plumbing Code (IPC®).