



## PRESENTING OUR NEWEST INNOVATION

# ***Charging Cable Management System***

Organize and protect heavy charging cables while providing convenient access to charging connectors. The Charging Cable Management System (CR-ARM) is an all-in-one, freestanding cable retractor system for industrial electric vehicles.

### **Cable Management for Heavy Duty Charging Equipment**

Adjustable counterweights safely retract cables up to 100 pounds (45 kilograms), keeping them elevated overhead between uses. An articulating support arm rotates 165 degrees, providing convenient access to charging connectors. This steel, powder-coated cable management system is ideal for any heavy equipment with rechargeable batteries.



#### **Manages Heavy Cables**

Welded steel construction and heavy duty counterweights protect cables that are too heavy for standard cable retractors.



#### **Easy Access to EV Charging Ports**

An articulating steel supporting arm delivers charging cables to multiple positions, while retractors extend reach up to 5 feet (1.5 meters).



#### **Installs Anywhere**

A compact steel upright bolts directly into floors, bringing robust cable management to virtually any charging area.



#### **Configurable to Task**

Adjustable counterweights lift a variety of charging cables, with clamp sizes to match. Custom features and designs available on request.

**CONTACT THE BHS SALES TEAM FOR MORE INFORMATION ABOUT THIS PRODUCT**

Flip sheet over to learn more about this warehouse solution. [sales@bhs1.com](mailto:sales@bhs1.com) [1.800.BHS.9500](tel:1800BHS9500)

## CABLE MANAGEMENT

# CHARGING CABLE MANAGEMENT SYSTEM

### 11-Foot Reach



Pull charging cables up to 11 feet (3.4 meters) to connect to vehicles

### Supports Heavy Cables

Ideal for heavy duty cables up to 100 pounds (45 kg) and 17 feet (5.2 m)

### Custom Solutions

Custom sizes, capacities, and engineered models available on request. Contact BHS at 1.800.BHS.9500 for more information.



### Adjustable Counterweights

Adjustable counterweights accommodate a variety of charger cables

### Fits Any Cable

Multiple clamp sizes available to match cable diameter

### Space-Saving Mount



Free-standing post bolts to the floor, occupying a compact footprint

### Auto-Retracting Cable

Counterbalance pulley system retracts charging cable between uses

### Durable Steel Build

Welded steel construction with a powder-coat finish for durability

### Wide-Range Articulating Arm



An articulating support arm travels 165 degrees for easy access to vehicles

Model	Width	Height	Length	Overhang Height	Overhang Length
CR-ARM-100	17" (432 mm)	89" (2261 mm)	88" (2235 mm)	66" (1676 mm)	76" (1930 mm)

**NORTH AMERICA:** P.O. Box 28990, St. Louis, MO 63132-0990 USA • 1.800.BHS.9500 • Fax: 314.423.6444 • sales@bhs1.com • BHS1.com  
**INTERNATIONAL:** P.O. Box 12429, St. Louis, MO 63132-0990 USA • +1 314 423 2075 • Fax: +1 314 423 3034 • sales@bhs1global.com  
Specifications are subject to change without notice. ©2025 BHS, Inc. St. Louis, MO. Data Sheet: PL-13400 05/25