



## MATERIAL HANDLING INNOVATIONS ***ORDER PICKER PLATFORM***

The Order Picker Platform (OPP) attaches to an order picker truck for upper-shelf picking to pallets or inventory replenishment directly from pallet loads. This steel platform is sized for the footprint of pallets or large bins.



### **Heavy-Duty Construction**

Made entirely from steel for maximum durability. A powder-coat finish resists corrosion and chemical damage, protecting the steel beneath.



### **Custom Models Available**

Get special features, custom dimensions, and carrying capacities. BHS, Inc. manufactures custom material handling equipment on request.

### **CONTACT BHS FOR MORE INFORMATION**

Flip sheet over to learn more about this warehouse solution.

 [sales@bhs1.com](mailto:sales@bhs1.com)  **1.800.BHS.9500**

## PLATFORMS & LADDERS

# ORDER PICKER PLATFORM

### Palletizing

Designed to store standard pallets, providing high capacity storage during picking and putaway

### High Visibility

Powder coated "BHS Yellow" for high visibility



### Elevated Access

Provides access to high shelving for order picking, inventory, or elevated tasks



### Mobility

Fork pockets designed for dependable attachment to forks



### Optional Casters

Optional heavy-duty casters with wheel brakes improve maneuverability

## Customize the Order Picker Platform


Contact a BHS Representative to discuss your application requirements



## Product Specifications

MODEL	PLATFORM W x D	OVERALL WIDTH	OVERALL DEPTH	OVERALL HEIGHT	CAPACITY	UNIT WEIGHT	FORK POCKET HEIGHT (A)	FORK POCKET INSIDE WIDTH (B)	FORK POCKET OUTSIDE WIDTH (C)
<b>OPP-4248</b>	42" x 48" (1067 mm x 1219 mm)	45" (1143 mm)	48" (1219 mm)	50" (1260 mm)	1000 lb (454 kg)	400 lb (181 kg)	4" (102 mm)	2.6" (66 mm)	28" (711 mm)
<b>OPP-4848</b>	48" x 48" (1219 mm x 1219 mm)	51" (1295 mm)	48" (1219 mm)	50" (1260 mm)	1000 lb (454 kg)	421 lb (191 kg)	3.813" (97 mm)	16" (406 mm)	28" (711 mm)
<b>OPP-4860</b>	48" x 60" (1219 mm x 1524 mm)	51" (1295 mm)	60" (1524 mm)	50" (1260 mm)	1000 lb (454 kg)	500 lb (227 kg)	3.813" (97 mm)	16" (406 mm)	28" (711 mm)
<b>OPP-4872</b>	48" x 72" (1219 mm x 1829 mm)	51" (1295 mm)	72" (1829 mm)	50" (1268 mm)	1000 lb (454 kg)	580 lb (263 kg)	3" (76 mm)	17" (432 mm)	28" (711 mm)

### FORK POCKET MEASUREMENTS



## Options

OPTIONS	DESCRIPTION
<b>Casters (OPP-C)</b>	4" poly – (2) locking swivel (2) rigid casters allow platform to be maneuvered by hand. Option must be specified at time of order.
<b>Anti-Skid Tape (SKIDTAPE)</b>	Textured tape on the platform deck adds traction.