

Dumper

DM9



PERFORMANCE AND FEATURES

DM9



Performance

| | | | |
|----------------------------|------|--|--|
| Unladen weight (kg) | 8100 | | |
| Maximum load capacity | 9000 | | |
| Heaped volume ISO6483 (m³) | 4,9 | | |
| Struck volume (m³) | 3,7 | | |
| Water volume (m³) | 2900 | | |
| Max tipping angle | 75° | | |
| Fifth wheel rotation | ±90° | | |
| Unloading height (mm) | 1150 | | |



Powertrain

| | | | |
|-----------------------------------|--------------|--|--|
| Engine | DEUTZ TCD3.6 | | |
| Engine power (kW/HP) | 74.4/100 | | |
| Anti-pollution technology | STAGE V | | |
| Fuel tank capacity (l) | 200 | | |
| AdBlue tank capacity (l) | 18 | | |
| Axles | Portal | | |
| Brakes | EPD | | |
| Maximum gradient at full load (%) | 40% | | |
| Maximum gradient unladen (%) | 50% | | |
| Maximum cross gradient (%) | 15% | | |
| Maximum speed | 40 Km/h | | |
| Number of gears | 2 | | |



Configuration

| | | | |
|-------------------------------------|-----------------|---|--|
| ROPS Cab | ● | | |
| Double driving position | ● | | |
| Hydrostatic transmission | 4 with dry disk | | |
| Number of gears | ● | | |
| Permanent four-wheel drive | ● | | |
| All wheel steering | ● | | |
| Three steering way | ● | | |
| Standard tyres | 18-19,5" | | |
| Front and rear towing hooks | ● | | |
| Automatic battery disconnect switch | ● | | |
| Battery | 100Ah-12V | | |
| Tool-carrier compartments | 2" | " | |
| Rear camera | ● | | |
| Air-conditioning | ○ | | |
| Work lights | ○ | | |

— not available

● standard

○ optional

Dimensions



| | DM9 | | |
|-----------------------------------|------|--|--|
| Length with bucket lowered | 4920 | | |
| Wheelbase | 2750 | | |
| Ground clearance | 1885 | | |
| Dimension_F1 | 2335 | | |
| Width | 1150 | | |
| Dimension_L | 2200 | | |
| Cabin height | 2630 | | |
| Cabin height with air conditioner | 4140 | | |

Your Merlo dealer

MERLO S.P.A.

Via Nazionale, 9

12010 S. Defendente di Cervasca, (Cuneo) Italia

Tel. +39 0171 614111

Fax +39 0171 684101

info@merlo.com

www.merlo.com

