

Tractors telehandlers

Multifarmer 34.7





PERFORMANCE AND FEATURES

MF34.7CS-140

Performance

Unladen weight (kg)	8000
Maximum load capacity (kg)	3400
Lift height (m)	6.85
Maximum reach (m)	3.84
Lift height at max. load capacity (m)	6.85
Reach at max. load capacity (m)	1.73
Load capacity at max. lift height (m)	3400
Load capacity at max. reach (kg)	1500
Boom side-shift (mm)	-
Frame levelling (%)	+/-8
Boom section	2



Powertrain

Engine	Deutz TCD3.6
Range/Cylinders	3600/4
Engine power (kW/HP)	100/136
Anti-pollution technology	Stage V - SCR + DPF + DOC
Reversible Fan	○
Maximum speed (km/h)	40
Fuel tank capacity (l)	140
AdBlue tank capacity (l)	18
Hydrostatic transmission	YES - 2V
EPD	PLUS
Joystick autoaccelerante	STD
Axles	Axial
Reducers	Epicyclic
Brakes	Dry discs



Hydraulic

Hydraulic pump	LS + FS
Delivery / pressure (L / MIN - BAR)	145 - 210
Hydraulic oil tank capacity (l)	100
Auxiliary hydraulic service on boom	●
Rear service line	



Cab


Cab finishing	ECO
ASCS	Light
FOPS II Cab	●
ROPS Cab	●
Controls	Electronic joystick control
Tilting cab	
Reverse shuttle	Dual reverse



Configuration

Hydropneumatic Suspension CS Merlo	●
Hydropneumatic Suspension BSS Merlo	○
Hydropneumatic Suspension EAS Merlo	-
Work lights on cab	●
Sun-shade in the cab	○
Tac-lock	●
Pre-arrangement for aerial work platform	○
Two floating forks	●
Pedal Inching-Control	●
Permanent four-wheel drive	●
All wheel steering	●
Three steering way	●
Standard tyres	
OPT tyres	
Hydraulically controlled stabilizers	
Turret rotation	
Tractor type approval	●
Pneumatic brakes (ton)	○
Hydraulic brakes (ton)	○
PTO	●
3-point rear linkage	

- not available
- standard
- optional



Dimensions



	MF34.7CS-140		
A - Length	5440		
C - Wheelbase	2850		
F - Ground clearance	430		
H - Width	2240		
M - Cabin width	1010		
P - Height	2485		
R - Turning radius at wheels	3825		
S - Turning radius at forks	4900		

Your Merlo dealer

MERLO S.P.A.

Via Nazionale, 9

12010 S. Defendente di Cervasca, (Cuneo) Italia

Tel. +39 0171 614111

Fax +39 0171 684101

info@merlo.com

www.merlo.com



