



Ford Data Interface 2007-Up

INTERFACE FEATURES

- Provides accessory power (12 volt 10 amp)
- Retains R.A.P. (retained accessory power)
- Designed for models with just an amplified subwoofer
- Provides illumination, parking brake, reverse, and speed sense outputs
- Prewired ASWC-1 harness (ASWC-1 sold separately)
- Retains balance and fade
- Micro-B USB updatable

APPLICATIONS

Ford	Ford (Cont)	Ford (Cont)	Lincoln
Econoline	2009-Up	F150 STX/FX2 base/XLT base 2013	Flex
Edge	2007-2010	F150 STX/XLT base 2014	Focus
Escape	2008-2012	F250/350/450/550 2008-2012	Fusion
Expedition	2007-2014	F250/350/450/550 (XL/XLT)	Mustang
Expedition (Fleet)	2015	2013-2016	Taurus
F-150	2009-2012	F-650/750 (w/ CD) 2016-Up	
			2008-2012
			2008-2011
			Mazda
			Tribute
			2008-2011
			Mercury
			Mariner
			Milan
			2008-2011
			2010-2011

TABLE OF CONTENTS

Connections	2
Installation	3
Programming	3

INTERFACE COMPONENTS

- XSVI-5521-NAV Interface
- Subwoofer Harness

TOOLS & INSTALLATION ACCESSORIES REQUIRED

- Crimping tool and connectors, or solder gun, solder, and heat shrink
- Tape
- Wire cutter
- Zip ties

Product Info



CONNECTIONS

From the XSVI-5521-NAV harness to the aftermarket radio, connect the:

- **Black** wire to the ground wire.
- **Yellow** wire to the battery wire.
- **Red** wire to the accessory wire.
- **Blue** wire to the power antenna wire.
- **Blue/White** wire to the amp turn on wire.
- **Orange** wire to the illumination wire (if applicable).
- **Gray** wire to the front right positive speaker output.
- **Gray/Black** wire to the front right negative speaker output.
- **White** wire to the front left positive speaker output.
- **White/Black** wire to the front left negative speaker output.
- **Green** wire to the rear left positive speaker output.
- **Green/Black** wire to the rear left negative speaker output.
- **Purple** wire to the rear right positive speaker output.
- **Purple/Black** wire to the rear right negative output.

The following (3) wires are only for multimedia/navigation radios that require these wires.

- **Light Green** wire to the parking brake wire (if applicable).
- **Blue/Pink** wire to the VSS or speed sense wire (if applicable).
- **Green/Purple** wire to the reverse wire (if applicable).

From the subwoofer harness to the aftermarket radio, connect the:

- **Blue/White** wire to the amp turn on wire.
- **Red** RCA jack to the right subwoofer output.
- **White** RCA jack to the left subwoofer output.

12-pin ASWC-1 harness & 3.5mm jack:

The 12-pin **ASWC-1** harness & 3.5mm jack is to be used with the **ASWC-1** (sold separately) to retain steering wheel audio controls. If the **ASWC-1** is not being used, disregard this harness. If it is to be used, refer to the **ASWC-1** instructions for radio connections and programming. Disregard the harness that comes with the **ASWC-1**.

INSTALLATION

With the key in the off position:

1. Connect the **XSVI-5521-NAV harness** into the **XSVI-5521-NAV interface**, and then to the wiring harness in the vehicle.

Note: If installing an ASWC-1, connect it after you program and test the XSVI-5521-NAV, with the key in the off position.

PROGRAMMING

Attention! If the interface loses power for any reason, the following steps will need to be performed again.

1. Cycle the engine on.

Note: If the radio doesn't come on within 60 seconds, turn the key to the off position, disconnect the interface, check all connections, reconnect the interface, and then try again.

2. Cycle the ignition off, then back on.
3. Test all functions of the installation for proper operation.



XSVI-5521-NAV

INSTALLATION INSTRUCTIONS

Having difficulties? We're here to help.



Contact our Tech Support line at:

386-257-1187



Or via email at:

techsupport@metra-autosound.com

Tech Support Hours (Eastern Standard Time)

Monday - Friday: 9:00 AM - 7:00 PM

Saturday: 10:00 AM - 7:00 PM

Sunday: 10:00 AM - 4:00 PM



KNOWLEDGE IS POWER

Enhance your installation and fabrication skills by enrolling in the most recognized and respected mobile electronics school in our industry. Log onto www.installerinstitute.com or call 800-354-6782 for more information and take steps toward a better tomorrow.



**Metra recommends MECP
certified technicians**