



CATALOGO CAFFÈ PROFESSIONALE

PROFESSIONAL COFFEE CATALOG





INDICE/INDEX

1. PORTAFILTRO E PARTI DI RICAMBIO - FILTER HOLDERS AND SPARE PARTS.....	9
2. PARTI DI RICAMBIO UNIVERSALI - UNIVERSAL SPARE PARTS	17
3. PULIZIA E MANUTENZIONE - CLEANING AND MAINTENANCE	23
4. ASTORIA.....	29
5. BEZZERA	37
6. BIANCHI	45
7. BFC.....	51
8. BRASILIA.....	57
9. BRUGNETTI AURORA.....	65
10. CARIMALI.....	71
11. CASADIO	77
12. CIMBALI	83
13. CONTI.....	93
14. ECM.....	97
15. ELEKTRA	103
16. FAEMA	107
17. FIORENZATO.....	117
18. GAGGIA PROFESSIONAL	123
19. GRIMAC	129
20. LA MARZOCCO	137
21. LA SAN MARCO	143
22. LA SPAZIALE	149
23. LA PAVONI	155
24. LA SCALA.....	163
25. LAVAZZA.....	169
26. MCE.....	175
27. NUOVA SIMONELLI	181
28. ORCHESTRALE.....	189
29. PROMAC	195
30. RANCILIO.....	201
31. ROCKET.....	207
32. SANREMO	213
33. ROYAL	219
34. QUICK MILL	225
35. VIBIEMME.....	229
36. VICTORIA ARDUINO	237
37. WEGA.....	243
38. CEME	253
39. PARKER.....	257
40. FLUID-O-TECH	261
41. NUERT.....	265
42. GICAR.....	269
43. ULKA.....	273

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti

*The information contained in this document is subject to change and is therefore not binding.



SINCE
1989

Fondata nel 1989, Micromic S.r.l. nasce dall'intuizione di rivoluzionare il settore dei ricambi per elettrodomestici offrendo un'alternativa adattabile, ma di alta qualità.

Dalla fondazione a oggi Micromic ha ampliato i suoi orizzonti espandendosi dai ricambi per piccoli ai grandi elettrodomestici, spingendosi fino alla ricambistica del vending, settore nel quale opera ormai da 12 anni

Founded in 1989, Micromic S.r.l. was born from the intuition of revolutionizing the spare parts sector for household appliances, by offering an adaptable high quality alternative.

Since its foundation, Micromic has broadened its horizons by expanding from spare parts for small to large household appliances, going as far as vending spare parts, a sector in which it has been operating for 12 years now.



LA NOSTRA EVOLUZIONE

Da una piccola realtà ad un'azienda di 10000 metri quadrati. Una metamorfosi che racconta la nostra evoluzione fatta di IMPEGNO, DEDIZIONE E PASSIONE, che ci ha portato a essere un punto di riferimento per i più importanti produttori, sia nel campo del domestico che del vending, affidandoci la distribuzione dei loro prodotti. Con più di 40 dipendenti, 10 reparti e più di 10000 prodotti siamo in continuo sviluppo.

From a small business to a 10,000-square-meter company. A metamorphosis that illustrates our evolution, driven by COMMITMENT, DEDICATION, AND PASSION, which has led us to become a point of reference for leading manufacturers, both in the household appliances and vending spare parts, entrusting us with the distribution of their products. With more than 40 employees, 10 departments, and more than 10,000 products, we are constantly evolving.



AZIENDA CERTIFICATA
CERTIFIED COMPANY
ISO 9001:2015
N° 50 100 18202

SPARE PARTS FOR THE FUTURE



Offriamo ai nostri clienti un'opportunità etica e sostenibile attraverso ricambi ed accessori di alta qualità.

Supportata dalle politiche di gestione mirate al continuo miglioramento organizzativo e tecnologico; avvalendosi dei requisiti normativi in ambito Nazionale, Europeo ed Internazionale, come le certificazioni ISO 9001:2015 e D. Lgs. 231.

I nostri prodotti sono garantiti da rigorosi controlli, partendo dalle fasi di progettazione, sino alle partnership selezionate e rispettose degli standard di mercato.

In linea con le nostre politiche ecosostenibili, abbiamo creato, una serie di servizi, come la RIGENERAZIONE DEI GRUPPI VENDING, che permettono di ripristinare le parti danneggiate, con le nostre parti di ricambio e ottenere un gruppo caffè pari al nuovo, pronto per essere reinstallato nella macchina Vending.

We offer our customers an ethical and sustainable choice through high-quality spare parts and accessories.

Driven by management policies focused on continuous organizational and technological improvement, we align with national, European, and international regulatory standards, including ISO 9001:2015 and D.Lgs. 231 certifications.

Our products are backed by rigorous quality controls—from the design phase to carefully selected partnerships that meet market standards.

In line with our eco-sustainability policies, we have developed a range of services such as COFFEE BREWING UNIT REGENERATION, which allows us to repair damaged components using our spare parts, resulting in a coffee unit that is like new and ready to be reinstalled in the vending machine.

THE GREEN PHILOSOPHY

Il nostro concetto di ECOSOSTENIBILITÀ, si traduce anche in FONTI RINNOVABILI. Con l'installazione di una superficie pari a 400 m² di pannelli solari abbiamo reso la nostra azienda realmente GREEN.

- 310 Moduli Fotovoltaici
- Potenza generata 165000 kWh/anno
- 66.000 kg CO₂/anno

Più che un investimento, un vero e proprio impegno per il futuro.

Our concept of ECO-SUSTAINABILITY also translates into RENEWABLE SOURCES. With the installation of a surface area 400 m² of square meters of solar panels, we have made our company truly GREEN.

- 310 Photovoltaic Modules
- Generated power: 165,000 kWh/year
- 66,000 kg CO₂/year

More than an investment, a true commitment to the future.



01

**Portafiltro e
parti di ricambio**
Filter holders
and spare parts



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26

Portafiltro e parti di ricambio - Filter holders and spare parts



3VM3022
7305006 - 22.00786.CR - 07300092 - 75000050 - 5.0.000.0104 - C229900562
VARIE MARCHE
ITA Beccuccio 1 tazza Ø 3/8"
ENG Spout 1 cup Ø 3/8"



3VM3013
27032 - 7305002 - 4631112 - 43051816 - 5600004 - 9501876 - L115 - 405146 - 01308021 - A2200025 - 21102513 - 14100027 - 07300092 - C-0529 - FILTBECIT - W10670 - WY27032
VARIE MARCHE
ITA Beccuccio 1 tazza Ø3/8
ENG Spout 1 cup Ø3/8"



3VM3004
27042001 - 7305007TW - 4631007 - 457-304-007 - 4071681 - C229900566 - 10066290 - 06200008 - 21100801 - 4631007 - WY27042001
VARIE MARCHE
ITA Beccuccio 2 tazze Ø 3/8
ENG 2 cup spout Ø 3/8



3VM3021
27041 - 27042 - 7305003 - 7305007 - 43052116 - 00031.4.00.04 - 000041 - 95.00595.20 - A2200027 - GR768 L116 - 06200008 - 455060 - 10707001 - 10707008 - 205495 FILTBECIT - W10671 - WY27042 - 10052090 10052090
VARIE MARCHE
ITA Beccuccio 2 tazze Ø 3/8"
ENG 2-cup spout Ø 3/8"



3BFC3008
4650108
BFC
ITA Coppa portafiltro attacco beccucci Ø3/8, attacco manopola M12, alette 6,3mm
ENG Filter holder cup with Ø3/8 spout connection, M12 knob connection, 6.3mm fins



3CIM3033
457-305-007 - 457-564-010 - 492-561-000 - 537-027-100
CIMBALI
ITA Coppa portafiltro attacco beccucci Ø3/8, attacco manopola M10, alette 5,5mm
ENG Filter holder cup spout connection 3/8, knob connection M10, fins 5,5mm



3NSM3027
06200086 - 06200092 - 98005001
NUOVA SIMONELLI
ITA Coppa portafiltro attacco beccucci Ø3/8, attacco manopola M10, alette 7mm
ENG Filter cup with Ø3/8 spout attachment, M10 knob attachment, 7mm fins



3FA3039
FAEMA
ITA Coppa portafiltro attacco beccucci Ø3/8, attacco manopola M10, alette 7mm
ENG Filter cup with Ø3/8 spout attachment, M10 knob attachment, fins 7mm



3VM3020
VARIE MARCHE
ITA Coppa portafiltro attacco beccucci Ø3/8, attacco manopola M12, alette 6,3mm
ENG Filter cup with Ø3/8 spout attachment, M12 knob attachment, 6.3mm fins

Portafiltro e parti di ricambio - Filter holders and spare parts



3SNM3011
502034
SAN MARCO
ITA Coppa portafiltro, attacco beccucci Ø3/8, attacco manopola M10, alette 7,4mm
ENG Filter holder cup spout connection Ø3/8, knob connection M10, fins 7,4mm



3VM3014
5471004 - 5471010 - 5471020 - 5471023 - 16022811 - 01702.0.40.01 - 0000331 - 457367000 - 4771014418 - 016840 - C619900669 - 01796035 - A2200221 - 1090100004 - F261 - GR764 - 40100005 - 10052072 - 10052100 - C-0498 - FILTITB
VARIE MARCHE
ITA Filtro 1 tazza 6gr Ø70x20,5mm
ENG 1 cup filter 6gr Ø70x20.5mm



3VM3007
5471011 - 5471024 - 5471031 - 4630051 - 00560.0.40.01 - 457368000 - 457-368-000 - 4771-021-830 - C619900104 - 00065035 - 4771021830 - A2200028 - 109010005 - A2200028 - F272 - 4630051 - 10052076 - C-0499 - FILTITA - 40300029 - 016840 - 40100101
VARIE MARCHE
ITA Filtro 1 tazza 7gr, bordo Ø70mm, altezza 24,5mm
ENG 1 cup filter 7gr, edge Ø70mm, height 24.5mm



3VM3015
27171 - 03000073 - 17000048 - 40100090 - 40100103 - W10326 - WY27171 - D27171
VARIE MARCHE
ITA Filtro 2 tazze 12gr Ø70x20,5mm
ENG Filter 2 cups 12gr Ø70x20.5mm



3NSM3004
03000322
NUOVA SIMONELLI
ITA Filtro 2 tazze 12gr, bordo Ø70mm, altezza 21,5mm
ENG Filter 2 cups 12g, edge Ø70mm, height 21.5mm



3GA3001
NF08/005 - WGANF08/005/B
GAGGIA PROFESSIONAL
ITA Filtro 2 tazze 14gr, bordo Ø68mm, altezza 24,5mm
ENG Filter 2 cups 14g, edge Ø68mm, height 24.5mm



3VM3008
5471009 - 5471016 - 5471026 - 4630052 - 00561.0.40.01 - 457369000 - 4771021994 - 457-369-000 - 4771-021-994 - C619900105 - 00066035 - A2200029 - 1090200005 - 2200029 - F273 - 4630052 - C-0501 - FILTITA - 40300030 - AC0970FIZ - 16700 - 40100102
VARIE MARCHE
ITA Filtro 2 tazze 14gr, bordo Ø70mm, altezza 24,5mm
ENG 2 cup filter 14gr, edge Ø70mm, height 24.5mm



3VM3001
5471003 - 4630100 - 00564.0.40.01 - 0056404001 - 000034 - 01309035 - 4771021902 - A2200030 - 1090300002 - A2200030 - F271 - GR770 - L115/C - 03000107 - 327081 - 40400105 - C619900106 - 4630100 - 10052220 - C-0495 - FILTICI - WY27173 - AC0970FC - 27173
VARIE MARCHE
ITA Filtro cieco Ø 70x17 mm
ENG Blind filter ø 70x17 mm edge Ø 70mm



3CA1001
87.00104
CARIMALI
ITA Filtro cieco a membrana Ø 50mm adattabile
ENG Filter blind membrane Ø 50mm adaptable



3UNI3034	3CIM1016	3BFC1003
UNIVERSALE	CIMBALI	BFC
ITA Levafiltro inox con foro	ITA Manico portafiltro M10	ITA Manopola portaf. M12 con tappo cromato adattabile
ENG Stainless steel filter lever with hole	ENG M10 filter holder handle	ENG Handle portaf. M12 with adaptable chrome cap



3UNI3040	3UNI3038	3CIM3032
3500043 - 9501547- 458997000 - 460312000- 05080014 - 49801002 - 98005016- 49801002 - 98005016	ODMC048 - 2711013	3831-091-811
UNIVERSALE	UNIVERSALE	CIMBALI
ITA Manopola portafiltro lucida M10	ITA Manopola portafiltro M10	ITA Manopola portafiltro M10
ENG M10 shiny filter holder knob	ENG M10 filter holder knob	ENG M10 filter holder knob



3UNI1023	3UNI3037	3UNI3039
FE471	000043.57- 5.0.000.0655- 210040	7371502
UNIVERSALE	UNIVERSALE	BEZZERA
ITA Manopola portafiltro M10	ITA Manopola portafiltro M12	ITA Manopola portafiltro M12
ENG M10 filter holder knob	ENG M12 filter holder knob	ENG M12 filter holder knob



3UNI3033	3VM1002	3SNM3012
UNIVERSALE	VARIE MARCHE	106055 SAN MARCO
ITA Manopola portafiltro M12 in noce	ITA Manopola portafiltro M12 Torpedo ghiera cromo adattabile	ITA Manopola portafiltro nera M10
ENG M12 filter holder knob in walnut	ENG Handle filter holder M12 Torpedo chrome ring adaptable	ENG Black filter holder knob M10



3MAR1003	3VM1003	3UNI3005
.	VARIE MARCHE	UNIVERSALE
ITA Manopola portafiltro soft touch M12 adattabile	ITA Manopola portafiltro M12 comfort nera adattabile	ITA Molla fermafiltro Ø1,00mm inox
ENG Handle filter holder soft touch M12 adaptable	ENG Manopola filter holder M12 black comfort adaptable	ENG Spring filter holder Ø1.00mm stainless steel



3UNI3007	3UNI3004	3UNI3006
.	.	.
UNIVERSALE	UNIVERSALE	UNIVERSALE
ITA Molla fermafiltro Ø1,10mm inox	ITA Molla fermafiltro Ø1,20mm inox	ITA Molla fermafiltro Ø1,40mm inox
ENG Spring filter holder Ø1.10mm stainless steel	ENG Spring filter holder Ø1.20mm stainless steel	ENG Spring filter holder Ø1.40mm stainless steel



3UNI3032

UNIVERSALE

ITA Piedino ø 50 mm M10 H=55÷69 mm

ENG Foot ø 50 mm M10 H=55÷69 mm



3FA1014

2771133836 - 902713000

FAEMA

ITA Portafiltro completo 1 tazza adattabile

ENG Filter holder complete 1 cup adaptable



3AST4001

8327311051R

ASTORIA

ITA Portafiltro completo 2 tazze

ENG Filter holder complete 2 cups



3FA1013

902714000

FAEMA

ITA Portafiltro completo 2 tazze adattabile

ENG Filter holder complete 2 cups adaptable



3NSM1008

98005022

NUOVA SIMONELLI

ITA Portafiltro completo 2 tazze adattabile

ENG Filter holder complete 2 cups adaptable



3MOT4002

MOTTA

ITA Pressino alluminio a sfera diametro 58 mm

ENG Tamper aluminum ball Ø 58 mm



3MOT4001

MOTTA

ITA Pressino alluminio sfera diametro 53 mm

ENG Pressino aluminum sphere Ø 53 mm



3MOT4003

MOTTA

ITA Pressino di precisione manico marrone diametro 57,4 mm

ENG Tamper with precision brown handle Ø 57,4 mm



3MOT4005

MOTTA

ITA Pressino legno e inox manico nero diametro 53 mm

ENG Tamper wood and stainless steel black handle Ø 53 mm



3MOT4004

MOTTA

ITA Pressino legno e inox manico nero diametro 58 mm

ENG Tamper wood and stainless steel black handle Ø 58 mm



3UNI3031

15420-4005020- 0077900002- 457209000- 70000090- A1000026- 200000029- WGA2PR/1- 1010100018 - A1000026 - GR838 - V012- 15420- 05080035 - 98011000- D15420- 371014- 38120005- 4005020- WGA2PR/1- PRESSINO- 05080035

UNIVERSALE

ITA Pressino nylon ø 50/57 mm

ENG Nylon tamper ø 50/57 mm

02

**Parti di ricambio
Universali
Universal
Spare Parts**



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26

Parti di ricambio Universali - Universal Spare Parts



3UNI3009

UNIVERSALE
ITA Pressostato P302/6 tripolare 30A attacco 1/4 220V/400V
ENG Pressure switch P302/6 three-pole 30A connection 1/4 220V/400V



3UNI1001

UNIVERSALE
ITA Raccordo nipplo 3/8m 1/2m
ENG Fitting nipple 3/8m 1/2m



3UNI1003

UNIVERSALE
ITA Raccordo nipplo 1/4m 1/4m
ENG Fitting nipple 1/4m 1/4m adaptable



3UNI1004

UNIVERSALE
ITA Raccordo nipplo 3/8mm conico
ENG Fitting nipple 3/8mm cylindrical adap-table



3UNI1002

UNIVERSALE
ITA Raccordo nipplo 1/8m 3/8m
ENG Fitting nipple 1/8m 3/8m adaptable



3UNI1005

UNIVERSALE
ITA Raccordo nipplo 1/4m 3/8m
ENG Fitting nipple 1/4m 3/8m adaptable



3UNI1006

UNIVERSALE
ITA Raccordo nipplo 3/8m 3/4m
ENG Fitting nipple 3/8m 3/4m adaptable



3UNI1008

UNIVERSALE
ITA Raccordo nipplo ottone nichelato 3/8 mm cilindrico
ENG Fitting nipple nickel-plated brass 3/8 mm cylindrical adaptable



3UNI1016

UNIVERSALE
ITA Raccordo L 3/8 6/4 adattabile
ENG Fitting nipple L 3/8 mm adaptable

Parti di ricambio Universali - Universal Spare Parts



3UNI1007

UNIVERSALE
ITA Bicono Ø10mm per dado 3/8
ENG Bicone Ø10mm for 3/8 socket adaptable



3UNI3002

UNIVERSALE
ITA Valvola di sfiato Ø 1/4" maschio vecchio modello
ENG Pressure relief valve Ø 1/4" male old model




3UNI3003

UNIVERSALE
ITA Valvola di sfiato Ø 1/4" maschio nuovo modello
ENG Pressure relief valve Ø 1/4" male new model




3UNI1011

UNIVERSALE
ITA Interruttore bipolare luminoso rosso 250v 16a 4 faston da 6,3mm 22x30 mm
ENG Bipolar red illuminated switch 250v 16a 4 faston 6.3mm terminals 22x30 mm adaptable




3UNI3010

UNIVERSALE
ITA Tubo carico acqua lunghezza 2000mm trecciato inox Ø3/8Fp Fp
ENG Water inlet hose length 2000mm stain-less steel braided Ø3/8Fp Fp




3UNI3011

UNIVERSALE
ITA Tubo carico acqua lunghezza 1500mm trecciato inox Ø3/8Fp Fp
ENG Water inlet hose length 1500mm stain-less steel braided Ø3/8Fp Fp




3UNI3012

UNIVERSALE
ITA Tubo carico acqua lunghezza 2000mm trecciato inox Ø3/8Fc Fc
ENG Water inlet hose length 2000mm stain-less steel braided Ø3/8Fc Fc



3UNI3013

UNIVERSALE
ITA Tubo carico acqua lunghezza 800mm trecciato inox Ø3/8Fc Fc
ENG Water inlet hose length 800mm braided stainless steel Ø3/8Fc Fc



3UNI3014

UNIVERSALE
ITA Tubo carico acqua lunghezza 1200mm trecciato inox Ø3/8Fc Fc
ENG Water inlet hose length 1200mm stain-less steel braided Ø3/8Fc Fc


Parti di ricambio Universali - Universal Spare Parts



3UNI3015	3UNI3016	3UNI3017
UNIVERSALE	UNIVERSALE	UNIVERSALE
ITA Tubo carico acqua lunghezza 1600mm trecciato inox Ø3/8Fc CFc	ITA Tubo carico acqua lunghezza 1500mm trecciato inox Ø3/8Fc Fc	ITA Tubo carico acqua lunghezza 310mm trecciato inox Ø3/8Fc CFc
ENG Water inlet hose length 1600mm stainless steel braided Ø3/8Fc CFc	ENG Water inlet hose length 1500mm braided stainless steel Ø3/8Fc Fc	ENG Water inlet hose length 310mm braided stainless steel Ø3/8Fc CFc




3UNI3018	3UNI3019	3UNI3020
UNIVERSALE	UNIVERSALE	UNIVERSALE
ITA Tubo carico acqua lunghezza 350mm trecciato inox Ø3/8Fc CFc	ITA Tubo carico acqua lunghezza 370mm trecciato inox Ø1/8Fc Fc	ITA Tubo carico acqua lunghezza 1500mm trecciato inox Ø1/8Fc Fc
ENG Water inlet hose length 350mm braided stainless steel Ø3/8Fc CFc	ENG Water inlet tube length 370mm braided stainless steel Ø1/8Fc Fc	ENG Water inlet hose length 1500mm stainless steel braided Ø1/8Fc Fc



3UNI3021	3UNI3022	3UNI3023
UNIVERSALE	UNIVERSALE	UNIVERSALE
ITA Tubo carico acqua lunghezza 600mm trecciato inox Ø1/8Fp Fp	ITA Tubo carico acqua lunghezza 1500mm trecciato inox Ø3/8Fp Ø3/8Fc	ITA Tubo carico acqua lunghezza 500mm trecciato inox Ø3/8Fc Fc
ENG Water inlet hose length 600mm braided stainless steel Ø1/8Fp Fp	ENG Water inlet hose length 1500mm braided stainless steel Ø3/8Fp Ø3/8Fc	ENG Water inlet hose length 500mm braided stainless steel Ø3/8Fc Fc


Parti di ricambio Universali - Universal Spare Parts



3UNI3024	3UNI3025	3UNI3026
UNIVERSALE	UNIVERSALE	UNIVERSALE
ITA Tubo carico acqua lunghezza 1000mm trecciato inox Ø3/8Fp Fp	ITA Tubo carico acqua lunghezza 1500mm trecciato inox Ø3/8Fc Fc	ITA Tubo carico acqua lunghezza 500mm trecciato inox Ø3/8Fc CFc
ENG Water inlet hose length 1000mm braided stainless steel Ø3/8Fp Fp	ENG Water inlet hose length 1500mm stainless steel braided Ø3/8Fc Fc	ENG Water inlet hose length 500mm braided stainless steel Ø3/8Fc CFc



3UNI3027	3UNI3028	3UNI3029
UNIVERSALE	UNIVERSALE	UNIVERSALE
ITA Tubo carico acqua lunghezza 1000mm trecciato inox Ø3/8Fc CFc	ITA Tubo carico acqua lunghezza 1500mm trecciato inox Ø3/8Fc CFc	ITA Tubo carico acqua lunghezza 2000mm trecciato inox Ø3/8Fc CFc
ENG Water inlet hose length 1000mm stainless steel braided Ø3/8Fc CFc	ENG Water inlet hose length 1500mm stainless steel braided Ø3/8Fc CFc	ENG Water inlet hose length 2000mm stain- less steel braided Ø3/8Fc CFc



3UNI3035
UNIVERSALE
ITA Tubo flex ø 3/8" Fp x 3/4" CFp 2000 mm
ENG Flex hose ø 3/8" Fp x 3/4" CFp 2000 mm

03

Pulizia e manutenzione

Cleaning and
maintenance



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26

Pulizia e manutenzione - Clean and maintenance



3UNI1014	3AR4002	3AR4004
UNIVERSALE	ASCOR	ASCOR
ITA Decal 3 decalcificante - tanica da 5 litri per macchine da caffè universale adatto per officine e laboratori	ITA Detergente Ascor Express LC 1 litro pulizia macchine caffè	ITA Detergente cappuccinatore 1lt Ascor Express L11.3
ENG Decal 3 descaler - 5-liter canister for universal coffee machines, suitable for workshops and laboratories	ENG Detergent Ascor Express LC 1 liter coffee machine cleaning	ENG Detergent milk frother 1lt Ascor Express L11.3



3AR4005	3AR4007	3AR4008
ASCOR	ASCOR	ASCOR
ITA Detergente in pastiglie 1gr in barattolo da 100pz per pulizia gruppi caffè	ITA Detergente in polvere 570gr Ascor Express pulizia macchine caffè	ITA Detergente confezione 12 bustine 25 g per pulizia piccole macchine da caffè
ENG Detergent in 1gr tablets in a jar of 100pcs for cleaning coffee groups	ENG Detergent powder 570gr Ascor Express coffee machine cleaning	ENG Detergent pack of 12 sachets 25 g for cleaning small coffee machines



3AR4006	3AR4003	3AR4001
ASCOR	ASCOR	ASCOR
ITA Disincrostante barattolo 1Kg acido per alluminio, rame, ottone, ferro	ITA Detergente in polvere 900gr Ascor Express pulizia macchine caffè	ITA Detergente pastiglie 2,5gr in barattolo da 60 pastiglie per pulizia gruppi caffè
ENG Descaler 1Kg jar acid for aluminum, copper, brass, iron	ENG Detergent powder 900gr Ascor Express coffee machine cleaning	ENG Detergent tablets 2.5gr in a jar of 60 tablets for cleaning coffee groups

Pulizia e manutenzione - Clean and maintenance



3PUL4002	3PUL4003	3PUL4007
412000	0853000	0852000
PULY CAFF	PULY CAFF	PULY CAFF
ITA Decalcificante Puly Cleaner 10 bustine 25gr	ITA Detergente Puly Caff per macchine caffè barattolo 370gr	ITA Detergente Puly Caff Plus 570gr
ENG Decalcifying Puly Cleaner 10 sachets 25g	ENG Detergent Puly Caff for coffee machines jar 370gr	ENG Detergent Puly Caff Plus 570gr



3PUL4006	3PUL4005	3PUL4004
0851000	0206000	0205000
PULY CAFF	PULY CAFF	PULY CAFF
ITA Detergente Puly Caff Plus 900gr	ITA Detergente Puly Grind per tramoggie macinacaffè 200ml	ITA Detergente Puly Grind in cristalli per pulire macinacaffè macine, 10 dosi
ENG Detergent Puly Caff Plus 900gr	ENG Detergent Puly Grind for coffee grinder hoppers 200ml	ENG Detergent Puly Grind in crystals for cleaning coffee grinders, 10pcs



3PUL4001
870000
PULY CAFF
ITA Detergente per pulizia cappuccinatori Puly Milk Plus 1lt
ENG Detergent for cleaning milk frothers Puly Milk Plus 1lt

Pulizia e manutenzione - Clean and maintenance



3BRI4001

BRITA

ITA Purity C300 Quell ST confezione singola

ENG Purity C300 Quell ST single pack



3BRI4002

BRITA

ITA Testata Purity C300 G3/8 confezione singola

ENG Purity C300 G3/8 filter head single pack



BWTFS00Z20A00

BWT

ITA Testa filtro Beasthead Flex

ENG Beasthead Flex filter head



BWTFS22P00A00

BWT

ITA Cartuccia filtro BWT Bestmax S Premium

ENG BWT Bestmax S Premium filter cartridge



BWTFS24I00A00

BWT

ITA Cartuccia filtro BWT Bestmax M

ENG BWT Bestmax M filter cartridge



BWTFS20I00A00

BWT

ITA Cartuccia filtro BWT Bestmax X

ENG BWT Bestmax X filter cartridge



BWTFS23I00A00

BWT

ITA Cartuccia filtro BWT Bestmax V

ENG BWT Bestmax V filter cartridge



BWTFS22N00A00

BWT

ITA Cartuccia filtro BWT Bestprotect S

ENG BWT Bestprotect S filter cartridge



BWT125501405

BWT

ITA Cartuccia filtro BWT Bestprotect M

ENG BWT Bestprotect M filter cartridge

Pulizia e manutenzione - Clean and maintenance



BWTFS28N00A00

BWT

ITA Cartuccia filtro BWT Bestprotect XL

ENG BWT Bestprotect XL filter cartridge



BWTFS23N00A00

BWT

ITA Cartuccia filtro BWT Bestprotect V

ENG BWT Bestprotect V filter cartridge



3UNI1012

UNIVERSALE

ITA Grasso lubrificante alimentare barattolo da 100 gr. colore bianco da -20° a +150° soddisfa i requisiti Fda per il contatto accidentale con alimenti

ENG Grease lubricant food jar 100g white color from -20° to +150° meets FDA requirements for accidental food contact



3UNI1019

UNIVERSALE

ITA Grasso lubrificante alimentare in tubetto da 50gr colore bianco da - 20° a +150°

ENG Food grade lubricant grease in 50g tube, white color, from -20° to +150°



3KLB4001

KLUBER

ITA Grasso Kluber NH1 11-222 tubetto 45gr

ENG Grease Kluber NH1 11-222 cartridge 45g



3KLB4002

KLUBER

ITA Grasso Klubersynth UH1 14-151 45g

ENG Klubersynth UH1 14-151 grease 45g



3LXL4001

LOXEAL

ITA Grasso alimentare silconico Loxeal 9 NSF H1 barattolo da 1 Kg

ENG Silicone food grease Loxeal 9 NSF H1 1 Kg jar



3UNI1017

UNIVERSALE

ITA Silicone di colore nero in tubetto da 85gr adatto ad alte temperature confezionato in blister adattabile

ENG Black silicone 85 gr for high-temperature, tube packed in blister adaptable



3UNI1018

UNIVERSALE

ITA Silicone di colore rosso in tubetto da 85gr adatto ad alte temperature confezionato in blister adattabile

ENG Red silicone in tube 85 gr for high-temperature packed in blister adaptable



04

Astoria



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26

 	 	 
3AST3007	3AST3008	3AST3023
27100001	27100	27100
ASTORIA	ASTORIA	ASTORIA
ITA Doccia filtro erogazione Ø48mm	ITA Doccia filtro erogazione Ø51,5mm	ITA Doccia filtro erogazione Ø51,5mm
ENG Shower screen Ø48mm	ENG Shower screen Ø51.5mm	ENG Shower screen Ø51.5mm

 	 	 
3AST1003	3AST3029	3AST1002
15296001		27421008
ASTORIA		ASTORIA
ITA Gommino antiscottatura tubo Ø10mm adattabile	ITA Guarnizione O-ring 04150 37,69X3,53mm silicone rosso	ITA Guarnizione piana NBR Ø 13x4x4mm adattabile
ENG Anti-scald rubber tube Ø10mm adaptable	ENG Red silicone o-ring 04150 37,69X3,53mm	ENG NBR flat gasket Ø 13x4x4mm adaptable

 	 	 
3VM1001	3AST1004	3AST1008
	12203	12001
VARIE MARCHE	ASTORIA	ASTORIA
ITA Guarnizione piana EPDM Ø15,5x7,5x4mm adattabile	ITA Guarnizione piana in EPDM Ø15x4x4mm adattabile	ITA Guarnizione piana carbo Ø 57x43x3 mm adattabile
ENG EPDM flat gasket Ø15.5x7.5x4mm adaptable	ENG EPDM flat gasket Ø15x4x4mm adaptable	ENG Carbon flat gasket Ø 57x43x3 mm adaptable

 	 	 
3AST1005	3AST1006	3AST1009
12219	WY12217	-
ASTORIA	ASTORIA	ASTORIA
ITA Guarnizione portafiltro Ø 67x56x6mm adattabile	ITA Guranizione portafiltro Ø 72x56x8mm adattabile	ITA Spessore gomma Ø 64x53x1 mm EPDM adattabile
ENG Filter holder gasket Ø 67x56x6mm adaptable	ENG Filter holder gasket Ø 72x56x8mm adaptable	ENG Rubber thickness Ø 64x53x1 mm EPDM adaptable

 	 	 
3VM1006	3VM1005	3AST1010
		-
VARIE MARCHE	VARIE MARCHE	ASTORIA
ITA Spessore gomma Ø70x57x1 mm EPDM adattabile	ITA Spessore gomma Ø73x59x1 mm EPDM adattabile	ITA Spessore carta Ø 66x58x0,8 mm adattabile
ENG Rubber thickness Ø70x57x1 mm EPDM adaptable	ENG Rubber thickness Ø73x59x1 mm EPDM adaptable	ENG Paper thickness Ø 66x58x0.8 mm adaptable

 	 	 
3AST1011	3VM1004	3PAR3004
-		
ASTORIA	VARIE MARCHE	PARKER
ITA Spessore carta Ø 70x57x0,8 mm adattabile	ITA Spessore carta Ø73x59x0,8 mm adattabile	ITA Elettrovalvola Parker 2 vie raccordi Ø1/8 FF max 10 bar tenuta in FKM con bobina 48351056 9w 220/240v 50/60hZ
ENG Paper thickness Ø 70x57x0.8 mm adaptable	ENG Paper thickness Ø73x59x0.8 mm adaptable	ENG Parker 2-way solenoid valve Ø1/8 FF fittings max 10 bar FKM seal with coil 48351056 9w 220/240v 50/60hZ



3PAR3001

PARKER
ITA Elettrovalvola Parker 3 vie 240V 50Hz 10bar 1/8"
ENG Parker solenoid valve 3 ways 240V 50Hz 10bar 1/8"



3SVM1001

SVM
ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile
ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable



3SVM1002

SVM
ITA Elettrovalvola SVM attacco conico 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino
ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal



3PAR3007

PARKER
ITA Elettrovalvola Parker 3 vie con bobina ZB09 9W 220/230V 50/60Hz
ENG Parker 3-way solenoid valve with coil ZB09 9W 220/230V 50/60Hz



3PAR3002

PARKER
ITA Elettrovalvola Parker 3 vie senza bobina - VE1281R
ENG Parker solenoid valve 3 ways without coil - VE1281R



3PAR3005

PARKER
ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz
ENG Parker ZB09 9W coil for solenoid valve 220/230V 50/60Hz



3GCR3001

GICAR
ITA Contatore volumetrico Gicar attacchi 1/4"ff orifizio 1,15mm 3 magneti
ENG Gicar volumetric meter connections 1/4"ff orifice 1.15mm 3 magnets



3GCR3004

GICAR
ITA Testa per contatore volumetrico
ENG Head for volumetric meter



3AST3030

18080 - 18080001
ASTORIA
ITA Regolatore di livello RL/1E/2C/F 230/240V
ENG Level regulator RL/1E/2C/F 230/240V



3AST1001

20251
ASTORIA
ITA Sonda di livello acqua Ø 1/4" maschio 125mm adattabile
ENG Water level probe Ø 1/4" male 125mm adaptable



3AST3028

21300
ASTORIA
ITA Vetro livello ø 11x170 mm
ENG Level glass Ø11x170mm



3AST3013

21112
ASTORIA
ITA Manometro caldaia - pompa corpo Ø63mm 0÷3/0÷15Bar attacchi Ø1/8m
ENG Boiler pressure gauge - pump body Ø63mm 0÷3/0÷15Bar connections Ø1/8m




3AST3017

ASTORIA
ITA Manometro caldaia corpo Ø60mm 0÷2,5/0÷15Bar attacco Ø 1/8m
ENG Boiler pressure gauge body Ø60mm 0÷2.5/0÷15Bar connection Ø 1/8m



3AST3018

21100 - 21104
ASTORIA
ITA Manometro caldaia pompa, corpo Ø 60mm con doppia scala 0-2,5/0-16bar 1/8 maschio
ENG Boiler pressure gauge pump, body Ø 60mm with double scale 0-2.5/0-16bar 1/8 male




3EGO3001

5532532020
EGO
ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm
ENG EGO three-phase thermostat 169-18°C with probe 128mm Ø4mm



3AST4002

18255050
ASTORIA
ITA Pressostato MBS1900 0/16 bar 4,5/5,5VDC
ENG Pressure transmitter MBS1900 0/16 bar 4,5/5,5VDC



3AST3011

25763002
ASTORIA
ITA Spruzzatore vapore inox attacco M10
ENG Stainless steel steam sprayer M10 connection



3AST3012

25763079
ASTORIA
ITA Spruzzatore vapore inox attacco M8 5 fori
ENG Stainless steel steam sprayer connection M8 5 holes



3AST3010

25763116

ASTORIA

ITA Tubo vapore completo inox Ø8mm

ENG Complete stainless steel steam tube Ø8mm



3AST3020

90310R

ASTORIA

ITA Tubo vapore completo inox Ø8mm

ENG Complete stainless steel steam tube Ø8mm



3AST3021

90309R

ASTORIA

ITA Tubo vapore completo inox Ø8mm

ENG Complete stainless steel steam pipe Ø8mm



3AST3016

4825616 - 25616

ASTORIA

ITA Pistoncino rubinetto

ENG Tap plunger



3FLT3001

FLUID-O-TECH

ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø3/8 conico NPT dimensione senza perno 82,5mm

ENG Rotary pump clamp connection flow rate 100 Lt/h Ø3/8 conical NPT size without pin 82.5mm



3FLT3007

FLUID-O-TECH

ITA Pompa rotativa Compact Plus attacco a fascetta portata 50 Lt/h raccordi Ø3/8 GAS/BSP dimensione senza perno 74,5 mm

ENG Rotary pump Compact Plus clamp connection flow rate 50 Lt/h fittings Ø3/8 GAS/BSP size without pin 74.5 mm



3AST3015

18300 - 18301 - 18312 - 18315

ASTORIA

ITA Motore a fascetta 165W 220V 50/60Hz per pompa rotativa

ENG Clamp motor 165W 220V 50/60Hz for rotary pump



3AST3019

18300

ASTORIA

ITA Motore a fascetta 165W 230V 50/60Hz per pompa rotativa

ENG Clamp motor 165W 230V 50/60Hz for rotary pump



3AST3002

17201002

ASTORIA

ITA Resistenza 1000/1090W 230/240V 2 poli, attacco Ø 1"1/4, fori portatermostato, immersione 105mm

ENG Heating element 1000/1090W 230/240V 2 poles, connection Ø 1"1/4, thermostat holder holes, immersion 105mm




3AST3001

17201 - 17202

ASTORIA

ITA Resistenza 1300W 230V 2 poli, attacco Ø1"1/4, immersione 105mm

ENG Heating element 1300W 230V 2 poles, connection Ø1"1/4, immersion 105mm




3AST3014

17003 - 17006 - 4617006

ASTORIA

ITA Resistenza 2000/2175W 230/240V 6 poli, flangia 95x57mm con portabulbo, immersione 180mm, per macchine a 1 gruppo

ENG Heating element 2000/2175W 230/240V 6 poles, flange 95x57mm with bulb holder, immersion 180mm, for 1-group machines



3AST3004

17002

ASTORIA

ITA Resistenza 2000W 230/240V 4 poli, flangia 95x57mm con portabulbo, immersione 175mm, per macchine a 1 gruppo

ENG Heating element 2000W 230/240V 4 poles, flange 95x57mm with bulb holder, immersion 175mm, for 1-group machines



3AST3009

17054

ASTORIA

ITA Resistenza 2600/2830W 230/240V 6 poli, flangia 95x57mm con portabulbo, immersione 315mm, per macchine a 2 gruppi

ENG Heating element 2600/2830W 230/240V 6 poles, flange 95x57mm with bulb holder, immersion 315mm, for 2-group machines




3AST3006

17051

ASTORIA

ITA Resistenza 2600W 230/240V 4 poli, flangia 95x57mm con portabulbo, immersione 300mm, per macchine a 2 gruppi

ENG Heating element 2600W 230/240V 4 poles, flange 95x57mm with bulb holder, immersion 300mm, for 2-group machines



3AST3005

17012

ASTORIA

ITA Resistenza 2700/2940W 230/240V 6 poli, flangia 95x57mm con portabulbo, immersione 180mm

ENG Heating element 2700/2940W 230/240V 6 poles, flange 95x57mm with bulb holder, immersion 180mm



3AST3003

17059

ASTORIA

ITA Resistenza 3400/3700W 230/240V 6 poli, flangia 95x57mm, immersione 320mm, per macchine a 2 gruppi

ENG Heating element 3400/3700W 230/240V 6 poles, flange 95x57mm, immersion 320mm, for 2-group machines

05

Bezzera



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26




3BEZ3003

5470504
BEZZERA
ITA Doccia filtro erogazione Ø51,5mm
ENG Shower filter dispensing Ø51.5mm



3BEZ3023

5470504
BEZZERA
ITA Doccia filtro erogazione Ø51,5mm
ENG Shower filter dispensing Ø51.5mm



3BEZ3002

5470501
BEZZERA
ITA Doccia filtro erogazione Ø57,5mm
ENG Shower filter dispensing Ø57.5mm



3BEZ3021

5470512 - 5471022
BEZZERA
ITA Doccia filtro erogazione Ø 60mm
ENG Shower head filter dispensing Ø 60mm



3BEZ3022

5470512
BEZZERA
ITA Doccia filtro erogazione Ø60mm
ENG Shower head filter dispensing Ø60mm



3BEZ3014

BEZZERA
ITA Perno a camme per gruppo erogazione, lunghezza 86mm, dado M6
ENG Camshaft pin for dispensing unit, length 86mm, nut M6



3BEZ3012

7479946
BEZZERA
ITA Valvola completa per gruppo erogazione lunghezza 52,8mm
ENG Valve complete for dispensing unit length 52.8mm



3BEZ3017

7479943
BEZZERA
ITA Valvola di scarico completa per gruppi erogazione, lunghezza 27mm
ENG Valve complete for dispensing groups, length 27mm



3BEZ3013

7479941
BEZZERA
ITA Spruzzatore gruppo erogatore Ø30mm M10x1
ENG Sprayer dispensing unit Ø30mm M10x1



3BEZ1001

7371003
BEZZERA
ITA Gommino antiscottatura tubo Ø10mm adattabile
ENG Gommino heat-resistant tube Ø10mm adaptable



3VM1007

7479934 - 12953.0.00.02 - 400-213-000 - C469900422 - 400213000 - A1200151 - WGADM0041063 - A1200169 - GR718 - 10062003 - C469900422 - C-0324 - 00225 - GUARORI28
VARIE MARCHE
ITA Guarnizione O-ring 0128 20,63X2,62mm Viton adattabile
ENG O-ring seal 0128 20.63X2.62mm Viton adaptable



3BEZ1006

7493011
BEZZERA
ITA Guarnizione carta per gruppo 80x70x2 mm adattabile
ENG Gasket paper for group 80x70x2 mm adaptable



3BEZ3016

5496042
BEZZERA
ITA Guarnizione piana EPDM Ø11x4x4mm
ENG Gasket flat EPDM Ø11x4x4mm



3VM1001

VARIE MARCHE
ITA Guarnizione piana EPDM Ø15,5x7,5x4mm adattabile
ENG Gasket flat EPDM Ø15.5x7.5x4mm adaptable



3BEZ1002

5493039
BEZZERA
ITA Guarnizione portafiltro diametro 73x57x8 mm adattabile
ENG Filter holder gasket Ø 73x57x8 mm adaptable




3BEZ1003

5493039
BEZZERA
ITA Guarnizione portafiltro diametro 73x57x8,5 mm adattabile
ENG Seal filter holder Ø 73x57x8.5 mm adaptable



3BEZ1007

BEZZERA
ITA Spessore carta diametro 72x58x0,8 mm adattabile
ENG Thickness paper Ø 72x58x0.8 mm adaptable



3BEZ1008

BEZZERA
ITA Spessore carta diametro 66x58x0,8 mm adattabile
ENG Thickness paper Ø 66x58x0.8 mm adjustable







3VM1004

VARIE MARCHE

ITA Spessore carta Ø73x59x0,8 mm adattabile

ENG Thickness paper Ø73x59x0.8 mm adaptable

3VM1005

VARIE MARCHE

ITA Spessore gomma Ø73x59x1 mm EPDM adattabile

ENG Thickness rubber Ø73x59x1 mm EPDM adaptable

3VM1006

VARIE MARCHE

ITA Spessore gomma Ø70x57x1 mm EPDM adattabile

ENG Thickness rubber Ø70x57x1 mm EPDM adaptable







3PAR3004

PARKER

ITA Elettrovalvola Parker 2 vie raccordi Ø1/8 FF max 10 bar tenuta in FKM con bobina 48351056 9w 220/240v 50/60hZ

ENG Solenoid valve Parker 2 ways fittings Ø1/8 FF max 10 bar seal in FKM with coil 48351056 9w 220/240v 50/60hZ

3SVM1001

SVM

ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile

ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable

3SVM1002

SVM

ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino, attacco conico

ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal







3PAR3007

PARKER

ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz

ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz

3PAR3001

PARKER

ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"

ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"

3PAR3002

PARKER

ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR

ENG Parker 3-way core without coil conical connection - VE128IR







3PAR3006

PARKER

ITA Elettrovalvola Parker 3 vie senza bobina E131F4304G

ENG Solenoid Valve Parker 3-way without coil E131F4304G

3PAR3005

PARKER

ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz

ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz

3GCR3001

GICAR

ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti

ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets







3GCR3004

GICAR

ITA Testa per contatore volumetrico

ENG Head for volumetric counter

3BEZ3018

BEZZERA

5430504 - 5430505

ITA Vetro livello diametro12x135 mm

ENG Glass level Ø12x135 mm

3BEZ3011

BEZZERA

7665529

ITA Display elettronico 22x57mm

ENG Display electronic 22x57mm







3BEZ1004

BEZZERA

7633604 - 7633604.01

ITA Spia luminosa arancione 230V adattabile

ENG Orange 230V adaptable light indicator

3BEZ1005

BEZZERA

7633608 - 7633610

ITA Spia luminosa verde 250V adattabile

ENG Green light indicator 250V adaptable

3BEZ3007

BEZZERA

7432522

ITA Manometro caldaia corpo Ø39mm 0÷3Bar attacco Ø1/8 maschio

ENG Pressure gauge boiler body Ø39mm 0÷3Bar connection Ø1/8 male



3BEZ3008

7432524

BEZZERA

- ITA Manometro caldaia-pompa corpo Ø60mm 0÷3/0÷15Bar attacchi Ø1/8m
- ENG Pressure gauge boiler-pump body Ø60mm 0÷3/0÷15Bar connections Ø1/8m



3BEZ3006

7432523

BEZZERA

- ITA Manometro pompa Ø39mm 0÷16bar attacco 1/8m
- ENG Pressure gauge pump Ø39mm 0÷16bar connection 1/8m



3BEZ3004

7433008

BEZZERA

- ITA Pressostato XP110 125 1.5 bar 1/4" maschio 16A 250V
- ENG Pressure switch XP110 125 1.5 bar 1/4" male 16A 250V



3BEZ3001

5722207 - 5722240 - 5722240TP

BEZZERA

- ITA Resistenza 1250/1450W 220/240V 2 poli, attacco Ø1"
- ENG Resistance 1250/1450W 220/240V 2 poles, connection Ø1"




3BEZ3005

7433012

BEZZERA

- ITA Pressostato XP110 C110P 2,3bar 1/4" maschio, 15A 125/250V, raccordo Ø1/4"m e portagomma Ø7/4mm
- ENG Pressure switch XP110 C110P 2.3bar 1/4" male, 15A 125/250V, fitting Ø1/4"m and hose tailpiece Ø7/4mm



3EGO3001

5532532020

EGO

- ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm
- ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm



3BEZ3010

7434014 - 7434017

BEZZERA

- ITA Termostato digitale Termopid 230V 50/60Hz, dimensione corpo 61x29x52mm, cornice 70x31mm
- ENG Thermostat digital Termopid 230V 50/60Hz, body size 61x29x52mm, frame 70x31mm



3BEZ3015

5226601CM - 5226601TW

BEZZERA

- ITA Spruzzatore terminale acqua
- ENG Water terminal sprayer



3FLT3001

FLUID-O-TECH

- ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm
- ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm



3BEZ3009

7742202

BEZZERA

- ITA Motore a fascetta 120W 230V 50/60Hz per pompa rotativa
- ENG Motor with strap 120W 230V 50/60Hz for rotary pump

06

Bianchi



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26

 	 	 
3BI3007	3BI3008	3BI3003
16022711	16022711	43051216
BIANCHI	BIANCHI	BIANCHI
ITA Doccia filtro erogazione Ø 60mm	ITA Doccia filtro erogazione Ø60mm	ITA Spruzzatore gruppo erogatore Ø30mm M10x1
ENG Shower head filter dispensing Ø 60mm	ENG Shower filter dispensing Ø60mm	ENG Sprayer dispensing unit Ø30mm M10x1

 	 	 
3BI1002	3BI1003	3BI1004
5493039	36361516	36361316
BIANCHI	BIANCHI	BIANCHI
ITA Guarnizione portafiltro diametro 73x57x8 mm adattabile	ITA Guarnizione portafiltro diametro 73x57x8,5 mm adattabile	ITA Guarnizione carta per gruppo Ø 80x70x2 mm adattabile
ENG Filter holder gasket Ø 73x57x8 mm adaptable	ENG Seal filter holder Ø 73x57x8.5 mm adaptable	ENG Gasket paper for group Ø 80x70x2 mm adaptable

 	 	 
3BI3004	3VM1004	3VM1005
43057116		
BIANCHI	VARIE MARCHE	VARIE MARCHE
ITA Guarnizione cieca silicone Ø12x5,8mm	ITA Spessore carta Ø73x59x0,8 mm adattabile	ITA Spessore gomma Ø73x59x1 mm EPDM adattabile
ENG Sealing blind silicone Ø12x5.8mm	ENG Thickness paper Ø73x59x0.8 mm adaptable	ENG Thickness rubber Ø73x59x1 mm EPDM adaptable


 	 	 
3VM1006	3PAR3001	3SVM1001
VARIE MARCHE	PARKER	SVM
ITA Spessore gomma Ø70x57x1 mm EPDM adattabile	ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"	ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile
ENG Thickness rubber Ø70x57x1 mm EPDM adaptable	ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"	ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable

 	 	 
3SVM1002	3PAR3007	3PAR3002
SVM	PARKER	PARKER
ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino, attacco conico	ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz	ITA Nucleo Parker 3 vie senza bobina attacco conico - VE1281R
ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal	ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz	ENG Parker 3-way core without coil conical connection - VE1281R

 	 	 
3PAR3005	3GCR3001	3GCR3004
PARKER	GICAR	GICAR
ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz	ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orificio 1,15mm 3 magneti	ITA Testa per contatore volumetrico
ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz	ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets	ENG Head for volumetric counter



3GCR3002	3BI1005	3BI3001
	26053416	25035016-01
GICAR	BIANCHI	BIANCHI
ITA Regolatore di livello NRL30/1E-2C/F 230V 50/60Hz 5A	ITA Pulsante bipolare luminoso tondo rosso 16A 250V adattabile	ITA Manometro pompa corpo Ø52 0÷16Bar attacchi Ø1/8m
ENG Level regulator NRL30/1E-2C/F 230V 50/60Hz 5A	ENG Bipolar round red illuminated button 16A 250V adaptable	ENG Pressure gauge pump body Ø52 0÷16Bar connections Ø1/8m



3BI3002	3EGO3001	3FLT3001
25035116-01	5532532020	
BIANCHI	EGO	FLUID-O-TECH
ITA Manometro pompa corpo Ø52mm 0÷3Bar attacchi Ø1/8m	ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm	ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm
ENG Pressure gauge pump body Ø52mm 0÷3Bar connections Ø1/8m	ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm	ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm



3FLT3003
FLUID-O-TECH
ITA Pompa rotativa attacco a fascetta portata 200 Lt/h Ø 3/8 dimensione senza perno 82,5mm
ENG Rotary pump with hose clamp connection, flow rate 200 L/h Ø 3/8 size without pin 82.5mm

SPEDIZIONI IN 24H
IN TUTTA ITALIA

Approfitta del nuovo servizio espresso in 24h escluso paesi esteri*

2 4-HOUR SHIPPING THROUGH OUT ITALY
Take advantage of the new 24-hour express service, excluding foreign countries*

- Invia il tuo ordine entro le 13.00
- Max 6 codici
- Max 12 pz cadauno (peso max 10 Kg)

*CALABRIA | SICILIA | SARDEGNA 48 H



VISITA IL SITO E SCOPRI
TUTTI I SERVIZI A TE RISERVATI

WWW.MICROMIC.COM





07

Bfc



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV11-NV_03-26



3BFC3010

4630033
BFC
ITA Doccia filtro erogazione Ø51,5mm
ENG Shower filter dispensing Ø51.5mm



3BFC3015

0520080
BFC
ITA Doccia filtro erogazione Ø 60mm
ENG Shower filter dispensing Ø 60mm



3BFC3016

0520080
BFC
ITA Doccia filtro erogazione Ø60mm
ENG Shower head filter output Ø60mm



3BFC3006

0530070
BFC
ITA Perno a camme per gruppo erogazione, lunghezza 86mm, dado M6
ENG Camshaft pin for dispensing unit, length 86mm, nut M6



3BFC3004

0530020
BFC
ITA Valvola completa per gruppo erogazione lunghezza 52,8mm
ENG Valve complete for dispensing unit length 52.8mm



3BFC3005

0520070
BFC
ITA Spruzzatore gruppo erogatore Ø30mm M10x1
ENG Sprayer dispensing unit Ø30mm M10x1



3BFC3007

0520020 - INIE708
BFC
ITA Ugello gruppo erogazione M6x0,75mm foro Ø0,8mm
ENG Nozzle dispensing group M6x0.75mm hole Ø0.8mm



3BFC3009

0540085
BFC
ITA Guarnizione cieca silicone Ø12x5,8mm
ENG Gasket blind silicone Ø12x5.8mm



3VM1001

VARIE MARCHE
ITA Guarnizione piana EPDM Ø15,5x7,5x4mm adattabile
ENG Gasket flat EPDM Ø15.5x7.5x4mm adaptable



3BFC1001

0510140 - 0530010
BFC
ITA Guarnizione piana NBR Ø13x4x4mm adattabile
ENG Gasket flat NBR Ø13x4x4mm adaptable



3BFC1002

0510186
BFC
ITA Guarnizione piana NBR Ø 15/6x10mm adattabile
ENG Gasket flat NBR Ø 15/6x10mm adaptable



3BFC1005

BFC
ITA Guarnizione piana carbo diametro 57x43x3 mm adattabile
ENG Gasket flat carbo Ø 57x43x3 mm adaptable



3BFC1004

2001310
BFC
ITA Guarnizione carta per gruppo Ø 80x70x2 mm adattabile
ENG Gasket paper for group Ø 80x70x2 mm adaptable



3VM1004

VARIE MARCHE
ITA Spessore carta Ø73x59x0,8 mm adattabile
ENG Thickness paper Ø73x59x0.8 mm adaptable



3VM1005

VARIE MARCHE
ITA Spessore gomma Ø73x59x1 mm EPDM adattabile
ENG Thickness rubber Ø73x59x1 mm EPDM adaptable



3VM1006

VARIE MARCHE
ITA Spessore gomma Ø70x57x1 mm EPDM adattabile
ENG Thickness rubber Ø70x57x1 mm EPDM adaptable



3PAR3001

PARKER
ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"
ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"



3PAR3007

PARKER
ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz
ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz



3SVM1001

SVM
ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile
ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable



3SVM1002

SVM
ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino, attacco conico
ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal



3PAR3002

PARKER
ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR
ENG Parker 3-way core without coil conical connection - VE128IR



3PAR3005

PARKER
ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz
ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz



3GCR3001

GICAR
ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti
ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets



3GCR3004

GICAR
ITA Testa per contatore volumetrico
ENG Head for volumetric counter




3BFC3012

4580010
BFC
ITA Vetro livello diametro 11x140 m
ENG Glass level Ø 11x140 m



3BFC3002

4551022
BFC
ITA Manometro pompa corpo Ø52 0÷3Bar attacchi Ø1/8m
ENG Pressure gauge pump body Ø52 0÷3Bar connections Ø1/8m



3EGO3001

5532532020
EGO
ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm
ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm



3BFC3001

0540115
BFC
ITA Bussola snodo tubo vapore
ENG Compass joint steam pipe



3FLT3001

FLUID-O-TECH
ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm
ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm



3BFC3003

5050720
BFC
ITA Resistenza 3500W 230V 4 poli, flangia 95x57mm con portabulbo, per macchine a 2 gruppi
ENG Resistance 3500W 230V 4 poles, flange 95x57mm with bulb holder, for 2-group machines



08

Brasilia



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26



3BRS3013

04214.0.40.01 - 0421404001

BRASILIA

ITA Doccia filtro erogazione Ø 60mm

ENG Shower head filter dispensing Ø 60mm



3BRS3014

04214.0.40.01 - 0421404001

BRASILIA

ITA Doccia filtro erogazione Ø60mm

ENG Shower head filter dispensing Ø60mm



3BRS3006

09320.0.00.04 - 0932000004

BRASILIA

ITA Perno a camme per gruppo erogazione, lunghezza 86mm, dado M6

ENG Camshaft pin for dispensing unit, length 86mm, nut M6



3BRS3004

09452.4.00.09

BRASILIA

ITA Valvola completa per gruppo erogazione lunghezza 52,8mm

ENG Valve complete for dispensing unit length 52.8mm



3BRS3003

09453.4.00.09 - 0945340009

BRASILIA

ITA Valvola completa per gruppo erogazione lunghezza 54,6mm

ENG Valve complete for dispensing unit length 54.6mm



3BRS3009

09451.4.00.09

BRASILIA

ITA Valvola di scarico completa per gruppi erogazione, lunghezza 27mm

ENG Valve complete for dispensing groups, length 27mm



3BRS3005

04089.0.00.04

BRASILIA

ITA Spruzzatore gruppo erogatore Ø30mm M10x1

ENG Sprayer dispensing unit Ø30mm M10x1



3BRS1004

15692.0.00.02

BRASILIA

ITA Gommino antiscottatura tubo Ø10mm adattabile

ENG Gommino scalding protection tube Ø10mm adaptable



3VM1007

7479934 - 12953.0.00.02 - 400-213-000 - C469900422 - 400213000 - A1200151 - WGADM0041/063 - A1200169 - GR718 - 10062003 - C469900422 - C-0324 - 00225 - GUARORI28

VARIE MARCHE

ITA Guarnizione O-ring 0128 20,63X2,62mm Viton adattabile

ENG O-ring seal 0128 20.63X2.62mm Viton adaptable



3VM1008

00802.0.00.02 - 401-360-000 - DM0041/053 - WGADM0041/053 - 456042 - E456042 - 30473 - 456042 - CGR114 - REB456042 - 02280032 - RX94801156 - WGADM0041/053 - 02280032 - 2707079 - 0E2836 - 0E5360
VARIE MARCHE

ITA Guarnizione O-ring 0114 11,11X1,78mm EPDM adattabile

ENG O-ring gasket 0114 11.11X1.78mm EPDM adaptable



3BRS3008

00818.0.00.02 - 18513.0.00.02 - 81800002 - 1851300002

BRASILIA

ITA Guarnizione piana EPDM Ø11x4x4mm

ENG Gasket flat EPDM Ø11x4x4mm



3VM1001

VARIE MARCHE

ITA Guarnizione piana EPDM Ø15,5x7,5x4mm adattabile

ENG Gasket flat EPDM Ø15.5x7.5x4mm adaptable



3BRS1003

12005.0.00.02

BRASILIA

ITA Guarnizione piana NBR Ø 13x4x4mm adattabile

ENG Gasket flat NBR Ø 13x4x4mm adaptable



3BRS1002

18508.0.00.02

BRASILIA

ITA Guarnizione piana NBR Ø 15/6x10mm adattabile

ENG Gasket flat NBR Ø 15/6x10mm adaptable



3BRS1001

01393.0.00.02

BRASILIA

ITA Guarnizione portafiltro Ø 66x56x6mm adattabile

ENG Seal filter holder Ø 66x56x6mm adaptable



3BRS1006

04394.0.00.02

BRASILIA

ITA Guarnizione carta per gruppo Ø 80x70x2 mm adattabile

ENG Gasket paper for group Ø 80x70x2 mm adaptable



3BRS1007

00819.0.00.02

BRASILIA

ITA Guarnizione resistenza triangolare PTFE spessore 3mm adattabile

ENG Gasket triangular resistance PTFE thickness 3mm adaptable



3BRS1009

BRASILIA

ITA Spessore carta diametro 66x58x0,8 mm adattabile

ENG Thickness paper Ø 66x58x0.8 mm adaptable







3BRS1010

BRASILIA

ITA

Spessore carta diametro 70x57x0,8 mm adattabile

ENG

Thickness paper Ø 70x57x0.8 mm adjustable

3BRS1008

BRASILIA

ITA

Spessore carta diametro 72x58x0,8 mm adattabile

ENG

Thickness paper Ø 72x58x0.8 mm adjustable

3VM1004

VARIE MARCHE

ITA

Spessore carta Ø73x59x0,8 mm adattabile

ENG

Thickness paper Ø73x59x0.8 mm adaptable







3VM1005

VARIE MARCHE

ITA

Spessore gomma Ø73x59x1 mm EPDM adattabile

ENG

Thickness rubber Ø73x59x1 mm EPDM adaptable

3VM1006

VARIE MARCHE

ITA

Spessore gomma Ø70x57x1 mm EPDM adattabile

ENG

Thickness rubber Ø70x57x1 mm EPDM adaptable

3PAR3001

PARKER

ITA

Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"

ENG

Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"







3SVM1001

SVM

ITA

Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile

ENG

SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable

3SVM1002

SVM

ITA

Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino, attacco conico

ENG

SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal

3PAR3007

PARKER

ITA

Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz

ENG

Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz







3PAR3002

PARKER

ITA

Nucleo Parker 3 vie senza bobina attacco conico - VE128IR

ENG

Parker 3-way core without coil conical connection - VE128IR

3PAR3005

PARKER

ITA

Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz

ENG

Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz

3GCR3001

GICAR

ITA

Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti

ENG

Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets







3CEM3004

CEME

ITA

Raccordo 90° Ø1/8F

ENG

Fitting 90° Ø1/8F

3GCR3004

GICAR

ITA

Testa per contatore volumetrico

ENG

Head for volumetric counter

3GCR3002

GICAR

ITA

Regolatore di livello NRL30/1E-2C/F 230V 50/60Hz 5A

ENG

Level regulator NRL30/1E-2C/F 230V 50/60Hz 5A







3BRS3010

BRASILIA

ITA

Vetro livello diametro12x135 mm

ENG

Glass level Ø12x135 mm

3BRS1005

BRASILIA

ITA

Interruttore bipolare arancione 16A 250V adattabile

ENG

Bipolar orange switch 16A 250V adaptable

3BRS1012


BRASILIA

ITA

Pulsante bipolare luminoso tondo rosso 16A 250V adattabile

ENG

Bipolar round red illuminated button 16A 250V adaptable



3EGO3001

5532532020

EGO

ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm

ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm



3BRS3007

05004.0.00.09 - 0500400009

BRASILIA

ITA Spruzzatore terminale acqua

ENG Water terminal sprayer



3FLT3001

FLUID-O-TECH

ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm

ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm



3FLT3003

FLUID-O-TECH

ITA Pompa rotativa attacco a fascetta portata 200 Lt/h Ø 3/8 dimensione senza perno 82,5mm

ENG Rotary pump with hose clamp connection, flow rate 200 L/h Ø 3/8 size without pin 82.5mm



3BRS3002

00600.4.00.08

BRASILIA

ITA Motore a fascetta 220Wout 230V 50/60Hz per pompa rotativa

ENG Motor with strap 220Wout 230V 50/60Hz for rotary pump



3BRS3001

00625.2.00.08

BRASILIA

ITA Resistenza 1200W 220V 2 poli, Ø55mm, attacchi Ø1/4"

ENG Resistance 1200W 220V 2 poles, Ø55mm, connections Ø1/4"

I NUOVI CATALOGHI SONO ONLINE

I TUOI RICAMBI A PORTATA DI CLICK

THE NEW CATALOG IS ONLINE YOUR SPARE PARTS JUST A CLICK AWAY

UN PASSO AVANTI

ACCELERA IL TUO BUSINESS CON IL CATALOGO INTERATTIVO, SEMPLICE E INTUITIVO.

ONE STEP FORWARD ACCELERATE YOUR BUSINESS WITH THE INTERACTIVE, SIMPLE AND INTUITIVE CATALOG.



CLICK & GO!


OGNI ARTICOLO È INTERATTIVO CLICCHI E ARRIVI DIRETTAMENTE ALLA PAGINA DEDICATA SUL SITO

EVERY ARTICLE IS INTERACTIVE CLICK AND GO DIRECTLY TO THE DEDICATED PAGE ON THE WEBSITE

WWW.MICROMIC.COM/CATALOGHI/



Sacchetti per Aspirapolveri - Vacuum Cleaner bags





09

Brugnetti Aurora



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26

Brugnetti Aurora

 	 	 
3BRU3012	3BRU3001	3BRU3003
000182	000182	000184
BRUGNETTI AURORA	BRUGNETTI AURORA	BRUGNETTI AURORA
ITA Doccia filtro erogazione Ø 60mm altezza 17mm	ITA Doccia filtro erogazione Ø56,5mm	ITA Ugello gruppo erogazione M6x0,75mm foro Ø0,8mm
ENG Shower filter dispensing Ø 60mm height 17mm	ENG Shower filter dispensing Ø56.5mm	ENG Nozzle dispensing group M6x0.75mm hole Ø0.8mm

 	 	 
3BRU1002	3BRU1001	3BRU1003
000213	000464	000177
BRUGNETTI AURORA	BRUGNETTI AURORA	BRUGNETTI AURORA
ITA Guarnizione piana in EPDM Ø15x4x4mm adattabile	ITA Guarnizione piana per vetro livello Ø 21x11,5x5mm adattabile	ITA Guarnizione portafiltro Ø 72x56x9mm adattabile
ENG Gasket flat in EPDM Ø15x4x4mm adaptable	ENG Flat gasket for level glass Ø 21x11.5x5mm adaptable	ENG Gasket filter holder Ø 72x56x9mm adaptable

 	 	 
3BRU1004	3BRU1005	3VM1004
000308.F	000177.S	
BRUGNETTI AURORA	BRUGNETTI AURORA	VARIE MARCHE
ITA Guarnizione resistenza triangolare PTFE spessore 3mm adattabile	ITA Spessore carta diametro 72x58x0,8 mm adattabile	ITA Spessore carta Ø73x59x0,8 mm adattabile
ENG Gasket triangular resistance PTFE thickness 3mm adaptable	ENG Thickness paper Ø 72x58x0.8 mm adaptable	ENG Thickness paper Ø73x59x0.8 mm adaptable

Brugnetti Aurora

 	 	 
3VM1005	3VM1006	3PAR3001
VARIE MARCHE	VARIE MARCHE	PARKER
ITA Spessore gomma Ø73x59x1 mm EPDM adattabile	ITA Spessore gomma Ø70x57x1 mm EPDM adattabile	ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"
ENG Thickness rubber Ø73x59x1 mm EPDM adaptable	ENG Thickness rubber Ø70x57x1 mm EPDM adaptable	ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"

 	 	 
3SVM1001	3SVM1002	3PAR3007
SVM	SVM	PARKER
ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile	ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino, attacco conico	ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz
ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable	ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal	ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz

 	 	 
3PAR3002	3PAR3005	3GCR3001
PARKER	PARKER	GICAR
ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR	ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz	ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti
ENG Parker 3-way core without coil conical connection - VE128IR	ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz	ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets

Brugnetti Aurora



3GCR3004

GICAR

ITA Testa per contatore volumetrico

ENG Head for volumetric counter



3BRU3006

000319

BRUGNETTI AURORA

ITA Vetro livello diametro 12x175mm

ENG Glass level Ø 12x175mm



3BRU3004

BRUGNETTI AURORA

ITA Manometro caldaia corpo Ø60mm
0÷2,5/0÷15Bar attacco Ø 1/8m

ENG Pressure gauge boiler body Ø60mm
0÷2,5/0÷15Bar connection Ø 1/8m




3BRU3005

BRUGNETTI AURORA

ITA Manometro caldaia pompa, corpo Ø 60mm con doppia scala 0-2,5/0-16bar 1/8 maschio

ENG Pressure gauge boiler pump, body Ø 60mm with double scale 0-2.5/0-16bar 1/8 male



3EGO3001

5532532020

EGO

ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm

ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm



3FLT3001

FLUID-O-TECH

ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm

ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm



3BRU3002

000303

BRUGNETTI AURORA

ITA Resistenza 2000W 230V 2 poli, attacco Ø 1"1/4, per macchine a 1 gruppo


ENG Resistance 2000W 230V 2 poles, connection Ø 1"1/4, for machines with 1 group




VISITA IL SITO INTERNET E REGISTRATI

VISIT THE WEBSITE AND REGISTER

WWW.MICROMIC.COM



SCAN AND REGISTERED





10

Carimali



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26



3CA3013

14.01899

CARIMALI

ITA Doccia filtro erogazione Ø51,5mm

ENG Shower filter dispensing Ø51.5mm



3CA3006

10.60523 - 14.00976

CARIMALI

ITA Doccia filtro erogazione Ø51,5mm

ENG Shower screen Ø51.5mm



3CA3005

14.01740

CARIMALI

ITA Doccia filtro erogazione Ø56,5mm

ENG Shower filter dispensing Ø56.5mm



3CA3004

14.00362

CARIMALI

ITA Doccia filtro erogazione Ø57,5mm

ENG Shower filter dispensing Ø57.5mm



3CA1004

CARIMALI

ITA Guarnizione resistenza triangolare PTFE spessore 3mm adattabile

ENG Gasket triangular resistance PTFE thick-ness 3mm adaptable



3CA3012

9.505.031

CARIMALI

ITA Guarnizione cieca silicone Ø12x5,8mm

ENG Sealing blind silicone Ø12x5.8mm



3CA1002

87.00083 - 87.00122.00.19

CARIMALI

ITA Guarnizione portafiltro Ø69x57x7,5mm adattabile

ENG Filter holder gasket Ø69x57x7.5mm adaptable



3CA1005

74.00009

CARIMALI

ITA Spessore carta diametro 69x57x0,8 mm adattabile

ENG Thickness paper Ø 69x57x0.8 mm adap-table



3VM1004

VARIE MARCHE

ITA Spessore carta Ø73x59x0,8 mm adattabile

ENG Thickness paper Ø73x59x0.8 mm adap-table




3VM1005

VARIE MARCHE

ITA Spessore gomma Ø73x59x1 mm EPDM adattabile

ENG Thickness rubber Ø73x59x1 mm EPDM adaptable



3VM1006

VARIE MARCHE

ITA Spessore gomma Ø70x57x1 mm EPDM adattabile

ENG Thickness rubber Ø70x57x1 mm EPDM adaptable



3PAR3001

PARKER

ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"

ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"



3SVM1001

SVM

ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile

ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable



3SVM1002

SVM

ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino, attacco conico

ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal



3PAR3008

PARKER

ITA Elettrovalvola Parker 2 vie con bobina 483510S6 XS03S6 9W 220/240V 50/60Hz

ENG Solenoid valve Parker 2-way with coil 483510S6 XS03S6 9W 220/240V 50/60Hz



3PAR3007

PARKER

ITA Elettrovalvola Parker 3 vie con bobina at-tacco conico ZB09 9W 220/230V 50/60Hz

ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz



3PAR3002

PARKER

ITA Nucleo Parker 3 vie senza bobina attacco conico - VE1281R

ENG Parker 3-way core without coil conical connection - VE1281R



3PAR3005

PARKER

ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz

ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz



3GCR3001

GICAR

ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti

ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets



3GCR3004

GICAR

ITA Testa per contatore volumetrico

ENG Head for volumetric counter



3CA1003

95.01783

CARIMALI

ITA Interruttore bipolare nero 16A 250V adattabile

ENG Bipolar black switch 16A 250V adaptable



3CA3010

95.01545

CARIMALI

ITA Manometro caldaia-pompa corpo Ø60mm 0-2,5/0-16Bar Attacchi Ø1/8m

ENG Pressure gauge boiler-pump body Ø60mm 0-2.5/0-16Bar Connections Ø1/8m



3CA3009

CARIMALI

ITA Manometro pompa Ø39mm 0-16bar attacco 1/8m

ENG Pressure gauge pump Ø39mm 0-16bar connection 1/8m



3EGO3001

5532532020

EGO

ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm

ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm



3CA3002

CARIMALI

ITA Valvola di emergenza caldaia Ø 3/8" maschio 1,9bar

ENG Boiler emergency valve Ø 3/8" male 1.9bar



3CA3003

CARIMALI

ITA Pressostato XP200A 0,5 - 1,5 bar 1/4

ENG Pressure switch XP200A 0.5 - 1.5 bar 1/4"



3CA3008

95.05024

CARIMALI

ITA Bussola snodo tubo vapore

ENG Compass joint steam pipe



3CA3001

16.00144

CARIMALI

ITA Spruzzatore vapore inox 8,5 mm 4 fori Ø 1,2 mm

ENG Spray nozzle stainless steel 8.5 mm 4 holes Ø 1.2 mm



3CA3011

95.00746

CARIMALI

ITA Spruzzatore terminale acqua

ENG Water terminal sprayer



3FLT3007

FLUID-O-TECH

ITA Pompa rotativa Compact Plus attacco a fascetta portata 50 Lt/h raccordi Ø 3/8 GAS/BSP dimensione senza perno 74,5 mm

ENG Rotary pump Compact Plus with hose clamp connection flow rate 50 Lt/h fittings Ø 3/8 GAS/BSP size without pin 74.5 mm



3CA3007

96.00985

CARIMALI

ITA Resistenza 2000W 230V 2 poli, attacco Ø 1"1/4, per macchine a 1 gruppo

ENG Resistance 2000W 230V 2 poles, connection Ø 1"1/4, for machines with 1 group

11

Casadio



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26







3CAS3012

457560000

CASADIO

ITA Doccia filtro erogazione Ø 60mm

ENG Shower head filter dispensing Ø 60mm

3CAS3014

457504000

CASADIO

ITA Doccia filtro erogazione Ø51,5mm

ENG Shower filter dispensing Ø51.5mm

3CAS3013

457560000

CASADIO

ITA Doccia filtro erogazione Ø60mm

ENG Shower head filter dispensing Ø60mm







3CAS3009

532305000

CASADIO

ITA Filtro rompigetto

ENG Filter nozzle

3CAS3003

927132010

CASADIO

ITA Gommino antiscottatura Ø10mm

ENG Burn protection plug Ø10mm

3CAS3008

430119000

CASADIO

ITA Gommino antiscottatura Ø10mm

ENG Scald-proof Ø10mm rubber pad







3CAS1003

4701001652

CASADIO

ITA Guarnizione piana carbo diametro 57x43x3 mm adattabile

ENG Gasket flat carbo Ø 57x43x3 mm adaptable

3CAS1001

401261010

CASADIO

ITA Guarnizione portafiltro 71x56x9mm conica adattabile

ENG Seal filter holder 71x56x9mm conical adaptable

3CAS1004

CASADIO

ITA Spessore carta diametro 70x57x0,5 mm adattabile

ENG Thickness paper Ø 70x57x0.5 mm adjustable







3CAS1005

CASADIO

ITA Spessore carta diametro 70x57x0,8 mm adattabile

ENG Thickness paper Ø 70x57x0.8 mm adjustable

3VM1004

VARIE MARCHE

ITA Spessore carta Ø73x59x0,8 mm adattabile

ENG Thickness paper Ø73x59x0.8 mm adaptable

3VM1005

VARIE MARCHE

ITA Spessore gomma Ø73x59x1 mm EPDM adattabile

ENG Thickness rubber Ø73x59x1 mm EPDM adaptable







3VM1006

VARIE MARCHE

ITA Spessore gomma Ø70x57x1 mm EPDM adattabile

ENG Thickness rubber Ø70x57x1 mm EPDM adaptable

3PAR3004

PARKER

ITA Elettrovalvola Parker 2 vie raccordi Ø1/8 FF max 10 bar tenuta in FKM con bobina 48351056 9w 220/240v 50/60Hz

ENG Solenoid valve Parker 2 ways fittings Ø1/8 FF max 10 bar seal in FKM with coil 48351056 9w 220/240v 50/60Hz

3SVM1001

SVM

ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile

ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable







3SVM1002

SVM

ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino, attacco conico

ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal

3PAR3001

PARKER

ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"

ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"

3PAR3007

PARKER

ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz

ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz



3PAR3002

PARKER
ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR
ENG Parker 3-way core without coil conical connection - VE128IR



3PAR3005

PARKER
ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz
ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz



3GCR3001

GICAR
ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti
ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets



3GCR3004

GICAR
ITA Testa per contatore volumetrico
ENG Head for volumetric counter



3GCR3006

GICAR
ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,0mm
ENG Gicar volumetric counter, connection Ø 1/4"ff orifice 1,10



3CAS3002

CASADIO
ITA Manometro caldaia corpo Ø62mm 0÷3/0÷15Bar attacchi Ø1/8m
ENG Pressure gauge boiler body Ø62mm 0÷3/0÷15Bar connections Ø1/8m



3EGO3001

EGO
ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm
ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm



3CAS3004

CASADIO
ITA Spruzzatore vapore inox Ø1/8 femmina
ENG Spray steam stainless steel Ø1/8 female



3CAS3006

913438000
CASADIO
ITA Spruzzatore vapore inox Ø1/8 femmina
ENG Spray steam stainless steel Ø1/8 female



3CAS3005

952723010 - 985724000
CASADIO
ITA Tubo vapore inox Ø10mm senza spruzzatore
ENG Stainless steel steam tube Ø10mm without sprayer



3CAS3007

5323392500
CASADIO
ITA Valvola caldaia Ø 1/4 m 2,0Bar
ENG Boiler valve Ø 1/4 m 2.0Bar



3NRT3001

NUERT
ITA Pompa rotativa compact plus attacco a flangia portata 150 litri/h raccordo Ø 3/8 GAS/BSP dimensione senza perno 70,3 mm.
ENG Rotary pump compact plus flange connection flow rate 150 liters/h fitting Ø 3/8 GAS/BSP size without pin 70.3 mm



3NRT3005

NUERT
ITA Pompa rotativa in acciaio compact plus Ø 3/8 GAS/BSP attacco a flangia portata 180 lt/h raccordo Ø 3/8 GAS/BSP dimensione senza perno 73mm
ENG Rotary steel pump compact plus Ø 3/8 GAS/BSP flange connection flow rate 180 lt/h fitting Ø 3/8 GAS/BSP size without pin 73mm



3CAS3001

911544010
CASADIO
ITA Resistenza 3780/4500W 230/400V 6 poli, flangia 95x57mm, immersione 295mm, per macchine a 1 o 2 gruppi
ENG Resistance 3780/4500W 230/400V 6 poles, flange 95x57mm, immersion 295mm, for machines with 1 or 2 groups



12

Cimbali



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26



3CIM3022	
457-560-000	
CIMBALI	
ITA	Doccia filtro erogazione Ø 60mm
ENG	Shower head filter dispensing Ø 60mm



3CIM3024	
457-504-000	
CIMBALI	
ITA	Doccia filtro erogazione Ø51,5mm
ENG	Shower filter dispensing Ø51.5mm



3CIM3023	
457-560-000	
CIMBALI	
ITA	Doccia filtro erogazione Ø60mm
ENG	Shower head filter dispensing Ø60mm



3CIM1001	
457-299-017 - 457-299-027 - 457299017 - 457299027	
CIMBALI	
ITA	Campana innesto portafiltro adattabile
ENG	Hood filter holder adapter



3CIM3016	
4771-134-69 - 532-305-000	
CIMBALI	
ITA	Filtro rompigetto
ENG	Filter nozzle



3CIM3007	
485-118-000 - 537-023-100	
CIMBALI	
ITA	Spruzzatore vapore inox Ø1/8 femmina
ENG	Spray steam stainless steel Ø1/8 female



3CIM3009	
913-438-000	
CIMBALI	
ITA	Spruzzatore vapore inox Ø1/8 femmina
ENG	Spray steam stainless steel Ø1/8 female



3CIM3006	
537-042-500 - 537-042-510 - 537-042-520 - 913-916-020 - 913-917-000 - 913-917-010 - 913-917-020 - 927-990-000 - 985-747-000 - 985-748-000	
CIMBALI	
ITA	Tubo vapore completo inox Ø10mm lunghezza totale 280mm
ENG	Tube steam complete stainless steel Ø10mm total length 280mm



3CIM3008	
485-949-020 - 485-949-030 - 485-949-040 - 485-949-050 - 952-723-000	
CIMBALI	
ITA	Tubo vapore inox Ø10mm senza sprizzatore
ENG	Stainless steel steam tube Ø10mm without sprayer



3CIM3014	
430-119-000 - 430-119-010	
CIMBALI	
ITA	Gommino antiscottatura Ø10mm
ENG	Burn protection plug Ø10mm



3CIM3005	
927-132-010	
CIMBALI	
ITA	Gommino antiscottatura Ø10mm
ENG	Burn protection plug Ø10mm




3VM1008	
00802.0.00.02 - 401-360-000 - DM0041/053 - WGADM0041/053 - 456042 - E456042 - 30473 - 456042 - CGR114 - REB456042 - 02280032 - RX94801156 - WGADM0041/053 - 02280032 - 2707079 - OE2836 - OE5360	
CIMBALI	
ITA	Guarnizione O-ring 0114 11,11X1,78mm EPDM adattabile
ENG	O-ring gasket 0114 11.11X1.78mm EPDM adaptable



3CIM3031	
401320000	
CIMBALI	
ITA	Guarnizione O-ring 030307,59X2,62mm FKM
ENG	O-ring gasket 030307,59X2,62mm FKM



3VM1007	
7479934 - 12953.0.00.02 - 400-213-000 - C469900422 - 400213000 - A1200151 - WGADM0041/063 - A1200169 - GR718 - 10062003 - C469900422 - C-0324 - 00225 - GUARORI28	
CIMBALI	
ITA	Guarnizione O-ring 0128 20,63X2,62mm Viton adattabile
ENG	O-ring seal 0128 20.63X2.62mm Viton adaptable



3CIM1011	
400-274-010	
CIMBALI	
ITA	Guarnizione piana in EPDM 12x3,5x4mm adattabile
ENG	Gasket flat in EPDM 12x3.5x4mm adaptable



3CIM1007	
400-275-000	
CIMBALI	
ITA	Guarnizione piana EPDM Ø est 17,2/13mm Øint 11mm h. 9/4mm adattabile
ENG	Gasket flat EPDM Ø ext 17.2/13mm Øint 11mm h. 9/4mm adaptable



3VM1001	
CIMBALI	
ITA	Guarnizione piana EPDM Ø15,5x7,5x4mm adattabile
ENG	Gasket flat EPDM Ø15.5x7.5x4mm adaptable



3CIM1008	
401-261-000 - 401-261-01	
CIMBALI	
ITA	Guarnizione portafiltro 71x56x9mm conica adattabile
ENG	Filter holder gasket 71x56x9mm conical adaptable



3CIM4004

401-261-010

CIMBALI

ITA Guarnizione portafiltro Ø71x56x9mm

ENG Seal for filter holder Ø71x56x9mm



3CIM4005

402199010 - 402-199-010

CIMBALI

ITA Guarnizione portafiltro Ø74x58x8mm

ENG Filter holder gasket Ø74x58x8mm



3CIM1014

430-119-000 - 430-119-010

CIMBALI

ITA Spessore carta diametro 70x57x0,5 mm adattabile

ENG Thickness paper Ø 70x57x0.5 mm adjustable



3CIM1015

400-238-010

CIMBALI

ITA Spessore carta diametro 70x57x0,8 mm adattabile

ENG Thickness paper Ø 70x57x0.8 mm adaptable



3VM1004

VARIE MARCHE

ITA Spessore carta Ø73x59x0,8 mm adattabile

ENG Thickness paper Ø73x59x0.8 mm adaptable



3VM1005

VARIE MARCHE

ITA Spessore gomma Ø73x59x1 mm EPDM adattabile

ENG Thickness rubber Ø73x59x1 mm EPDM adaptable



3VM1006

VARIE MARCHE

ITA Spessore gomma Ø70x57x1 mm EPDM adattabile

ENG Thickness rubber Ø70x57x1 mm EPDM adaptable



3PAR3004

PARKER

ITA Elettrovalvola Parker 2 vie raccordi Ø1/8 FF max 10 bar tenuta in FKM con bobina 48351056 9w 220/240v 50/60hz

ENG Solenoid valve Parker 2 ways fittings Ø1/8 FF max 10 bar seal in FKM with coil 48351056 9w 220/240v 50/60hz



3PAR3001

PARKER

ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"

ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"



3SVM1001

SVM

ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile

ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable



3SVM1002

SVM

ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino, attacco conico

ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal



3PAR3007

PARKER

ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz

ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz



3PAR3002

PARKER

ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR

ENG Parker 3-way core without coil conical connection - VE128IR



3PAR3005

PARKER

ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz

ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz



3GCR3001

GICAR

ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti

ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets



3GCR3006

GICAR

ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,0mm

ENG Gicar volumetric counter, connection Ø 1/4"ff orifice 1,0



3GCR3004

GICAR

ITA Testa per contatore volumetrico

ENG Head for volumetric counter



3CIM3017

CIMBALI

ITA Vetro livello diametro12x135 mm

ENG Glass level Ø12x135 mm



3CIM3018

439-034-000
CIMBALI
ITA Vetro livello diametro 12x117 mm
ENG Glass level Ø 12x117 mm



3CIM3019

4861-116-572
CIMBALI
ITA Mascherina livello serigrafatadiametro 89x30 mm
ENG Mask level screen printed Ø 89x30 mm



3CIM3010

421-289-010
CIMBALI
ITA Manometro caldaia corpo Ø62mm 0÷3/0÷15Bar attacchi Ø1/8m
ENG Pressure gauge boiler body Ø62mm 0÷3/0÷15Bar connections Ø1/8m




3CIM3012

3781-133-765
CIMBALI
ITA Manometro caldaia-pompa corpo Ø63mm 0÷2,5/0÷16Bar attacchi Ø1/8m
ENG Pressure gauge boiler-pump body Ø63mm 0÷2,5/0÷16Bar connections Ø1/8m



3CIM3011

3781-133-399
CIMBALI
ITA Manometro pompa corpo Ø42mm 0÷16Bar attacchi Ø1/8m
ENG Pressure gauge pump body Ø42mm 0÷16Bar connections Ø1/8m



3CIM1006

537-046-900
CIMBALI
ITA Sensore di pressione 25x25mm adattabile
ENG Pressure sensor 25x25mm adaptable



3CIM3034

CIMBALI
ITA Sonda temperatura Ø4x10mm M6x1
ENG Temperature probe Ø4x10mm M6x1



3EGO3001

5532532020
EGO
ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm
ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm



3CIM1005

913-902-018
CIMBALI
ITA Display elettronico blu adattabile
ENG Display electronic blue adaptable



3CIM1012

532-022-008 - 803-140-010
CIMBALI
ITA Interruttore bipolare nero 16A 250V adattabile
ENG Bipolar black switch 16A 250V adaptable




3CIM1013

3541-133-504
CIMBALI
ITA Spia luminosa verde 250V adattabile
ENG Green light indicator 250V adaptable



3CIM1004

915-315-010
CIMBALI
ITA Pulsantiera 1 tasto adattabile
ENG Button panel 1 button adaptable



3CIM4003

445-270-000 - 445-270-010
CIMBALI
ITA Pulsantiera a membrana 5 tasti 13 pin
ENG Membrane keypad 5 buttons 13 pins



3CIM4002

435-069-000
CIMBALI
ITA Pulsantiera a membrana 5 tasti 6 pin
ENG Membrane keypad 5 buttons 6 pins



3CIM4001

422-259-000
CIMBALI
ITA Pulsantiera a membrana 5 tasti
ENG Membrane keypad with 5 buttons



3CIM1003

445-270-010
CIMBALI
ITA Pulsantiera membrana 5 tasti adattabile
ENG Membrane keypad 5 buttons adaptable



3CIM1002

915-400-000
CIMBALI
ITA Pulsantiera membrana 6 tasti adattabile
ENG Membrane keypad 6 buttons adaptable



3CIM1010

495-764-000
CIMBALI
ITA Manopola rubinetto acqua vapore adattabile
ENG Water steam faucet knob adaptable



3FLT3003

FLUID-O-TECH

ITA Pompa rotativa attacco a fascetta portata 200 Lt/h Ø 3/8 dimensione senza perno 82,5mm

ENG Rotary pump with hose clamp connection, flow rate 200 L/h Ø 3/8 size without pin 82.5mm



3NRT3001

NUERT

ITA Pompa rotativa compact plus attacco a flangia portata 150 litri/h raccordo Ø 3/8 GAS/BSP dimensione senza perno 70,3 mm.

ENG Rotary pump compact plus flange connection flow rate 150 liters/h fitting Ø 3/8 GAS/BSP size without pin 70.3 mm



3NRT3005

NUERT

ITA Pompa rotativa in acciaio compact plus Ø 3/8 GAS/BSP attacco a flangia portata 180 lt/h raccordo Ø 3/8 GAS/BSP dimensione senza perno 73mm

ENG Rotary steel pump compact plus Ø 3/8 GAS/BSP flange connection flow rate 180 lt/h fitting Ø 3/8 GAS/BSP size without pin 73mm




3CIM3003

911-544-000 - 911-544-010

CIMBALI

ITA Resistenza 3780/4500W 230/400V 6 poli, flangia 95x57mm, immersione 295mm, per macchine a 1 o 2 gruppi

ENG Resistance 3780/4500W 230/400V 6 poles, flange 95x57mm, immersion 295mm, for machines with 1 or 2 groups



Q072BS

ULKA

ITA Pompa Ulka EX5 48W 230V 50Hz 15Bar attacco Ø1/8 svasato

ENG Pump Ulka EX5 48W 230V 50Hz 15Bar connection Ø1/8 flared



3CIM3013

530-290-800 - 530-296-900

CIMBALI

ITA Motore a fascetta 220Wout 230V 50/60Hz per pompa rotativa

ENG Motor with strap 220Wout 230V 50/60Hz for rotary pump



3CIM3002

457077008

CIMBALI

ITA Cartuccia Ø 42x150mm

ENG Cartridge Ø 42x150mm



3CIM3015

532-392-500

CIMBALI

ITA Valvola caldaia Ø 1/4 m 2,0Bar

ENG Boiler valve Ø 1/4 m 2.0Bar



3CIM3030

532-392-500

CIMBALI

ITA Valvola caldaia Ø 1/4" M 1,8 bar

ENG Boiler valve Ø 1/4" M 1.8 bar



3CIM3004

476-513-020 - 476-513-030 - 537-011-600 - 537-012-100

CIMBALI

ITA Resistenza 3750/4500W 220/240V 6 poli, flangia 75x75mm con portabulbo, immersione 380mm, per macchine a 2 gruppi

ENG Resistance 3750/4500W 220/240V 6 poles, flange 75x75mm with bulb holder, immersion 380mm, for 2-group machines

13

Conti



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26







3VM1004

VARIE MARCHE

ITA Spessore carta Ø73x59x0,8 mm adattabile

ENG Thickness paper Ø73x59x0.8 mm adaptable

3VM1005

VARIE MARCHE

ITA Spessore gomma Ø73x59x1 mm EPDM adattabile

ENG Thickness rubber Ø73x59x1 mm EPDM adaptable

3VM1006

VARIE MARCHE

ITA Spessore gomma Ø70x57x1 mm EPDM adattabile

ENG Thickness rubber Ø70x57x1 mm EPDM adaptable







3PAR3001

PARKER

ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"

ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"

3SVM1001

SVM

ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile

ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable

3SVM1002

SVM

ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino, attacco conico

ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal







3PAR3007

PARKER

ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz

ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz

3PAR3002

PARKER

ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR

ENG Parker 3-way core without coil conical connection - VE128IR

3PAR3005

PARKER

ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz

ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz







3CO1001

CONTI

ITA Interruttore bipolare nero 16A 250V adattabile

ENG Bipolar black switch 16A 250V adaptable

3GCR3001

GICAR

ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orificio 1,15mm 3 magneti

ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets

3GCR3004

GICAR

ITA Testa per contatore volumetrico

ENG Head for volumetric counter





3FLT3001

FLUID-O-TECH

ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm

ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm

3EGO3001

EGO

ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm

ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm

14

Ecm



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26



3ECM3009

C519900102

ECM
ITA Doccia filtro erogazione Ø51,5mm
ENG Shower filter dispensing Ø51.5mm



3ECM3013

ECM
ITA Doccia filtro erogazione Ø 60mm
ENG Shower filter dispensing Ø 60mm



3ECM3014

ECM
ITA Doccia filtro erogazione Ø60mm
ENG Shower head filter dispensing Ø60mm



3ECM3006

C219900425

ECM
ITA Perno a camme per gruppo erogazione, lunghezza 86mm, dado M6
ENG Camshaft pin for dispensing unit, length 86mm, nut M6



3ECM3003

ECM
ITA Valvola completa per gruppo erogazione lunghezza 54,6mm
ENG Valve complete for dispensing unit length 54.6mm



3ECM3004

ECM
ITA Valvola completa per gruppo erogazione lunghezza 52,8mm
ENG Valve complete for dispensing unit length 52.8mm



3ECM3008

C219900430

ECM
ITA Valvola di scarico completa per gruppi erogazione, lunghezza 27mm
ENG Valve complete for dispensing groups, length 27mm



3ECM3005

ECM
ITA Spruzzatore gruppo erogatore Ø30mm M10x1
ENG Sprayer dispensing unit Ø30mm M10x1



3VM1007

7479934 - 12953.0.00.02 - 400-213-000 - C469900422 - 400213000 - A1200151 - WGADM0041/063 - A1200169 - GR718 - 10062003 - C469900422 - C-0324 - 00225 - GUARORI28
VARIE MARCHE
ITA Guarnizione O-ring 0128 20,63X2,62mm Viton adattabile
ENG O-ring seal 0128 20.63X2.62mm Viton adaptable



3VM1001

VARIE MARCHE
ITA Guarnizione piana EPDM Ø15,5x7,5x4mm adattabile
ENG Gasket flat EPDM Ø15.5x7.5x4mm adaptable



3VM1004

VARIE MARCHE
ITA Spessore carta Ø73x59x0,8 mm adattabile
ENG Thickness paper Ø73x59x0.8 mm adaptable



3VM1005

VARIE MARCHE
ITA Spessore gomma Ø73x59x1 mm EPDM adattabile
ENG Thickness rubber Ø73x59x1 mm EPDM adaptable



3VM1006

VARIE MARCHE
ITA Spessore gomma Ø70x57x1 mm EPDM adattabile
ENG Thickness rubber Ø70x57x1 mm EPDM adaptable



3PAR3001

PARKER
ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"
ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"



3SVM1001

SVM
ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile
ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable



3SVM1002

SVM
ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino, attacco conico
ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal



3PAR3007

PARKER
ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz
ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz



3PAR3002

PARKER
ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR
ENG Parker 3-way core without coil conical connection - VE128IR



3PAR3009

PARKER
ITA Elettrovalvola Parker 3 vie 230V 50/60HZ con bobina YB09 - VE128IR
ENG Parker 3-Way Solenoid Valve 230V 50/60HZ with YB09 Coil - VE128IR



3PAR3005

PARKER
ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz
ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz



3GCR3001

GICAR
ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti
ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets



3FLT3001

FLUID-O-TECH
ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm
ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm



3GCR3004

GICAR
ITA Testa per contatore volumetrico
ENG Head for volumetric counter



3ECM1001

C199900295
ECM
ITA Sonda di livello acqua Ø 1/4"m L125mm adattabile
ENG Water level probe Ø 1/4"m L125mm adaptable



3ECM3002

B7432516
ECM
ITA Manometro caldaia corpo Ø39mm 0÷3Bar attacco Ø1/8 maschio
ENG Pressure gauge boiler body Ø39mm 0÷3Bar connection Ø1/8 male




3ECM3001

B7432517
ECM
ITA Manometro pompa Ø39mm 0÷16bar attacco 1/8m
ENG Pressure gauge pump Ø39mm 0÷16bar connection 1/8m



3ECM3007

A2200004
ECM
ITA Bussola tubo vapore
ENG Compass steam tube



3EGO3001

5532532020
EGO
ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm
ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm



15

Elektra



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti.
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26



3ELE3006

01208035

ELEKTRA

ITA Doccia filtro erogazione Ø51,5mm

ENG Shower filter dispensing Ø51.5mm



3ELE3009

1917035

ELEKTRA

ITA Guarnizione portafiltro ø 67x56,5x5,3 mm

ENG Filter holder gasket ø 67x56.5x5.3 mm



3ELE1001

01960035

ELEKTRA

ITA Guarnizione O-ring 3050 12,37X2,62mm silicone rosso adattabile

ENG Red silicone o-ring 03050 12.37X2.62mm adaptable



3VM1004

VARIE MARCHE

ITA Spessore carta Ø73x59x0,8 mm adattabile

ENG Thickness paper Ø73x59x0.8 mm adaptable



3VM1005

VARIE MARCHE

ITA Spessore gomma Ø73x59x1 mm EPDM adattabile

ENG Thickness rubber Ø73x59x1 mm EPDM adaptable



3VM1006

VARIE MARCHE

ITA Spessore gomma Ø70x57x1 mm EPDM adattabile

ENG Thickness rubber Ø70x57x1 mm EPDM adaptable



3PAR3004

PARKER

ITA Elettrovalvola Parker 2 vie raccordi Ø1/8 FF max 10 bar tenuta in FKM con bobina 48351056 9w 220/240v 50/60hZ

ENG Solenoid valve Parker 2 ways fittings Ø1/8 FF max 10 bar seal in FKM with coil 48351056 9w 220/240v 50/60hZ



3PAR3007

PARKER

ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz

ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz



3SVM1002

SVM

ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino, attacco conico

ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal



3PAR3002

PARKER

ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR

ENG Parker 3-way core without coil conical connection - VE128IR



3PAR3005

PARKER

ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz

ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz



3GCR3001

GICAR

ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti

ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets



3GCR3004

GICAR

ITA Testa per contatore volumetrico

ENG Head for volumetric counter




3FLT3001

FLUID-O-TECH

ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm

ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm



3EGO3001

5532532020

EGO

ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm

ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm



3ELE3001

709035

ELEKTRA

ITA Resistenza 1000W 220V 2 poli, 50mm attacchi M10, immersione 55mm

ENG Resistance 1000W 220V 2 poles, 50mm M10 connections, 55mm immersion



3ELE3002

1958035

ELEKTRA

ITA Resistenza 1200W 220V 2 poli, Ø55mm, attacchi Ø1/4

ENG Resistance 1200W 220V 2 poles, Ø55mm, connections Ø1/4"



16

Faema



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26



3FA3033

FAEMA
ITA Doccia filtro erogazione Ø 60mm
ENG Shower head filter dispensing Ø 60mm



3FA3030

457504000 - 4771132004

FAEMA
ITA Doccia filtro erogazione Ø51,5mm
ENG Shower filter dispensing Ø51.5mm



3FA3006

4771132004

FAEMA
ITA Doccia filtro erogazione Ø51,5mm
ENG Shower filter dispensing Ø51.5mm



3FA3020

FAEMA
ITA Spruzzatore gruppo erogatore Ø30mm M10x1
ENG Sprayer dispensing unit Ø30mm M10x1



3FA3034

FAEMA
ITA Doccia filtro erogazione Ø 60mm
ENG Shower head filter dispensing Ø 60mm



3VM1007

7479934 - 12953.0.00.02 - 400-213-000 - C469900422 - 400213000 - A1200151 - WGADM0041/063 - A1200169 - GR718 - 10062003 - C469900422 - C-0324 - 00225 - GUAROR128
FAEMA
ITA Guarnizione O-ring 0128 20,63X2,62mm Viton adattabile
ENG O-ring seal 0128 20.63X2.62mm Viton adaptable



3FA3037

401320000

FAEMA
ITA
ENG



3FA3017

430119000 - 430119010

FAEMA
ITA Gommino antiscottatura Ø10mm
ENG Burn protection plug Ø10mm



3FA3008

927132010

FAEMA
ITA Gommino antiscottatura Ø10mm
ENG Scald-proof rubber plug Ø10mm



3FA1019

400274010

FAEMA
ITA Guarnizione piana in EPDM 12x3,5x4mm adattabile
ENG Gasket flat in EPDM 12x3.5x4mm adaptable



3VM1001

FAEMA
ITA Guarnizione piana EPDM Ø15,5x7,5x4mm adattabile
ENG Gasket flat EPDM Ø15.5x7.5x4mm adaptable



3FA1009

4701019545

FAEMA
ITA Guarnizione piana NBR Ø13x4x4mm adattabile
ENG Gasket flat NBR Ø13x4x4mm adaptable



3FA1012

FAEMA
ITA Guarnizione piana NBR Ø 15/6x10mm adattabile
ENG Gasket flat NBR Ø 15/6x10mm adaptable



3FA1020

FAEMA
ITA Guarnizione piana in viton verde 13,5x4x4mm adattabile
ENG Gasket flat in green viton 13.5x4x4mm



3FA1023

4701001652

FAEMA
ITA Guarnizione piana carbo diametro 57x43x3 mm adattabile
ENG Gasket flat carbo Ø 57x43x3 mm



3FA1007

4701014816

FAEMA
ITA Guarnizione piana per vetro livello Ø 21x11,5x5mm adattabile
ENG Gasket flat for level glass Ø 21x11.5x5mm adaptable



3FA1008

401261000 - 401261010

FAEMA
ITA Guarnizione portafiltro 71x56x9mm conica adattabile
ENG Gasket filter holder 71x56x9mm conical adaptable



3FA1011

FAEMA
ITA Guarnizione portafiltro Ø 72x56x9mm con 3 spacchi interni adattabile
ENG Filter holder gasket Ø 72x56x9mm with 3 internal slits adaptable







3FA1017

4701016528

FAEMA

ITA

Guarnizione portafiltro diametro 73x57x8 mm adattabile

ENG

Filter holder gasket Ø 73x57x8 mm adaptable

3FA1018

4701016528

FAEMA

ITA

Guarnizione portafiltro diametro 73x57x8,5 mm adattabile

ENG

Gasket filter holder Ø 73x57x8.5 mm adaptable

3FA1024

400238010

FAEMA

ITA

Spessore carta diametro 70x57x0,8 mm adattabile

ENG

Thickness paper Ø 70x57x0.8 mm adaptable







3VM1004

FAEMA

ITA

Spessore carta Ø73x59x0,8 mm adattabile

ENG

Thickness paper Ø73x59x0.8 mm adaptable

3VM1005

FAEMA

ITA

Spessore gomma Ø73x59x1 mm EPDM adattabile

ENG

Thickness rubber Ø73x59x1 mm EPDM adaptable

3VM1006

FAEMA

ITA

Spessore gomma Ø70x57x1 mm EPDM adattabile

ENG

Thickness rubber Ø70x57x1 mm EPDM adaptable







3PAR3004

FAEMA

ITA

Elettrovalvola Parker 2 vie raccordi Ø1/8 FF max 10 bar tenuta in FKM con bobina 48351056 9w 220/240v 50/60hZ

ENG

Solenoid valve Parker 2 ways fittings Ø1/8 FF max 10 bar seal in FKM with coil 48351056 9w 220/240v 50/60hZ

3PAR3001

FAEMA

ITA

Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"

ENG

Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"

3PAR3007

VARIE MARCHE

ITA

Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz

ENG

Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz







3SVM1001

FAEMA

ITA

Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile

ENG

SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable

3SVM1002

FAEMA

ITA

Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino, attacco conico

ENG

SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal

3PAR3002

FAEMA

ITA

Nucleo Parker 3 vie senza bobina attacco conico - VE128IR

ENG

Parker 3-way core without coil conical connection - VE128IR







3PAR3005

FAEMA

ITA

Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz

ENG

Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz

3GCR3001

VARIE MARCHE

ITA

Contatore volumetrico Gicar attacchi Ø 1/4"ff orificio 1,15mm 3 magneti

ENG

Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets

3GCR3006

FAEMA

ITA

Contatore volumetrico Gicar attacchi Ø 1/4"ff orificio 1,0mm

ENG

Gicar volumetric counter, connection Ø 1/4"ff orifice 1,10







3GCR3004

FAEMA

ITA

Testa per contatore volumetrico

ENG

Head for volumetric counter

3FA3024

510006

FAEMA

ITA

Vetro livello diametro 12x175mm

ENG

Glass level Ø 12x175mm

3FA3025

FAEMA


ITA


Vetro livello diametro12x135 mm

ENG

Glass level Ø12x135 mm

 	 	 
3FA3026	3FA3002	3FA1003
4861116572	920711000	915315010
FAEMA	FAEMA	FAEMA
ITA Mascherina livello serigrafata diametro 89x30 mm	ITA Kit riparazione vetro spia caldaia	ITA Pulsantiera 1 tasto adattabile
ENG Mask level screen printed Ø 89x30 mm	ENG Glass boiler indicator repair kit	ENG Button panel 1 button adaptable

 	 	 
3FA1002	3FA4001	3FA4002
915313010	442127000	902700000
FAEMA	FAEMA	FAEMA
ITA Pulsantiera 5 tasti adattabile	ITA Pulsantiera a membrana 10 tasti	ITA Pulsantiera a membrana 9 tasti destra
ENG Button panel 5 keys adaptable	ENG Membrane keypad 10 keys	ENG Membrane keypad 9 keys right

 	 	 
3FA4003	3FA1001	3FA1005
902701010	915400000	537036700
VARIE MARCHE	VARIE MARCHE	VARIE MARCHE
ITA Pulsantiera a membrana 6 tasti sinistra	ITA Pulsantiera membrana 6 tasti adattabile	ITA Dispaly elettronico 20x2 adattabile
ENG Membrane keypad 6 buttons left	ENG Membrane keypad 6 buttuns adaptable	ENG Electronic display 20x2 adaptable

 	 	 
3FA1004	3FA1021	3FA1022
913902018	532022008	3541133504
PARKER	PARKER	PARKER
ITA Display elettronico blu adattabile	ITA Interruttore bipolare nero 16A 250V adattabile	ITA Spia luminosa verde 250V adattabile
ENG Display electronic blue adaptable	ENG Bipolar black switch 16A 250V	ENG Green light indicator 250V

 	 	 
3FA3018	3FA3014	3FA3011
SVM	SVM	PARKER
ITA Manometro caldaia-pompa corpo Ø60mm 0÷3/0÷15Bar attacchi Ø1/8m	ITA Manometro caldaia-pompa corpo Ø63mm 0÷2,5/0÷16Bar attacchi Ø1/8m	ITA Manometro pompa corpo Ø42mm 0÷16Bar attacchi Ø1/8m
ENG Pressure gauge boiler-pump body Ø60mm 0÷3/0÷15Bar connections Ø1/8m	ENG Pressure gauge boiler-pump body Ø63mm 0÷2,5/0÷16Bar connections Ø1/8m	ENG Pressure gauge pump body Ø42mm 0÷16Bar connections Ø1/8m

 	 	 
3FA3012	3FA3013	3FA1006
3781135801	3781135802	537046900 - 534401908
PARKER	GICAR	GICAR
ITA Manometro pompa corpo Ø52 0÷16Bar attacchi Ø1/8m	ITA Manometro caldaia Ø52mm 0÷3Bar attacchi Ø1/8m	ITA Sensore di pressione 25x25mm adattabile
ENG Pressure gauge pump body Ø52 0÷16Bar connections Ø1/8m	ENG Pressure gauge boiler Ø52mm 0÷3Bar connections Ø1/8m	ENG Pressure sensor 25x25mm adaptable



3FA3022	
532392500	
GICAR	
ITA	Valvola caldaia Ø 1/4 m 2,0Bar
ENG	Valve boiler Ø 1/4 m 2.0Bar



3FA3036	
532392500	
FAEMA	
ITA	Valvola caldaia ø 1/4" M 1,8 bar
ENG	Boiler valve ø 1/4" M 1.8 bar



3FA3021	
485949020 - 485949030 - 485949040 - 485949050 - 952723010	
FAEMA	
ITA	Tubo vapore inox Ø10mm senza spru- zatore
ENG	Stainless steel steam tube Ø10mm wi- thout sprayer



3FA3023	
4771134699 - 532305000	
FAEMA	
ITA	Filtro rompigetto
ENG	Filter nozzle



3FA4004	
495764000	
FAEMA	
ITA	Manopola rubinetto acq/vapore
ENG	Knob faucet water/steam



3FA1015	
3529134824 - 495764000	
FAEMA	
ITA	Manopola rubinetto acqua vapore adat- tabile
ENG	Water steam faucet knob adaptable



3FA1016	
4831135881 - 4831135882	
FAEMA	
ITA	Manopola rubinetto acqua vapore adat- tabile
ENG	Handle faucet water steam adaptable



3FA3009	
4151135190 - 537023100	
FAEMA	
ITA	Spruzzatore vapore inox Ø1/8 femmina
ENG	Spray steam stainless steel Ø1/8 female



3EGO3001	
5532532020	
FAEMA	
ITA	Termostato trifase EGO 169-18°C con son- da 128mm Ø4mm
ENG	Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm



3FA3019	
457177002 - 457177008	
FAEMA	
ITA	Cartuccia Ø 42x150mm
ENG	Cartridge Ø 42x150mm



3NRT3001	
FAEMA	
ITA	Pompa rotativa compact plus attacco a flangia portata 150 litri/h raccordo ø 3/8 GAS/ BSP dimensione senza perno 70,3 mm.
ENG	Rotary pump compact plus flange con- nection flow rate 150 liters/h fitting ø 3/8 GAS/BSP size without pin 70.3 mm



3NRT3005	
FAEMA	
ITA	Pompa rotativa in acciaio compact plus ø 3/8 GAS/BSP attacco a flangia portata 180 lt/h raccor- do ø 3/8 GAS/BSP dimensione senza perno 73mm
ENG	Rotary steel pump compact plus ø 3/8 GAS/ BSP flange connection flow rate 180 lt/h fit- ting ø 3/8 GAS/BSP size without pin 73mm



Q233S	
FAEMA	
ITA	Pompa Ulka EX5 48W 230V 50Hz 15Bar attacco Ø1/8 svasato
ENG	Pump Ulka EX5 48W 230V 50Hz 15Bar connection Ø1/8 flared



3FA3015	
530296900	
FAEMA	
ITA	Motore a fascetta 220Wout 230V 50/60Hz per pompa rotativa
ENG	Motor with strap 220Wout 230V 50/60Hz for rotary pump



3FA3007	
FAEMA	
ITA	Resistenza 2000W 230V 4 poli, flangia 95x57mm, per macchine a 1 gruppo
ENG	Resistance 2000W 230V 4 poles, flange 95x57mm, for 1 group machines



3FA3004	
923522010 - 923522020	
FAEMA	
ITA	Resistenza 2700W 220V 6 poli, flangia 75x75mm, immersione 190mm, per mac- chine a 1 o 2 gruppi
ENG	Resistance 2700W 220V 6 poles, flange 75x75mm, immersion 190mm, for machi- nes with 1 or 2 groups



3FA3005	
476513020 - 476513030	
FAEMA	
ITA	Resistenza 3750/4500W 220/240V 6 poli, flangia 75x75mm con portabulbo, immer- sione 380mm, per macchine a 2 gruppi
ENG	Resistance 3750/4500W 220/240V 6 poles, flange 75x75mm with bulb holder, im- mersion 380mm, for 2-group machines



3FA3003	
2841135092 - 3541130090 - 3541135077 - 911544000 - 911544010	
FAEMA	
ITA	Resistenza 3780/4500W 230/400V 6 poli, flangia 95x57mm, immersione 295mm, per macchine a 1 o 2 gruppi
ENG	Resistance 3780/4500W 230/400V 6 poles, flange 95x57mm, immersion 295mm, for machines with 1 or 2 groups

17

Fiorenzato



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26




3FIO3012	3FIO3013	3FIO3006
FIorenzato	FIorenzato	A2200188 FIorenzato
ITA Doccia filtro erogazione Ø 60mm	ITA Doccia filtro erogazione Ø60mm	ITA Perno a camme per gruppo erogazione, lunghezza 86mm, dado M6
ENG Shower filter dispensing Ø 60mm	ENG Shower filter dispensing Ø60mm	ENG Camshaft pin for dispensing unit, length 86mm, nut M6



3FIO3004	3FIO3008	3FIO3005
A2200180 FIorenzato	A2200183 - A2200208 FIorenzato	A2200170 FIorenzato
ITA Valvola completa per gruppo erogazione lunghezza 52,8mm	ITA Valvola di scarico completa per gruppi erogazione, lunghezza 27mm	ITA Spruzzatore gruppo erogatore Ø30mm M10x1
ENG Valve complete for dispensing unit length 52.8mm	ENG Valve complete for dispensing groups, length 27mm	ENG Sprayer dispensing unit Ø30mm M10x1



3FIO3009	3VM1007	3FLT3001
400000013 FIorenzato	7479934 - 12953.0.00.02 - 400-213-000 - C469900422 - 400213000 - A1200151 - WCADM0041/063 - A1200169 - GR718 - 10062003 - C469900422 - C-0324 - 00225 - GUAROR128 VARIE MARCHE	FLUID-O-TECH
ITA Coppia macine dx Øest 64mm Øint 37mm, spessore 8,5mm, 3 fori	ITA Guarnizione O-ring 0128 20,63X2,62mm Viton adattabile	ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm
ENG Pair of grinding burrs right side Øext 64mm Øint 37mm, thickness 8.5mm, 3 holes	ENG O-ring seal 0128 20.63X2.62mm Viton adaptable	ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm



3VM1001	3FIO1001	3FIO1002
VARIE MARCHE	A1200160 FIorenzato	A1200189 FIorenzato
ITA Guarnizione piana EPDM Ø15,5x7,5x4mm adattabile	ITA Guarnizione piana NBR Ø 13x4x4mm adattabile	ITA Guarnizione portafiltro Ø 67x56x6mm adattabile
ENG Gasket flat EPDM Ø15.5x7.5x4mm adaptable	ENG Gasket flat NBR Ø 13x4x4mm adaptable	ENG Filter holder gasket Ø 67x56x6mm adaptable



3FIO1003	3FIO1004	3FIO1006
A1200007 FIorenzato	A1200006 FIorenzato	FIorenzato
ITA Guarnizione portafiltro diametro 73x57x8 mm adattabile	ITA Guarnizione portafiltro diametro 73x57x8,5 mm adattabile	ITA Guarnizione carta per gruppo Ø 80x70x2 mm adattabile
ENG Filter holder gasket Ø 73x57x8 mm adaptable	ENG Seal filter holder Ø 73x57x8.5 mm adaptable	ENG Gasket paper for group Ø 80x70x2 mm adaptable



3FIO1007	3FIO1008	3VM1004
A1200015 FIorenzato	A1200047 FIorenzato	VARIE MARCHE
ITA Guarnizione piana carbo diametro 57x43x3 mm adattabile	ITA Spessore carta diametro 66x58x0,8 mm adattabile	ITA Spessore carta Ø73x59x0,8 mm adattabile
ENG Gasket flat carbo Ø 57x43x3 mm adaptable	ENG Thickness paper Ø 66x58x0.8 mm adaptable	ENG Thickness paper Ø73x59x0.8 mm adaptable







3VM1005

3VM1006

3PAR3001

VARIE MARCHE	VARIE MARCHE	PARKER
ITA Spessore gomma Ø73x59x1 mm EPDM adattabile	ITA Spessore gomma Ø70x57x1 mm EPDM adattabile	ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"
ENG Thickness rubber Ø73x59x1 mm EPDM adaptable	ENG Thickness rubber Ø70x57x1 mm EPDM adaptable	ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"







3SVM1001

3SVM1002

3PAR3007

SVM	SVM	PARKER
ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile	ITA Elettrovalvola SVM attacco conico 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino	ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz
ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable	ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal	ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz







3PAR3002

3PAR3005

3GCR3001

PARKER	PARKER	GICAR
ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR	ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz	ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti
ENG Parker 3-way core without coil conical connection - VE128IR	ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz	ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets







3GCR3004

3FIO3007

3FIO1005

GICAR	FIORENZATO	FIORENZATO
ITA Testa per contatore volumetrico	ITA Bussola tubo vapore	ITA Interruttore bipolare arancione 16A 250V adattabile
ENG Head for volumetric counter	ENG Compass steam tube	ENG Bipolar orange switch 16A 250V adaptable







3FIO3002

3FIO3003

3EGO3001

A1400043	A1400042	5532532020
FIORENZATO	FIORENZATO	EGO
ITA Manometro pompa corpo Ø52 0÷16Bar attacchi Ø1/8m	ITA Manometro pompa corpo Ø52mm 0÷3Bar attacchi Ø1/8m	ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm
ENG Pressure gauge pump body Ø52 0÷16Bar connections Ø1/8m	ENG Pressure gauge pump body Ø52mm 0÷3Bar connections Ø1/8m	ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm



3FIO3001

A2100308
FIORENZATO
ITA Resistenza 1300W 230V 2 poli, attacco Ø1"1/4, immersione 105mm
ENG Resistance 1300W 230V 2 poles, connection Ø1"1/4, immersion 105mm



18

Gaggia Professional



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26

Gaggia Professional







3VM1007

7479934 - 12953.0.00.02 - 400-213-000 - C469900422
00213000 - A1200151 - WGADM0041/063 - A1200169
GR718 - 10062003 - C469900422 - C-0324 - 00225 -
GUARORT28
VARIE MARCHE

ITA Guarnizione O-ring 0128 20,63X2,62mm Viton adattabile

ENG O-ring seal 0128 20.63X2.62mm Viton adaptable

3VM1008

00802.0.00.02 - 401-360-000 - DM0041/053 -
WGADM0041/053 - 456042 - E456042 - 30473 - 456042
CGR114 - REB456042 - 02280032 - RX94801156
WGADM0041/053 - 02280032 - 2707079 - OE2836 - OE5360
VARIE MARCHE

ITA Guarnizione O-ring 0114 11,11X1,78mm EPDM adattabile

ENG O-ring gasket 0114 11.11X1.78mm EPDM adaptable

3GA1004

S361023
GAGGIA PROFESSIONAL

ITA Guarnizione piana in NBR 12x7x5mm

ENG Gasket flat in NBR 12x7x5mm adaptable







3GA1003

5362020
GAGGIA PROFESSIONAL

ITA Guarnizione piana silicone diametro 15x9x5 mm

ENG Gasket flat silicone Ø 15x9x5 mm adaptable

3GA1008

GAGGIA

ITA Guarnizione piana carbo diametro 57x43x3 mm adattabile

ENG Gasket flat carbo Ø 57x43x3 mm adaptable

3GA1005

S361005
GAGGIA PROFESSIONAL

ITA Guarnizione a labbro Ø44x33x5,5mm

ENG Sealing lip Ø44x33x5.5mm adaptable







3GA1006

S361006
GAGGIA PROFESSIONAL

ITA Guarnizioni a labbro diametro 21x11x4,5 mm

ENG Seals with lip Ø 21x11x4.5 mm adaptable

3GA1001

01652809
GAGGIA PROFESSIONAL

ITA Guarnizione portafiltro diametro 73x57x8 mm

ENG Seal filter holder Ø 73x57x8 mm adaptable

3GA1002

01652809
GAGGIA PROFESSIONAL

ITA Guarnizione portafiltro diametro 73x57x8,5 mm

ENG Filter holder gasket Ø 73x57x8.5 mm adaptable

Gaggia Professional







3VM1004

VARIE MARCHE

ITA Spessore carta Ø73x59x0,8 mm adattabile

ENG Thickness paper Ø73x59x0.8 mm adaptable

3VM1005

VARIE MARCHE

ITA Spessore gomma Ø73x59x1 mm EPDM adattabile

ENG Thickness rubber Ø73x59x1 mm EPDM adaptable

3VM1006

VARIE MARCHE

ITA Spessore gomma Ø70x57x1 mm EPDM adattabile

ENG Thickness rubber Ø70x57x1 mm EPDM adaptable







3PAR3001

PARKER

ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"

ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"

3SVM1001

SVM

ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile

ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable

3SVM1002

SVM

ITA Elettrovalvola SVM attacco conico 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino

ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal







3PAR3007

PARKER

ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz

ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz

3PAR3002

PARKER

ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR

ENG Parker 3-way core without coil conical connection - VE128IR

3PAR3005

PARKER

ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz

ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz

Gaggia Professional

		
3GCR3001	3GCR3004	3GA3002
GICAR	GICAR	GAGGIA PROFESSIONAL
ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti	ITA Testa per contatore volumetrico	ITA Vetro livello diametro 12x106 mm serigrafato
ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets	ENG Head for volumetric counter	ENG Glass level Ø 12x106 mm screen printed

		
3GA3003	3GA3004	3GA3005
11006045	08181703	S453101
GAGGIA PROFESSIONAL	GAGGIA PROFESSIONAL	GAGGIA PROFESSIONAL
ITA Vetro livello diametro12x135 mm	ITA Vetro livello diametro 11x107 mm	ITA Vetro livello diametro 9x132 mm
ENG Glass level Ø12x135 mm	ENG Glass level Ø 11x107 mm	ENG Glass level Ø 9x132 mm

		
3GA1007	3GA3006	3GA3007
S435063	S451308	5008001000
GAGGIA PROFESSIONAL	GAGGIA PROFESSIONAL	GAGGIA PROFESSIONAL
ITA Interruttore bipolare rosso con spia verde 16A 250V adattabile	ITA Pressostato Echo 0,5-1,2 bar 1/4" maschio 16A 250V	ITA Pressostato XP110 125 1.5 bar 1/4" maschio 16A 250V
ENG Bipolar red switch with green light 16A 250V adaptable	ENG Pressure switch Echo 0.5-1.2 bar 1/4" male 16A 250V	ENG Pressure switch XP110 125 1.5 bar 1/4" male 16A 250V

Gaggia Professional

	
3FLT3001	3EGO3001
FLUID-O-TECH	EGO
ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm	ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm
ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm	ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm

19

Grimac



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26

 	 	 
3GRI3013	3GRI3014	3GRI3006
GRIMAC	GRIMAC	1201300006 - F160 - GR762
ITA Doccia filtro erogazione Ø 60mm	ITA Doccia filtro erogazione Ø60mm	ITA Spruzzatore gruppo erogatore Ø30mm M10x1
ENG Shower head filter dispensing Ø 60mm	ENG Shower head filter dispensing Ø60mm	ENG Sprayer dispensing unit Ø30mm M10x1

 	 	 
3GRI3007	3GRI3009	3VM1007
1201600004 - A050	f213 - 1201600005	7479934 - 12953.0.00.02 - 400-213-000 - C469900422 - 400213000 - A1200151 - WGADM0041/063 - A1200169 - GR718 - 10062003 - C469900422 - C-0324 - 00225 - GUARORI28
GRIMAC	GRIMAC	VARIE MARCHE
ITA Ugello gruppo erogazione M6x0,75mm foro Ø0,8mm	ITA Ugello M6x0,75mm foro Ø0,6mm	ITA Guarnizione O-ring 0128 20,63X2,62mm Viton adattabile
ENG Nozzle dispensing group M6x0.75mm hole Ø0.8mm	ENG Nozzle M6x0.75mm hole Ø0.6mm	ENG O-ring seal 0128 20.63X2.62mm Viton adaptable

 	 	 
3VM1001	3GRI1007	3GRI1001
VARIE MARCHE	GRIMAC	GRIMAC
ITA Guarnizione piana EPDM Ø15,5x7,5x4mm adattabile	ITA Guarnizione piana in EPDM 12x3,5x4mm	ITA Guarnizione piana NBR Ø13x4x4mm
ENG Gasket flat EPDM Ø15.5x7.5x4mm adaptable	ENG Gasket flat in EPDM 12x3,5x4mm adaptable	ENG Gasket flat NBR Ø13x4x4mm adaptable

 	 	 
3GRI1002	3GRI1005	3GRI1006
1110100051 - F027 - GR758	1110600015 - F015	1110600016 - F016
GRIMAC	GRIMAC	GRIMAC
ITA Guarnizione piana NBR Ø 15/6x10mm	ITA Guarnizione portafiltro diametro 73x57x8 mm	ITA Guarnizione portafiltro diametro 73x57x8,5 mm
ENG Gasket flat NBR Ø 15/6x10mm adaptable	ENG Filter holder gasket Ø 73x57x8 mm adaptable	ENG Seal filter holder Ø 73x57x8.5 mm adaptable

 	 	 
3GRI1008	3GRI1009	3VM1004
1110500119 - 1110500120 - GR721 - W539A	A1200015	
GRIMAC	GRIMAC	VARIE MARCHE
ITA Guarnizione carta per gruppo Ø 80x70x2 mm	ITA Guarnizione piana carbo diametro 57x43x3 mm adattabile	ITA Spessore carta Ø73x59x0,8 mm adattabile
ENG Paper gasket for group Ø 80x70x2 mm adaptable	ENG Gasket flat carbo Ø 57x43x3 mm adaptable	ENG Thickness paper Ø73x59x0.8 mm adaptable

 	 	 
3VM1005	3VM1006	3ODE3001
VARIE MARCHE	VARIE MARCHE	ODE
ITA Spessore gomma Ø73x59x1 mm EPDM adattabile	ITA Spessore gomma Ø70x57x1 mm EPDM adattabile	ITA Elettrovalvola Ode 2 vie 230V 50/60Hz raccordi Ø 1/4 FF con bobina BDA08223DS
ENG Thickness rubber Ø73x59x1 mm EPDM adaptable	ENG Thickness rubber Ø70x57x1 mm EPDM adaptable	ENG Solenoid valve Ode 2 ways 230V 50/60Hz fittings Ø 1/4 FF with coil BDA08223DS



3PAR3008

PARKER
ITA Elettrovalvola Parker 2 vie con bobina 483510S6 XS03S6 9W 220/240V 50/60Hz
ENG Solenoid valve Parker 2-way with coil 483510S6 XS03S6 9W 220/240V 50/60Hz



3PAR3001

PARKER
ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"
ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"



3SVM1001

SVM
ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile
ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable



3SVM1002

SVM
ITA Elettrovalvola SVM attacco conico 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino
ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal



3PAR3007

PARKER
ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz
ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz



3PAR3002

PARKER
ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR
ENG Parker 3-way core without coil conical connection - VE128IR



3PAR3005

PARKER
ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz
ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz



3GCR3001

GICAR
ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti
ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets



3GCR3004

GICAR
ITA Testa per contatore volumetrico
ENG Head for volumetric counter



3GRI1003

GRIMAC
ITA Sonda di livello acqua Ø 1/4"m L125mm
ENG Water level probe Ø 1/4"m L125mm adaptable



3GRI3005

GRIMAC
ITA Valvola completa per gruppo erogazione lunghezza 52,8mm
ENG Valve complete for dispensing unit length 52.8mm



3GRI3010

GRIMAC
ITA Valvola di scarico completa per gruppi erogazione, lunghezza 27mm
ENG Valve complete for dispensing groups, length 27mm



3GRI3002

GRIMAC
ITA Manometro caldaia corpo Ø60mm 0÷2,5/0÷15Bar attacchi Ø1/8m
ENG Pressure gauge boiler body Ø60mm 0÷2.5/0÷15Bar connections Ø1/8m




3GRI3008

GRIMAC
ITA Bussola tubo vapore
ENG Compass steam tube



3GRI1004

GRIMAC
ITA Manopola rubinetto acq/vapore
ENG Knob faucet water/steam adaptable



3EGO3001

EGO
ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm
ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm



Q226

ULKA
ITA Pompa Ulka EAP5 52W 120V 60Hz 20Bar attacco Ø1/8
ENG Pump Ulka EAP5 52W 120V 60Hz 20Bar connection Ø1/8"



Q233S

ULKA
ITA Pompa Ulka EP5/S GW 48W 230/240V 50Hz 15Bar attacco Ø1/8 svasato
ENG Pump Ulka EP5/S GW 48W 230/240V 50Hz 15Bar fitting Ø1/8 flared




3FLT3001

FLUID-O-TECH
ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm
ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm



3FLT3003

FLUID-O-TECH
ITA Pompa rotativa attacco a fascetta portata 200 Lt/h Ø 3/8 dimensione senza perno 82,5mm
ENG Rotary pump with hose clamp connection, flow rate 200 L/h Ø 3/8 size without pin 82.5mm



3GRI3004

1190100004 - GR172
GRIMAC
ITA Motore a fascetta 220Wout 230V 50/60Hz per pompa rotativa
ENG Motor with strap 220Wout 230V 50/60Hz for rotary pump



3GRI3003

1190100001 - gr813 - v022
GRIMAC
ITA Motore a fascetta 220Wout 230V 50/60Hz per pompa rotativa
ENG Motor with strap 220Wout 230V 50/60Hz for rotary pump



3GRI3001

1240100216 - W902
GRIMAC
ITA Resistenza 1300W 230V 2 poli, attacco Ø1"1/4, fori portatermostato, immersione 105mm
ENG Resistance 1300W 230V 2 poles, connection Ø1"1/4, thermostat holes, immersion 105mm

SPEDIZIONI IN 24H
IN TUTTA ITALIA

Approfitta del nuovo servizio espresso in 24h escluso paesi esteri*

2 4-HOUR SHIPPING THROUGH OUT ITALY
Take advantage of the new 24-hour express service, excluding foreign countries*

- Invia il tuo ordine entro le 13.00
- Max 6 codici
- Max 12 pz cadauno (peso max 10 Kg)

*CALABRIA | SICILIA | SARDEGNA 48 H



VISITA IL SITO E SCOPRI
TUTTI I SERVIZI A TE RISERVATI

WWW.MICROMIC.COM



20

La Marzocco



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26







3MAR3009

L107

MARZOCCO

ITA Doccia filtro erogazione ø 57.5 mm

ENG Shower filter dispensing ø 57.5 mm

3MAR1001

H.2.001

MARZOCCO

ITA Guarnizione piana NBR Ø13x4x4mm

ENG Gasket flat NBR Ø13x4x4mm adaptable

3MAR1002

H.3.001 - L105/BB

MARZOCCO

ITA Guarnizione portafiltro Ø72x55x6mm

ENG Filter holder gasket Ø72x55x6mm adaptable







3MAR3004

L165/5

MARZOCCO

ITA Guarnizione cieca silicone Ø12x5,8mm

ENG Blind silicone gasket Ø12x5.8mm

3MAR1004

MARZOCCO

ITA Spessore carta diametro 70x57x0,8 mm adattabile

ENG Thickness paper Ø 70x57x0.8 mm adaptable

3VM1004

VARIE MARCHE

ITA Spessore carta Ø73x59x0,8 mm adattabile

ENG Thickness paper Ø73x59x0.8 mm adaptable







3VM1005

VARIE MARCHE

ITA Spessore gomma Ø73x59x1 mm EPDM adattabile

ENG Thickness rubber Ø73x59x1 mm EPDM adaptable

3VM1006

VARIE MARCHE

ITA Spessore gomma Ø70x57x1 mm EPDM adattabile

ENG Thickness rubber Ø70x57x1 mm EPDM adaptable

3PAR3001

PARKER

ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"

ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"







3SVM1001

SVM

ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile

ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable

3SVM1002

SVM

ITA Elettrovalvola SVM attacco conico 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino

ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal

3PAR3007

PARKER

ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz

ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz







3PAR3002

PARKER

ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR

ENG Parker 3-way core without coil conical connection - VE128IR

3PAR3005

PARKER

ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz

ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz

3GCR3001

GICAR

ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti

ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets







3GCR3004

GICAR

ITA Testa per contatore volumetrico

ENG Head for volumetric counter

3MAR3003

MARZOCCO

ITA Regolatore di livello RL30/1E/2C/F 230/240V

ENG Level regulator RL30/1E/2C/F 230/240V

3EGO3001

5532532020

EGO

ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm

ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm

		
3MAR3002	3FLT3002	3MAR3001
MARZOCCO	FLUID-O-TECH	LR342/220B MARZOCCO
ITA Pressostato XP110 0,5-1,5Bar, attacco 1/4" maschio, 15A 250V	ITA Pompa rotativa attacco a fascetta portata 150 Lt/h ø 3/8 GAS/BSP dimensione senza perno 82,5 mm	ITA Resistenza 2000W 230V 2 poli, attacco Ø1"1/4, per macchine a 1 gruppo
ENG Pressure switch XP110 0.5-1.5Bar, connection 1/4" male, 15A 250V	ENG Rotary pump with hose clamp connection, flow rate 150 Lt/h ø 3/8 GAS/BSP, size without pin 82.5 mm	ENG Heating element 2000W 230V 2 poles, connection Ø1"1/4, for 1-group machines

I NUOVI CATALOGHI SONO ONLINE

I TUOI RICAMBI A PORTATA DI CLICK

THE NEW CATALOG IS ONLINE YOUR SPARE PARTS JUST A CLICK AWAY

UN PASSO AVANTI

ACCELERA IL TUO BUSINESS CON IL CATALOGO INTERATTIVO, SEMPLICE E INTUITIVO.

ONE STEP FORWARD ACCELERATE YOUR BUSINESS WITH THE INTERACTIVE, SIMPLE AND INTUITIVE CATALOG.

- ADAPTABLE PRODUCTS
PRODOTTI ADATTABILI
- ORIGINAL EQUIPMENT MANUFACTURER
PRODOTTI ORIGINALI
- CLICK AND DISCOVER
CLICCA E SCOPRI

OGNI ARTICOLO È INTERATTIVO
CLICCHI E ARRIVI DIRETTAMENTE ALLA PAGINA DEDICATA SUL SITO

EVERY ARTICLE IS INTERACTIVE
CLICK AND GO DIRECTLY TO THE DEDICATED PAGE ON THE WEBSITE


WWW.MICROMIC.COM/CATALOGHI/



Sacchetti per Aspirapolveri - Vacuum Cleaner bags

		
X05104	X5124	X5124M
Adattabile Vorwerk ITA: Sacchetti in carta per aspirapolvere adattabili a modelli VK120/VK121/VK122 ENG: Paper bags with adhesive closure adaptable to VK120/VK121 and VK122 models	Adattabile Vorwerk ITA: Sacchetti in carta per aspirapolvere adattabili a modelli VK120/VK121/VK122 ENG: Paper bags with adhesive closure adaptable to VK120/VK121 and VK122 models	Adattabile Vorwerk ITA: Sacchetti in plastica per aspirapolvere adattabili a modelli VK120/VK121/VK122 ENG: Monofilam bags with adhesive closure adaptable to VK120/VK121 and VK122 models

CLICK & GO!





21

La San Marco



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26







3SNM3001

202011 - 202271

SAN MARCO

ITA Doccia filtro erogazione Ø48mm

ENG Shower head filter dispensing Ø48mm

3SNM3002

202072

SAN MARCO

ITA Doccia filtro erogazione Ø50,5mm

ENG Shower filter dispensing Ø50.5mm

3SNM1003

109024

SAN MARCO

ITA Guarnizione piana EPDM Ø 15x5,5x4mm

ENG Gasket flat EPDM Ø 15x5.5x4mm adap-
table







3SNM1001

109051

SAN MARCO

ITA Guarnizione piana NBR Ø 13x4x4mm

ENG Gasket flat NBR Ø 13x4x4mm adaptable

3SNM1006

109081

SAN MARCO

ITA Guarnizione piana PTFE diametro
56x46x3 mm

ENG Gasket flat PTFE Ø 56x46x3 mm adap-
table

3SNM1004

109011

SAN MARCO

ITA Guarnizione portafiltro diametro
64x52,5x5,5 mm

ENG Seal filter holder Ø 64x52.5x5.5 mm
adaptable







3SNM1005

SAN MARCO

ITA Spessore gomma diametro 64x53x1 mm
EPDM adattabile

ENG Rubber thickness Ø 64x53x1 mm EPDM
adaptable

3VM1004

VARIE MARCHE

ITA Spessore carta Ø73x59x0,8 mm adattabile

ENG Thickness paper Ø73x59x0.8 mm adap-
table

3VM1005

VARIE MARCHE

ITA Spessore gomma Ø73x59x1 mm EPDM
adattabile

ENG Thickness rubber Ø73x59x1 mm EPDM
adaptable







3VM1006

VARIE MARCHE

ITA Spessore gomma Ø70x57x1 mm EPDM
adattabile

ENG Thickness rubber Ø70x57x1 mm EPDM
adaptable

3PAR3003

PARKER

ITA Elettrovalvola Parker 2 vie raccordi ø 1/4FF
- max 17/10 bar tenuta in FKM con bobina
ZB09 9W 220/230V 50/60Hz

ENG Solenoid valve Parker 2 ways fittings ø
1/4FF - max 17/10 bar sealing in FKM with
coil ZB09 9W 220/230V 50/60Hz

3PAR3001

PARKER

ITA Elettrovalvola Parker 3 vie 220/240V
50/60Hz 10bar 1/8"

ENG Solenoid Valve Parker 3 way 220/240V
50/60Hz 10bar 1/8"







3PAR3007

PARKER

ITA Elettrovalvola Parker 3 vie con bobina at-
tacco conico ZB09 9W 220/230V 50/60Hz

ENG Solenoid valve Parker 3-way with coil
ZB09 9W 220/230V 50/60Hz

3SVM1001

SVM

ITA Elettrovalvola SVM 3 vie 230V 50/60Hz
10bar 1/8" adattabile

ENG SVM 3-way solenoid valve 230V 50/60Hz
10bar 1/8" adaptable

3SVM1002

SVM

ITA Elettrovalvola SVM attacco conico 3 vie
230V 50/60Hz 10bar 1/4" tenuta rubino

ENG SVM solenoid valve, conical connection,
3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal







3PAR3002

PARKER

ITA Nucleo Parker 3 vie senza bobina attacco
conico - VE128IR

ENG Parker 3-way core without coil conical
connection - VE128IR

3PAR3005

PARKER

ITA Bobina Parker ZB09 9W per elettrovalvola
220/230V 50/60Hz

ENG Coil Parker ZB09 9W for solenoid valve
220/230V 50/60Hz

3GCR3001

GICAR

ITA Contatore volumetrico Gicar attacchi Ø
1/4"ff orifizio 1,15mm 3 magneti

ENG Volumetric flow meter Gicar with 1/4"ff
connections, 1.15mm nozzle, 3 magnets







3GCR3004

GICAR

ITA Testa per contatore volumetrico

ENG Head for volumetric counter

3SNM3005

108055

SAN MARCO

ITA Regolatore di livello RL30/1E2C/F 230/240V 50/60Hz

ENG Level regulator RL30/1E2C/F 230/240V 50/60Hz

3GCR3004

GICAR

ITA Testa per contatore volumetrico

ENG Head for volumetric counter







3SNM3003

202102 - 202270

SAN MARCO

ITA Manometro caldaia corpo Ø63mm 0÷3/0÷15Bar attacco Ø 1/8m

ENG Pressure gauge boiler body Ø63mm 0÷3/0÷15Bar connection Ø 1/8m

3SNM3007

104002

SAN MARCO

ITA Vetro livello diametro 30x110 mm

ENG Glass level Ø 30x110 mm

3SNM3006

205426

SAN MARCO

ITA Valvola caldaia Ø3/8" maschio 1,8Bar

ENG Valve boiler Ø3/8" male 1.8Bar







3EGO3001

5532532020

EGO

ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm

ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm

3FLT3001

FLUID-O-TECH

ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm

ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm

3FLT3003

FLUID-O-TECH

ITA Pompa rotativa attacco a fascetta portata 200 Lt/h Ø 3/8 dimensione senza perno 82,5mm

ENG Rotary pump with hose clamp connection, flow rate 200 L/h Ø 3/8 size without pin 82.5mm





3FLT3007

FLUID-O-TECH

ITA Pompa rotativa Compact Plus attacco a fascetta portata 50 Lt/h raccordi Ø 3/8 GAS/BSP dimensione senza perno 74,5 mm

ENG Rotary pump Compact Plus with hose clamp connection flow rate 50 Lt/h fittings Ø 3/8 GAS/BSP size without pin 74.5 mm

3SNM3004

108201 - 108006

SAN MARCO


ITA Motore a fascetta 300W 220/230V 50/60Hz per pompa rotativa

ENG Motor with strap 300W 220/230V 50/60Hz for rotary pump



22

La Spaziale



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26

La Spaziale



3SP3002

749

SPAZIALE

ITA Coppia macine sinistra ø esterno 64 mm
ø interno 37 mm spessore 9 mm con 3 fori
di fissaggio
ENG Pair of left grinding burrs external ø 64
mm internal ø 37 mm thickness 9 mm
with 3 fixing holes



3VM1007

7479934 - 12953.0.00.02 - 400-213-000 - C469900422
- 400213000 - A1200151 - WGADM0041/063 - A1200169
- GR718 - 10062003 - C469900422 - C-0324 - 00225 -
GUAROR128

VARIE MARCHE

ITA Guarnizione O-ring 0128 20,63X2,62mm
Viton adattabile
ENG O-ring seal 0128 20.63X2.62mm Viton
adaptable



3SP3009

02417

SPAZIALE

ITA Guarnizione O-ring 04312 78,97X3,53mm
viton nero
ENG Black viton o-ring seal 04312
78.97X3.53mm



3SP1003

SPAZIALE

ITA Gommino antiscottatura tubo Ø10mm
ENG Anti-scalding tube plug Ø10mm adap-
table



3SP1002

00221

SPAZIALE

ITA Guarnizione piana EPDM 15x6x3,3mm
ENG Gasket flat EPDM 15x6x3.3mm adaptable



3SP1001

00266

SPAZIALE

ITA Guarnizione piana EPDM Ø est 17,2/13mm
Øint 11mm h. 9/4mm
ENG Flat EPDM gasket Ø ext 17.2/13mm Øint
11mm h. 9/4mm adaptable



3SP1005

00290

SPAZIALE

ITA Guarnizione piana NBR Ø 15/6x10mm
ENG Gasket flat NBR Ø 15/6x10mm adaptable



3SP1004

01939

SPAZIALE

ITA Guarnizione portafiltro 63x52x6,3mm
ENG Gasket filter holder 63x52x6.3mm adap-
table



3SP1006

01968

SPAZIALE

ITA Guarnizione portafiltro Ø 64x52x7mm
ENG Gasket filter holder Ø 64x52x7mm adap-
table


La Spaziale



3SP1007

SPAZIALE

ITA Spessore gomma diametro 64x53x1 mm
EPDM adattabile
ENG Thickness rubber Ø 64x53x1 mm EPDM
adaptable



3VM1004

VARIE MARCHE

ITA Spessore carta Ø73x59x0,8 mm adattabile
ENG Thickness paper Ø73x59x0.8 mm adap-
table



3VM1005

VARIE MARCHE

ITA Spessore gomma Ø73x59x1 mm EPDM
adattabile
ENG Thickness rubber Ø73x59x1 mm EPDM
adaptable



3VM1006

VARIE MARCHE

ITA Spessore gomma Ø70x57x1 mm EPDM
adattabile
ENG Thickness rubber Ø70x57x1 mm EPDM
adaptable



3PAR3003

PARKER

ITA Elettrovalvola Parker 2 vie raccordi ø 1/4FF
- max 17/10 bar tenuta in FKM con bobina
ZB09 9W 220/230V 50/60Hz
ENG Solenoid valve Parker 2 ways fittings ø
1/4FF - max 17/10 bar sealing in FKM with
coil ZB09 9W 220/230V 50/60Hz



3PAR3001

PARKER

ITA Elettrovalvola Parker 3 vie 220/240V
50/60Hz 10bar 1/8"
ENG Solenoid Valve Parker 3 way 220/240V
50/60Hz 10bar 1/8"



3SVM1001

SVM

ITA Elettrovalvola SVM 3 vie 230V 50/60Hz
10bar 1/8" adattabile
ENG SVM 3-way solenoid valve 230V 50/60Hz
10bar 1/8" adaptable



3SVM1002

SVM

ITA Elettrovalvola SVM attacco conico 3 vie
230V 50/60Hz 10bar 1/4" tenuta rubino
ENG SVM solenoid valve, conical connection,
3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal



3PAR3007

PARKER

ITA Elettrovalvola Parker 3 vie con bobina at-
tacco conico ZB09 9W 220/230V 50/60Hz
ENG Solenoid valve Parker 3-way with coil
ZB09 9W 220/230V 50/60Hz



3PAR3006

PARKER
ITA Elettrovalvola Parker 3 vie senza bobina E131F4304G
ENG Solenoid Valve Parker 3-way without coil E131F4304G

3PAR3002

PARKER
ITA Nucleo Parker 3 vie senza bobina attacco conico - VE1281R
ENG Parker 3-way core without coil conical connection - VE1281R

3PAR3005

PARKER
ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz
ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz



3GCR3001

GICAR
ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti
ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets

3GCR3004

GICAR
ITA Testa per contatore volumetrico
ENG Head for volumetric counter

3SP3005

00268
SPAZIALE
ITA Vetro livello diametro 11x150 mm
ENG Glass level Ø 11x150 mm



3SP3006

00267
SPAZIALE
ITA Vetro livello diametro 11x150 mm
ENG Glass level Ø 11x150 mm

3SP3010

00381
SPAZIALE
ITA Valvola caldaia ø 3/8M 1,8 bar
ENG Boiler valve ø 3/8M 1.8 bar

3EGO3001

5532532020
EGO
ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm
ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm



3SP3004

07048
SPAZIALE
ITA Spruzzatore vapore inox 8,5mm 4 fori Ø1,2mm
ENG Spray nozzle stainless steel 8.5mm 4 holes Ø1.2mm

3SP3003

05329 - 07579
SPAZIALE
ITA Bussola snodo tubo vapore
ENG Compass joint steam pipe

3FLT3006

FLUID-O-TECH
ITA Pompa rotativa Compact attacco a fascetta portata 50 Lt/h Ø 3/8 GAS/BSP dimensione senza perno 58,5 mm
ENG Rotating Compact pump with hose clamp connection flow rate 50 Lt/h Ø 3/8 GAS/BSP size without pin 58.5 mm



3FLT3001

FLUID-O-TECH
ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm
ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm

23

La Pavoni



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26



3PAV3016

LA PAVONI

ITA Doccia filtro erogazione Ø 60mm

ENG Shower head filter dispensing Ø 60mm



3PAV3003

327105

LA PAVONI

ITA Doccia filtro erogazione Ø56,5mm

ENG Shower filter dispensing Ø56.5mm



3PAV3002

327104

LA PAVONI

ITA Doccia filtro erogazione Ø57,5mm

ENG Shower filter dispensing Ø57.5mm



3PAV3017

LA PAVONI

ITA Doccia filtro erogazione Ø60mm

ENG Shower head filter dispensing Ø60mm



3PAV3012

LA PAVONI

ITA Spruzzatore gruppo erogatore Ø30mm M10x1

ENG Sprayer dispensing unit Ø30mm M10x1



3PAV3008

395228

LA PAVONI

ITA Valvola completa per gruppo erogazione lunghezza 52,8mm

ENG Valve complete for dispensing unit length 52.8mm



3PAV3010

395229

LA PAVONI

ITA Valvola di scarico completa per gruppi erogazione, lunghezza 27mm

ENG Valve complete for dispensing groups, length 27mm



3PAV3009

314068

LA PAVONI

ITA Ugello M6x0,75mm foro Ø0,6mm

ENG Nozzle M6x0.75mm hole Ø0.6mm



3PAV1018

LA PAVONI

ITA Guarnizione O-ring 3050 12,37X2,62mm silicone rosso adattabile

ENG 3050 12.37X2.62mm red silicone adaptable O-ring seal



3PAV3013

362074

LA PAVONI

ITA Guarnizione cieca silicone Ø12x5,8mm

ENG Gasket blind silicone Ø12x5.8mm



3PAV1001

361002

LA PAVONI

ITA Guarnizione piana EPDM Ø est 17,2/13mm Øint 11mm h. 9/4mm

ENG Gasket flat EPDM Ø ext 17.2/13mm Øint 11mm h. 9/4mm adaptable



3VM1001

VARIE MARCHE

ITA Guarnizione piana EPDM Ø15,5x7,5x4mm adattabile

ENG Gasket flat EPDM Ø15.5x7.5x4mm adaptable



3PAV1010

361023

LA PAVONI

ITA Guarnizione piana in NBR 12x7x5mm

ENG Gasket flat in NBR 12x7x5mm adaptable



3PAV1003

362027

LA PAVONI

ITA Guarnizione piana NBR Ø13x4x4mm

ENG Gasket flat NBR Ø13x4x4mm adaptable



3PAV1009

362020

LA PAVONI

ITA Guarnizione piana silicone diametro 15x9x5 mm

ENG Gasket flat silicone Ø 15x9x5 mm adaptable



3PAV1012

361006

LA PAVONI

ITA Guarnizione a labbro diametro 21x11x4,5 mm adattabile

ENG Lip gasket Ø 21x11x4.5 mm adaptable



3PAV1011

361005

LA PAVONI

ITA Guarnizione a labbro Ø44x33x5,5mm

ENG Seal with lip Ø44x33x5.5mm adaptable



3PAV1017

362081

LA PAVONI

ITA Guarnizione caldaia diametro 104x80x2 mm

ENG Boiler gasket Ø 104x80x2 mm adaptable







3PAV1014

361012

LA PAVONI

ITA

Guarnizione carta per gruppo Ø 80x70x2 mm

ENG

Gasket paper for group Ø 80x70x2 mm adaptable

3PAV1008

361028 - 465301

LA PAVONI

ITA

Guarnizione filtro diametro 60x50x5,5 mm

ENG

Gasket filter Ø 60x50x5.5 mm adaptable

3PAV1005

430072

LA PAVONI

ITA

Guarnizione portafiltro Ø 67x56x6mm

ENG

Gasket filter holder Ø 67x56x6mm adaptable







3PAV1006

361008

LA PAVONI

ITA

Guarnizione portafiltro diametro 73x57x8 mm

ENG

Gasket filter holder Ø 73x57x8 mm adaptable

3PAV1007

361008

LA PAVONI

ITA

Guarnizione portafiltro diametro 73x57x8,5 mm

ENG

Gasket filter holder Ø 73x57x8.5 mm adaptable

3PAV1016

LA PAVONI

ITA

Spessore carta diametro 64x53x0,7 mm

ENG

Thickness paper Ø 64x53x0.7 mm adaptable







3PAV1015

LA PAVONI

ITA

Spessore carta diametro 66x58x0,8 mm adattabile

ENG

Thickness paper Ø 66x58x0.8 mm adaptable

3VM1004

VARIE MARCHE

ITA

Spessore carta Ø73x59x0,8 mm adattabile

ENG

Thickness paper Ø73x59x0.8 mm adaptable

3VM1005

VARIE MARCHE

ITA

Spessore gomma Ø73x59x1 mm EPDM adattabile

ENG

Thickness rubber Ø73x59x1 mm EPDM adaptable







3VM1006

VARIE MARCHE

ITA

Spessore gomma Ø70x57x1 mm EPDM adattabile

ENG

Thickness rubber Ø70x57x1 mm EPDM adaptable

3PAR3003

PARKER

ITA

Elettrovalvola Parker 2 vie raccordi ø 1/4FF - max 17/10 bar tenuta in FKM con bobina ZB09 9W 220/230V 50/60Hz

ENG

Solenoid valve Parker 2 ways fittings ø 1/4FF - max 17/10 bar sealing in FKM with coil ZB09 9W 220/230V 50/60Hz

3PAR3001

PARKER

ITA

Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"

ENG

Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"







3SVM1001

SVM

ITA

Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile

ENG

SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable

3SVM1002

SVM

ITA

Elettrovalvola SVM attacco conico 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino

ENG

SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal

3PAR3007

PARKER

ITA

Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz

ENG

Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz







3PAR3002

PARKER

ITA

Nucleo Parker 3 vie senza bobina attacco conico - VE128IR

ENG

Parker 3-way core without coil conical connection - VE128IR

3PAR3006

PARKER

ITA

Elettrovalvola Parker 3 vie senza bobina E131F4304G

ENG

Solenoid Valve Parker 3-way without coil E131F4304G

3PAR3005

PARKER

ITA

Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz

ENG

Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz







3CEM3004

1701024

CEME

ITA Raccordo 90° Ø1/8F

ENG Fitting 90° Ø1/8F

3GCR3001

GICAR

ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti

ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets

3GCR3004

GICAR

ITA Testa per contatore volumetrico

ENG Head for volumetric counter







3PAV3015

453110

LA PAVONI

ITA Vetro livello diametro 12x106 mm serigrafato

ENG Glass level Ø 12x106 mm screen printed

3PAV3014

453101

LA PAVONI

ITA Vetro livello diametro 9x132 mm

ENG Glass level Ø 9x132 mm

3PAV1002

438015

LA PAVONI

ITA Sonda di livello acqua Ø 1/4" maschio 125mm

ENG Water level probe Ø 1/4" male 125mm adaptable







3GCR3002

GICAR

ITA Regolatore di livello NRL30/1E-2C/F 230V 50/60Hz 5A

ENG Level regulator NRL30/1E-2C/F 230V 50/60Hz 5A

3PAV1013

435063

LA PAVONI

ITA Interruttore bipolare rosso con spia verde 16A 250V

ENG Bipolar red switch with green light 16A 250V adaptable

3PAV3020

5530011

LA PAVONI

ITA Manometro pompa Ø41mm 0-16bar

ENG Pressure gauge pump Ø41mm 0-16bar







3PAV3022

395218 - 395219 - 395221 - 395221G

LA PAVONI

ITA Valvola caldaia ø 3/8M 1.8 bar

ENG Boiler valve ø 3/8M 1.8 bar

3EGO3001

5532532020

EGO

ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm

ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm

3PAV3005

451308

LA PAVONI

ITA Pressostato Echo 0,5-1,2 bar 1/4" maschio 16A 250V

ENG Pressure switch Echo 0.5-1.2 bar 1/4" male 16A 250V







3PAV3006

451306

LA PAVONI

ITA Pressostato XP110 125 0.5-1.2Bar, attacco 1/4" maschio, 15A 125/250V

ENG Pressure switch XP110 125 0.5-1.2Bar, 1/4" male connection, 15A 125/250V

3FLT3001

FLUID-O-TECH

ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm

ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm

3FLT3003

FLUID-O-TECH

ITA Pompa rotativa attacco a fascetta portata 200 Lt/h Ø 3/8 dimensione senza perno 82,5mm

ENG Rotary pump with hose clamp connection, flow rate 200 L/h Ø 3/8 size without pin 82.5mm







3PAV3007

451030 - 451041

LA PAVONI

ITA Motore a fascetta 220Wout 230V 50/60Hz per pompa rotativa

ENG Motor with strap 220Wout 230V 50/60Hz for rotary pump

3PAV3004

313118

LA PAVONI

ITA Bussola snodo tubo vapore

ENG Compass joint steam pipe

3PAV3001

ODMC029

LA PAVONI

ITA Resistenza 1000W 220V 2 poli, 50mm attacchi M10, immersione 55mm

ENG Resistance 1000W 220V 2 poles, 50mm M10 connections, 55mm immersion



24

La
Scala



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26



3SCA3001

C-0380

SCALA

ITA Doccia filtro erogazione Ø51,5mm

ENG Shower filter dispensing Ø51.5mm



3SCA3012

SCALA

ITA Doccia filtro erogazione Ø 60mm

ENG Shower filter dispensing Ø 60mm



3SCA3013

SCALA

ITA Doccia filtro erogazione Ø60mm

ENG Shower head filter output Ø60mm



3SCA3004

C-0042

SCALA

ITA Perno a camme per gruppo erogazione, lunghezza 86mm, dado M6

ENG Camshaft pin for dispensing unit, length 86mm, nut M6



3SCA3003

C-0318

SCALA

ITA Spruzzatore gruppo erogatore Ø30mm M10x1

ENG Sprayer dispensing unit Ø30mm M10x1



3SCA3007

C-0038

SCALA

ITA Valvola di scarico completa per gruppi erogazione, lunghezza 27mm

ENG Valve complete for dispensing groups, length 27mm



3VM1007

7479934 - 12953.0.00.02 - 400-213-000 - C469900422 - 400213000 - A1200151 - WGADM0041/063 - A1200169 - GR718 - 10062003 - C469900422 - C-0324 - 00225 - GUARORI28

VARIE MARCHE

ITA Guarnizione O-ring 0128 20,63X2,62mm Viton adattabile

ENG O-ring seal 0128 20.63X2.62mm Viton adaptable



3SCA1007

C-0301

SCALA

ITA Guarnizione carta per gruppo Ø 80x70x2 mm

ENG Gasket paper for group Ø 80x70x2 mm adaptable



3SCA3008

C-0180

SCALA

ITA Guarnizione cieca silicone Ø12x5,8mm

ENG Gasket blind silicone Ø12x5.8mm



3VM1001

VARIE MARCHE

ITA Guarnizione piana EPDM Ø15,5x7,5x4mm adattabile

ENG Gasket flat EPDM Ø15.5x7.5x4mm adaptable



3SCA1002

C-0044A - C-0166 - C-0424

SCALA

ITA Guarnizione piana NBR Ø 13x4x4mm

ENG Gasket flat NBR Ø 13x4x4mm adaptable



3SCA1003

C-0321

SCALA

ITA Guarnizione portafiltro Ø 72x56x9mm con 3 spacchi interni

ENG Filter holder gasket Ø 72x56x9mm with 3 internal slots adaptable



3SCA1005

C-0321

SCALA

ITA Guarnizione portafiltro diametro 73x57x8 mm

ENG Gasket filter holder Ø 73x57x8 mm adaptable



3SCA1006

C-0321

SCALA

ITA Guarnizione portafiltro diametro 73x57x8,5 mm

ENG Seal filter holder Ø 73x57x8.5 mm adaptable



3SCA1008

C-0475

SCALA

ITA Spessore carta diametro 72x58x0,8 mm adattabile

ENG Thickness paper Ø 72x58x0.8 mm adaptable



3VM1004

VARIE MARCHE

ITA Spessore carta Ø73x59x0,8 mm adattabile

ENG Thickness paper Ø73x59x0.8 mm adaptable



3VM1005

VARIE MARCHE

ITA Spessore gomma Ø73x59x1 mm EPDM adattabile

ENG Thickness rubber Ø73x59x1 mm EPDM adaptable



3VM1006

VARIE MARCHE

ITA Spessore gomma Ø70x57x1 mm EPDM adattabile

ENG Thickness rubber Ø70x57x1 mm EPDM adaptable



3PAR3003

PARKER
ITA Elettrovalvola Parker 2 vie raccordi ø 1/4FF - max 17/10 bar tenuta in FKM con bobina ZB09 9W 220/230V 50/60Hz
ENG Solenoid valve Parker 2 ways fittings ø 1/4FF - max 17/10 bar sealing in FKM with coil ZB09 9W 220/230V 50/60Hz



3PAR3001

PARKER
ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"
ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"



3SVM1001

SVM
ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile
ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable



3SVM1002

SVM
ITA Elettrovalvola SVM attacco conico 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino
ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal



3PAR3007

PARKER
ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz
ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz



3PAR3002

PARKER
ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR
ENG Parker 3-way core without coil conical connection - VE128IR



3PAR3005

PARKER
ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz
ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz



3GCR3001

GICAR
ITA Contatore volumetrico Gicar attacchi ø 1/4"ff orifizio 1,15mm 3 magneti
ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets



3GCR3004

GICAR
ITA Testa per contatore volumetrico
ENG Head for volumetric counter



3SCA3009

SCALA
ITA Mascherina livello serigrafata diametro 89x30 mm
ENG Mask level screen printed Ø 89x30 mm



3GCR3002

GICAR
ITA Regolatore di livello NRL30/1E-2C/F 230V 50/60Hz 5A
ENG Level regulator NRL30/1E-2C/F 230V 50/60Hz 5A




3SCA1001

SCALA
ITA Sonda di livello acqua Ø 1/4" maschio 125mm
ENG Water level probe Ø 1/4" male 125mm adaptable



3SCA3002

C-0452
SCALA
ITA Valvola caldaia Ø3/8" maschio 1,8Bar
ENG Valve boiler Ø3/8" male 1.8Bar



3EGO3001

5532532020
EGO
ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm
ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm



3SCA3006

C-0314
SCALA
ITA Ugello M6x0,75mm foro Ø0,6mm
ENG Nozzle M6x0.75mm hole Ø0.6mm



3SCA3005

C-0175
SCALA
ITA Bussola tubo vapore
ENG Compass steam tube



3SCA1004

C-0199
SCALA
ITA Manopola rubinetto acq/vapore
ENG Knob faucet water/steam adaptable



3FLT3003

FLUID-O-TECH
ITA Pompa rotativa attacco a fascetta portata 200 Lt/h Ø 3/8 dimensione senza perno 82,5mm
ENG Rotary pump with hose clamp connection, flow rate 200 L/h Ø 3/8 size without pin 82.5mm



25

Lavazza



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26



3LZ3010

10066193

LAVAZZA

ITA Guarnizione O-ring 04150 37,69X3,53mm

ENG O-ring seal 04150 37.69X3.53mm



3VM1007

7479934 - 12953,0,00,02 - 400-213-000 - C469900422 - 400213000 - A1200151 - WGADM0041/063 - A1200169 - GR718 - 10062003 - C469900422 - C-0324 - 00225 - GUAROR128

VARIE MARCHE

ITA Guarnizione O-ring 0128 20,63X2,62mm Viton adattabile

ENG O-ring seal 0128 20.63X2.62mm Viton adaptable



3LZ1003

LAVAZZA

ITA Guarnizione 04350 88,50x3,53 silicone rosso adattabile

ENG Oring gasket 04350 88,50x3,53 red silicon adaptable



3LZ1001

10084237

LAVAZZA

ITA Guarnizione carta per gruppo Ø 80x70x2 mm

ENG Gasket paper for group Ø 80x70x2 mm adaptable



3VM1004

VARIE MARCHE

ITA Spessore carta Ø73x59x0,8 mm adattabile

ENG Thickness paper Ø73x59x0.8 mm adaptable



3VM1005

VARIE MARCHE

ITA Spessore gomma Ø73x59x1 mm EPDM adattabile

ENG Thickness rubber Ø73x59x1 mm EPDM adaptable



3VM1006

VARIE MARCHE

ITA Spessore gomma Ø70x57x1 mm EPDM adattabile

ENG Thickness rubber Ø70x57x1 mm EPDM adaptable



3PAR3004

PARKER

ITA Elettrovalvola Parker 2 vie raccordi Ø1/8 FF max 10 bar tenuta in FKM con bobina 48351056 9w 220/240v 50/60hz

ENG Solenoid valve Parker 2 ways fittings Ø1/8 FF max 10 bar seal in FKM with coil 48351056 9w 220/240v 50/60hz



3PAR3001

PARKER

ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"

ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"



3SVM1001

SVM

ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile

ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable



3SVM1002

SVM

ITA Elettrovalvola SVM attacco conico 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino

ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal



3PAR3007

PARKER

ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz

ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz



3PAR3002

PARKER

ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR

ENG Parker 3-way core without coil conical connection - VE128IR



3PAR3005

PARKER

ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz

ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz



3GCR3001

GICAR

ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti

ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets



3GCR3004

GICAR

ITA Testa per contatore volumetrico

ENG Head for volumetric counter



3LZ3006

10061885

LAVAZZA

ITA Vetro livello diametro 12x106 mm serigrafato

ENG Glass level Ø 12x106 mm screen printed



3LZ3009

10066336

LAVAZZA

ITA Vetro livello ø 11x170 mm

ENG Level glass ø 11x170 mm



3LZ1002

10084203

LAVAZZA

ITA Pulsante bipolare luminoso tondo rosso 16A 250V

ENG Bipolar round red illuminated button 16A 250V adaptable



3LZ3004

10066315

LAVAZZA

ITA Pistoncino rubinetto

ENG Faucet handle



3LZ3003

10062014

LAVAZZA

ITA Valvola caldaia Ø3/8" maschio 1,8Bar

ENG Valve boiler Ø3/8" male 1.8Bar



3LZ3001

LAVAZZA

ITA Spruzzatore vapore attacco M8 4 fori

ENG Spray gun steam M8 4-hole attachment



3LZ3002

10066301

LAVAZZA

ITA Spruzzatore vapore inox attacco M10

ENG Spray gun stainless steel M10 connection



3FLT3001

FLUID-O-TECH

ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm

ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm




3LZ3005

10066109

LAVAZZA

ITA Resistenza 3400/3700W 230/240V 6 poli, flangia 95x57mm, immersione 320mm, per macchine a 2 gruppi

ENG Resistance 3400/3700W 230/240V 6 poles, flange 95x57mm, immersion 320mm, for 2-group machines



3EGO3001

5532532020

EGO

ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm

ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm




VISITA IL SITO INTERNET E REGISTRATI

VISIT THE WEBSITE AND REGISTER

WWW.MICROMIC.COM



SCAN AND REGISTERED



26

Mce



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26



3MCE3007

27100
MCE
ITA Doccia filtro erogazione Ø51,5mm
ENG Shower filter dispensing Ø51.5mm

3MCE3004

27100
MCE
ITA Doccia filtro erogazione Ø51,5mm
ENG Shower filter dispensing Ø51.5mm

3MCE1001

12203
MCE
ITA Guarnizione piana in EPDM Ø15x4x4mm 80Sh adattabile
ENG Gasket flat in EPDM Ø15x4x4mm 80Sh adaptable



3MCE1003

12001
MCE
ITA Guarnizione piana carbo diametro 57x43x3 mm adattabile
ENG Gasket flat carbo Ø 57x43x3 mm adaptable

3VM1004

VARIE MARCHE
ITA Spessore carta Ø73x59x0,8 mm adattabile
ENG Thickness paper Ø73x59x0.8 mm adaptable

3VM1005

VARIE MARCHE
ITA Spessore gomma Ø73x59x1 mm EPDM adattabile
ENG Thickness rubber Ø73x59x1 mm EPDM adaptable



3VM1006

VARIE MARCHE
ITA Spessore gomma Ø70x57x1 mm EPDM adattabile
ENG Thickness rubber Ø70x57x1 mm EPDM adaptable

3PAR3004

PARKER
ITA Elettrovalvola Parker 2 vie raccordi Ø1/8 FF max 10 bar tenuta in FKM con bobina 48351056 9w 220/240v 50/60hZ
ENG Solenoid valve Parker 2 ways fittings Ø1/8 FF max 10 bar seal in FKM with coil 48351056 9w 220/240v 50/60hZ

3PAR3007

PARKER
ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz
ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz



3PAR3001

PARKER
ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"
ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"

3SVM1001

SVM
ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile
ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable

3SVM1002

SVM
ITA Elettrovalvola SVM attacco conico 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino
ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal



3PAR3002

PARKER
ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR
ENG Parker 3-way core without coil conical connection - VE128IR

3PAR3005

PARKER
ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz
ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz

3GCR3001

GICAR
ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti
ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets



3GCR3004


GICAR
ITA Testa per contatore volumetrico
ENG Head for volumetric counter

3MCE3012

21300
MCE
ITA Vetro livello ø 11x170 mm
ENG Level glass ø 11x170 mm

3MCE3013

01000087
MCE
ITA Regolatore livello RL/1E/2C/F 230/240V
ENG Level regulator RL/1E/2C/F 230/240V

 3MCE1002 20251 MCE ITA Sonda di livello acqua Ø 1/4"m L125mm adattabile ENG Water level probe Ø 1/4"m L125mm adaptable	 3MCE3003 21112 MCE ITA Manometro caldaia - pompa corpo Ø63mm 0÷3/0÷15Bar attacchi Ø1/8m ENG Pressure gauge boiler - pump body Ø63mm 0÷3/0÷15Bar connections Ø1/8m	 3MCE3005 25616 MCE ITA Pistoncino rubinetto ENG Faucet handle
 3EGO3001 5532532020 EGO ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm	 3FLT3001 FLUID-O-TECH ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm	 3MCE3001 17059 MCE ITA Resistenza 3400/3700W 230/240V 6 poli, flangia 95x57mm, immersione 320mm, per macchine a 2 gruppi ENG Resistance 3400/3700W 230/240V 6 poles, flange 95x57mm, immersion 320mm, for 2-group machines
 3MCE3002 17012 MCE ITA Resistenza 2700/2940W 230/240V 6 poli, flangia 95x57mm con portabulbo, immersione 180mm ENG Resistance 2700/2940W 230/240V 6 poles, flange 95x57mm with bulb holder, immersion 180mm		

178MCE

SPEDIZIONI IN 24H
IN TUTTA ITALIA

Approfitta del nuovo servizio espresso in 24h escluso paesi esteri*

2 4-HOUR SHIPPING THROUGH OUT ITALY
Take advantage of the new 24-hour express service, excluding foreign countries*

- Invia il tuo ordine entro le 13.00
- Max 6 codici
- Max 12 pz cadauno (peso max 10 Kg)

*CALABRIA | SICILIA | SARDEGNA 48 H




VISITA IL SITO E SCOPRI
TUTTI I SERVIZI A TE RISERVATI

WWW.MICROMIC.COM



27

Nuova
Simonelli



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26

Nuova Simonelli



3NSM3019	
40300022	
NUOVA SIMONELLI	
ITA	Doccia filtro erogazione Ø51,5mm
ENG	Shower filter dispensing Ø51.5mm



3NSM3005	
03000066	
NUOVA SIMONELLI	
ITA	Doccia filtro erogazione Ø56,5mm
ENG	Shower filter dispensing Ø56.5mm




3NSM3002	
15800039 - 15800045	
NUOVA SIMONELLI	
ITA	Coppia macine destra ø esterno 50 mm ø interno 30 mm spessore 7,5 mm con 3 fori di fissaggio
ENG	Pair of right grinding wheels external ø 50 mm internal ø 30 mm thickness 7.5 mm with 3 fixing holes



3EUR3001	
Mac64 - Mac65 - 15050001	
EUREKA	
ITA	Coppia macine destra ø esterno 64 mm ø interno 38 mm spessore 9 mm con 3 fori di fissaggio
ENG	Pair of right grinding burrs external ø 64 mm internal ø 38 mm thickness 9 mm with 3 fixing holes



3VM1008	
00802.0.00.02 - 401-360-000 - DM0041/053 - WGADM0041/053 - 456042 - E456042 - 30473 - 456042 CGR114 - REB456042 - 02280032 - RX94801156 WGADM0041/053 - 02280032 - 2707079 - 0E2836 - 0E5360	
VARIE MARCHE	
ITA	Guarnizione O-ring 0114 11,11X1,78mm EPDM adattabile
ENG	O-ring gasket 0114 11.11X1.78mm EPDM adaptable



3NSM3026	
02290016	
NUOVA SIMONELLI	
ITA	Guarnizione O-ring R5 5,7X1,9mm
ENG	O-ring seal R5 5.7X1.9mm



3NSM1002	
05000001	
NUOVA SIMONELLI	
ITA	Gommino antiscottatura Ø 10mm
ENG	Burn-proof 10mm diameter rubber pad



3NSM1003	
02590009 - 02590010	
NUOVA SIMONELLI	
ITA	Guarnizione piana in silicone 12x4,5x4mm
ENG	Gasket flat in silicone 12x4.5x4mm adaptable




3NSM1006	
02280020.A - 02280020.V	
NUOVA SIMONELLI	
ITA	Guarnizione portafiltro diametro 71x56x8,2 mm
ENG	Filter holder gasket Ø 71x56x8.2 mm adaptable

NUOVA SIMONELLI

Nuova Simonelli



3NSM1004	
40200004	
NUOVA SIMONELLI	
ITA	Guarnizione portafiltro 71x56x9mm conica
ENG	Gasket filter holder 71x56x9mm conical adaptable




3NSM1007	
NUOVA SIMONELLI	
ITA	Spessore carta diametro 70x57x0,8 mm adattabile
ENG	Thickness paper Ø 70x57x0.8 mm adjustable



3VM1004	
VARIE MARCHE	
ITA	Spessore carta Ø73x59x0,8 mm adattabile
ENG	Thickness paper Ø73x59x0.8 mm adaptable



3VM1005	
VARIE MARCHE	
ITA	Spessore gomma Ø73x59x1 mm EPDM adattabile
ENG	Thickness rubber Ø73x59x1 mm EPDM adaptable



3VM1006	
VARIE MARCHE	
ITA	Spessore gomma Ø70x57x1 mm EPDM adattabile
ENG	Thickness rubber Ø70x57x1 mm EPDM adaptable



3CEM3003	
6610EN20S16BIF	
CEME	
ITA	Elettrovalvola CEME 2 vie ø 1/4 con bobina 17VA 230V 50/60Hz
ENG	Solenoid valve CEME 2 ways ø 1/4 with coil 17VA 230V 50/60Hz



3ODE3001	
04100012 - 04100029	
ODE	
ITA	Elettrovalvola Ode 2 vie 230V 50/60Hz raccordi Ø 1/4 FF con bobina BDA08223DS
ENG	Solenoid valve Ode 2 ways 230V 50/60Hz fittings Ø 1/4 FF with coil BDA08223DS



3PAR3001	
PARKER	
ITA	Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"
ENG	Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"



3SVM1001	
SVM	
ITA	Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile
ENG	SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable

NUOVA SIMONELLI



3SVM1002

SVM
ITA Elettrovalvola SVM attacco conico 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino
ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal



3PAR3007

PARKER
ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz
ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz



3PAR3005

PARKER
ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz
ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz



3PAR3002

PARKER
ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR
ENG Parker 3-way core without coil conical connection - VE128IR



3CEM3004

1701024
CEME
ITA Raccordo 90° Ø1/8F
ENG Fitting 90° Ø1/8F



3GCR3001

GICAR
ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti
ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets



3GCR3004

GICAR
ITA Testa per contatore volumetrico
ENG Head for volumetric counter



3NSM3016

09000010
NUOVA SIMONELLI
ITA Vetro livello diametro12x135 mm
ENG Glass level Ø12x135 mm



3NSM3017

09000009
NUOVA SIMONELLI
ITA Vetro livello diametro 12x112mm
ENG Glass level Ø 12x112mm



3NSM3011

04900195
NUOVA SIMONELLI
ITA Regolatore di livello RL30/2S/3R 230V 50/60Hz
ENG Level regulator RL30/2S/3R 230V 50/60Hz




3NSM3014

NUOVA SIMONELLI
ITA Manometro caldaia corpo Ø60mm 0÷2,5/0÷15Bar attacco Ø 1/8m
ENG Pressure gauge boiler body Ø60mm 0÷2.5/0÷15Bar connection Ø 1/8m



3NSM3015

NUOVA SIMONELLI
ITA Manometro caldaia pompa, corpo Ø 60mm con doppia scala 0-2,5/0-16bar Ø1/8 maschio
ENG Pressure gauge boiler pump, body Ø 60mm with double scale 0-2.5/0-16bar Ø1/8 male



3EGO3001

5532532020
EGO
ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm
ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm



3NSM3006

07300293
NUOVA SIMONELLI
ITA Bussola snodo tubo vapore
ENG Compass joint steam pipe



3NSM1001

NUOVA SIMONELLI
ITA Rubinetto a sfera 3/8" maschio 3/8" femmina
ENG Ball valve 3/8" male 3/8" female adaptable



3NSM3001

NUOVA SIMONELLI
ITA Rubinetto vapore Ø 3/8" kit riparazione
ENG Faucet steam Ø 3/8" repair kit



3NSM1005

NUOVA SIMONELLI
ITA Manopola rubinetto acqua vapore
ENG Knob water steam adjustable tap



3NSM3012

75006038.1 - 750060381
NUOVA SIMONELLI
ITA Spruzzatore vapore inox 8,5mm 4 fori Ø1,2mm
ENG Spray nozzle stainless steel 8.5mm 4 holes Ø1.2mm

Nuova Simonelli



3NSM3007

98013020 - 98013021

NUOVA SIMONELLI

ITA Valvola caldaia Ø1/4" maschio 2,1Bar

ENG Valve boiler Ø1/4" male 2.1Bar

3NSM3008

98013000 - 98013001 - 98013022

NUOVA SIMONELLI

ITA Valvola caldaia Ø3/8" maschio 1,8Bar

ENG Valve boiler Ø3/8" male 1.8Bar

3NSM3003

01000090

NUOVA SIMONELLI

ITA Valvola di ritegno

ENG Check valve



3FLT3006

FLUID-O-TECH

ITA Pompa rotativa Compact attacco a fascetta portata 50 Lt/h Ø 3/8 GAS/BSP dimensione senza perno 58,5 mm

ENG Rotating Compact pump with hose clamp connection flow rate 50 Lt/h Ø 3/8 GAS/BSP size without pin 58.5 mm

3FLT3001

FLUID-O-TECH

ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm


ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm

3FLT3003

FLUID-O-TECH

ITA Pompa rotativa attacco a fascetta portata 200 Lt/h Ø 3/8 dimensione senza perno 82,5mm

ENG Rotary pump with hose clamp connection, flow rate 200 L/h Ø 3/8 size without pin 82.5mm



3NSM3009

14100027

NUOVA SIMONELLI

ITA Resistenza 2700W 220V 6 poli, flangia Ø92/77mm, immersione 185mm, per macchine a 2 gruppi

ENG Resistance 2700W 220V 6 poles, flange Ø92/77mm, immersion 185mm, for 2-group machines

3NSM3010

NUOVA SIMONELLI

ITA Resistenza 3000W 220/380V 6 poli, flangia Ø92/77mm, immersione 345mm, per macchine a 2 gruppi

ENG Resistance 3000W 220/380V 6 poles, flange Ø92/77mm, immersion 345mm, for 2-group machines

I NUOVI CATALOGHI SONO ONLINE

I TUOI RICAMBI A PORTATA DI CLICK

THE NEW CATALOG IS ONLINE YOUR SPARE PARTS JUST A CLICK AWAY

UN PASSO AVANTI

ACCELERA IL TUO BUSINESS CON IL CATALOGO INTERATTIVO, SEMPLICE E INTUITIVO.

ONE STEP FORWARD ACCELERATE YOUR BUSINESS WITH THE INTERACTIVE, SIMPLE AND INTUITIVE CATALOG.




CLICK & GO!

OGNI ARTICOLO È INTERATTIVO CLICCHI E ARRIVI DIRETTAMENTE ALLA PAGINA DEDICATA SUL SITO

EVERY ARTICLE IS INTERACTIVE CLICK AND GO DIRECTLY TO THE DEDICATED PAGE ON THE WEBSITE



Sacchetti per Aspirapolveri - Vacuum Cleaner bags





28

Orchestrale



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26

Orchestrale



3OR3003

ORCHESTRALE
ITA Doccia filtro erogazione Ø 60mm
ENG Shower filter dispensing Ø 60mm

3OR3004

ORCHESTRALE
ITA Doccia filtro erogazione Ø60mm
ENG Shower head filter dispensing Ø60mm

3OR1001

D15296001
ORCHESTRALE
ITA Gommino antiscottatura tubo Ø10mm
ENG Gommino anti-scalding tube Ø10mm adaptable



3OR1003

D12001
ORCHESTRALE
ITA Guarnizione piana carbo diametro 57x43x3 mm adattabile
ENG Gasket flat carbo Ø 57x43x3 mm adaptable

3VM1004

VARIE MARCHE
ITA Spessore carta Ø73x59x0,8 mm adattabile
ENG Thickness paper Ø73x59x0.8 mm adaptable

3VM1005

VARIE MARCHE
ITA Spessore gomma Ø73x59x1 mm EPDM adattabile
ENG Thickness rubber Ø73x59x1 mm EPDM adaptable



3VM1006

VARIE MARCHE
ITA Spessore gomma Ø70x57x1 mm EPDM adattabile
ENG Thickness rubber Ø70x57x1 mm EPDM adaptable

3PAR3004

PARKER
ITA Elettrovalvola Parker 2 vie raccordi Ø1/8 FF max 10 bar tenuta in FKM con bobina 48351056 9w 220/240v 50/60hz
ENG Solenoid valve Parker 2 ways fittings Ø1/8 FF max 10 bar seal in FKM with coil 48351056 9w 220/240v 50/60hz

3PAR3001

PARKER
ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"
ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"

Orchestrale



3SVM1001

SVM
ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile
ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable

3SVM1002

SVM
ITA Elettrovalvola SVM attacco conico 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino
ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal

3PAR3007

PARKER
ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz
ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz



3PAR3002

PARKER
ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR
ENG Parker 3-way core without coil conical connection - VE128IR

3PAR3005

PARKER
ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz
ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz

3GCR3001

GICAR
ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti
ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets



3GCR3004

GICAR
ITA Testa per contatore volumetrico
ENG Head for volumetric counter

3OR3010

D21300
ORCHESTRALE
ITA Vetro livello ø 11x170 mm
ENG Level glass ø 11x170 mm

3OR1002

20251
ORCHESTRALE
ITA Sonda di livello acqua Ø 1/4"m L125mm
ENG Water level probe Ø 1/4"m L125mm adaptable

SPEDIZIONI IN 24H
IN TUTTA ITALIA

Approfitta del nuovo servizio espresso
in 24h escluso paesi esteri*

2 4-HOUR SHIPPING THROUGH OUT ITALY
Take advantage of the new 24-hour express service,
excluding foreign countries*


- Invia il tuo ordine entro le 13.00
- Max 6 codici
- Max 12 pz cadauno (peso max 10 Kg)

*CALABRIA | SICILIA | SARDEGNA 48 H



VISITA IL SITO E SCOPRI
TUTTI I SERVIZI A TE RISERVATI

WWW.MICROMIC.COM



3EGO3001	
5532532020	
EGO	
ITA	Termostato trifase EGO 169-18°C con son- da 128mm Ø4mm
ENG	Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm



3FLT3001	
FLUID-O-TECH	
ITA	Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm
ENG	Rotary pump with hose clamp con- nection flow rate 100 L/h Ø 3/8 NPT tape- red size without pin 82.5mm



3OR3002	
D17012	
ORCHESTRALE	
ITA	Resistenza 2700/2940W 230/240V 6 poli, flangia 95x57mm con portabulbo, immer- sione 180mm
ENG	Resistance 2700/2940W 230/240V 6 poles, flange 95x57mm with bulb holder, immersion 180mm



3OR3001	
D17059	
ORCHESTRALE	
ITA	Resistenza 3400/3700W 230/240V 6 poli, flangia 95x57mm, immersione 320mm, per macchine a 2 gruppi
ENG	Resistance 3400/3700W 230/240V 6 poles, flange 95x57mm, immersion 320mm, for 2-group machines

29

Promac



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26



3PRM3003

40200005		
PROMAC	PROMAC	PROMAC
ITA Doccia filtro erogazione Ø57,5mm	ITA Doccia filtro erogazione Ø 60mm	ITA Doccia filtro erogazione Ø60mm
ENG Shower filter dispensing Ø57.5mm	ENG Shower head filter dispensing Ø 60mm	ENG Shower head filter dispensing Ø60mm



3PRM3004

80230080	36990004	
PROMAC	PROMAC	VARIE MARCHE
ITA Spruzzatore gruppo erogatore Ø30mm M10x1	ITA Gommino antiscottatura tubo Ø10mm	ITA Spessore carta Ø73x59x0,8 mm adattabile
ENG Sprayer dispensing unit Ø30mm M10x1	ENG Burn-proof tube grommet Ø10mm adaptable	ENG Thickness paper Ø73x59x0.8 mm adaptable



3VM1005

VARIE MARCHE	VARIE MARCHE	PARKER
ITA Spessore gomma Ø73x59x1 mm EPDM adattabile	ITA Spessore gomma Ø70x57x1 mm EPDM adattabile	ITA Elettrovalvola Parker 2 vie raccordi Ø1/8 FF max 10 bar tenuta in FKM con bobina 48351056 9w 220/240v 50/60hZ
ENG Thickness rubber Ø73x59x1 mm EPDM adaptable	ENG Thickness rubber Ø70x57x1 mm EPDM adaptable	ENG Solenoid valve Parker 2 ways fittings Ø1/8 FF max 10 bar seal in FKM with coil 48351056 9w 220/240v 50/60hZ



3PAR3001

PARKER	SVM	SVM
ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"	ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile	ITA Elettrovalvola SVM attacco conico 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino
ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"	ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable	ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal



3PAR3007

PARKER	PARKER	PARKER
ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz	ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR	ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz
ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz	ENG Parker 3-way core without coil conical connection - VE128IR	ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz



3GCR3001

GICAR	GICAR	GICAR
ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti	ITA Testa per contatore volumetrico	ITA Regolatore di livello NRL30/1E-2C/F 230V 50/60Hz 5A
ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets	ENG Head for volumetric counter	ENG Level regulator NRL30/1E-2C/F 230V 50/60Hz 5A



3PRM3001

35162506	
PROMAC	
ITA	Manometro caldaia corpo Ø62mm 0÷3/0÷15Bar attacchi Ø1/8m
ENG	Pressure gauge boiler body Ø62mm 0÷3/0÷15Bar connections Ø1/8m



3PRM3002

351621505	
PROMAC	
ITA	Manometro caldaia-pompa corpo Ø63mm 0÷2,5/0÷16Bar attacchi Ø1/8m
ENG	Pressure gauge boiler-pump body Ø63mm 0÷2,5/0÷16Bar connections Ø1/8m




3FLT3001

	FLUID-O-TECH
ITA	Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm
ENG	Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm



3PRM3005

10060514 - 10060527	
PROMAC	
ITA	Valvola caldaia 3/8M - 1,6 bar CE/PED
ENG	Valve boiler 3/8M - 1.6 bar CE/PED



3EGO3001

5532532020	
EGO	
ITA	Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm
ENG	Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm



3FLT3003

	FLUID-O-TECH
ITA	Pompa rotativa attacco a fascetta portata 200 Lt/h Ø 3/8 dimensione senza perno 82,5mm
ENG	Rotary pump with hose clamp connection, flow rate 200 L/h Ø 3/8 size without pin 82.5mm



3NRT3004

	NUERT
ITA	Pompa rotativa in ottone attacchi 3/8 gas, attacco manometro Ø1/8 femmina, attacco a fascetta, portata 200lt/h, dimensione senza perno 83mm
ENG	Rotary brass pump with 3/8 gas connections, 1/8 female gauge connection, clamp attachment, flow rate 200lt/h, size without pin 83mm




VISITA IL SITO INTERNET E REGISTRATI

VISIT THE WEBSITE AND REGISTER

WWW.MICROMIC.COM




SCAN AND REGISTERED





30

Rancilio



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26



3RAN3002

40200005

RANCILIO

ITA Doccia filtro erogazione Ø57,5mm

ENG Shower filter dispensing Ø57.5mm



3RAN3001

69000032

RANCILIO

ITA Coppia macine sinistra ø esterno 50 mm ø interno 31 mm spessore 8 mm con 3 fori di fissaggio

ENG Pair of left grinding wheels external ø 50 mm internal ø 31 mm thickness 8 mm with 3 fixing holes



3RAN1002

36990004

RANCILIO

ITA Gommino antiscottatura tubo Ø10mm

ENG Gommino anti-scald tube Ø10mm adaptable



3RAN1008

36402005

RANCILIO

ITA Guarnizione O-ring 2025 Viton verde 6,07x1,78mm adattabile

ENG O-ring 2025 Green Viton 6,07x1,78mm adaptable



3RAN1010

36405002

RANCILIO

ITA Guarnizione O-ring 3050 12,37X2,62mm silicone rosso adattabile

ENG Red silicone o-ring 12.37X2.62mm adaptable



3RAN1001

36301008

RANCILIO

ITA Guarnizione piana NBR Ø13x4x4mm

ENG Gasket flat NBR Ø13x4x4mm adaptable



3RAN1005

36301030

RANCILIO

ITA Guarnizione portafiltro diametro 74x58x8,2 mm

ENG Filter holder gasket Ø 74x58x8.2 mm adaptable



3RAN1006

36302002

RANCILIO

ITA Guarnizione piana in viton verde 13,5x4x4mm

ENG Gasket flat in green viton 13.5x4x4mm adaptable



3RAN1007

RANCILIO

ITA Spessore carta diametro 70x57x0,5 mm

ENG Thickness paper Ø 70x57x0.5 mm adaptable



3VM1004

VARIE MARCHE

ITA Spessore carta Ø73x59x0,8 mm adattabile

ENG Thickness paper Ø73x59x0.8 mm adaptable



3VM1005

VARIE MARCHE

ITA Spessore gomma Ø73x59x1 mm EPDM adattabile

ENG Thickness rubber Ø73x59x1 mm EPDM adaptable



3VM1006

VARIE MARCHE

ITA Spessore gomma Ø70x57x1 mm EPDM adattabile

ENG Thickness rubber Ø70x57x1 mm EPDM adaptable



3GCR3004

GICAR

ITA Testa per contatore volumetrico

ENG Head for volumetric counter



3PAR3004

PARKER

ITA Elettrovalvola Parker 2 vie raccordi Ø1/8 FF max 10 bar tenuta in FKM con bobina 48351056 9w 220/240v 50/60Hz

ENG Solenoid valve Parker 2 ways fittings Ø1/8 FF max 10 bar seal in FKM with coil 48351056 9w 220/240v 50/60Hz



3PAR3001

PARKER

ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"

ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"



3SVM1001

SVM

ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile

ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable



3SVM1002

SVM

ITA Elettrovalvola SVM attacco conico 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino

ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal



3PAR3007

PARKER

ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz

ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz



3PAR3002

PARKER
ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR
ENG Parker 3-way core without coil conical connection - VE128IR



3PAR3005

PARKER
ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz
ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz



3GCR3001

GICAR
ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti
ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets



3RAN1009

34030145
RANCILIO
ITA Interruttore bipolare luminoso rosso 6A 250V faston 4,8
ENG Red luminous bipolar switch 220V 6A faston 4.8



3RAN3004

35162505
RANCILIO
ITA Manometro caldaia-pompa corpo Ø63mm 0÷2,5/0÷16Bar attacchi Ø1/8m
ENG Pressure gauge boiler-pump body Ø63mm 0÷2.5/0÷16Bar connections Ø1/8m



3EGO3001

5532532020
EGO
ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm
ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm



3RAN1004

10060152
RANCILIO
ITA Manopola rubinetto vapore adattabile
ENG Knob steam faucet adaptable



3RAN3003

25111006
RANCILIO
ITA Spruzzatore vapore inox 4 fori
ENG Spray steam stainless steel 4 holes



3RAN3006

10060514 - 10060527
RANCILIO
ITA Valvola caldaia 3/8M - 1,6 bar CE/PED
ENG Boiler valve 3/8M - 1.6 bar CE/PED



3RAN3005

10060525
RANCILIO
ITA Valvola di emer. caldaia Ø 3/8"m 1,9bar
ENG Boiler emergency valve Ø 3/8"m 1.9bar



3FLT3001

FLUID-O-TECH
ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm
ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm



3FLT3003

FLUID-O-TECH
ITA Pompa rotativa attacco a fascetta portata 200 Lt/h Ø 3/8 dimensione senza perno 82,5mm
ENG Rotary pump with hose clamp connection, flow rate 200 L/h Ø 3/8 size without pin 82.5mm



31

Rocket



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26







3ROC3002

C219900425

ROCKET

ITA

Perno a camme per gruppo erogazione, lunghezza 86mm, dado M6

ENG

Camshaft pin for dispensing unit, length 86mm, nut M6

3VM1007

7479934 - 12953.0.00.02 - 400-213-000 - C469900422 - 400213000 - A1200151 - WGADM0041/063 - A1200169 - GR718 - 10062003 - C469900422 - C-0324 - 00225 - GUAROR128

VARIE MARCHE

ITA

Guarnizione O-ring 0128 20,63X2,62mm Viton adattabile

ENG

O-ring seal 0128 20.63X2.62mm Viton adaptable

3VM1001

VARIE MARCHE

ITA

Guarnizione piana EPDM Ø15,5x7,5x4mm adattabile

ENG

Gasket flat EPDM Ø15.5x7.5x4mm adaptable







3VM1004

VARIE MARCHE

ITA

Spessore carta Ø73x59x0,8 mm adattabile

ENG

Thickness paper Ø73x59x0.8 mm adaptable

3VM1005

VARIE MARCHE

ITA

Spessore gomma Ø73x59x1 mm EPDM adattabile

ENG

Thickness rubber Ø73x59x1 mm EPDM adaptable

3VM1006

VARIE MARCHE

ITA

Spessore gomma Ø70x57x1 mm EPDM adattabile

ENG

Thickness rubber Ø70x57x1 mm EPDM adaptable







3PAR3004

PARKER

ITA

Elettrovalvola Parker 2 vie raccordi Ø1/8 FF max 10 bar tenuta in FKM con bobina 48351056 9w 220/240v 50/60hZ

ENG

Solenoid valve Parker 2 ways fittings Ø1/8 FF max 10 bar seal in FKM with coil 48351056 9w 220/240v 50/60hZ

3PAR3001

PARKER

ITA

Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"

ENG

Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"

3PAR3007

PARKER

ITA

Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz

ENG

Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz







3SVM1001

SVM

ITA

Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile

ENG

SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable

3SVM1002

SVM

ITA

Elettrovalvola SVM attacco conico 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino

ENG

SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal

3PAR3002

PARKER

ITA

Nucleo Parker 3 vie senza bobina attacco conico - VE1281R

ENG

Parker 3-way core without coil conical connection - VE1281R







3PAR3005

PARKER

ITA

Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz

ENG

Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz

3GCR3001

GICAR

ITA

Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti

ENG

Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets

3GCR3004

GICAR

ITA

Testa per contatore volumetrico

ENG

Head for volumetric counter







3EGO3001

5532532020

EGO

ITA

Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm

ENG

Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm

3ROC3001

C219900424

ROCKET

ITA

Valvola completa per gruppo erogazione lunghezza 54,6mm

ENG

Valve complete for dispensing unit length 54.6mm

3ROC3003

C219900430

ROCKET

ITA

Valvola di scarico completa per gruppi erogazione, lunghezza 27mm

ENG

Valve complete for dispensing units, length 27mm



3FLT3001

3FLT3003

FLUID-O-TECH

FLUID-O-TECH

ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm
ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm

ITA Pompa rotativa attacco a fascetta portata 200 Lt/h Ø 3/8 dimensione senza perno 82,5mm
ENG Rotary pump with hose clamp connection, flow rate 200 L/h Ø 3/8 size without pin 82.5mm

SPEDIZIONI IN 24H IN TUTTA ITALIA

Approfitta del nuovo servizio espresso in 24h escluso paesi esteri*

2 4-HOUR SHIPPING THROUGH OUT ITALY

Take advantage of the new 24-hour express service, excluding foreign countries*

- Invia il tuo ordine entro le 13.00
- Max 6 codici
- Max 12 pz cadauno (peso max 10 Kg)

*CALABRIA | SICILIA | SARDEGNA 48 H



VISITA IL SITO E SCOPRI
TUTTI I SERVIZI A TE RISERVATI

WWW.MICROMIC.COM





32

Sanremo



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26



3SAN3011

10052120
SANREMO
ITA Doccia filtro erogazione Ø 60mm
ENG Shower head filter dispensing Ø 60mm

3SAN3013

10052170
SANREMO
ITA Doccia filtro erogazione Ø51,5mm
ENG Shower filter dispensing Ø51.5mm

3SAN3012

10052120
SANREMO
ITA Doccia filtro erogazione Ø60mm
ENG Shower head filter dispensing Ø60mm



3SAN3005

10052141
SANREMO
ITA Spruzzatore gruppo erogatore Ø30mm M10x1
ENG Sprayer dispensing unit Ø30mm M10x1

3SAN3006

10052135
SANREMO
ITA Ugello gruppo erogazione M6x0,75mm foro Ø0,8mm
ENG Nozzle dispensing group M6x0.75mm hole Ø0.8mm

3SAN1001

10753052
SANREMO
ITA Gommino antiscottatura Ø 10mm
ENG Burn-proof 10mm diameter rubber pad



3SAN3007

10505558
SANREMO
ITA Guarnizione cieca silicone Ø12x5,8mm
ENG Gasket blind silicone Ø12x5.8mm

3SAN1005

SANREMO
ITA Guarnizione piana carbo diametro 57x43x3 mm adattabile
ENG Flat gasket carbo Ø 57x43x3 mm adaptable

3SAN1002

10502110
SANREMO
ITA Guarnizione portafiltro diametro 73x57x8 mm
ENG Gasket filter holder Ø 73x57x8 mm adaptable



3SAN1003

10502032
SANREMO
ITA Guarnizione portafiltro diametro 73x57x8,5 mm
ENG Filter holder gasket Ø 73x57x8.5 mm adaptable

3SAN1004

10502130
SANREMO
ITA Guarnizione carta per gruppo Ø 80x70x2 mm
ENG Gasket paper for group Ø 80x70x2 mm adaptable

3VM1004

VARIE MARCHE
ITA Spessore carta Ø73x59x0,8 mm adattabile
ENG Thickness paper Ø73x59x0.8 mm adaptable



3VM1005

VARIE MARCHE
ITA Spessore gomma Ø73x59x1 mm EPDM adattabile
ENG Thickness rubber Ø73x59x1 mm EPDM adaptable

3VM1006

VARIE MARCHE
ITA Spessore gomma Ø70x57x1 mm EPDM adattabile
ENG Thickness rubber Ø70x57x1 mm EPDM adaptable

3PAR3004

PARKER
ITA Elettrovalvola Parker 2 vie raccordi Ø1/8 FF max 10 bar tenuta in FKM con bobina 48351056 9w 220/240v 50/60hZ
ENG Solenoid valve Parker 2 ways fittings Ø1/8 FF max 10 bar seal in FKM with coil 48351056 9w 220/240v 50/60hZ



3PAR3001

PARKER
ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"
ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"

3SVM1001

SVM
ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile
ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable

3SVM1002

SVM
ITA Elettrovalvola SVM attacco conico 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino
ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal



3PAR3007

PARKER
ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz
ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz



3PAR3002

PARKER
ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR
ENG Parker 3-way core without coil conical connection - VE128IR



3PAR3005

PARKER
ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz
ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz



3GCR3001

GICAR
ITA Contatore volumetrico Gicar attacchi 1/4"ff orifizio 1,15mm 3 magneti
ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets



3GCR3004

GICAR
ITA Testa per contatore volumetrico
ENG Head for volumetric counter



3GCR3002

GICAR
ITA Regolatore di livello NRL30/1E-2C/F 230V 50/60Hz 5A
ENG Level regulator NRL30/1E-2C/F 230V 50/60Hz 5A



3EGO3001

5532532020
EGO
ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm
ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm



3SAN3002

10402054 - 10402054A - 13402054A
SANREMO
ITA Bussola snodo tubo vapore
ENG Compass joint steam pipe



3FLT3001

FLUID-O-TECH
ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm
ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm



3FLT3003

FLUID-O-TECH
ITA Pompa rotativa attacco a fascetta portata 200 Lt/h Ø 3/8 dimensione senza perno 82,5mm
ENG Rotary pump with hose clamp connection, flow rate 200 L/h Ø 3/8 size without pin 82.5mm



3FLT3004

FLUID-O-TECH
ITA Pompa rotativa attacco a fascetta portata 300 Lt/h Ø 3/8 GAS/BSP dimensione senza perno 82,5 mm ottone CW510L (OT37)
ENG Rotary pump with hose clamp connection flow rate 300 Lt/h Ø 3/8 GAS/BSP size without pin 82.5 mm brass CW510L (OT37)



3SAN3008

10252080A
SANREMO
ITA Motore a fascetta 150W 230V per pompa rotativa
ENG Motor with strap 150W 230V for rotary pump



3SAN3004

10252086
SANREMO
ITA Motore a fascetta 220Wout 230V 50/60Hz per pompa rotativa
ENG Motor with strap 220Wout 230V 50/60Hz for rotary pump



3SAN3001

10455014 - 10455110
SANREMO
ITA Resistenza 1000W 220V 2 poli, 50mm attacchi M10, immersione 55mm
ENG Resistance 1000W 220V 2 poles, 50mm M10 connections, 55mm immersion



3SAN3003

10452010 - 10455060
SANREMO
ITA Resistenza 2400W 380V 6 poli, attacco Ø1"1/4 con portabulbo, immersione 170mm per macchine a 1 gruppo
ENG Resistance 2400W 380V 6 poles, connection Ø1"1/4 with bulb holder, immersion 170mm for machines with 1 group

33

Royal



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti.
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26







3ROY3001

4630033

ROYAL

ITA Doccia filtro erogazione Ø51,5mm

ENG Shower filter dispensing Ø51.5mm

3ROY3014

0520080

ROYAL

ITA Doccia filtro erogazione Ø 60mm

ENG Shower filter dispensing Ø 60mm

3ROY3015

0520080

ROYAL

ITA Doccia filtro erogazione Ø60mm

ENG Shower head filter dispensing Ø60mm







3ROY3009

.

ROYAL

ITA Ugello gruppo erogazione M6x0,75mm foro Ø0,8mm

ENG Nozzle dispensing group M6x0.75mm hole Ø0.8mm

3ROY3005

520070

ROYAL

ITA Spruzzatore gruppo erogatore Ø30mm M10x1

ENG Sprayer dispensing unit Ø30mm M10x1

3ROY3004

530020

ROYAL

ITA Valvola completa per gruppo erogazione lunghezza 52,8mm

ENG Valve complete for dispensing unit length 52.8mm







3ROY3007

540085

ROYAL

ITA Guarnizione cieca silicone Ø12x5,8mm

ENG Gasket blind silicone Ø12x5.8mm

3VM1001

VARIE MARCHE

ITA Guarnizione piana EPDM Ø15,5x7,5x4mm adattabile

ENG Gasket flat EPDM Ø15.5x7.5x4mm adaptable

3ROY1002

0510140 - 0530010

ROYAL

ITA Guarnizione piana NBR Ø 13x4x4mm

ENG Gasket flat NBR Ø 13x4x4mm adaptable







3ROY1001

0510186

ROYAL

ITA Guarnizione piana NBR Ø 15/6x10mm

ENG Gasket flat NBR Ø 15/6x10mm adaptable

3ROY1004

2001310

ROYAL

ITA Guarnizione carta per gruppo Ø 80x70x2 mm

ENG Gasket paper for group Ø 80x70x2 mm adaptable

3ROY1005

ROYAL

ITA Guarnizione piana carbo diametro 57x43x3 mm adattabile

ENG Gasket flat carbo Ø 57x43x3 mm adaptable







3VM1004

VARIE MARCHE

ITA Spessore carta Ø73x59x0,8 mm adattabile

ENG Thickness paper Ø73x59x0.8 mm adaptable

3VM1005

VARIE MARCHE

ITA Spessore gomma Ø73x59x1 mm EPDM adattabile

ENG Thickness rubber Ø73x59x1 mm EPDM adaptable

3VM1006

VARIE MARCHE

ITA Spessore gomma Ø70x57x1 mm EPDM adattabile

ENG Thickness rubber Ø70x57x1 mm EPDM adaptable







3ROY3006

530070

ROYAL

ITA Perno a camme per gruppo erogazione, lunghezza 86mm, dado M6

ENG Camshaft pin for dispensing unit, length 86mm, nut M6

3PAR3004

PARKER

ITA Elettrovalvola Parker 2 vie raccordi Ø1/8 FF max 10 bar tenuta in FKM con bobina 48351056 9w 220/240v 50/60hZ

ENG Solenoid valve Parker 2 ways fittings Ø1/8 FF max 10 bar seal in FKM with coil 48351056 9w 220/240v 50/60hZ

3PAR3001

PARKER

ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"

ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"



3SVM1001

SVM
ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile
ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable



3SVM1002

SVM
ITA Elettrovalvola SVM attacco conico 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino
ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal



3PAR3007

PARKER
ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz
ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz



3PAR3002

PARKER
ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR
ENG Parker 3-way core without coil conical connection - VE128IR



3PAR3005

PARKER
ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz
ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz



3GCR3001

GICAR
ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti
ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets



3GCR3004

GICAR
ITA Testa per contatore volumetrico
ENG Head for volumetric counter



3ROY3011

4580010
ROYAL
ITA Vetro livello diametro 11x140 mm
ENG Glass level Ø 11x140 mm



3GCR3002

GICAR
ITA Regolatore di livello NRL30/1E-2C/F 230V 50/60Hz 5A
ENG Level regulator NRL30/1E-2C/F 230V 50/60Hz 5A




3FLT3001

FLUID-O-TECH
ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm
ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm



3FLT3003

FLUID-O-TECH
ITA Pompa rotativa attacco a fascetta portata 200 Lt/h Ø 3/8 dimensione senza perno 82,5mm
ENG Rotary pump with hose clamp connection, flow rate 200 L/h Ø 3/8 size without pin 82.5mm



3EGO3001

5532532020
EGO
ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm
ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm



3ROY3002

0540110
ROYAL
ITA Bussola snodo tubo vapore
ENG Compass joint steam pipe



3ROY3003

5050720
ROYAL
ITA Resistenza 3500W 230V 4 poli, flangia 95x57mm con portabulbo, per macchine a 2 gruppi
ENG Resistance 3500W 230V 4 poles, flange 95x57mm with bulb holder, for 2-group machines



34

Quick Mill




www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26

Quick Mill

 	 	 
3QM3006	3QM1001	3QM1002
AC0900DO	OR155	GO0970GS
QUICK MILL	QUICK MILL	QUICK MILL
ITA Doccia filtro erogazione ø 54 mm	ITA Guarnizione o-ring 0155 Viton verde	ITA Guarnizione portafiltro diametro 73x57x8mm adattabile
ENG Shower filter dispensing ø 54 mm	ENG Gasket o-ring 0155 Viton green adaptable	ENG Filter holder gasket Ø 73x57x8mm adaptable

 	 	 
3QM1003	3QM1005	3VM1004
GO066GS	IS0970	
QUICK MILL	QUICK MILL	VARIE MARCHE
ITA Guarnizione portafiltro diametro 73x57x8,5 mm adattabile	ITA Guarnizione carta per gruppo Ø 80x70x2 mm	ITA Spessore carta Ø73x59x0,8 mm adattabile
ENG Seal filter holder Ø 73x57x8.5 mm adaptable	ENG Gasket paper for group Ø 80x70x2 mm adaptable	ENG Thickness paper Ø73x59x0.8 mm adaptable

 	 	 
3VM1005	3VM1006	3QM1004
		SE0970FR - SE0970R
VARIE MARCHE	VARIE MARCHE	QUICK MILL
ITA Spessore gomma Ø73x59x1 mm EPDM adattabile	ITA Spessore gomma Ø70x57x1 mm EPDM adattabile	ITA Spia luminosa rossa 250V adattabile
ENG Thickness rubber Ø73x59x1 mm EPDM adaptable	ENG Thickness rubber Ø70x57x1 mm EPDM adaptable	ENG Red light indicator 250V adaptable

Quick Mill

 
3EGO3001
5532532020
EGO
ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm
ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm

35

Vibiemme



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26







3VBM3016

FILTDCREGR

VIBIEMME

ITA Doccia filtro erogazione Ø 60mm

ENG Shower filter dispensing Ø 60mm

3VBM3017

FILTDCREGR

VIBIEMME

ITA Doccia filtro erogazione Ø60mm

ENG Shower head filter output Ø60mm

3VBM3007

RACCALCAGR

VIBIEMME

ITA Perno a camme per gruppo erogazione, lunghezza 86mm, dado M6

ENG Camshaft pin for dispensing unit, length 86mm, nut M6







3VBM3006

RACCSPGR

VIBIEMME

ITA Sprizzatore gruppo erogatore Ø30mm M10x1

ENG Sprayer dispensing unit Ø30mm M10x1

3VBM3010

ASSVALSCAR - RACCGASCTR

VIBIEMME

ITA Valvola di scarico completa per gruppi erogazione, lunghezza 27mm

ENG Valve complete for dispensing groups, length 27mm

3VBM3005

ASSVALVEROG

VIBIEMME

ITA Valvola completa per gruppo erogazione lunghezza 54,6mm

ENG Valve complete for dispensing unit length 54.6mm







3PAR3002

PARKER

ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR

ENG Parker 3-way core without coil conical connection - VE128IR

3PAR3001

PARKER

ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"

ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"

3PAR3007

PARKER

ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz

ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz







3SVM1001

SVM

ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile

ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable

3SVM1002

SVM

ITA Elettrovalvola SVM attacco conico 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino

ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal

3PAR3009

PARKER

ITA Elettrovalvola Parker 3 vie 230V 50/60Hz con bobina YB09 - VE128IR

ENG Parker 3-Way Solenoid Valve 230V 50/60HZ with YB09 Coil - VE128IR







3PAR3002

PARKER

ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR

ENG Parker 3-way core without coil conical connection - VE128IR

3PAR3005

PARKER

ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz

ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz

3VM1007

7479934 - 12953.0.00.02 - 400-213-000 - C469900422 - 400213000 - A1200151 - V6ADM0041/063 - A1200169 - GR718 - 10062003 - C469900422 - C-0324 - 00225 - GUAROR128

VARIE MARCHE

ITA Guarnizione O-ring 0128 20,63X2,62mm Viton adattabile

ENG O-ring seal 0128 20.63X2.62mm Viton adaptable







3VBM3011

GUARSILRUBEVO

VIBIEMME

ITA Guarnizione cieca silicone Ø12x5,8mm

ENG Gasket blind silicone Ø12x5.8mm

3VM1001

VARIE MARCHE

ITA Guarnizione piana EPDM Ø15,5x7,5x4mm adattabile

ENG Gasket flat EPDM Ø15.5x7.5x4mm adaptable

3VBM1002

GUARPIEVOREVO

VIBIEMME

ITA Guarnizione piana NBR Ø 13x4x4mm

ENG Gasket flat NBR Ø 13x4x4mm adaptable




3VBM1001

GUARVALESPEVR
VIBIEMME
ITA Guarnizione piana NBR Ø 15/6x10mm
ENG Gasket flat NBR Ø 15/6x10mm adaptable



3VBM1007

GUARGR
VIBIEMME
ITA Guarnizione carta per gruppo Ø 80x70x2 mm
ENG Gasket paper for group Ø 80x70x2 mm adaptable



3VBM1008

GUARRESTR
VIBIEMME
ITA Guarnizione resistenza triangolare PTFE spessore 3mmGuarnizione resistenza triangolare PTFE spessore 3mm
ENG Gasket triangular resistance PTFE thickness 3mm Gasket triangular resistance PTFE thickness 3mm adaptable



3VBM1004

GUARSOT
VIBIEMME
ITA Guarnizione portafiltro diametro 73x57x8 mm
ENG Gasket filter holder Ø 73x57x8 mm adaptable



3VBM1005

GUARSOT
VIBIEMME
ITA Guarnizione portafiltro diametro 73x57x8,5 mm
ENG Filter holder gasket Ø 73x57x8.5 mm adaptable



3VM1004

VARIE MARCHE
ITA Spessore carta Ø73x59x0,8 mm adattabile
ENG Thickness paper Ø73x59x0.8 mm adaptable



3VM1005

VARIE MARCHE
ITA Spessore gomma Ø73x59x1 mm EPDM adattabile
ENG Thickness rubber Ø73x59x1 mm EPDM adaptable



3VM1006

VARIE MARCHE
ITA Spessore gomma Ø70x57x1 mm EPDM adattabile
ENG Thickness rubber Ø70x57x1 mm EPDM adaptable



3GCR3001

GICAR
ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti
ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets



3GCR3004

GICAR
ITA Testa per contatore volumetrico
ENG Head for volumetric counter



3VBM3013

MATECVELI140
VIBIEMME
ITA Vetro livello diametro 11x140 mm
ENG Glass level Ø 11x140 mm



3VBM1006

ELETLAMSP22CF - ELETLAMSP22GC
VIBIEMME
ITA Spia luminosa rossa 250V
ENG Red light indicator 250V adaptable



3VBM3002

MANMSEM16
VIBIEMME
ITA Manometro pompa corpo Ø41mm 0÷16Bar attacco Ø 1/8m
ENG Pressure gauge pump body Ø41mm 0÷16Bar connection Ø 1/8m




3VBM3003

MANMSEM25
VIBIEMME
ITA Manometro pompa corpo Ø41mm 0÷2,5Bar attacco Ø 1/8m
ENG Pressure gauge pump body Ø41mm 0÷2,5Bar connection Ø 1/8m



3VBM3001

ELETPREDSUKIR
VIBIEMME
ITA Pressostato XP110 125 1-2,5bar 1/4" maschio 21A 125/250V
ENG Pressure switch XP110 125 1-2.5bar 1/4" male 21A 125/250V



3EGO3001

5532532020
EGO
ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm
ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm



3VBM3021

VALVMOSP
VIBIEMME
ITA Valvola caldaia ø 3/8M 1,8 bar
ENG Boiler valve ø 3/8M 1.8 bar



3VBM3009

RACCGIES7
VIBIEMME
ITA Ugello M6x0,75mm foro Ø0,6mm
ENG Nozzle M6x0.75mm hole Ø0.6mm



3VBM1003

MANPRUVAACRE

VIBIEMME

ITA Manopola rubinetto acq/vapore

ENG Handle faucet water/steam adaptable



3VBM3008

RACCBULASF

VIBIEMME

ITA Bussola tubo vapore

ENG Compass steam tube



3FLT3001

FLUID-O-TECH

ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm

ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm



3FLT3003

FLUID-O-TECH

ITA Pompa rotativa attacco a fascetta portata 200 Lt/h Ø 3/8 dimensione senza perno 82,5mm

ENG Rotary pump with hose clamp connection, flow rate 200 L/h Ø 3/8 size without pin 82.5mm



3VBM3012

ELETMOT22

VIBIEMME

ITA Motore a fascetta 220Wout 230V 50/60Hz per pompa rotativa

ENG Motor with strap 220Wout 230V 50/60Hz for rotary pump



3VBM3004

ELETRES12230

VIBIEMME

ITA Resistenza 1200W 230V 2 poli attacco Ø1", immersione 95mm

ENG Resistance 1200W 230V 2 poles connection Ø1", immersion 95mm





VISITA IL SITO INTERNET
E REGISTRATI

VISIT THE WEBSITE
AND REGISTER

WWW.MICROMIC.COM




SCAN AND
REGISTERED





36

Victoria Arduino



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26

Victoria Arduino



3VIC3012

40300022

VICTORIA ARDUINO

ITA Doccia filtro erogazione Ø51,5mm

ENG Shower filter dispensing Ø51.5mm

3VIC3006

3000066

VICTORIA ARDUINO

ITA Doccia filtro erogazione Ø56,5mm

ENG Shower filter dispensing Ø56.5mm

3VIC3010

VICTORIA ARDUINO

ITA Doccia filtro erogazione Ø 60mm

ENG Shower head filter dispensing Ø 60mm



3VIC3011

VICTORIA ARDUINO

ITA Doccia filtro erogazione Ø60mm

ENG Shower head filter dispensing Ø60mm

3VIC1001

05000001

VICTORIA ARDUINO

ITA Gommino antiscottatura Ø 10mm

ENG Burn-proof 10mm diameter rubber stopper

3VM1008

00802.0.00.02 - 401-360-000 - DM0041/053 - WGADM0041/053 - 456042 - E456042 - 30473 - 456042 - CGR114 - REB456042 - 02280032 - RX94801156 - WGADM0041/053 - 02280032 - 2707079 - 0E2836 - 0E5360
VARIE MARCHE

ITA Guarnizione O-ring 0114 11,11X1,78mm EPDM adattabile

ENG O-ring gasket 0114 11.11X1.78mm EPDM adaptable



3VIC1004

2590009

VICTORIA ARDUINO

ITA Guarnizione piana 12x4,5x4mm silicone

ENG Gasket flat 12x4.5x4mm silicone adaptable

3VIC1003

40200004

VICTORIA ARDUINO

ITA Guarnizione portafiltro 71x56x9mm conica

ENG Gasket filter holder 71x56x9mm conical adaptable

3VIC1002

17000023

VICTORIA ARDUINO

ITA Guarnizione portafiltro Ø 67x56x6mm

ENG Seal filter holder Ø 67x56x6mm adaptable

Victoria Arduino



3VM1004

VARIE MARCHE

ITA Spessore carta Ø73x59x0,8 mm adattabile

ENG Thickness paper Ø73x59x0.8 mm adaptable

3VM1005

VARIE MARCHE

ITA Spessore gomma Ø73x59x1 mm EPDM adattabile

ENG Thickness rubber Ø73x59x1 mm EPDM adaptable

3VM1006

VARIE MARCHE

ITA Spessore gomma Ø70x57x1 mm EPDM adattabile

ENG Thickness rubber Ø70x57x1 mm EPDM adaptable



3ODE3001

04100012 - 04100029

ODE

ITA Elettrovalvola Ode 2 vie 230V 50/60Hz raccordi Ø 1/4 FF con bobina BDA08223DS

ENG Solenoid valve Ode 2 ways 230V 50/60Hz fittings Ø 1/4 FF with coil BDA08223DS

3PAR3001

PARKER

ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"

ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"

3SVM1001

SVM

ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile

ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable



3SVM1002

SVM

ITA Elettrovalvola SVM attacco conico 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino

ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal

3PAR3007

PARKER

ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz

ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz

3PAR3002

PARKER

ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR

ENG Parker 3-way core without coil conical connection - VE128IR

Victoria Arduino



3PAR3005

PARKER
ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz
ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz

3GCR3001

GICAR
ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti
ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets

3GCR3004

GICAR
ITA Testa per contatore volumetrico
ENG Head for volumetric counter



3VIC3007

09000009
VICTORIA ARDUINO
ITA Vetro livello diametro 12x112mm
ENG Glass level Ø 12x112mm

3EGO3001

5532532020
EGO
ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm
ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm

3VIC3003

98013020 - 98013021
VICTORIA ARDUINO
ITA Valvola caldaia Ø1/4" maschio 2,1Bar
ENG Boiler valve Ø1/4" male 2.1Bar



3VIC3004

98013001
VICTORIA ARDUINO
ITA Valvola caldaia Ø3/8" maschio 1,8Bar
ENG Valve boiler Ø3/8" male 1.8Bar

3VIC3002

07300293
VICTORIA ARDUINO
ITA Bussola snodo tubo vapore
ENG Compass joint steam pipe

3FLT3001

FLUID-O-TECH
ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm
ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm

Victoria Arduino



3FLT3003


FLUID-O-TECH
ITA Pompa rotativa attacco a fascetta portata 200 Lt/h Ø 3/8 dimensione senza perno 82,5mm
ENG Rotary pump with hose clamp connection, flow rate 200 L/h Ø 3/8 size without pin 82.5mm

3VIC3005

VICTORIA ARDUINO
ITA Resistenza 3000W 220/380V 6 poli, flangia Ø92/77mm, immersione 345mm, per macchine a 2 gruppi
ENG Resistance 3000W 220/380V 6 poles, flange Ø92/77mm, immersion 345mm, for 2-group machines

37

Wega



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26



3WE3009

WY27100001
WEGA
ITA Doccia filtro erogazione Ø48mm
ENG Shower head filter dispensing Ø48mm

3WE3028

WY27100
WEGA
ITA Doccia filtro erogazione Ø51,5mm
ENG Shower filter dispensing Ø51.5mm

3WE3010

WY27100
WEGA
ITA Doccia filtro erogazione Ø51,5mm
ENG Shower filter dispensing Ø51.5mm



3WE3027

WEGA
ITA Doccia filtro erogazione Ø60mm
ENG Shower head filter dispensing Ø60mm

3WE3026

WEGA
ITA Doccia filtro erogazione Ø 60mm
ENG Shower head filter dispensing Ø 60mm

3WE3016

W10320 - WY27105
WEGA
ITA Spruzzatore gruppo erogatore Ø30mm M10x1
ENG Sprayer dispenser group Ø30mm M10x1



3WE3017

W10330 - WY27078008
WEGA
ITA Perno a camme per gruppo erogazione, lunghezza 86mm, dado M6
ENG Camshaft pin for dispensing unit, length 86mm, nut M6

3WE1004

W15296001
WEGA
ITA Gommino antiscottatura tubo Ø10mm
ENG Burn protection tube fitting 10mm adaptable

3WE1001

WEGA
ITA Guarnizione piana EPDM Ø est 17,2/13mm Øint 11mm h. 9/4mm
ENG Gasket flat EPDM Ø ext 17.2/13mm Øint 11mm h. 9/4mm adaptable



3VM1001

VARIE MARCHE
ITA Guarnizione piana EPDM Ø15,5x7,5x4mm adattabile
ENG Gasket flat EPDM Ø15.5x7.5x4mm adaptable

3WE1005

W10652 - WY12203
WEGA
ITA Guarnizione piana in EPDM Ø15x4x4mm 80Sh adattabile
ENG Gasket flat in EPDM Ø15x4x4mm 80Sh adaptable

3WE1003

W10343
WEGA
ITA Guarnizione piana NBR Ø 13x4x4mm
ENG Gasket flat NBR Ø 13x4x4mm adaptable



3WE1009

W10470 - WY12001
WEGA
ITA Guarnizione piana carbo diametro 57x43x3 mm adattabile
ENG Gasket flat carbo Ø 57x43x3 mm adaptable

3WE1008

W10314 - WY12026
WEGA
ITA Guarnizione carta per gruppo Ø 80x70x2 mm
ENG Gasket paper for group Ø 80x70x2 mm adaptable

3WE1006

WY12219
WEGA
ITA Guarnizione portafiltro Ø 67x56x6mm
ENG Filter holder gasket Ø 67x56x6mm adaptable



3WE1007

WY12217
WEGA
ITA Guranizione portafiltro Ø 72x56x8mm
ENG Guarantee filter holder Ø 72x56x8mm adaptable

3WE1010

WEGA
ITA Spessore gomma diametro 64x53x1 mm EPDM adattabile
ENG Thickness rubber Ø 64x53x1 mm EPDM adaptable

3WE1011

WEGA
ITA Spessore carta diametro 66x58x0,8 mm adattabile
ENG Thickness paper Ø 66x58x0.8 mm adaptable







3WE1012

3VM1004

3VM1005

WEGA	VARIE MARCHE	VARIE MARCHE
ITA Spessore carta diametro 70x57x0,8 mm adattabile	ITA Spessore carta Ø73x59x0,8 mm adattabile	ITA Spessore gomma Ø73x59x1 mm EPDM adattabile
ENG Thickness paper Ø 70x57x0.8 mm adaptable	ENG Thickness paper Ø73x59x0.8 mm adaptable	ENG Thickness rubber Ø73x59x1 mm EPDM adaptable







3VM1006

3PAR3004

3PAR3001

VARIE MARCHE	PARKER	PARKER
ITA Spessore gomma Ø70x57x1 mm EPDM adattabile	ITA Elettrovalvola Parker 2 vie raccordi Ø1/8 FF max 10 bar tenuta in FKM con bobina 48351056 9w 220/240v 50/60hz	ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"
ENG Thickness rubber Ø70x57x1 mm EPDM adaptable	ENG Solenoid valve Parker 2 ways fittings Ø1/8 FF max 10 bar seal in FKM with coil 48351056 9w 220/240v 50/60hz	ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"







3SVM1001

3SVM1002

3PAR3007

SVM	SVM	PARKER
ITA Elettrovalvola SVM 3 vie 230V 50/60Hz 10bar 1/8" adattabile	ITA Elettrovalvola SVM attacco conico 3 vie 230V 50/60Hz 10bar 1/4" tenuta rubino	ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz
ENG SVM 3-way solenoid valve 230V 50/60Hz 10bar 1/8" adaptable	ENG SVM solenoid valve, conical connection, 3-way, 230V 50/60Hz, 10 bar, 1/4", ruby seal	ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz







3PAR3002

3PAR3005

3GCR3001

PARKER	PARKER	GICAR
ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR	ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz	ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti
ENG Parker 3-way core without coil conical connection - VE128IR	ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz	ENG Volumetric flow meter Gicar with 1/4"ff connections, 1.15mm nozzle, 3 magnets








3GCR3004

3WE3037

3WE1002

GICAR	WEGA	WEGA
ITA Testa per contatore volumetrico	ITA Regolatore livello RL/1E/2C/F 230/240V	ITA Sonda di livello acqua Ø 1/4" maschio 125mm
ENG Head for volumetric counter	ENG Level regulator RL/1E/2C/F 230/240V	ENG Water level probe Ø 1/4" male 125mm adaptable







3WE3035

3WE3038

3WE3014

W10559 - W21300 - WY21300	WY20306006 - 20306006	WY21112 - WY21115 - WY21116 - WY21117
WEGA	WEGA	WEGA
ITA Vetro livello ø 11x170 mm	ITA Sonda temperatura NTC Ø5,5x10mm Ø1/8M	ITA Manometro caldaia - pompa corpo Ø63mm 0÷3/0÷15Bar attacchi Ø1/8m
ENG Level glass ø 11x170 mm	ENG NTC temperature probe Ø5.5x10mm Ø1/8M	ENG Pressure gauge boiler - pump body Ø63mm 0÷3/0÷15Bar connections Ø1/8m



3WE3020

WEGA
ITA Manometro caldaia corpo Ø60mm 0÷2,5/0÷15Bar attacco Ø 1/8m
ENG Pressure gauge boiler body Ø60mm 0÷2.5/0÷15Bar connection Ø 1/8m



3WE3002

WEGA
ITA Manometro caldaia pompa, corpo Ø 60mm con doppia scala 0-2,5/0-16bar 1/8 maschio
ENG Pressure gauge boiler pump, body Ø 60mm with dual scale 0-2.5/0-16bar 1/8 male



3WE3021

W10790
WEGA
ITA Manometro caldaia-pompa corpo Ø60mm 0÷2,5/0÷16Bar Attacchi Ø1/8m
ENG Pressure gauge boiler-pump body Ø60mm 0÷2.5/0÷16Bar Connections Ø1/8m



3EGO3001

5532532020
EGO
ITA Termostato trifase EGO 169-18°C con sonda 128mm Ø4mm
ENG Threephase thermostat EGO 169-18°C with probe 128mm Ø4mm



3WE3013

WY25763002
WEGA
ITA Spruzzatore vapore inox attacco M10
ENG Spray gun stainless steel M10 connection



3WE3023

WEGA
ITA Tubo vapore completo inox Ø8mm
ENG Stainless steel complete steam tube Ø8mm



3WE3012

WY56119001
WEGA
ITA Tubo vapore completo inox Ø8mm, lunghezza 270 mm
ENG Tube steam complete stainless steel Ø8mm, length 270 mm



3WE3022

WEGA
ITA Tubo vapore inox completo
ENG Stainless steel steam tube complete



3WE3019

W10308
WEGA
ITA Ugello M6x0,75mm foro Ø0,6mm
ENG Nozzle M6x0.75mm hole Ø0.6mm



3WE3018

W10603 - WY25616
WEGA
ITA Pistoncino rubinetto
ENG Faucet handle



3FLT3001

FLUID-O-TECH
ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm
ENG Rotary pump with hose clamp connection flow rate 100 L/h Ø 3/8 NPT tapered size without pin 82.5mm



3FLT3007

FLUID-O-TECH
ITA Pompa rotativa Compact Plus attacco a fascetta portata 50 Lt/h raccordi ø 3/8 GAS/BSP dimensione senza perno 74,5 mm
ENG Rotary pump Compact Plus with hose clamp connection flow rate 50 Lt/h fittings ø 3/8 GAS/ BSP size without pin 74.5 mm



3WE3004

WY17201002
WEGA
ITA Resistenza 1000/1090W 230/240V 2 poli, attacco Ø 1"1/4, fori portatermostato, immersione 105mm
ENG Resistance 1000/1090W 230/240V 2 poles, connection Ø 1"1/4, thermostat holes, immersion 105mm



3WE3003

W10873 - WY17201 - WY17202
WEGA
ITA Resistenza 1300W 230V 2 poli, attacco Ø1"1/4, immersione 105mm
ENG Resistance 1300W 230V 2 poles, connection Ø1"1/4, immersion 105mm



3WE3015

W17006 - WY17003 - WY17006
WEGA
ITA Resistenza 2000/2175W 230/240V 6 poli, flangia 95x57mm con portabulbo, immersione 180mm, per macchine a 1 gruppo
ENG Resistance 2000/2175W 230/240V 6 poles, flange 95x57mm with bulb holder, immersion 180mm, for 1-group machines



3WE3006

WY17002 - W10450
WEGA
ITA Resistenza 2000W 230/240V 4 poli, flangia 95x57mm con portabulbo, immersione 175mm, per macchine a 1 gruppo
ENG Resistance 2000W 230/240V 4 poles, flange 95x57mm with bulb holder, immersion 175mm, for 1 group machines



3WE3011

WY17054 - W10456
WEGA
ITA Resistenza 2600/2830W 230/240V 6 poli, flangia 95x57mm con portabulbo, immersione 315mm, per macchine a 2 gruppi
ENG Resistance 2600/2830W 230/240V 6 poles, flange 95x57mm with bulb holder, immersion 315mm, for 2-group machines



3WE3008

WY17051 - W10454
WEGA
ITA Resistenza 2600W 230/240V 4 poli, flangia 95x57mm con portabulbo, immersione 300mm, per macchine a 2 gruppi
ENG Resistance 2600W 230/240V 4 poles, flange 95x57mm with bulb holder, immersion 300mm, for 2-group machines

 	 
3WE3007	3WE3005
WY17012	WY17059
WEGA	WEGA
ITA Resistenza 2700/2940W 230/240V 6 poli, flangia 95x57mm con portabulbo, immersione 180mm ENG Resistance 2700/2940W 230/240V 6 poles, flange 95x57mm with bulb holder, immersion 180mm	ITA Resistenza 3400/3700W 230/240V 6 poli, flangia 95x57mm, immersione 320mm, per macchine a 2 gruppi ENG Resistance 3400/3700W 230/240V 6 poles, flange 95x57mm, immersion 320mm, for 2-group machines

SPEDIZIONI IN 24H IN TUTTA ITALIA

Approfitta del nuovo servizio espresso in 24h escluso paesi esteri*

2 4-HOUR SHIPPING THROUGH OUT ITALY

Take advantage of the new 24-hour express service, excluding foreign countries*

- Invia il tuo ordine entro le 13.00
- Max 6 codici
- Max 12 pz cadauno (peso max 10 Kg)

*CALABRIA | SICILIA | SARDEGNA 48 H



VISITA IL SITO E SCOPRI
TUTTI I SERVIZI A TE RISERVATI

WWW.MICROMIC.COM





38


Ceme



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26



3CEM3003

6610EN20S16BIF

CEME
ITA Elettrovalvola CEME 2 vie ø 1/4 con bobina 17VA 230V 50/60Hz
ENG Solenoid valve CEME 2 ways ø 1/4 with coil 17VA 230V 50/60Hz

3CEM3002

CEME
ITA Bobina Ceme per elettrovalvola 230V 50Hz Type BDF
ENG Coil Ceme for solenoid valve 230V 50Hz Type BDF

3CEM3001

CEME
ITA Bobina Ceme per elettrovalvola 230V 50Hz Type BIF-R
ENG Coil Ceme for solenoid valve 230V 50Hz Type BIF-R



3CEM3004

1701024

CEME
ITA Raccordo 90° Ø1/8F
ENG Fitting 90° Ø1/8F




VISITA IL SITO INTERNET
E REGISTRATI

VISIT THE WEBSITE
AND REGISTER

WWW.MICROMIC.COM



SCAN AND
REGISTERED



A coiled black cable is visible on the left side of the image. On the right, a metal component, possibly a solenoid or valve, is shown. It has a black label with white text that reads: "YB09", "220-230V~", "50-60Hz", "100% ED 9W", and "IP 67". There is also a logo with a stylized 'Y' inside a circle and the letters "CSV" below it. The background is a plain, light-colored surface.

39

Parker



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26



3PAR3005

PARKER

ITA Bobina Parker ZB09 9W per elettrovalvola 220/230V 50/60Hz

ENG Coil Parker ZB09 9W for solenoid valve 220/230V 50/60Hz



3PAR3010

PARKER

ITA Bobina Parker ZB09 9W per elettrovalvola 24V 50/60Hz

ENG Coil Parker ZB09 9W for solenoid valve 24V 50/60Hz



3PAR3008

PARKER

ITA Elettrovalvola Parker 2 vie con bobina 483510S6 XS03S6 9W 220/240V 50/60Hz

ENG Solenoid valve Parker 2-way with coil 483510S6 XS03S6 9W 220/240V 50/60Hz



3PAR3009

PARKER

ITA Elettrovalvola Parker 3 vie 230V 50/60Hz con bobina YB09 - VE128IR

ENG Parker 3-Way Solenoid Valve 230V 50/60Hz with YB09 Coil - VE128IR



3PAR3003

PARKER

ITA Elettrovalvola Parker 2 vie raccordi $\varnothing$ 1/4FF - max 17/10 bar tenuta in FKM con bobina ZB09 9W 220/230V 50/60Hz

ENG Solenoid valve Parker 2 ways fittings $\varnothing$ 1/4FF - max 17/10 bar sealing in FKM with coil ZB09 9W 220/230V 50/60Hz



3PAR3004

PARKER

ITA Elettrovalvola Parker 2 vie raccordi $\varnothing$ 1/8 FF max 10 bar tenuta in FKM con bobina 483510S6 9w 220/240v 50/60hZ

ENG Solenoid valve Parker 2 ways fittings $\varnothing$ 1/8 FF max 10 bar seal in FKM with coil 483510S6 9w 220/240v 50/60hZ



3PAR3002

PARKER

ITA Nucleo Parker 3 vie senza bobina attacco conico - VE128IR

ENG Parker 3-way core without coil conical connection - VE128IR



3PAR3006

PARKER

ITA Elettrovalvola Parker 3 vie senza bobina E131F4304G

ENG Solenoid Valve Parker 3-way without coil E131F4304G



3PAR3001

PARKER

ITA Elettrovalvola Parker 3 vie 220/240V 50/60Hz 10bar 1/8"

ENG Solenoid Valve Parker 3 way 220/240V 50/60Hz 10bar 1/8"



3PAR3007

PARKER

ITA Elettrovalvola Parker 3 vie con bobina attacco conico ZB09 9W 220/230V 50/60Hz

ENG Solenoid valve Parker 3-way with coil ZB09 9W 220/230V 50/60Hz



40

Fluid-o-Tech



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26



3FLT3001

FLUID-O-TECH

ITA Pompa rotativa attacco a fascetta portata 100 Lt/h Ø 3/8 conico NPT dimensione senza perno 82,5mm

ENG Rotary pump with hose clamp connection flow rate 100 Lt/h Ø 3/8 NPT tapered size without pin 82.5mm



3FLT3005

FLUID-O-TECH

ITA Pompa rotativa Compact attacco a fascetta portata 100 Lt/h raccordi Ø 3/8 GAS/BSP dimensione senza perno 58,5 mm

ENG Rotary pump Compact with hose clamp connection flow rate 100 Lt/h fittings Ø 3/8 GAS/BSP size without pin 58.5 mm



3FLT3002

FLUID-O-TECH

ITA Pompa rotativa attacco a fascetta portata 150 Lt/h Ø 3/8 GAS/BSP dimensione senza perno 82,5 mm

ENG Rotary pump with hose clamp connection, flow rate 150 Lt/h Ø 3/8 GAS/BSP, size without pin 82.5 mm



3FLT3003

FLUID-O-TECH

ITA Pompa rotativa attacco a fascetta portata 200 Lt/h Ø 3/8 dimensione senza perno 82,5mm

ENG Rotary pump with hose clamp connection, flow rate 200 Lt/h Ø 3/8 size without pin 82.5mm



3FLT3004

FLUID-O-TECH

ITA Pompa rotativa attacco a fascetta portata 300 Lt/h Ø 3/8 GAS/BSP dimensione senza perno 82,5 mm ottone CW510L (OT37)

ENG Rotary pump with hose clamp connection flow rate 300 Lt/h Ø 3/8 GAS/BSP size without pin 82.5 mm brass CW510L (OT37)



3FLT3006

FLUID-O-TECH

ITA Pompa rotativa Compact attacco a fascetta portata 50 Lt/h Ø 3/8 GAS/BSP dimensione senza perno 58,5 mm

ENG Rotating Compact pump with hose clamp connection flow rate 50 Lt/h Ø 3/8 GAS/BSP size without pin 58.5 mm



3FLT3007

FLUID-O-TECH

ITA Pompa rotativa Compact Plus attacco a fascetta portata 50 Lt/h raccordi Ø 3/8 GAS/BSP dimensione senza perno 74,5 mm

ENG Rotary pump Compact Plus with hose clamp connection flow rate 50 Lt/h fittings Ø 3/8 GAS/BSP size without pin 74.5 mm

I NUOVI CATALOGHI SONO ONLINE

I TUOI RICAMBI A PORTATA DI CLICK

THE NEW CATALOG IS ONLINE YOUR SPARE PARTS JUST A CLICK AWAY

UN PASSO AVANTI

ACCELERA IL TUO BUSINESS CON IL CATALOGO INTERATTIVO, SEMPLICE E INTUITIVO.

ONE STEP FORWARD ACCELERATE YOUR BUSINESS WITH THE INTERACTIVE, SIMPLE AND INTUITIVE CATALOG.

- ADAPTABLE PRODUCTS
PRODOTTI ADATTABILI
- ORIGINAL EQUIPMENT MANUFACTURER
- ORIGINAL PRODUCTS
PRODOTTI ORIGINALI
- CLICK AND DISCOVER
CLICCA E SCOPRI


OGNI ARTICOLO È INTERATTIVO CLICCHI E ARRIVI DIRETTAMENTE ALLA PAGINA DEDICATA SUL SITO

EVERY ARTICLE IS INTERACTIVE CLICK AND GO DIRECTLY TO THE DEDICATED PAGE ON THE WEBSITE


WWW.MICROMIC.COM/CATALOGHI/



Sacchetti per Aspirapolveri - Vacuum Cleaner bags



CLICK & GO!



41

Nuert



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26



3NRT3001

NUERT
ITA Pompa rotativa compact plus attacco a flangia portata 150 litri/h Ø3/8 GAS/BSP dimensione senza perno 70,3 mm
ENG Compact Plus rotary pump with flange connection, flow rate 150 liters/h, Ø3/8 GAS/BSP, dimension without pin 70.3 mm



3NRT3002

NUERT
ITA Pompa rotativa compact plus attacco a flangia portata 50 lt/h Ø3/8 GAS/BSP dimensione senza perno 70,3 mm
ENG Compact Plus rotary pump with flange connection, flow rate 50 liters/h, Ø3/8 GAS/BSP, dimension without pin 70.3 mm



3NRT3005

NUERT
ITA Pompa rotativa in acciaio compact plus attacco a flangia 180 lt/h Ø3/8 GAS/BSP dimensione senza perno 73mm
ENG Compact Plus steel rotary pump with flange connection, flow rate 180 liters/h, Ø3/8 GAS/BSP, dimension without pin 73 mm



3NRT3003

NUERT
ITA Pompa rotativa in ottone attacco a fascetta 200 lt/h Ø3/8 GAS/BSP dimensione senza perno 83mm
ENG Brass rotary pump with clamp connection, flow rate 200 liters/h, Ø3/8 GAS/BSP, dimension without pin 83 mm



3NRT3004

NUERT
ITA Pompa rotativa in ottone attacco a flangia 200 lt/h Ø3/8 GAS/BSP attacco manometro Ø1/8 femmina, dimensione senza perno 83mm
ENG Brass rotary pump with flange connection, 200 l/h, Ø3/8 GAS/BSP, pressure gauge connection Ø1/8 female, dimension without pin 83mm

SPEDIZIONI IN 24H
IN TUTTA ITALIA

Approfitta del nuovo servizio espresso in 24h escluso paesi esteri*

2 4-HOUR SHIPPING THROUGH OUT ITALY
Take advantage of the new 24-hour express service, excluding foreign countries*

- Invia il tuo ordine entro le 13.00
- Max 6 codici
- Max 12 pz cadauno (peso max 10 Kg)

*CALABRIA | SICILIA | SARDEGNA 48 H



VISITA IL SITO E SCOPRI
TUTTI I SERVIZI A TE RISERVATI

WWW.MICROMIC.COM





42

Gicar



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV.11-NV_03-26



3GCR3001

GICAR
ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,15mm 3 magneti
ENG Gicar volumetric counter, connections Ø 1/4"ff orifice 1.15mm 3 magnets

3GCR3006

GICAR
ITA Contatore volumetrico Gicar attacchi Ø 1/4"ff orifizio 1,0mm
ENG Gicar volumetric counter, connection Ø 1/4"ff orifice 1,10

3GCR3004

GICAR
ITA Testa per contatore volumetrico
ENG Head for volumetric meter



3GCR3005

GICAR
ITA Girante per contatore volumetrico
ENG Impeller for volumetric meter

3GCR3002

GICAR
ITA Regolatore di livello NRL30/1E-2C/F 230V 50/60Hz 5A
ENG Level regulator NRL30/1E-2C/F 230V 50/60Hz 5A

3GCR3003

GICAR
ITA Custodia per scheda elettronica 127x117x55mm
ENG Electronic board case 127x117x55mm



VISITA IL SITO INTERNET E REGISTRATI

VISIT THE WEBSITE AND REGISTER

WWW.MICROMIC.COM



SCAN AND REGISTERED





43

Ulka



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

REV 1.1-NV_03-26







Q072BS

ULKA

ITA

Pompa Ulka EX5/S 48W 230V 50Hz 15Bar attacco Ø1/8 svasato

ENG

Ulka Pump EX5 48W 230V 50Hz 15Bar connection Ø1/8 flared

Q224

ULKA

ITA

Pompa Ulka EAP5 64W 220V 60Hz 15Bar attacco Ø1/8

ENG

Ulka Pump EAP5 64W 220V 60Hz 15Bar connection Ø1/8

Q225

ULKA

ITA

Pompa Ulka EX5GW 230V - 50Hz 48W 15Bar 2/1 on-off portata 650cc min bobina ignifuga

ENG

Ulka Pump EX5GW 230V - 50Hz 48W 15Bar 2/1 on/off flow 650cc min flameproof coil

QV0465 - 098760 - 10065957 - 10063322 - 27003316 - 0110004041







Q233S

ULKA

ITA

Pompa Ulka EP5/S GW 230V-50hz 48w 15bar 2/1 on/off attacco svasato

ENG

Ulka Pump EP5/S GW 230V - 50Hz 48W 15bar 2/1 on/off flared connector for automatic

Q245

ULKA

ITA

Pompa Ulka EP5FMGW 48W 230V 50Hz 15Bar attacco Ø1/8 svasato

ENG

Ulka Pump EP5FMGW 48W 230V 50Hz 15Bar connection Ø1/8 flared

Q135

ULKA

ITA

Pompa Ulka nme4 230/240v - 50hz - 16w 2,7bar - on/off 100% - portata 53cc min ingresso Ø 5mm uscita Ø 7mm

ENG

Ulka Pump NME4 230/240V - 50Hz - 16W 2.7bar - on/off 100% - capacity 53cc min Intake Ø 5mm Outlet Ø 7mm







Q226

ULKA

ITA

Pompa Ulka EAP5 120v - 60hz - 52w - 20 bar - 1/1,5 on/off - portata 450cc min

ENG

Ulka Pump EAP5 120V - 60Hz - 52W - 20bar - 1/1,5 on/off - capacity 450cc min

Q072A

ULKA

ITA

Pompa Ulka EP5 230/240V - 50Hz 48W 15Bar 2/1 on-off portata 650cc min

ENG

Ulka Pump EP5 230/240V - 50Hz 48W 15Bar 2/1 on/off flow 650cc

Q227

ULKA

ITA

Pompa Ulka EFP5 52W 120V 60Hz 15Bar Ø1/8

ENG

Ulka Pump EFP5 120v - 60Hz - 52w - 20Bar - 1/1,5 ON 7 OFF - 450cc min flow

274

ULKA

Ulka







Q072BS

ULKA

ITA

Pompa Ulka EX5/S 48W 230V 50Hz 15Bar attacco Ø1/8 svasato

ENG

Ulka Pump EX5 48W 230V 50Hz 15Bar connection Ø1/8 flared

Q227B

ULKA

ITA

Pompa Ulka EFX5 52W 120V 60Hz 15Bar attacco Ø1/8 in ottone

ENG

Ulka Pump EFX5 52W 120v 60Hz 15Bar connection Ø1/8

Q219

ULKA

ITA

Pompa Ulka EX4 230/240V - 50Hz 48W 20Bar 2/1 on-off portata 450cc min

ENG

Ulka Pump EX4 230/240V - 50Hz 48W 20Bar 2/1 on-off capacity 450cc min

Q219

ULKA

ITA

Pompa Ulka EX4 230/240V - 50Hz 48W 20Bar 2/1 on-off portata 450cc min

ENG

Ulka Pump EX4 230/240V - 50Hz 48W 20Bar 2/1 on-off capacity 450cc min

10089027

ULKA

275



VISITA IL SITO INTERNET
E REGISTRATI

VISIT THE WEBSITE
AND REGISTER

WWW.MICROMIC.COM



SCAN AND
REGISTERED



SOMMARIO -SUMMARY

3AR4001.....	24	3BEZ1001.....	39	3BFC3015.....	52
3AR4002.....	24	3BEZ1002.....	39	3BFC3016.....	52
3AR4003.....	24	3BEZ1003.....	39	3BI1002.....	46
3AR4004.....	24	3BEZ1004.....	41	3BI1003.....	46
3AR4005.....	24	3BEZ1005.....	41	3BI1004.....	46
3AR4006.....	24	3BEZ1006.....	39	3BI1005.....	48
3AR4007.....	24	3BEZ1007.....	39	3BI3001.....	48
3AR4008.....	24	3BEZ1008.....	39	3BI3002.....	48
3AST1001.....	33	3BEZ3001.....	43	3BI3003.....	46
3AST1002.....	30	3BEZ3002.....	38	3BI3004.....	46
3AST1003.....	30	3BEZ3003.....	38	3BI3007.....	46
3AST1004.....	30	3BEZ3004.....	42	3BI3008.....	46
3AST1005.....	31	3BEZ3005.....	42	3BRI4001.....	26
3AST1006.....	31	3BEZ3006.....	42	3BRI4002.....	26
3AST1008.....	30	3BEZ3007.....	41	3BRS1001.....	59
3AST1009.....	31	3BEZ3008.....	42	3BRS1002.....	59
3AST1010.....	31	3BEZ3009.....	42	3BRS1003.....	59
3AST1011.....	31	3BEZ3010.....	42	3BRS1004.....	58
3AST3001.....	35	3BEZ3011.....	41	3BRS1005.....	61
3AST3002.....	34	3BEZ3012.....	38	3BRS1006.....	59
3AST3003.....	35	3BEZ3013.....	38	3BRS1007.....	59
3AST3004.....	35	3BEZ3014.....	38	3BRS1008.....	60
3AST3005.....	35	3BEZ3015.....	42	3BRS1009.....	59
3AST3006.....	35	3BEZ3016.....	39	3BRS1010.....	60
3AST3007.....	30	3BEZ3017.....	38	3BRS1012.....	61
3AST3008.....	30	3BEZ3018.....	41	3BRS3001.....	62
3AST3009.....	35	3BEZ3021.....	38	3BRS3002.....	62
3AST3010.....	34	3BEZ3022.....	38	3BRS3003.....	58
3AST3011.....	33	3BEZ3023.....	38	3BRS3004.....	58
3AST3012.....	33	3BFC1001.....	53	3BRS3005.....	58
3AST3013.....	33	3BFC1002.....	53	3BRS3006.....	58
3AST3014.....	35	3BFC1003.....	12	3BRS3007.....	62
3AST3015.....	34	3BFC1004.....	53	3BRS3008.....	59
3AST3016.....	34	3BFC1005.....	53	3BRS3009.....	58
3AST3017.....	33	3BFC3001.....	55	3BRS3010.....	61
3AST3018.....	33	3BFC3002.....	54	3BRS3013.....	58
3AST3019.....	34	3BFC3003.....	55	3BRS3014.....	58
3AST3020.....	34	3BFC3004.....	52	3BRU1001.....	66
3AST3021.....	34	3BFC3005.....	52	3BRU1002.....	66
3AST3023.....	30	3BFC3006.....	52	3BRU1003.....	66
3AST3028.....	33	3BFC3007.....	52	3BRU1004.....	66
3AST3029.....	30	3BFC3008.....	10	3BRU1005.....	66
3AST3030.....	32	3BFC3009.....	52	3BRU3001.....	66
3AST4001.....	14	3BFC3010.....	52	3BRU3002.....	68
3AST4002.....	33	3BFC3012.....	54	3BRU3003.....	66

SOMMARIO -SUMMARY

3BRU3004.....	68	3CEM3004.....	254	3CIM4004.....	86
3BRU3005.....	68	3CIM1001.....	84	3CIM4005.....	86
3BRU3006.....	68	3CIM1002.....	89	3CO1001.....	95
3BRU3012.....	66	3CIM1003.....	89	3ECM1001.....	100
3CA1001.....	11	3CIM1004.....	89	3ECM3001.....	100
3CA1002.....	72	3CIM1005.....	88	3ECM3002.....	100
3CA1003.....	74	3CIM1006.....	88	3ECM3003.....	98
3CA1004.....	72	3CIM1007.....	85	3ECM3004.....	98
3CA1005.....	72	3CIM1008.....	85	3ECM3005.....	98
3CA3001.....	75	3CIM1010.....	89	3ECM3006.....	98
3CA3002.....	74	3CIM1011.....	85	3ECM3007.....	100
3CA3003.....	74	3CIM1012.....	89	3ECM3008.....	98
3CA3004.....	72	3CIM1013.....	89	3ECM3009.....	98
3CA3005.....	72	3CIM1014.....	86	3ECM3013.....	98
3CA3006.....	72	3CIM1015.....	86	3ECM3014.....	98
3CA3007.....	75	3CIM1016.....	12	3EGO3001.....	33
3CA3008.....	74	3CIM3002.....	90	3EGO3001.....	42
3CA3009.....	74	3CIM3003.....	91	3EGO3001.....	48
3CA3010.....	74	3CIM3004.....	90	3EGO3001.....	54
3CA3011.....	75	3CIM3005.....	85	3EGO3001.....	62
3CA3012.....	72	3CIM3006.....	84	3EGO3001.....	68
3CA3013.....	72	3CIM3007.....	84	3EGO3001.....	74
3CAS1001.....	78	3CIM3008.....	84	3EGO3001.....	80
3CAS1003.....	78	3CIM3009.....	84	3EGO3001.....	88
3CAS1004.....	78	3CIM3010.....	88	3EGO3001.....	95
3CAS1005.....	79	3CIM3011.....	88	3EGO3001.....	100
3CAS3001.....	81	3CIM3012.....	88	3EGO3001.....	105
3CAS3002.....	80	3CIM3013.....	90	3EGO3001.....	114
3CAS3003.....	78	3CIM3014.....	85	3EGO3001.....	121
3CAS3004.....	80	3CIM3015.....	90	3EGO3001.....	127
3CAS3005.....	81	3CIM3016.....	84	3EGO3001.....	133
3CAS3006.....	81	3CIM3017.....	87	3EGO3001.....	139
3CAS3007.....	81	3CIM3018.....	88	3EGO3001.....	146
3CAS3008.....	78	3CIM3019.....	88	3EGO3001.....	152
3CAS3009.....	78	3CIM3022.....	84	3EGO3001.....	161
3CAS3012.....	78	3CIM3023.....	84	3EGO3001.....	167
3CAS3013.....	78	3CIM3024.....	84	3EGO3001.....	172
3CAS3014.....	78	3CIM3030.....	90	3EGO3001.....	178
3CEM3001.....	254	3CIM3031.....	85	3EGO3001.....	185
3CEM3002.....	254	3CIM3032.....	12	3EGO3001.....	192
3CEM3003.....	183	3CIM3033.....	10	3EGO3001.....	198
3CEM3003.....	254	3CIM3034.....	88	3EGO3001.....	204
3CEM3004.....	61	3CIM4001.....	89	3EGO3001.....	209
3CEM3004.....	160	3CIM4002.....	89	3EGO3001.....	216
3CEM3004.....	184	3CIM4003.....	89	3EGO3001.....	223

SOMMARIO -SUMMARY

EGO3001.....	227	3FA3015.....	115	3FLT3001.....	68
3EGO3001.....	233	3FA3017.....	108	3FLT3001.....	95
3EGO3001.....	240	3FA3018.....	113	3FLT3001.....	101
3EGO3001.....	248	3FA3019.....	115	3FLT3001.....	105
3ELE1001.....	104	3FA3020.....	108	3FLT3001.....	118
3ELE3001.....	105	3FA3021.....	114	3FLT3001.....	127
3ELE3002.....	105	3FA3022.....	114	3FLT3001.....	134
3ELE3006.....	104	3FA3023.....	114	3FLT3001.....	146
3ELE3009.....	104	3FA3024.....	111	3FLT3001.....	153
3EUR3001.....	182	3FA3025.....	111	3FLT3001.....	161
3FA1001.....	112	3FA3026.....	112	3FLT3001.....	172
3FA1002.....	112	3FA3030.....	108	3FLT3001.....	178
3FA1003.....	112	3FA3033.....	108	3FLT3001.....	186
3FA1004.....	113	3FA3034.....	108	3FLT3001.....	192
3FA1005.....	112	3FA3036.....	114	3FLT3001.....	198
3FA1006.....	113	3FA3037.....	108	3FLT3001.....	205
3FA1007.....	109	3FA3039.....	10	3FLT3001.....	210
3FA1008.....	109	3FA4001.....	112	3FLT3001.....	216
3FA1009.....	109	3FA4002.....	112	3FLT3001.....	223
3FA1011.....	109	3FA4003.....	112	3FLT3001.....	234
3FA1012.....	109	3FA4004.....	114	3FLT3001.....	240
3FA1013.....	14	3FIO1001.....	119	3FLT3001.....	249
3FA1014.....	14	3FIO1002.....	119	3FLT3001.....	262
3FA1015.....	114	3FIO1003.....	119	3FLT3002.....	140
3FA1016.....	114	3FIO1004.....	119	3FLT3002.....	262
3FA1017.....	110	3FIO1005.....	121	3FLT3003.....	48
3FA1018.....	110	3FIO1006.....	119	3FLT3003.....	62
3FA1019.....	109	3FIO1007.....	119	3FLT3003.....	90
3FA1020.....	109	3FIO1008.....	119	3FLT3003.....	134
3FA1021.....	113	3FIO3001.....	121	3FLT3003.....	146
3FA1022.....	113	3FIO3002.....	121	3FLT3003.....	161
3FA1023.....	109	3FIO3003.....	121	3FLT3003.....	167
3FA1024.....	110	3FIO3004.....	118	3FLT3003.....	186
3FA3002.....	112	3FIO3005.....	118	3FLT3003.....	198
3FA3003.....	115	3FIO3006.....	118	3FLT3003.....	205
3FA3004.....	115	3FIO3007.....	121	3FLT3003.....	210
3FA3005.....	115	3FIO3008.....	118	3FLT3003.....	217
3FA3006.....	108	3FIO3009.....	118	3FLT3003.....	223
3FA3007.....	115	3FIO3012.....	118	3FLT3003.....	234
3FA3008.....	108	3FIO3013.....	118	3FLT3003.....	241
3FA3009.....	114	3FLT3001.....	34	3FLT3003.....	262
3FA3011.....	113	3FLT3001.....	42	3FLT3004.....	217
3FA3012.....	113	3FLT3001.....	48	3FLT3004.....	262
3FA3013.....	113	3FLT3001.....	55	3FLT3005.....	262
3FA3014.....	113	3FLT3001.....	62	3FLT3006.....	153

SOMMARIO -SUMMARY

3FLT3006.....	186	3GCR3001.....	184	3GCR3004.....	197
3FLT3006.....	262	3GCR3001.....	191	3GCR3004.....	203
3FLT3007.....	34	3GCR3001.....	197	3GCR3004.....	209
3FLT3007.....	75	3GCR3001.....	204	3GCR3004.....	216
3FLT3007.....	147	3GCR3001.....	209	3GCR3004.....	222
3FLT3007.....	249	3GCR3001.....	216	3GCR3004.....	233
3FLT3007.....	262	3GCR3001.....	222	3GCR3004.....	240
3GA1001.....	124	3GCR3001.....	232	3GCR3004.....	247
3GA1002.....	124	3GCR3001.....	240	3GCR3004.....	270
3GA1003.....	124	3GCR3001.....	247	3GCR3005.....	270
3GA1004.....	124	3GCR3001.....	270	3GCR3006.....	80
3GA1005.....	124	3GCR3002.....	48	3GCR3006.....	87
3GA1006.....	124	3GCR3002.....	61	3GCR3006.....	111
3GA1007.....	126	3GCR3002.....	160	3GCR3006.....	270
3GA1008.....	124	3GCR3002.....	167	3GRI1001.....	130
3GA3001.....	11	3GCR3002.....	197	3GRI1002.....	131
3GA3002.....	126	3GCR3002.....	216	3GRI1003.....	133
3GA3003.....	126	3GCR3002.....	222	3GRI1004.....	133
3GA3004.....	126	3GCR3002.....	270	3GRI1005.....	131
3GA3005.....	126	3GCR3003.....	270	3GRI1006.....	131
3GA3006.....	126	3GCR3004.....	32	3GRI1007.....	130
3GA3007.....	126	3GCR3004.....	41	3GRI1008.....	131
3GCR3001.....	32	3GCR3004.....	47	3GRI1009.....	131
3GCR3001.....	41	3GCR3004.....	54	3GRI3001.....	134
3GCR3001.....	47	3GCR3004.....	61	3GRI3002.....	133
3GCR3001.....	54	3GCR3004.....	68	3GRI3003.....	134
3GCR3001.....	61	3GCR3004.....	74	3GRI3004.....	134
3GCR3001.....	67	3GCR3004.....	80	3GRI3005.....	133
3GCR3001.....	74	3GCR3004.....	87	3GRI3006.....	130
3GCR3001.....	80	3GCR3004.....	95	3GRI3007.....	130
3GCR3001.....	87	3GCR3004.....	100	3GRI3008.....	133
3GCR3001.....	95	3GCR3004.....	105	3GRI3009.....	130
3GCR3001.....	100	3GCR3004.....	111	3GRI3010.....	133
3GCR3001.....	105	3GCR3004.....	121	3GRI3013.....	130
3GCR3001.....	111	3GCR3004.....	126	3GRI3014.....	130
3GCR3001.....	120	3GCR3004.....	132	3KLB4001.....	27
3GCR3001.....	126	3GCR3004.....	139	3KLB4002.....	27
3GCR3001.....	132	3GCR3004.....	146	3LXL4001.....	27
3GCR3001.....	139	3GCR3004.....	152	3LZ1001.....	170
3GCR3001.....	145	3GCR3004.....	160	3LZ1002.....	172
3GCR3001.....	152	3GCR3004.....	166	3LZ1003.....	170
3GCR3001.....	160	3GCR3004.....	171	3LZ3001.....	172
3GCR3001.....	166	3GCR3004.....	177	3LZ3002.....	172
3GCR3001.....	171	3GCR3004.....	184	3LZ3003.....	172
3GCR3001.....	177	3GCR3004.....	191	3LZ3004.....	172

SOMMARIO -SUMMARY

3LZ3005.....	172	3NSM1004.....	183	3PAR3001.....	99
3LZ3006.....	171	3NSM1005.....	185	3PAR3001.....	110
3LZ3009.....	171	3NSM1006.....	182	3PAR3001.....	120
3LZ3010.....	170	3NSM1007.....	183	3PAR3001.....	125
3MAR1001.....	138	3NSM1008.....	14	3PAR3001.....	132
3MAR1002.....	138	3NSM3001.....	185	3PAR3001.....	138
3MAR1003.....	13	3NSM3002.....	182	3PAR3001.....	145
3MAR1004.....	138	3NSM3003.....	186	3PAR3001.....	151
3MAR3001.....	140	3NSM3004.....	11	3PAR3001.....	159
3MAR3002.....	140	3NSM3005.....	182	3PAR3001.....	166
3MAR3003.....	139	3NSM3006.....	185	3PAR3001.....	170
3MAR3003.....	140	3NSM3007.....	186	3PAR3001.....	177
3MAR3004.....	138	3NSM3008.....	186	3PAR3001.....	183
3MAR3009.....	138	3NSM3009.....	186	3PAR3001.....	190
3MCE1001.....	176	3NSM3010.....	186	3PAR3001.....	197
3MCE1002.....	178	3NSM3011.....	185	3PAR3001.....	203
3MCE1003.....	176	3NSM3012.....	185	3PAR3001.....	208
3MCE3001.....	178	3NSM3014.....	185	3PAR3001.....	215
3MCE3002.....	178	3NSM3015.....	185	3PAR3001.....	221
3MCE3003.....	178	3NSM3016.....	184	3PAR3001.....	230
3MCE3004.....	176	3NSM3017.....	184	3PAR3001.....	239
3MCE3005.....	178	3NSM3019.....	182	3PAR3001.....	246
3MCE3007.....	176	3NSM3026.....	182	3PAR3001.....	258
3MCE3012.....	177	3NSM3027.....	10	3PAR3002.....	32
3MCE3013.....	177	3ODE3001.....	131	3PAR3002.....	40
3MOT4001.....	14	3ODE3001.....	183	3PAR3002.....	47
3MOT4002.....	14	3ODE3001.....	239	3PAR3002.....	54
3MOT4003.....	14	3OR1001.....	190	3PAR3002.....	61
3MOT4004.....	15	3OR1002.....	191	3PAR3002.....	67
3MOT4005.....	14	3OR1003.....	190	3PAR3002.....	73
3NRT3001.....	81	3OR3001.....	192	3PAR3002.....	80
3NRT3001.....	90	3OR3002.....	192	3PAR3002.....	87
3NRT3001.....	115	3OR3003.....	190	3PAR3002.....	94
3NRT3001.....	266	3OR3004.....	190	3PAR3002.....	99
3NRT3002.....	266	3OR3010.....	191	3PAR3002.....	105
3NRT3003.....	266	3PAR3001.....	32	3PAR3002.....	111
3NRT3004.....	198	3PAR3001.....	40	3PAR3002.....	120
3NRT3004.....	266	3PAR3001.....	47	3PAR3002.....	125
3NRT3005.....	81	3PAR3001.....	53	3PAR3002.....	132
3NRT3005.....	90	3PAR3001.....	60	3PAR3002.....	139
3NRT3005.....	115	3PAR3001.....	67	3PAR3002.....	145
3NRT3005.....	266	3PAR3001.....	73	3PAR3002.....	152
3NSM1001.....	185	3PAR3001.....	79	3PAR3002.....	159
3NSM1002.....	182	3PAR3001.....	86	3PAR3002.....	166
3NSM1003.....	182	3PAR3001.....	94	3PAR3002.....	171

SOMMARIO -SUMMARY

3PAR3002	177	3PAR3005	105	3PAR3007	151
3PAR3002	184	3PAR3005	111	3PAR3007	159
3PAR3002	191	3PAR3005	120	3PAR3007	166
3PAR3002	197	3PAR3005	125	3PAR3007	171
3PAR3002	204	3PAR3005	132	3PAR3007	176
3PAR3002	209	3PAR3005	139	3PAR3007	184
3PAR3002	216	3PAR3005	145	3PAR3007	191
3PAR3002	222	3PAR3005	152	3PAR3007	197
3PAR3002	230	3PAR3005	159	3PAR3007	203
3PAR3002	231	3PAR3005	166	3PAR3007	208
3PAR3002	239	3PAR3005	171	3PAR3007	216
3PAR3002	247	3PAR3005	177	3PAR3007	222
3PAR3002	258	3PAR3005	184	3PAR3007	230
3PAR3003	145	3PAR3005	191	3PAR3007	239
3PAR3003	151	3PAR3005	197	3PAR3007	246
3PAR3003	159	3PAR3005	204	3PAR3007	258
3PAR3003	166	3PAR3005	209	3PAR3008	73
3PAR3003	258	3PAR3005	216	3PAR3008	132
3PAR3004	31	3PAR3005	222	3PAR3008	258
3PAR3004	40	3PAR3005	231	3PAR3009	100
3PAR3004	79	3PAR3005	240	3PAR3009	231
3PAR3004	86	3PAR3005	247	3PAR3009	259
3PAR3004	104	3PAR3005	258	3PAR3010	258
3PAR3004	110	3PAR3006	41	3PAV1001	157
3PAR3004	170	3PAR3006	152	3PAV1002	160
3PAR3004	176	3PAR3006	159	3PAV1003	157
3PAR3004	190	3PAR3006	258	3PAV1005	158
3PAR3004	196	3PAR3007	32	3PAV1006	158
3PAR3004	203	3PAR3007	40	3PAV1007	158
3PAR3004	208	3PAR3007	47	3PAV1008	158
3PAR3004	215	3PAR3007	53	3PAV1009	157
3PAR3004	221	3PAR3007	60	3PAV1010	157
3PAR3004	246	3PAR3007	67	3PAV1011	157
3PAR3004	258	3PAR3007	73	3PAV1012	157
3PAR3005	32	3PAR3007	79	3PAV1013	160
3PAR3005	41	3PAR3007	87	3PAV1014	158
3PAR3005	47	3PAR3007	94	3PAV1015	158
3PAR3005	54	3PAR3007	99	3PAV1016	158
3PAR3005	61	3PAR3007	104	3PAV1017	157
3PAR3005	67	3PAR3007	110	3PAV1018	156
3PAR3005	73	3PAR3007	120	3PAV3001	161
3PAR3005	80	3PAR3007	125	3PAV3002	156
3PAR3005	87	3PAR3007	132	3PAV3003	156
3PAR3005	94	3PAR3007	139	3PAV3004	161
3PAR3005	100	3PAR3007	145	3PAV3005	161

SOMMARIO -SUMMARY

3PAV3006	161	3RAN3003	204	3SCA1006	165
3PAV3007	161	3RAN3004	204	3SCA1007	164
3PAV3008	156	3RAN3005	205	3SCA1008	165
3PAV3009	156	3RAN3006	204	3SCA3001	164
3PAV3010	156	3ROC3001	209	3SCA3002	167
3PAV3012	156	3ROC3002	208	3SCA3003	164
3PAV3013	157	3ROC3003	209	3SCA3004	164
3PAV3014	160	3ROY1001	221	3SCA3005	167
3PAV3015	160	3ROY1002	220	3SCA3006	167
3PAV3016	156	3ROY1002	221	3SCA3007	164
3PAV3017	156	3ROY1004	221	3SCA3008	164
3PAV3020	160	3ROY1005	221	3SCA3009	167
3PAV3022	161	3ROY3001	220	3SCA3012	164
3PRM1002	196	3ROY3002	223	3SCA3013	164
3PRM3001	198	3ROY3003	223	3SNM1001	144
3PRM3002	198	3ROY3004	220	3SNM1003	144
3PRM3003	196	3ROY3005	220	3SNM1004	144
3PRM3004	196	3ROY3006	221	3SNM1005	144
3PRM3005	198	3ROY3006	220	3SNM1006	144
3PRM3006	196	3ROY3007	220	3SNM3001	144
3PRM3007	196	3ROY3009	220	3SNM3002	144
3PUL4001	25	3ROY3011	222	3SNM3003	146
3PUL4002	25	3ROY3014	220	3SNM3004	147
3PUL4003	25	3ROY3015	220	3SNM3005	146
3PUL4004	25	3SAN1001	214	3SNM3006	146
3PUL4005	25	3SAN1002	214	3SNM3007	146
3PUL4006	25	3SAN1003	215	3SNM3011	11
3PUL4007	25	3SAN1004	215	3SNM3012	13
3QM1001	226	3SAN1005	214	3SP1001	150
3QM1002	226	3SAN3001	217	3SP1002	150
3QM1003	226	3SAN3002	216	3SP1003	150
3QM1004	226	3SAN3003	217	3SP1004	150
3QM1005	226	3SAN3004	217	3SP1005	150
3QM3006	226	3SAN3005	214	3SP1006	150
3RAN1001	202	3SAN3006	214	3SP1007	151
3RAN1002	202	3SAN3007	214	3SP3002	150
3RAN1004	204	3SAN3008	217	3SP3003	153
3RAN1005	202	3SAN3011	214	3SP3004	153
3RAN1006	202	3SAN3012	214	3SP3005	152
3RAN1007	202	3SAN3013	214	3SP3006	152
3RAN1008	202	3SCA1001	167	3SP3009	150
3RAN1009	204	3SCA1002	165	3SP3010	152
3RAN1010	202	3SCA1003	165	3SVM1001	32
3RAN3001	202	3SCA1004	167	3SVM1001	40
3RAN3002	202	3SCA1005	165	3SVM1001	47

SOMMARIO -SUMMARY


3SVM1001.....	54	3SVM1002.....	139	3UNI3015.....	20
3SVM1001.....	60	3SVM1002.....	145	3UNI3016.....	20
3SVM1001.....	67	3SVM1002.....	151	3UNI3017.....	20
3SVM1001.....	73	3SVM1002.....	159	3UNI3018.....	20
3SVM1001.....	79	3SVM1002.....	166	3UNI3019.....	20
3SVM1001.....	87	3SVM1002.....	171	3UNI3020.....	20
3SVM1001.....	94	3SVM1002.....	177	3UNI3021.....	20
3SVM1001.....	99	3SVM1002.....	184	3UNI3022.....	20
3SVM1001.....	111	3SVM1002.....	191	3UNI3023.....	20
3SVM1001.....	120	3SVM1002.....	197	3UNI3024.....	21
3SVM1001.....	125	3SVM1002.....	203	3UNI3025.....	21
3SVM1001.....	132	3SVM1002.....	209	3UNI3026.....	21
3SVM1001.....	139	3SVM1002.....	215	3UNI3027.....	21
3SVM1001.....	145	3SVM1002.....	222	3UNI3028.....	21
3SVM1001.....	151	3SVM1002.....	231	3UNI3029.....	21
3SVM1001.....	159	3SVM1002.....	239	3UNI3031.....	15
3SVM1001.....	166	3SVM1002.....	246	3UNI3032.....	14
3SVM1001.....	171	3UNI1001.....	18	3UNI3033.....	13
3SVM1001.....	177	3UNI1002.....	18	3UNI3034.....	12
3SVM1001.....	183	3UNI1003.....	18	3UNI3035.....	21
3SVM1001.....	191	3UNI1004.....	18	3UNI3037.....	12
3SVM1001.....	197	3UNI1005.....	18	3UNI3038.....	12
3SVM1001.....	203	3UNI1006.....	18	3UNI3039.....	12
3SVM1001.....	209	3UNI1007.....	19	3UNI3040.....	12
3SVM1001.....	215	3UNI1008.....	18	3VBM1001.....	232
3SVM1001.....	222	3UNI1011.....	19	3VBM1002.....	231
3SVM1001.....	231	3UNI1012.....	27	3VBM1003.....	234
3SVM1001.....	239	3UNI1014.....	24	3VBM1004.....	232
3SVM1001.....	246	3UNI1016.....	18	3VBM1005.....	232
3SVM1002.....	32	3UNI1017.....	27	3VBM1006.....	233
3SVM1002.....	40	3UNI1018.....	27	3VBM1007.....	232
3SVM1002.....	47	3UNI1019.....	27	3VBM1008.....	232
3SVM1002.....	54	3UNI1023.....	12	3VBM3001.....	233
3SVM1002.....	60	3UNI3002.....	19	3VBM3002.....	233
3SVM1002.....	67	3UNI3003.....	19	3VBM3003.....	233
3SVM1002.....	73	3UNI3004.....	13	3VBM3004.....	234
3SVM1002.....	79	3UNI3005.....	13	3VBM3005.....	230
3SVM1002.....	87	3UNI3006.....	13	3VBM3006.....	230
3SVM1002.....	94	3UNI3007.....	13	3VBM3007.....	230
3SVM1002.....	99	3UNI3009.....	18	3VBM3008.....	234
3SVM1002.....	104	3UNI3010.....	19	3VBM3009.....	233
3SVM1002.....	111	3UNI3011.....	19	3VBM3010.....	230
3SVM1002.....	120	3UNI3012.....	19	3VBM3011.....	231
3SVM1002.....	125	3UNI3013.....	19	3VBM3012.....	234
3SVM1002.....	132	3UNI3014.....	19	3VBM3013.....	233


SOMMARIO -SUMMARY

3VBM3016.....	230	3VM1004.....	110	3VM1005.....	176
3VBM3017.....	230	3VM1004.....	119	3VM1005.....	183
3VBM3021.....	233	3VM1004.....	125	3VM1005.....	190
3VIC1001.....	238	3VM1004.....	131	3VM1005.....	196
3VIC1002.....	238	3VM1004.....	138	3VM1005.....	203
3VIC1003.....	238	3VM1004.....	144	3VM1005.....	208
3VIC1004.....	238	3VM1004.....	151	3VM1005.....	215
3VIC3002.....	240	3VM1004.....	158	3VM1005.....	221
3VIC3003.....	240	3VM1004.....	165	3VM1005.....	226
3VIC3004.....	240	3VM1004.....	170	3VM1005.....	232
3VIC3005.....	241	3VM1004.....	176	3VM1005.....	239
3VIC3006.....	238	3VM1004.....	183	3VM1005.....	246
3VIC3007.....	240	3VM1004.....	190	3VM1005.....	139
3VIC3010.....	238	3VM1004.....	196	3VM1006.....	31
3VIC3011.....	238	3VM1004.....	203	3VM1006.....	40
3VIC3012.....	238	3VM1004.....	208	3VM1006.....	47
3VM1001.....	30	3VM1004.....	215	3VM1006.....	53
3VM1001.....	39	3VM1004.....	221	3VM1006.....	60
3VM1001.....	52	3VM1004.....	226	3VM1006.....	67
3VM1001.....	59	3VM1004.....	232	3VM1006.....	73
3VM1001.....	85	3VM1004.....	239	3VM1006.....	79
3VM1001.....	99	3VM1004.....	246	3VM1006.....	86
3VM1001.....	109	3VM1004.....	139	3VM1006.....	94
3VM1001.....	119	3VM1005.....	31	3VM1006.....	99
3VM1001.....	130	3VM1005.....	40	3VM1006.....	104
3VM1001.....	157	3VM1005.....	46	3VM1006.....	110
3VM1001.....	165	3VM1005.....	53	3VM1006.....	120
3VM1001.....	208	3VM1005.....	60	3VM1006.....	125
3VM1001.....	220	3VM1005.....	67	3VM1006.....	131
3VM1001.....	231	3VM1005.....	73	3VM1006.....	138
3VM1001.....	245	3VM1005.....	79	3VM1006.....	145
3VM1002.....	13	3VM1005.....	86	3VM1006.....	151
3VM1003.....	13	3VM1005.....	94	3VM1006.....	159
3VM1004.....	31	3VM1005.....	99	3VM1006.....	165
3VM1004.....	40	3VM1005.....	104	3VM1006.....	170
3VM1004.....	46	3VM1005.....	110	3VM1006.....	176
3VM1004.....	53	3VM1005.....	120	3VM1006.....	183
3VM1004.....	60	3VM1005.....	125	3VM1006.....	190
3VM1004.....	66	3VM1005.....	131	3VM1006.....	196
3VM1004.....	72	3VM1005.....	138	3VM1006.....	203
3VM1004.....	79	3VM1005.....	144	3VM1006.....	208
3VM1004.....	86	3VM1005.....	151	3VM1006.....	215
3VM1004.....	94	3VM1005.....	158	3VM1006.....	221
3VM1004.....	99	3VM1005.....	165	3VM1006.....	226
3VM1004.....	104	3VM1005.....	170	3VM1006.....	232

SOMMARIO -SUMMARY

3VM1006.....	239	3WE1005.....	245	Q072A.....	274
3VM1006.....	246	3WE1006.....	245	Q072BS.....	90
3VM1006.....	139	3WE1007.....	245	Q072BS.....	274
3VM1007.....	39	3WE1008.....	245	Q072BS.....	275
3VM1007.....	58	3WE1009.....	245	Q135.....	274
3VM1007.....	85	3WE1010.....	245	Q219.....	275
3VM1007.....	98	3WE1011.....	245	Q224.....	274
3VM1007.....	108	3WE1012.....	246	Q225.....	274
3VM1007.....	118	3WE3002.....	248	Q226.....	133
3VM1007.....	124	3WE3003.....	249	Q226.....	274
3VM1007.....	130	3WE3004.....	249	Q227.....	274
3VM1007.....	150	3WE3005.....	250	Q227B.....	275
3VM1007.....	164	3WE3006.....	249	Q233S.....	115
3VM1007.....	170	3WE3007.....	250	Q233S.....	133
3VM1007.....	208	3WE3008.....	249	Q233S.....	274
3VM1007.....	231	3WE3009.....	244	Q245.....	274
3VM1008.....	59	3WE3010.....	244		
3VM1008.....	85	3WE3011.....	249		
3VM1008.....	124	3WE3012.....	248		
3VM1008.....	182	3WE3013.....	248		
3VM1008.....	238	3WE3014.....	247		
3VM3001.....	11	3WE3015.....	249		
3VM3001.....	282	3WE3016.....	244		
3VM3004.....	10	3WE3017.....	244		
3VM3004.....	279	3WE3018.....	249		
3VM3007.....	11	3WE3019.....	248		
3VM3007.....	281	3WE3020.....	248		
3VM3008.....	11	3WE3021.....	248		
3VM3008.....	281	3WE3022.....	248		
3VM3013.....	10	3WE3023.....	248		
3VM3013.....	278	3WE3026.....	244		
3VM3014.....	11	3WE3027.....	244		
3VM3014.....	280	3WE3028.....	244		
3VM3015.....	11	3WE3035.....	247		
3VM3015.....	282	3WE3037.....	247		
3VM3020.....	10	3WE3038.....	247		
3VM3020.....	280	BWT125501405.....	26		
3VM3021.....	10	BWTFS00Z20A00.....	26		
3VM3021.....	279	BWTFS20I00A00.....	26		
3VM3022.....	10	BWTFS22N00A00.....	26		
3VM3022.....	278	BWTFS22P00A00.....	26		
3WE1001.....	244	BWTFS23I00A00.....	26		
3WE1002.....	247	BWTFS23N00A00.....	27		
3WE1003.....	245	BWTFS24I00A00.....	26		
3WE1004.....	244	BWTFS28N00A00.....	27		





WWW.MICROMIC.COM

Via Campobello, 41 - Pomezia RM - Italy
Tel: +39 06 91 11 503 - Fax: +39 06 62 27 05 49 - Mail: info@micromic.com