


GIRO DLM

180 / 206 / 226

made in
HOLLAND

INTERNOVA
PROFESSIONAL LIGHTING



Ø 180
Ø 206
Ø 226

Housing	Aluminium, die cast
RAL colour	9004 (Black), 9003 (White)
Fixture type	Recessed
Module	Philips Fortimo DLM FLEX G2 LED module
Driver	Philips Xitanium external LED driver with strain relief
Lumen output	1100lm, 2000lm, 3000lm, 4500lm
CCT	3000K, 4000K
CRI	>80Ra
Beam angles	70°
Cut out size	GIRO180: ø170 x H130mm GIRO206: ø190 x H132mm GIRO226: ø215 x H137mm
Expected Lifetime	L80B10 >70.000 / L90B50 >50.000h
Photobiological safety	RG1 unlimited
Power factor	> 0.9
LOR	> 90%
Colour consistency	3 SDCM
Warranty	5 years warranty on LED module and driver


Net Weight	Dimensions carton L x W x H	Qty outer carton
1050 grams	27 x 22 x 18 cm	12
1100 grams	22 x 22 x 16 cm	12
1250 grams	24 x 24 x 17 cm	12

LED MODULES

Standard



OPTIONS




LED MODULE OPTIONS

Description	Lumen	Watt	Lm/W	CCT	CRI	Description	Lumen	Watt	Lm/W	CCT	CRI
Philips Fortimo DLM FLEX G2	1100lm	9W	122	830, 840	>80Ra						
Philips Fortimo DLM FLEX G2	2000lm	16W	125	830, 840	>80Ra						
Philips Fortimo DLM FLEX G2	3000lm	24W	125	830, 840	>80Ra						
Philips Fortimo DLM FLEX G2	4500lm	42W	107	830, 840	>80Ra						

LED modules
Standard: CRI>80 and >90 in CCT 2700K, 3000K, 3500K, 4000K
Premium White (PW): for fresh white and depth of colour in retail environments
1) Lumen output of LED module (COB)
2) Mentioned wattage applies for the COB only. Mentioned wattage applies for the most efficient CCT.
The power of the complete fixture will be slightly higher due to the power consumption of the driver.
3) Values shown are average values and are subject to +/- 10% tolerance (set by international standards). The colour temperature is subject to a tolerance of up to +/- 150 Kelvin compared to the nominal value.
Technical data can be changed by Internova without prior notice.


It all starts with light

ARTICLE CODE STRUCTURE




POLAR DIAGRAMS


Giro180



Giro206



Giro226



It all starts with light