

To repair cracks in
iron pots or pans
mix fine sifted lime
with well beaten whites
of eggs till reduced to
a paste then add some
iron file dust apply
the composition to the
injured part & it will
soon be fit for use

To soften hard putty
put soap on it
Panels of glass may easily
be removed by the application
of soft soap for a few hours.

For scratches in horses
Mix white lead & lintseed
oil in such proportions as
render the application
convenient. Two or three
applications will effect
a cure

February 26th 1847.

George came to live
with us. The first
time he was weighed
he weighed 23 lbs
March 19th Started a
letter to Mr. S. Rankin
& hewed nine posts of
black walnut

May 14, 1849

Slept 14 miles above
the falls of St. Peters

I led in prayer at night &
Mr. Riggs prayed in the morning
of the 15.

All arrived at
half past three
Dr. G. J. Potter S. & G.
Bond & Aunt Jane
Family worship led by
J. Potter 16 put on a clean
shirt 17 prayer by M. &
Adams Meeting opened with
prayer by S. Riggs Closed
with prayer by J. H. Will-
amson

Dined at one O'Clock.

Slept
Riggs
supper

Sept 15. 1852 Mr
Kingsley came to board (at
supper) ^{at} ~~for~~ ³ dollars per week

Jan 25. 1853

Lots for Riggs Huggins
& Hopkins

Block No	5
No	25
	30
	55
	72
	90
	96

Block No	Lot
	101, 123, 10, 11, 12
No	110, 123, 10, 11, 12

Block No 2, Lot 5, 6, 7, 8,

25. 1853
Loto for
8

45
46

45 110
46 110

46 110

go
go
go

11

S

vel

10

un

ab

of the

as

ii

In

at

Fre



From the collections of the Minnesota Historical Society: Alexander G. Huggins and Family Papers.

Copyright in this digital version belongs to the Minnesota Historical Society, and its content may not be copied without the copyright holder's express written permission. Users may print, download, link to, or email content, however, for individual use.

To request permission for commercial or educational use, please contact the Minnesota Historical Society.

www.mnhs.org