



Frederick P. Leavenworth Papers.

Copyright Notice:

This material may be protected by copyright law (U.S. Code, Title 17). Researchers are liable for any infringement. For more information, visit www.mnhs.org/copyright.



vol.1

of my post

Frederick P. Leaveworth
 Surveyor
 St. Peter
 Minnesota



Vol. I

Notes of surveys in and
 around St. Peter Minnesota
 Date. April — August 1858

From Base Line on Bunkers' Addl.
 on East side 7th St. 274 ft to sec
 line of 20, wh point is 47 ft. north of
 My $\frac{1}{2}$ Post. Said line is 29 ft West of
 My Post. Said line is 55 $\frac{1}{2}$ ft in Patch's
 Grant from Bunker.

West side 7th St is from Base Line
 640+80+159 to Sec Line +131+80+26 ft. which
 is 125 $\frac{1}{2}$ W of My post.

From Base on East side 8th St.
 501 ft to Patch's grant +139 to slake

+180+280+80+216 ft to pt +12 $\frac{1}{2}$ ft W of My post

West side From Base 550 ft to Patch's

+9 slake +80+280+80+266 $\frac{1}{2}$ to pt 605 ft
 W of My post

From Base ~~at~~ East side 9th
St- is $640 + 80 + 31$ ft to Patch's grant $+ 49$
 $+ 80 + 280 + 108\frac{1}{2}$ ft

From Base on West side: 9th St
is $640 + 80 + 79$ ft to Patch's grant $+ 251$
 $+ 80 + 280 + 180 + 155$ ft wh is 92 ft from
opposite of street and $223\frac{1}{2}$ ft from P. corner
and 239 ft from Kern S.E. corner

North side $80 + 640 + 110$ ft to pt $96\frac{1}{2}$ ft from

From Base on East side 10th
St- is $640 + 80 + 280 + 2$ ft to Patch's
grant $+ 78 + 280 + 80 + 40\frac{1}{2}$ = line
Distant $270\frac{1}{2}$ ft from S.W. cor. of Patch's
Grant.

From Base on West side 10th
St is $640 + 80 + 280 + 80 + 277$ ft
which is 257 ft from Patch's Grant N.W. cor.
North side is $80 + 395$ to pt 910 ft

from Kern's inside corner

The intersection of this St with Patch's grant
line is at $640 + 80 + 280 + 54$ and is
161 ft E. of Patch's Grant S.W. cor.

11th St East side $80 + 347$ ft to Kern line
South $640 + 80 + 99 - 6$ to Patch's line
West side $640 + 52$

12th St East side South $+ 125$

6th St West side $640 + 80 + 124$



April 5th 1880

From point where center
line of Sec 18, T 110 R 28 runs
into Swan Lake North $10^{\circ}30'W$
100 Rods $35\frac{1}{2}$ links to center Sec
18. Thence North 80 Rods to corner of lake
between center & $1\frac{1}{4}$ post Sec 18. Distance
180 R $35\frac{1}{2}$ Links —

Thence N $25^{\circ}46'$ West 268 R to
intersection of N Boundary line of Sec 18

274 R to Angle stake

Thence N $30^{\circ}30'E$ While + 34 Rods 24^{links}
to center line of Sec 7

Thence N $11^{\circ}28'$ West. 1/18 R 41 links
to center post Sec 7 in Fort Road

From point near Swan
Lake, 20 rods North of Middle E & W
line of Sec 20 T116 R28. Land of
N 89° 30' E var 11° 30'

90 Rods 11 Cks to stake

Thence Due East to 172 Rods
(This stake is ^{20 R 272 R} 95 paces (S 3° E))

From Fuller 40 stake

Thence N 26° E 214 R 10 stake

Thence N 56° E 214 R 10 stake
1/2 Angle stake. Thence N 35° 40'
East - 262 Rods

Thence N 20° 15' E 2 Miles 4120
Rods Bears on the NE Corner ^{Sec} 16
(S 85° 28' E 70 R 12 Cks) 214 R 10

to center Fort Road

Thence on the Fort Road N 84° 15' E
60 R 4 Cks to Angle Stake thence S 79° E



Partially Scanned Material

Blank pages from this item have been omitted from the digital version. The original can be viewed at the Minnesota Historical Society's Gale Family Library in Saint Paul, Minnesota. For more information, visit www.mnhs.org/library/.

Frederick P. Baumwirth
 Surveyor
 Saint Peter
 Minnesota

$$\begin{array}{r}
 95 \\
 \underline{5} \\
 16 \overline{) 485} \\
 \underline{32} \\
 165 \\
 \underline{160} \\
 5
 \end{array}$$

$$\begin{array}{r}
 226 \\
 \underline{68} \\
 158
 \end{array}$$

$$\begin{array}{r}
 240 \\
 \underline{31} \\
 199
 \end{array}$$

