

Minnesota Attorney General: Administrative Rules Proceedings

Copyright Notice:

This material may be protected by copyright law (U.S. Code, Title 17). Researchers are liable for any infringement. For more information, visit www.mnhs.org/copyright.

Version 3
August 20, 2018

Statutory Cite Problems

Emergency Rule
10 working Days

CH
11/7/91

RULE REVIEW CHECKLIST

52.0015.1210

File No. 1865 Docket No. ~~05.0009~~

DATE RECEIVED 11-7-91 ADOPTED W/O HEARING _____

REVIEW DATE 11-18-91 EMERGENCY RULE _____

DUE DATE 11-18-91 TO REVISOR ON 11-7-91

~~(DIS)~~APPROVED 11/18/91 REVISOR (DIS)APPROVED _____

WITHDRAWN _____ FILED W/SEC. OF STATE _____

RETURNED TO AGENCY _____

✓ Rule as adopted (4 copies)

_____ Notice to Solicit Outside Information/Opinion (if applicable)
_____ Date published in State Register
_____ Comments

_____ Petition for Adoption of a Rule

_____ Board's Authorizing Resolution
_____ Date adopted

✓ Proposed Rule
✓ Revisor's Certificate

✓ Notice of Intent to Adopt Rule
103F.subd 2, (5) Statutory Authority Wrong cite but have a correct cite
_____ Small Business Statement
_____ Expenditure of public money statement
August 28, 1991 Signature

NA Statement of Need and Reasonableness (if applicable)
_____ Small Business Statement
_____ Fees - § 16A.128

✓ Affidavit of Mailing Notice of Intent to Adopt Rule
September 10, 1991 Dated 30/25 days before adoption
✓ Notice attached indicates it is attached
_____ Copy of rule or summary attached

✓ Publication in State Register
July 22, 1991 Date 30/25 days before adoption

✓ 180-day deadline from:
_____ Effective date of law requiring rule (14.12) (both rules) amendments don't apply
✓ end of comment period (§ 14.26) (rules without hearing)
_____ effective date of statutory authority (§ 14.29) (emergency rules)

_____ Resolution Adopting
_____ Date adopted

_____ Findings of Fact, Conclusions & Order Adopting
November 4, 1991 Date

✓ Written Requests, Submissions or Comments

✓ Declaration of Attorney
Marie Christie Name of SAAG representing agency

_____ Notice of Submission to Attorney General (if applicable)

_____ Affidavit of Mailing Notice to Attorney General (if applicable)

DEPARTMENT: Office of the Attorney General

STATE OF MINNESOTA

OFFICE MEMORANDUM

DATE: November 19, 1991

TO: DAN WILSON
Well Management Unit
Minnesota Department of Health
925 Southeast Delaware Street
P.O. Box 59040
Minneapolis

FROM: CHARLENE HATCHER
Special Assistant Attorney General
525 Park Street, Suite 500 (55103)

PHONE: 296-9422

SUBJECT: In the Matter of the Adopted Rule Relating to Flush Threaded Polyvinyl Chloride (PVC) Casing and Screens Used for Minitoring Wells at Petroleum Storage Tank Sites

The above-referenced rule has been approved as to its legality by the Attorney General on November 18, 1991.

Enclosed is your copy of the approved rule. This office has already filed two copies with the Secretary of State, who will forward one copy to the Revisor of Statutes. The fourth is being retained by this division of the Attorney General's Office for its records.

Also enclosed are any petitions, requests, submissions or comments along with any extra copies of documents which you submitted to the Attorney General.

Your next step is to arrange for publication of the Notice of Adoption in the State Register. In a day or two, you should receive from the Revisor's Office three copies of the notice of adoption of your rule. You should submit two copies of the Notice of Adoption to the State Register for publication. A permanent rule without a hearing does not become effective until five days after a notice of adoption is published in the State Register in accordance with Minn. Stat. § 14.27. An emergency rule becomes effective five working days after approval by the Attorney General; however, the agency must publish a notice in the State Register in accordance with Minn. Stat. § 14.34.

If you have any questions in this regard, please contact me.

CH:sc
Enclosures
cc: Maria Christu
William Brown, Chief Judge
MaryAnn Hruby

Department of Health

Adopted Emergency Rules Relating to Flush Threaded Polyvinyl Chloride (PVC) Casing and Screens Used for Monitoring Wells at Petroleum Storage Tank Sites

Rules as Adopted

4725.7605 [Emergency] FLUSH THREADED POLYVINYL CHLORIDE (PVC) CASING AND SCREENS USED FOR MONITORING WELLS AT PETROLEUM STORAGE TANK SITES.

Notwithstanding parts 4725.6900 to 4725.7600, a monitoring well may use flush threaded polyvinyl chloride (PVC) casing and screens used for leak detection or groundwater monitoring at an underground or aboveground petroleum storage tank site if the requirements in this part are met.

A. The screen must intersect the surface of the water table at the time of installation. The well must be constructed so the joint between the two deepest casing sections is above the surface of the water.

B. The total depth of the monitoring well must be 50 feet or less.

C. The monitoring well must be constructed in unconsolidated materials.

D. The annular space between the bore hole and the casing must be grouted with neat cement. The grout must be placed from within ten feet of the top of the screen to the established ground surface.

E. The flush threaded polyvinyl chloride casing must meet at least the standards in schedule ~~80~~ 40 for polyvinyl chloride (PVC) materials of the American Society for Testing and Materials (ASTM), 1916 Race Street, Philadelphia, Pennsylvania. Schedule ~~80~~ 40 standards are contained in the Annual Book of ASTM Standards, Volume 8, Designation D 1785-88 Standard Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80, and 120 Tables I and II, published December

Approved by Revisor MEO

1988. The ASTM standards are incorporated by reference, are not subject to frequent change, and are available through the Minitex interlibrary loan system.

Approved
by Revisor _____

APPROVED AS TO FORM AND LEGALITY

November 18, 1991

HUBERT H. HUMPHREY, III
ATTORNEY GENERAL

BY Charlene H. Hatcher
SPECIAL ASSISTANT ATTORNEY GENERAL

STATE OF MINNESOTA
DEPARTMENT OF STATE
FILED

NOV 19 1991

Joan Anderson Growe
Secretary of State

8:50a
RC

STATE OF MINNESOTA

MINNESOTA DEPARTMENT OF HEALTH

FINDINGS OF FACT, CONCLUSIONS AND ORDER ADOPTING AN EMERGENCY RULE

In the Matter of the Adoption of Emergency Rules of the Minnesota Department of Health Governing Flush Threaded Polyvinyl Chloride (PVC) Casing and Screens Used for Monitoring Wells at Petroleum Storage Tank Sites, Minnesota Rules, part 4725.7605

(1) Notice of the Commissioner's intent to adopt the above-entitled emergency rule was published in the State Register on September 16, 1991 at 16 S. R. 584-585. The notice and proposed rule were sent by United States mail On September 10, 1991 to all persons on the list maintained by the department pursuant to Minnesota Statutes, section 14.30 and to all parties on a discretionary mailing list compiled for this rule.

(2) All persons were given the opportunity to submit comment on the rule for at least 25 days after the notice of proposed rulemaking.

Based on the comments and evidence in the record before the department, I find the following:

FINDINGS

(3) Part 4725.7605 [Emergency] FLUSH THREADED POLYVINYL CHLORIDE (PVC) CASING AND SCREENS USED FOR MONITORING WELLS AT PETROLEUM STORAGE TANK SITES.

1. John E. Scharf, P. E., a registered monitoring well contractor with Braun Intertec Environmental, Inc. commented that flush threaded PVC is an appropriate material to use for monitoring well construction at a majority of company sites and that flush threaded

PVC should be used at all types of sites in which it is deemed suitable, not only petroleum sites. The department is reviewing the use of flush threaded PVC pipe for all well sites in conjunction with the general revision of adopted permanent well construction standards. However, for purposes of the emergency rule, the department believes its authority at this time is restricted to that expressly granted by Laws of Minnesota 1991, Chapter 175, section 1 as codified into Minnesota Statutes, section 103I.222. The emergency rule authority permits the use of flush threaded polyvinyl chloride casing and screens used "for leak detection and monitoring wells at underground or aboveground petroleum storage tank sites." The use of PVC flush threaded casing and screens at sites other than "underground or aboveground petroleum storage tank sites" was not authorized under the emergency rule mandate. Use of these materials at other sites and in other situations is being discussed and may be authorized by the commissioner at a later date within the scope of revisions to the permanent well code now underway. Mr. Scharf's comment will be retained by the department and considered in conjunction with discussion of changes to the permanent well.

2. Item A. Page 1, lines 16-17.

Patrick S. McCaffrey of Ashland Petroleum Company comments that the well screen interval needs to take into account the normal fluctuations of the water table. Kenneth Olson of Bruce A. Liesch Associates, Inc. comments that significant changes in water table elevations are due to climatological factors outside the control of the well driller. He expressed concern that if the water level rises after a well is installed, the well may not be in compliance with the well code which may result in requiring the well to be replaced. Mr. Olson suggests that Item A be modified to indicate that the joint between casings, other than the joint attaching the first length of casing to the screen, not be below the water table. The commissioner agrees that fluctuation of the water table must be considered and finds that Item A is necessary to modify as follows:

> A. The screen must intersect the surface of the water table at the time of installation. The well must be constructed so the joint between the two deepest casing sections is above the surface of the water table.

3. Item D. Page 1, lines 22-25.

David L. Kill, sales manager for Recovery Equipment Supply Inc. commented that bentonite grout with more than 20 percent solids should be allowed in addition to neat cement for grouting the annular space from five feet below the ground surface to the top of the gravel pack. Mr. McCaffrey commented that the annular space would be sufficiently sealed with any low permeability material which may include bentonite products, natural clays from

the monitoring well borehole and bentonite/cement slurries. Robert L. Oliver, a division manager for Colloid Environmental Technologies Company, commented that high solids bentonite slurry grout should be allowed as a substitute for neat cement. The commissioner finds the requirement in item D of the emergency rule which requires the use of neat cement grout from within ten feet of the top of the screen to the established ground surface to be consistent with part 4725.7600, subpart 3 of the adopted permanent rule on well construction which requires the use of neat cement grout with plastic casing. The use of natural clays from the monitoring well borehole, particularly at a petroleum site, may pose problems in that this material may be contaminated. Bentonite grout above the static water level may dry up and shrink making the casing and joints subject to contaminants contained in surface water drainage. Flush joints may be more prone to leakage. Because monitoring wells are often placed in contaminated soils, cement grout is used around joints and plastic casing because it is generally more resistent to chemical degradation than bentonite grout. The commissioner will continue to monitor and review grouting materials other than neat cement grout for future application.

4. Item E. Page 1, lines 26-29 and page 2, line 1.

Mr. Kill commented that schedule 80 casing should be changed to schedule 40 because schedule 40 has adequate strength for shallow wells less than 50 feet deep. He also comments that the heavier walled schedule 80 casing will make it difficult to get pumps and sampling equipment in and out of the well. (Two inch diameter casing is routinely used by the industry and thicker casing pipe walls reduce the inside diameter of the pipe.) Paul D. Josephson, vice president of Wenck Associates, Inc., comments that schedule 40 PVC materials would be sufficient in monitoring wells at petroleum storage tank sites where the depth of the monitoring well is limited to 50 feet, and schedule 80 PVC, because of its smaller inside diameter, makes installation of other materials within the casing difficult and costly. George Gillespie, technical director for well products at Johnson Filtration Systems, Inc., comments that lab tests show that schedule 40 PVC material has adequate collapse and tensile strength to withstand the expected forces of installation and well development in 50 foot wells. At this time the commissioner has reevaluated the proposed schedule 80 standard and finds that schedule 40 PVC casing for monitoring wells is a standard used by other states. There is some concern by department staff about leakage with the use of flush threaded joints in schedule 40 pipe because the thickness of the schedule 40 casing is reduced by the joint threads thus potentially reducing strength and potentially making the joint subject to cracking and leaking. There is debate among professionals over whether sampling devices may routinely and easily fit into the inside diameter of a schedule 80 pipe. The commissioner at this time does not find overwhelming reason to

prohibit the use of schedule 40 material. The use of schedule 80 casing is certainly allowed. Item E, for purposes of the emergency rule, is modified to provide for the use of schedule 40 casing. The department, however, will continue to monitor the use of schedule 40 PVC casing with flush threaded joints.

> E. The flush threaded polyvinyl chloride casing must meet at least the standards in schedule ~~80~~ 40 for polyvinyl chloride (PVC) materials of the American Society for Testing and Materials (ASTM), 1916 Race Street, Philadelphia, Pennsylvania. Schedule ~~80~~ 40 standards are contained in the Annual Book of ....

5. Mr. Gillespie comments that flush threaded joints with two threads per inch as described in ASTM standard F480-90 are preferred because of easy assembly, particularly in cold weather. The commissioner does not find it appropriate to adopt ASTM F480-90 at this time because that standard does not include thread tolerances for the new thread configuration and that standard requires the use of Acme screws which are generally not used by the industry. This standard has changed frequently in recent years and still appears to be under much discussion and further development. The department will continue to monitor the development of ASTM F480-90 and may consider its adoption in future revisions of the well code.

6. Mr. Gillespie made several comments about filter pack design and general monitoring well design. The commissioner finds that these comments refer primarily to general monitoring well design. The department finds that development and revision of the general monitoring well design standards goes beyond the authorization for the emergency rule provisions contained in Minnesota Statutes, section 103I.222.

CONCLUSIONS

I hereby conclude that:

1. The Commissioner has statutory authority to promulgate these rules.

2. Proper notice of the Department's intent to adopt the proposed emergency rules was given as required by law, and all interested persons were afforded an opportunity to submit data and views on the proposed emergency rules.

3. All modifications made to the proposed emergency rules are not substantial changes.

4. The rules, as modified, are necessary and reasonable.

5. Any duplication in these rules of language contained in Minnesota Statutes is crucial to the ability of persons affected by the rules to comprehend their meaning and effect.

6. The Department has complied with all applicable provisions of law and rule in the promulgation of these rules.

7. If any finding or part of a finding, above, is properly characterized as a conclusion, it is adopted as a conclusion.

NOW, THEREFORE, IT IS ORDERED that the rule identified as Emergency Rules of the Minnesota Department of Health Governing Flush Threaded Polyvinyl Chloride (PVC) Casing and Screens Used for Monitoring Wells at Petroleum Storage Tank Sites, Minnesota Rules, part 4725.7605, (as modified) is adopted this 4th day of November, 1991 pursuant to authority vested in me by Minnesota Statutes, section 103I.222.

Marlene E. Marschall
Commissioner of Health

103I subd 2(5) - missing something
should be 103I.101 subd 2 subd 5
The Commissioner shall adopt rule excluding
- . . . .

103I 222 - can't find I think what
they may have meant 103I.221 subd 2
I do could not
attached Laws of MN Chapter 175 Sect 1
end of Comment period Oct 11, 1991
Notice of Intent
E. (2) missing comment is encouraged

Notice of Intent
missing E (4) proposed rule is
attached

Findings of Fact
missing J (4) - agency record no
submissions to the Attorney General
J (5) rule is adopted - they
state the finding or part of the
findings is adopted as a conclusion

accident unless the vehicle: (1) has been inspected by a state trooper or other person authorized to conduct inspections under section 169.781, subdivision 3, paragraph (a), who is an employee of the department of public safety or transportation, and the person inspecting the vehicle has determined that the vehicle may safely be operated; or (2) a waiver has been granted under subdivision 2.

Sec. 8. Minnesota Statutes 1990, section 171.02, is amended by adding a subdivision to read:

Subd. 2a. **HAZARDOUS MATERIALS; EXCEPTION.** Notwithstanding subdivision 2, a hazardous materials endorsement is not required to operate a motor vehicle with a gross weight of not more than 26,000 pounds, carrying in bulk tanks a total of not more than 200 gallons of petroleum products or liquid fertilizer or pesticide.

Sec. 9. Laws 1990, chapter 563, section 11, is amended to read:

Sec. 11. **EFFECTIVE DATE.**

(a) Section 1, subdivisions 1 and 3 to 8, and sections 2 to 10 are effective July 1, 1990.

(b) Except as provided in paragraph (c), section 1, subdivision 2, is ~~effective April~~ suspended until July 1, 1991.

(c) Section 1, subdivision 2, is effective April 1, 1992, for any registered farm truck with a registered gross weight of not more than 57,000 pounds while being operated within a radius of 75 miles of the home post office of the owner.

Sec. 10. **EFFECTIVE DATE.**

Sections 1 to 8 are effective the day following final enactment. Section 9 is effective retroactively to April 1, 1991.

Presented to the governor May 21, 1991

Signed by the governor May 24, 1991, 4:40 p.m.

CHAPTER 175—H.F.No. 744

An act relating to the environment; petrofund; amending Minnesota Statutes 1990, sections 115C.07, subdivision 3; 115C.09, subdivisions 1, 2, 3, 3b, 5, and by adding subdivisions; proposing coding for new law in Minnesota Statutes, chapter 103I.

BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF MINNESOTA:

Section 1. **[103I.222] USE OF POLYVINYL CHLORIDE.**

The department shall adopt emergency rules within six months, and permanent rules within one year, of the effective date of this section designed to allow use of flush threaded polyvinyl chloride casing and screens used for leak detection and monitoring wells at underground or aboveground petroleum storage tank sites.

Sec. 2. Minnesota Statutes 1990, section 115C.07, subdivision 3, is amended to read:

Subd. 3. **RULES.** (a) The board shall adopt rules regarding its practices and procedures, the form and procedure for applications for compensation from the fund, procedures for investigation of claims and specifying the costs that are eligible for reimbursement from the fund.

(b) The board may adopt emergency rules under this subdivision for one year after June 4, 1987.

(c) The board shall adopt emergency rules within four months of the effective date of this section, and permanent rules within one year of the effective date of this section, designed to ensure that costs submitted to the board for reimbursement are reasonable. The rules shall include a requirement that persons taking corrective action solicit competitive bids, based on unit service costs, except in circumstances where the board determines that such solicitation is not feasible.

(d) The board may adopt rules requiring certification of environmental consultants.

Sec. 3. Minnesota Statutes 1990, section 115C.09, subdivision 1, is amended to read:

Subdivision 1. **REIMBURSABLE COSTS.** (a) The board shall provide partial reimbursement to eligible responsible persons for reimbursable costs incurred after June 4, 1987.

(b) The following costs are reimbursable for purposes of this section:

(1) corrective action costs incurred by the responsible person, except the costs related to the physical removal of a tank; ~~and~~

(2) costs that the responsible person is legally obligated to pay as damages to third parties for bodily injury or property damage caused by a release if the responsible person's liability for the costs has been established by a court order or a consent decree; and

(3) up to 180 days worth of interest costs, incurred after the effective date of this section, associated with the financing of corrective action. Interest costs are not eligible for reimbursement to the extent they exceed two percentage points above the adjusted prime rate charged by banks, as defined in section 270.75, subdivision 5, at the time the financing contract was executed.

Signed by Gov May 24, 1991

SF-00006-05 (4/86)

STATE OF MINNESOTA

Office Memorandum

DEPARTMENT : Health

DATE : Nov. 8, 1991

TO : Patricia Nolte, Legal Assistant
Public Finance Division
Capitol Office Building

FROM : Jane A. Nelson, Rules Coordinator
Environmental Health Division

PHONE : 627-5038

SUBJECT : Rules Governing Flush Threaded Polyvinyl Chloride (PVC) Casing and Screens Used for Monitoring wells at Petroleum Storage Tank Sites, Minnesota Rules, part 4725.7605

Enclosed are the documents required to be submitted under Minnesota Rules, part 2010.0400 for your review of an emergency rule of the above-entitled matter.

Official documents in this submittal include:

A. A copy or photocopy of the notice of solicitation of outside information or opinions as published in the State Register.

B. A copy of the proposed rule with a certificate of approval as to form by the Revisor of Statutes attached.

C. The notice of intent to adopt an emergency rule as mailed.

D. The affidavit of mailing the notice of intent to adopt an emergency rule. The affidavit states that the mailing list maintained by the Department pursuant to Minnesota Statutes, section 14.30 is accurate, complete, and current and that the notice of intent to adopt the emergency rule was mailed to all persons and groups whose names appear on the list.

E. A copy or photocopy of the notice of intent to adopt the emergency rule as published in the State Register.

F. Four copies of the emergency rule as adopted. Any modification made to the proposed rule is reflected on the rule as adopted and is approved as to form by the Revisor of Statutes.

G. The Findings of Fact, Conclusions, and Order Adopting the Emergency Rule.

H. All written requests, submissions, or comments on the rule received by the Department except requests solely for copies of the rule.

I. The declaration of counsel of the attorney in the Attorney General's Office who represents the Department.

J. The department received no requests for notice of submission to the Attorney General.

If you have any questions on this submittal, please call me at 627-5038.

JAN:mq
Attachments

STATE OF MINNESOTA

MINNESOTA DEPARTMENT OF HEALTH

In the Matter of the Proposed Adoption of the Emergency Rule of the Minnesota Department of Health Governing Flush Threaded Polyvinyl Chloride (PVC) Casing and Screens Used for Monitoring Wells at Petroleum Storage Tank Sites, Minnesota Rules, part 4725.7605

NOTICE OF INTENT TO ADOPT AN EMERGENCY RULE

(1) Notice is hereby given that the Minnesota Department of Health intends to adopt the above-entitled emergency rule. The statutory authority to adopt the emergency rule is contained in Minnesota Statutes, section 103I, subdivision 2, (5) and Laws of Minnesota 1991, chapter 175, section 1 as codified into Minnesota Statutes, section 103I.222. The Department, in adopting the rule, is following the procedures set forth in the Administrative Procedures Act for adopting emergency rules in Minnesota Statutes, sections 14.29 to 14.36.

(2) All persons have 25 days or until 4:30 p.m. on October 11, 1991, after publication to submit data and views on the proposed emergency rule or any part or subpart of the rule in writing. Any comments must be submitted to:

(3)
Mr. Dan Wilson
Well Management Unit
Minnesota Department of Health
925 Southeast Delaware Street
P.O. Box 59040
Minneapolis, Minnesota 55459-0040
(612) 627-5161

(5) A free copy of the proposed emergency rule is available by contacting Mr. Dan Wilson at the above address.

(6) The proposed emergency rule may be modified if the modifications are supported by data and views submitted to the Department and does not result in a substantial change in the proposed emergency rule as noticed.

(7) Upon adoption of the emergency rule by the Department, the emergency rule as adopted and its supporting documents will be delivered to the Attorney General-Administration for review as to legality and form to the extent form relates to legality. Any person may request notification of the date of submission to the

Attorney General-Administration. Persons who wish to be advised of the submission of this material to the Attorney General-Administration, or who wish to receive a copy of the adopted rule, must submit the written request to Ms. Jane Nelson, Rules Coordinator, Minnesota Department of Health, 925 Southeast Delaware Street, P.O. Box 59040, Minneapolis, Minnesota 55459-0040, (612) 627-5038.

(8) The emergency rule will take effect five working days after approval by the Attorney General-Administration and be effective for 180 days. The emergency rule will be continued in effect for an additional 180 days if the Department gives notice of continuation in accordance with Minnesota Statutes, section 14.35.

Adoption of these rules will not result in additional spending by local public bodies in excess of $100,000 per year for the first two years following adoption under the requirements of Minnesota Statutes, section 14.11.

(9)

Date:
August 28, 1991

Marlene E. Marschall
MARLENE E. MARSCHALL
COMMISSIONER OF HEALTH

Department of Health

Proposed Emergency Rules Relating to Flush Threaded Polyvinyl Chloride (PVC) Casing and Screens Used for Monitoring Wells at Petroleum Storage Tank Sites

Rules as Proposed (all new material)

4725.7605 [Emergency] FLUSH THREADED POLYVINYL CHLORIDE (PVC) CASING AND SCREENS USED FOR MONITORING WELLS AT PETROLEUM STORAGE TANK SITES.

Notwithstanding parts 4725.6900 to 4725.7600, a monitoring well may use flush threaded polyvinyl chloride (PVC) casing and screens used for leak detection or groundwater monitoring at an underground or aboveground petroleum storage tank site if the requirements in this part are met.

A. The screen must intersect the surface of the water table.

B. The total depth of the monitoring well must be 50 feet or less.

C. The monitoring well must be constructed in unconsolidated materials.

D. The annular space between the bore hole and the casing must be grouted with neat cement. The grout must be placed from within ten feet of the top of the screen to the established ground surface.

E. The flush threaded polyvinyl chloride casing must meet at least the standards in schedule 80 for polyvinyl chloride (PVC) materials of the American Society for Testing and Materials (ASTM), 1916 Race Street, Philadelphia, Pennsylvania. Schedule 80 standards are contained in the Annual Book of ASTM Standards, Volume 8, Designation D 1785-88 Standard Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80, and 120 Tables I and II, published December 1988. The ASTM standards are incorporated by reference, are not subject to frequent change, and are available through the

Approved by Revisor MEO

Minitex interlibrary loan system.

Approved
by Revisor _____

Office of the Revisor of Statutes

Administrative Rules

TITLE: Proposed Emergency Rules Relating to Flush Threaded Polyvinyl Chloride (PVC) Casing and Screens Used for Monitoring Wells at Petroleum Storage Tank Sites

AGENCY: Department of Health

MINNESOTA RULES: Chapter 4725

INCORPORATIONS BY REFERENCE:

Part 4725.7605 [Emergency]: Annual Book of ASTM Standards, Volume 8, Designation D 1785-88 Standard Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80, and 120 Tables I and II, published December 1988. Available through Minitex interlibrary loan system.

The attached rules are approved for publication in the State Register

Marie E. O'Neill

Marie E. O'Neill
Assistant Revisor

Department of Health

Proposed Emergency Rules Relating to Flush Threaded Polyvinyl Chloride (PVC) Casing and Screens Used for Monitoring Wells at Petroleum Storage Tank Sites

Rules as Proposed (all new material)

4725.7605 [Emergency] FLUSH THREADED POLYVINYL CHLORIDE (PVC) CASING AND SCREENS USED FOR MONITORING WELLS AT PETROLEUM STORAGE TANK SITES.

Notwithstanding parts 4725.6900 to 4725.7600, a monitoring well may use flush threaded polyvinyl chloride (PVC) casing and screens used for leak detection or groundwater monitoring at an underground or aboveground petroleum storage tank site if the requirements in this part are met.

A. The screen must intersect the surface of the water table.

B. The total depth of the monitoring well must be 50 feet or less.

C. The monitoring well must be constructed in unconsolidated materials.

D. The annular space between the bore hole and the casing must be grouted with neat cement. The grout must be placed from within ten feet of the top of the screen to the established ground surface.

E. The flush threaded polyvinyl chloride casing must meet at least the standards in schedule 80 for polyvinyl chloride (PVC) materials of the American Society for Testing and Materials (ASTM), 1916 Race Street, Philadelphia, Pennsylvania. Schedule 80 standards are contained in the Annual Book of ASTM Standards, Volume 8, Designation D 1785-88 Standard Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80, and 120 Tables I and II, published December 1988. The ASTM standards are incorporated by reference, are not subject to frequent change, and are available through the

Approved by Revisor MEO

1 Minitex interlibrary loan system.

Approved
by Revisor _____

Office of the Revisor of Statutes

Administrative Rules

TITLE: Proposed Emergency Rules Relating to Flush Threaded Polyvinyl Chloride (PVC) Casing and Screens Used for Monitoring Wells at Petroleum Storage Tank Sites

AGENCY: Department of Health

MINNESOTA RULES: Chapter 4725

INCORPORATIONS BY REFERENCE:

Part 4725.7605 [Emergency]: Annual Book of ASTM Standards, Volume 8, Designation D 1785-88 Standard Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80, and 120 Tables I and II, published December 1988. Available through Minitex interlibrary loan system.

The attached rules are approved for publication in the State Register

Marie E. O'Neill

Marie E. O'Neill
Assistant Revisor

STATE OF MINNESOTA

MINNESOTA DEPARTMENT OF HEALTH

In the Matter of the Proposed Adoption of the Emergency Rule of the Minnesota Department of Health Governing Flush Threaded Polyvinyl Chloride (PVC) Casing and Screens Used for Monitoring Wells at Petroleum Storage Tank Sites, Minnesota Rules, part 4725.7605

AFFIDAVIT OF MAILING NOTICE OF INTENT TO ADOPT AN EMERGENCY RULE

Susan D. Reese, being sworn, says:

That on the 10th day of September, 1991, in the City of Minneapolis, County of Hennepin, State of Minnesota, I mailed the attached Notice of Intent to Adopt an Emergency Rule by depositing in the State of Minnesota Central Mail System for United States mailing, a copy thereof, with postage prepaid, to all persons and associations on the attached Department list and discretionary mailing list.

Susan D. Reese
(name)

Office Services Supervisor
(title)

Environmental Health
(division)

Subscribed and sworn to before me this 10th day of September, 1991.

Mary N. Quam

MARY N. QUAM
NOTARY PUBLIC — MINNESOTA
HENNEPIN COUNTY
My commission expires 10-18-96

The Department also routinely sends a copy of the rule and notice to all members of the House and Senate.

STATE OF MINNESOTA

MINNESOTA DEPARTMENT OF HEALTH

In the Matter of the Proposed Adoption of the Emergency Rule of the Minnesota Department of Health Governing Flush Threaded Polyvinyl Chloride (PVC) Casing and Screens Used for Monitoring Wells at Petroleum Storage Tank Sites, Minnesota Rules, part 4725.7605

CERTIFICATE

I hereby certify that the list of persons, associations, and other interested groups who have requested, pursuant to Minnesota Statutes, section 14.14, subdivision 1a, that their names be placed on file with, and maintained by, the Minnesota Department of Health for the purpose of receiving notice of rule hearings, is accurate and complete as of

1:00 p.m., this 21st day of August, 1991.

Christine K. Barton

Christine Barton

Michael J. Ahern
4800 Norwest Center
90 S. 7th St.
Minneapolis, MN 55402-4119

Donna M. Anderson
Dakota County Public
Health Department
33 E. Wentworth Ave. #345
West St. Paul, MN 55118

Anoka County Environmental
Services
% Robert Hutchison
Courthouse - 4th Floor
Anoka, MN 55303

Walter A. Baldus
Woodale Management
Services
P.O. Box 1047
Austin, MN 55912

June Barron
115 Cottage Downs
Hopkins, MN 55343

Lester Block
School of Public Health
Box 197 Mayo
University of Minnesota
Minneapolis, MN 55455

William Bond
MN Pharmacists Assoc.
2221 University Ave. S.E.
Minneapolis, MN 55414

Marge Scudder Brchan
Morrison County Public
Health Services
808 S.E. Third Street
Little Falls, MN 56345

Broeker, Geer, Fletcher
& LaFond, Limited
Attn: Sue Gilgenbach
8500 Normandale Blvd,
Suite 1510
Bloomington, MN 55437

Mark J. Brunner
Minnesota Manufactured
Housing Association
555 Park Street, Ste. 400
St. Paul, MN 55103

William R. Carter, III
POST Board
1600 University Avenue
Suite 200
St. Paul, MN 55104

Rebecca A. Comstock
Dorsey & Whitney
2200 First Bank Place East
Minneapolis, MN 55402

William Conley
114 Mackubin Street
St. Paul, MN 55102

D.E.F.F.B.A.M.
P.O. Box 11855
St. Paul, Mn 55111

Mary Davies, Director
Dakota Mental Health Ctr
744 - 19th Avenue North
So. St. Paul, MN
55075-1390

Judith S. Douglas
The Phoenix Residence Inc
135 Colorado Street East
St. Paul, MN 55107

John E. Drawz
1500 Northland Plaza Bldg.
3800 West 80th Street
Minneapolis, MN 55431-4409

Michael J. Duffy, Director
Community Health Board
325 Lake Avenue South
Suite 604
Duluth, MN 55802

Doug Ewald
26 East Exchange Street
St. Paul, MN 55101

Carol Fielders, Nursing
Director
St. Louis County Health
Department
222 East Superior Street
Duluth, MN 55802-2134

Bob Fitzgerald, D.C.
133 West Lake Street
Minneapolis, MN 55408

Pamela A. Foster,
Supervising Sanitarian
City of Crystal
4141 Douglas Drive North
Crystal, MN 55422

Iris C. Freeman
MN Alliance For Health
Care Consumers
5609 Lyndale Ave. So.
Minneapolis, MN 55419

Cynthia R. Fremgord
QSS, Inc.
P.O. Box 838
Faribault, MN 55021

Jerry Gross
Community Living, Inc.
P.O. Box 130
Victoria, MN 55386

Lois Hacker, Prg. Spec.
Anoka Co. Community Health
and Social Services
Courthouse - Fourth Floor
Anoka, MN 55303

Bob Hamper
Dept. of Human Services
444 Lafayette Road
St. Paul, MN 55155

Robert A. Harder
MN Dental Association
2236 Marshall Avenue
St. Paul, MN 55104

Ms. Elisabeth Hennessey
Executive Director
Arc Olmsted County
903 West Center Street
Rochester, MN 55902

Mr. John W. Henrich
Bergerson Caswell
5115 Industrial Street
Maple Plain, MN 55359

Charles B. Hoffman
Director-Env. Affairs
Pickands Mather & Co.
Ste 811-200 W. Superior
St. Duluth, MN 55802

Hope Residence Inc.
Box 63
Waterville, MN 56096

Gaynold Jensen, R.D.
8400 Pennsylvania Rd #327
Minneapolis, MN 55438

Joel D. Johnson
14920 Paul Ave. No.
Mrne St. Crx., MN
55047-9751

Sharon Kannenberg
252 W. Wabasha Street
Winona, MN 55987

Bob Kent
Lakeland Drilling
Route 1, Box 67-C
Wrenshall, MN 55797

David R. Kiely
% A.R.R.M.
26 E. Exchange St. #503
St. Paul, MN 55101

Karen Knepper
N. Memorial Medical Ctr
3300 North Oakdale
Robbinsdale, MN 55422

Jim Koesling
Capitol Supply Co.
600 Lafayette Road
St. Paul, MN 55101

Julie Krause
Todd County Public Health
Nursing Service
119 Third Street
Long Prairie, MN 56347

Vicki Kunerth
3426 - 39th Ave. So.
Minneapolis, MN 55406

Sue Kvendru
MN Senior Federation
1885 University Avenue
St. Paul, MN 55104

Byron Laher
404 South 8th Street
Minneapolis, MN 55404

Wayne Larson
Mt. Olivet Rolling Acres
7200 Rolling Acres Road
Excelsior, MN 55317

Ernest K. Lehmann &
Associates, Inc.
Attn: Land Department
430 First Ave. N.-Ste. 790
Minneapolis, MN 55401

Virgil H. Lee, R.Ph., M.S.
St. Marys Hospital
Pharmacy
1216 Second St. S.W.
Rochester, MN 55902

Dakota's Children Inc.
Attn: Kathleen LeMay
400 West Marie
West St. Paul, MN 55118

Karen Lenander
Northern States Power Co.
A.S. King Plant
210 N. 10th Avenue
Bayport, MN 55003

Shirley K. Loucks
Assisi Residences, Inc.
Box 454
Blue Earth, MN 56013

David Lurie
Commissioner of Health
City of Minneapolis
250 S. 4th Street
Minneapolis, MN 55415-1372

Mary Luth, Washington
County Public Health Dir.
14900 N. 61st Street
Stillwater, MN 55082

MBW Company
513 Center Street
New Ulm, MN 56073

Manty/A Well Drilling Inc.
1392 St. Croix Tr. No.
Box 797
Lakeland, MN 55043

Ms. Mary Martin
GRAY, PLANT, MOOTY, MOOTY
& BENNETT
3400 City Center
33 South Sixth Street
Minneapolis, MN 55402

Angie McCollum
444 Lafayette Road
St. Paul, MN 55155-3843

Minnesota Chiropractic
Association
Attn: Scott Mayer
1700 W. Hwy. 36, #130
Roseville, MN 55113-4057

NASW Alan Ingram, Ex. Dir.
480 Concordia Ave.
St. Paul, MN 55103

Karen L. Nelson
620 - 7th St. N.E.
Staples, MN 56479

Toni Nelson
Pine Ridge Homes, Inc.
915 - 18th Street
Cloquet, MN 55720

Phillip C. Newberg
MN Bd Nsg Home Admin.
2700 University Ave. W.
#104
St. Paul, MN 55114-1082

Lyonel Norris, Family & Children's Service
414 South 8th Street
Minneapolis, MN 55404

Pine River Group Home, Inc.
Box 96
Pine River, MN 56474

Public Affairs Department
Care Providers of MN
2850 Metro Drive, #200
Minneapolis, MN 55425

Public Health Service
Goodhue/Wabasha
419 Bush Street
Red Wing, MN 55066

Neil A. Rowland
923 South Main Street
Chatfield, MN 55923

Brian Sachse
3600 West 80th Street
Route 9003
Bloomington, MN 55431

Vickie Schleuning
City of Minnetonka
14600 Minnetonka Boulevard
Minnetonka, MN 55343

Jeri Schoonover
LSS/Residence
945 Amble Road
Shoreview, MN 55126

Jackie Schwietz
4249 Nicollet Avenue
Minneapolis, MN 55409

Jean Searles
38 - 7th Avenue North
Hopkins, MN 55343

Randy S. Sellers
Strategic Coordinator
D.E.F.F.B.A.M.
1935 Wilson Ave. #102
St. Paul, MN 55119

Kathryn Selseth-Kill
Presbyterian Family Foundation
901 Memorial Parkway
Willmar, MN 56201

So. Center Manor
508 Park Island
Box 386
Center City, MN 55012

Dominic Sposeto
2824 Irving Ave. S.
Minneapolis, MN 55408

Michael J. Steffl
8370 Hwy 23 N.E.
Willmar, MN 56201

HA Swift
5165 N. St. Albans
St. Paul, MN 55126

James Temple
Chrestomathy Center Inc.
310 East 38th Street
Minneapolis, MN 55409

Jerry Thelen
Minneapolis Health Dept.
250 South Fourth Street
Minneapolis, MN 55415

Torgerson Well Co., Inc.
6855 Dogwood Street
Rockford, MN 55373

Eric Weller, Director
South Central MN EMS
Box 3367
Mankato, MN 56001

Colleen Wieck
State Planning Agency
300 Centennial Office Bldg
658 Cedar Street
St. Paul, MN 55155

Sue Zuidem
Hennepin County Community Health Department
525 Portland Ave. South
Level 3
Minneapolis, MN 55415

Daniel McInerney
Leonard, Street & Deinard,
Suite 2300
150 South 5th Street
Minneapolis, MN 55402

8/26/91

Discretionary Mailing List
Emergency PVC Casing Rule

Discretionary mailing list

Emergency PVC Rule

LESTER ANDERSON 19521
KIMMES-BAUER
21830 LILLEHEI AVENUE
HASTINGS, MN 55033

NEAL ANDERSON 77201
ANDERSON WELL DRILLING
ROUTE 1
CLARISSA, MN 56440

DANIEL ZWILLING M0058
MINNESOTA DEPT. OF NATURAL RESOURCES
500 LAFAYETTE ROAD
ST. PAUL, MN 55155-4032

DUANE E. FRAUENKRON
FRAUENKRON WELL DRILLING
15688 Jarvis Street Northwest
Elk River, Minnesota 55941

BRUCE GUNDERSON
PELAN CONSTRUCTION AND WELL DRILLING
Star Route, Box 23
Karlstad, Minnesota 56722

DOUGLAS ROVANG
720 Tenth Street Southwest
Rochester, Minnesota 55902

JOHN W, BECK
LEHMANN EXPLORATION MANAGEMENT
430 First Avenue North
Minneapolis, Minnesota 55401

JACK MCCONAHA M0029
DRILLING AND ENGINEERING
8200 VIKING BOULEVARD
WYOMING, MN 55092

LEROY MCCULLOUGH 82054
MCCULLOUGH AND SONS, INC.
20335 FOREST BOULEVARD NORTH
FOREST LAKE, MN 55025

PAUL MILLER M0093
JOHN MATHES AND ASSOCIATES, INC.
210 WEST SAND BANK ROAD
P.O. BOX 330
COLUMBIA, IL 62236

MERVYN MINDESS M0101
TWIN CITY TESTING CORPORATION
662 CROMWELL AVENUE
ST. PAUL, MN 55114

DAVID MORRILL M0068
MCGHIE AND BETTS, INC.
1648 THIRD AVENUE, S.E.
ROCHESTER, MN 55904

DONALD MUELEBROECK 61584
DON'S PUMP AND WELL SERVICE
ROUTE 3
GLENWOOD, MN 56334

PAUL NELSON M0104
BRAUN ENGINEERING TESTING, INC.
310 SERVICE COURT, N.E.
ROCHESTER, MN 55906

THOMAS OOTHOUDT 49588
NORTH STAR DRILLING, INC.
BOX 355
LITTLE FALLS, MN 56345

JAMES OVERTOOM M0017
STS CONSULTANTS, LTD.
3650 ANNAPOLIS LANE
MINNEAPOLIS, MN 55447

NORVILLE PETERSEN 69183
PETERSEN WELL DRILLING, INC.
P. O. BOX 1045
VIRGINIA, MN 55792

MICHAEL PRAUGHT 86576
M. PRAUGHT DRILLING
ROUTE 5, BOX 339-P
BUFFALO, MN 55313

LEONARD PULKRABEK 91353
LTP ENTERPRISES, INC.
P.O. BOX 9035
FARGO, ND 58106

BARBARA RANSON M0083
B. B. RANSON ENGINEERING, INC.
320 SOUTH JEFFERSON
P.O. BOX 26
WADENA, MN 56482

HAROLD REITHMILLER 27118
TRI-STATE DRILLING, INC.
P.O. BOX 252
HAMEL, MN 55340

ROGER RENNER 71015
E. H. RENNER AND SONS, INC.
15688 JARVIS STREET, N.W.
ELK RIVER, MN 55330

CURT SAMPSON 02088
SAMPSON BROTHERS WELL COMPANY
839 OAK LANE
LINO LAKES, MN 55014

JON SCHARF M0109
BRAUN ENVIRONMENTAL SERVICES, INC.
1345 NORTHLAND ROAD
MENDOTA HEIGHTS, MN 55120-

MICHAEL SCHMIDT M0110
TWIN CITY TESTING CORPORATION
ROUTE 9, BOX 98A
MANKATO, MN 56001-

PAUL SCHWARTZ M0088
INDECO, INC.
630 EAST RIVER DRIVE
BETTENDORF, IA 52722

MICHAEL SCOTT M0105
MINNESOTA POLLUTION CONTROL AGENCY
520 LAFAYETTE ROAD
ST. PAUL, MN 55155

RONALD SHAFFER M0103
TWIN CITY TESTING
1355 MENDOTA HEIGHTS ROAD
MENDOTA HEIGHTS, MN 55114

DAVID SINGLETON M0067
LAYNE-WESTERN COMPANY, INC.
4430 COMMERCIAL AVENUE
P.O. BOX 11067
OMAHA, NE 68110

DUANE SPARTZ 51066
SPARTZ AND SONS WELL COMPANY
BOX 136
IONA, MN 56141

JAMES STARK M0113
U.S. GEOLOGICAL SURVEY
702 POST OFFICE BUILDING
ST. PAUL, MN 55101-

SYLVESTER STEFFL 61335
STEFFL WELL DRILLERS, INC.

GLENWOOD, MN 56334

THOMAS STEVENS 27194
STEVENS WELL DRILLING COMPANY INC.
6240 HIGHWAY 12 WEST
MAPLE PLAIN, MN 55359

ROBERT STODOLA 27276
R. E. S. WELL DRILLING COMPANY
4530 HIGHLAND ROAD
MINNETONKA, MN 55345

DONOVAN STORMOE M0024
AMERICAN ENGINEERING TESTING, INC.
2102 UNIVERSITY AVENUE, WEST
ST. PAUL, MN 55114

JOSEPH STOTKO 27010
LAYNE MINNESOTA COMPANY
3147 CALIFORNIA STREET, N.E.
MINNEAPOLIS, MN 55418

PETER THEIN 34050

11355 HIGHWAY 71 EAST, P.O. BOX 778
SPICER, MN 56288

STANLEY THEIN 12013

P.O. BOX 429
CLARA CITY, MN 56222

RICHARD THRON 82084
MANTYLA WELL DRILLING, INC.
1392 ST. CROIX TRAIL NORTH
P.O. BOX 797
LAKELAND, MN 55043

RONALD TORGERSON 27056
TORGERSON WELL COMPANY, INC.
6855 DOGWOOD STREET
ROCKFORD, MN 55373

MARK TRAUT 71536
MARK J. TRAUT WELLS, INC.
151 72ND AVENUE, SOUTH
ST. CLOUD, MN 56301

STEVEN TRAUT 21535
STEVEN M. TRAUT WELLS, INC.
ROUTE 2, BOX 456
ALEXANDRIA, MN 56308

JOHN URAN 27264
DRILLCO
44 CENTER STREET, BOX 290
EXCELSIOR, MN 55331

ROBERT VALNES 75330
VALNES WELL DRILLING
ROUTE 1
MORRIS, MN 56267

BRIAN VAN BEUSEKOM 27355
INGLESIDE ENGINEERING AND CONST., INC
4920 HIGHWAY 55
LORETTO, MN 55357

MARVIN VAREBERG 03424
VAREBERG WELL DRILLING
ROUTE 3, BOX 201
DETROIT LAKES, MN 56501

KEVIN WEISEL 21532
KEVIN WM. WEISEL WELL COMPANY
3905 HIGHWAY 29 SOUTH
ALEXANDRIA, MN 56308

NORMAN WENCK M0078
WENCK ASSOCIATES, INC.
1800 PIONEER CREEK DRIVE
MAPLE PLAIN, MN 55359

DON WHALEY 78083
WHALEY WELL DRILLING
207 SECOND AVENUE, SOUTH
WHEATON, MN 56296

JOEL ZELTINGER M0038
TWIN CITY TESTING & ENGRG. LAB., INC.
3100 EAST BROADWAY AVENUE
BISMARCK, ND 58501

DAVID ANTONSEN 56132
ANTONSEN WELL DRILLING
ROUTE 2, BOX 210
VERGAS, MN 56587

RODNEY ATKINSON 73025
ATKINSON WELL AND PUMP
P.O. BOX 185
FREEPORT, MN 56331

GARY BAROTT 02303
BAROTT DRILLING SERVICES, INC.
681 BIRCH STREET
LINO LAKES, MN 55014

THOMAS BARRICK 27017
WTD ENVIRONMENTAL DRILLING
P.O. BOX 33615
MINNEAPOLIS, MN 55433

PATRICK BEEMER 46191
BEEMER WELL DRILLING, INC.
ROUTE 1, BOX 2
FAIRMONT, MN 56031

HERBERT BEMIS 40198
BEMIS WELL DRILLING
ROUTE 1, BOX 21
WATERVILLE, MN 56096

LESLIE BERG 60293
BERG WELL DRILLING AND REPAIR
RURAL ROUTE 1, BOX 98
GULLY, MN 56646

MARTIN BONNELL M0054
DPRA
E-1500 FIRST NATIONAL BANK BUILDING
332 MINNESOTA STREET
ST. PAUL, MN 55101

BASIL BOWMAN 31528
B & R BOWMAN WELLS & PUMPS
ROUTE 1, BOX 308
COHASSET, MN 55721

PAUL BURLEY M0077
BRAUN ENVIRONMENTAL LABORATORIES, INC.
6800 SOUTH TRUNK HIGHWAY 169
P.O. BOX 35108
MINNEAPOLIS, MN 55435

BRUCE CARD M0089
TWIN CITY TESTING CORPORATION
601 EAST 48TH STREET NORTH
SIOUX FALLS, SD 57104

JAMES CUNNINGHAM M0080
TERRACON CONSULTANTS, INC.
5855 HARNISCHFEGER DRIVE, S.W.
P.O. BOX H
CEDAR RAPIDS, IA 52406

LOREN DENN 07120
LOREN DENN WELL DRILLING
ROUTE 1, BOX 137
MAPLETON, MN 56065

DANIEL DIETZLER M0086
PATRICK ENGINEERING, INC.
346 TAFT AVENUE
GLEN ELLYN, IL 60137

ALPHONSE DONABAUER 73061
DONABAUER WELL AND PUMP COMPANY
31795 COLLEGEVILLE ROAD
ST. JOSEPH, MN 56374

TOM DONOFRIO M0107
MATEFFY ENGINEERING, INC.
663 OLD HIGHWAY 8
NEW BRIGHTON, MN 55112

ROBERT DOUGLASS M0115
THE TRAVERSE GROUP, INC.
2525 AERO PARK DRIVE
TRAVERSE CITY, MI 49684-

LAWRENCE FELDSIEN M0016
BRAUN ENGINEERING TESTING
245 EAST ROSELAWN AVENUE
ST. PAUL, MN 55117

BILL FELLOWS M0112
TWIN CITY TESTING CORPORATION
3118 BENJAMIN STREET
MINNEAPOLIS, MN 55418-

LOEL FETTING M0061
MIDWEST TESTING LABORATORY, INC.
4102 SEVENTH AVENUE NORTH
P.O. BOX 3042
FARGO, ND 58108-3042

RUSSELL FISH M0075
TWIN PORTS TESTING, INC.
1301 NORTH THIRD STREET
SUPERIOR, WI 54880-

ROBERT FOSTER M0116
GREAT PLAINS ENGINEERING LABORATORY
3712 NORTH TENTH AVENUE
SIOUX FALLS, SD 57104-0832

STEPHAN GALE M0022
STS CONSULTANTS, LTD.
3650 ANNAPOLIS LANE
MINNEAPOLIS, MN 55447

DOUGLAS GARLICK 46489
I-90 WELL DRILLING
1309 EAST EIGHTH STREET
FAIRMONT, MN 56031-

JOHN GILBERTSON M0045
BERGERSON-CASWELL, INC.
5115 INDUSTRIAL STREET
MAPLE PLAIN, MN 55359

TERRY GILES M0066
GILES ENGINEERING ASSOCIATES, INC.
N8W22350 JOHNSON ROAD
WAUKESHA, WI 53186

MICHAEL GILGOSCH M0106
TWIN CITY TESTING, INC.
662 CROMWELL AVENUE
ST. PAUL, MN 55114

JOHN GISLASON M0070
TWIN CITY TESTING CORPORATION
662 CROMWELL
ST. PAUL, MN 55114

GARY HAGE M0114
TWIN PORTS TESTING, INC.
1301 NORTH THIRD STREET
SUPERIOR, WI 54880-

ROGER HARTMANN 40174
HARTMANN WELL COMPANY
308 EAST MAIN STREET
NEW PRAGUE, MN 56071

DUANE HELEY M0057
MIDWEST TESTING LABORATORY, INC.
4102 SEVENTH AVENUE NORTH
FARGO, ND 58102

ROBERT HINES 49397
NORTHLAND DRILLING COMPANY
ROUTE 1
RANDALL, MN 56475

AUSTIN HUFFMAN 10318
HYDRO ENGINEERING INC.
115 EAST MAIN STREET
YOUNG AMERICA, MN 55397

JOHN JAMNICK M0108
MATEFFY ENGINEERING, INC.
663 OLD HIGHWAY 8
NEW BRIGHTON, MN 55112

JOHN JOHNSON 53117
JOHNSON WELL COMPANY
ROUTE 4, BOX 30
WORTHINGTON, MN 56187

MARK JOHNSON M0095
DAHL AND ASSOCIATES
4390 MCMENEMY ROAD
ST. PAUL, MN 55127

REX JOHNSON 80129
JOHNSON AND SON WELL DRILLING
HIGHWAY 71 NORTH
SEBEKA, MN 56477

ROBERT KADWELL M0060
TELLUS CONSULTANTS
1315 GLENWOOD AVENUE NORTH
MINNEAPOLIS, MN 55405

GEORGE KLUEMPKE M0059
BRAUN ENGINEERING TESTING
P.O. BOX 189
ST. CLOUD, MN 56302

CHARLES KNIGHT 73413
BLUE WATER WELL DRILLING, INC.
P. O. BOX 82
BROOTEN, MN 56316

DOUGLAS KOLSTAD 69554
KOLSTAD-OLSON DRILLING
P. O. BOX 217
ORR, MN 55771

ROBERT KRUEGER 03034
KRUEGER WELL DRILLING

AUDUBON, MN 56511

CAMERON KRUSE M0019
BRAUN ENGINEERING TESTING, INC.
6800 SOUTH TRUNK HIGHWAY 169
EDEN PRAIRIE, MN 55344

THOMAS KRZEWINSKI M0063
GME CONSULTANTS, INC.
314 GARFIELD AVENUE
P.O. BOX 16070
DULUTH, MN 55816

WILLIAM KWASNY M0013
GME CONSULTANTS, INC.
14000 21ST AVENUE, NORTH
MINNEAPOLIS, MN 55447

VERNON LAMBERT 18434
LAMBERT WATER WELLS
P.O. BOX 201
EMILY, MN 56447

DENNIS LARSON M0102
MINNESOTA DEPARTMENT OF TRANSPORTATION
MATERIALS & RESEARCH LABORATORY, ROOM 70
1400 GERVAIS AVENUE
MAPLEWOOD, MN 55109

RICHARD LARSON 23150
LARSON WELL DRILLING COMPANY
ROUTE 2, BOX 95
MABEL, MN 55954

QUENTIN LEE 92389
LEE WELL DRILLING, INC.
RURAL ROUTE 2, BOX 351
MILBANK, SD 57252

TIMOTHY LINDGREN 62573
BAY WEST INC.
5 EMPIRE DRIVE
ST. PAUL, MN 55103

RALPH LINDNER M0092
GEOTEK ENGINEERING AND
TESTING SERVICES, INC.
501 EAST 52ND STREET
SIOUX FALLS, SD 57104-

DAVID LUICK M0055
TWIN CITY TESTING CORPORATION
662 CROMWELL AVENUE
ST. PAUL, MN 55114

TOM MAHER 19301
MAHER WELL DRILLING, INC.
ROUTE 1
HASTINGS, MN 55033

GENE MCALPINE 27186
MCALPINE'S WELL DRILLING OF DAYTON
18280 DAYTON RIVER ROAD
DAYTON, MN 55327

KENNETH MCALPINE 86270
MCALPINE BROS., INC.
BOX 115
ROGERS, MN 55374

BRUCE BLOOMGREN
MINNESOTA GEOLOGICAL SURVEY
UNIVERSITY OF MINNESOTA
2642 UNIVERSITY AVENUE
ST. PAUL, MINNESOTA 55114

REXFORD SINGER
1444 ENGLEWOOD AVENUE
ST. PAUL, MINNESOTA 55104

THOMAS B. ROSGA
ROSGA WELL DRILLING, INC.
410 SECOND STREET, S.E.
P.O. BOX 586
HINCKLEY, MINNESOTA 55037

MR. HERB WENKEL
BLUE EARTH COUNTY ENV. DEPARTMENT
410 EAST JACKSON STREET
P.O. BOX 86606
MANKATO, MN 56001

DENNIS J. THEIN
THEIN WELL COMPANY, INC. - ROCHESTER
7025 NORTH HIGHWAY 63
ROCHESTER, MINNESOTA 55901

MR. RON SPONG
DAKOTA COUNTY ENV. HEALTH SERVICES
SUITE 101, 33 EAST WENTWORTH AVENUE
WEST ST. PAUL, MN 55118

MS. LYNETTE KERCE
PHS OF GOODHUE AND WABASHA COUNTIES
419 BUSH STREET
RED WING, MN 55066

GARY BOHN
BOHN WELL DRILLING COMPANY, INC.
16550 BASELINE AVENUE
SHAKOPEE, MINNESOTA 55379

MR. LEE WILLIAMS
LESUEUR-WASECA COUNTIES
LECENTER, MN 56057

COREY J. SEPPMANN
ROUTE 9, BOX 173
MANKATO, MINNESOTA 56001

MR. RICH PETER
OLMSTED COUNTY HEALTH DEPARTMENT
1650 FOURTH STREET, S.E.
ROCHESTER, MN 55904

DONALD L. JAKES
MINNESOTA POLLUTION CONTROL AGENCY
520 LAFAYETTE ROAD
ST. PAUL, MINNESOTA 55155

MS. JILL JOHNSON
WINONA COUNTY ENVIRONMENTAL HEALTH
WINONA COUNTY COURTHOUSE
WINONA, MN 55987

SARAH TUFFORD
MINNESOTA DEPT. OF NATURAL RESOURCES
THIRD FLOOR, DEPT. OF NAT. RES. BLDG.
500 LAFAYETTE ROAD
ST. PAUL, MINNESOTA 55146

MR. JOSEPH KORZILIUS
OFFICE OF MATERIALS, RES. & STANDARDS
MINNESOTA DEPARTMENT OF TRANSPORTATION
ROOM 127, TRANS. BLDG., JOHN IRELAND BLV
ST. PAUL, MN 55155

MR. DAVID KILL, P.E.
RECOVERY EQUIPMENT SUPPLY, INC.
9282 WELLINGTON LANE, NORTH
P.O. BOX 322
MAPLE GROVE, MN 55369

MR. THOMAS P. CLARK
MINNESOTA POLLUTION CONTROL AGENCY
520 LAFAYETTE ROAD
ST. PAUL, MN 55155

MR. TERRY JORGENSON
U.S. ARMY CORPS OF ENGINEERS
1421 USPO AND CUSTOMS HOUSE
ST. PAUL, MN 55101

MR. ALLEN SUNDERMAN
TELLUS CONSULTANTS
1315 GLENWOOD AVENUE
MINNEAPOLIS, MN 55405

MR. DOUGLAS EWALD
MINNESOTA WATER WELL ASSOCIATION
26 EAST EXCHANGE STREET
ST. PAUL, MN 55101

MR. CHRISTOPHER M. NADLER
REMEDICATION TECHNOLOGIES, INC.
23 OLD TOWN SQUARE, SUITE 250
FORT COLLINS, CO 80524

MR. ANDREW ZICKMAN
DELTA ENVIRONMENTAL CONSULTANTS
1801 HIGHWAY B, SUITE 114
NEW BRIGHTON, MN 55112

MR. BRUCE L. BRASAEMIE
MINNESOTA OFFICE OF WASTE MANAGEMENT
1350 ENERGY LANE
ST. PAUL, MN 55108

MS. SHIELA GROWE
MINNESOTA DEPARTMENT OF AGRICULTURE
90 WEST PLATO BOULEVARD
ST. PAUL, MN 55107


MR. KEVIN POWERS
LEGGETTE BRASHEARS AND GRAHAM, INC.
1210 WEST COUNTY ROAD E, SUITE 700
ARDEN HILLS, MN 55112

MR. WES OLSON
BARR ENGINEERING COMPANY
7803 GLENROY ROAD
MINNEAPOLIS, MN 55439

The Minnesota
State Register

Department of Administration—Print Communications Division

SEP 1991
RECEIVED
M.D.H.
E.H.



Rules edition
Published every Monday
(Tuesday if Monday is a holiday)

Monday 16 September 1991

Volume 16, Number 12

Pages 569-616

Adopted Rules

The adoption of a rule becomes effective after the requirements of Minn. Stat. §14.14-14.28 have been met and five working days after the rule is published in *State Register*, unless a later date is required by statutes or specified in the rule.

If an adopted rule is identical to its proposed form as previously published, a notice of adoption and a citation to its previous *State Register* publication will be printed.

If an adopted rule differs from its proposed form, language which has been deleted will be printed with strikeouts and new language will be underlined. The rule's previous *State Register* publication will be cited.

An emergency rule becomes effective five working days after the approval of the Attorney General as specified in Minn. Stat. §14.33 and upon the approval of the Revisor of Statutes as specified in §14.36. Notice of approval by the Attorney General will be published as soon as practicable, and the adopted emergency rule will be published in the manner provided for adopted rules under §14.18.

Pollution Control Agency

Adopted Permanent Rules Relating to Clean Water Partnership Grants

The rules proposed and published at *State Register*, Volume 15, Number 44, pages 2333-2344, April 29, 1991 (15 SR 2333), are adopted as proposed.

Emergency Rules

Proposed Emergency Rules

According to Minn. Stat. of 1984, §§14.29-14.30, state agencies may propose adoption of emergency rules if: 1) expressly required; 2) authorized by statute; or 3) if the manner permitted by a directive (given by statute, federal law or court order) does not allow for compliance with sections 14.14-14.28. The agency must, however, publish a notice of intent to adopt emergency rules, along with the rules themselves, in the *State Register*. The notice must advise the public:

1) that a free copy of the proposed emergency rule is available upon request from the agency;
2) that notice of the date that the rule is submitted to the attorney general will be mailed to persons requesting notification;
3) that the public has at least 25 days after publication of the proposed emergency rule to submit data and views in writing; and
4) that the emergency rule may be modified if the data and views submitted support such modification.

Adopted Emergency Rules

Emergency rules take effect five working days after approval by the attorney general, and after compliance with Minn. Stat. §§14.29-14.365. As soon as possible, emergency rules are published in the *State Register* in the manner provided for in section 14.18.

Emergency rules are effective for the period stated in the notice of intent to adopt emergency rules. This may not exceed 180 days.

Continued/Extended Emergency Rules

Adopted emergency rules may be continued in effect (extended) for an additional 180 days. To do this, the agency must give notice by: 1) publishing notice in the *State Register*: and 2) mailing the same notice to all persons who requested notification on rulemaking. No emergency rule may remain in effect 361 days after its original effective date. At that point, permanent rules adopted according to Minn. Stat. 14.14-14.28 supercede emergency rules.

Department of Health

Proposed Emergency Rules Relating to Flush Threaded Polyvinyl Chloride (PVC) Casing and Screens Used for Monitoring Wells at Petroleum Storage Tank Sites

Notice of Intent to Adopt an Emergency Rule

NOTICE IS HEREBY GIVEN that the Minnesota Department of Health intends to adopt the above-entitled emergency rule. The statutory authority to adopt the emergency rule is contained in *Minnesota Statutes*, section 103I, subdivision 2, (5) and *Laws of Minnesota 1991*, chapter 175, section 1 as codified into *Minnesota Statutes*, section 103I.222. The Department, in adopting the rule, is following the procedures set forth in the Administrative Procedures Act for adopting emergency rules in *Minnesota Statutes*, sections 14.29 to 14.36.

All persons have 25 days or until 4:30 p.m. on October 11, 1991, after publication to submit data and views on the proposed emergency rule or any part or subpart of the rule in writing. Any comments must be submitted to:

Mr. Dan Wilson
Well Management Unit
Minnesota Department of Health
925 Southeast Delaware Street
P.O. Box 59040
Minneapolis, Minnesota 55459-0040
(612) 625-5161

A free copy of the proposed emergency rule is available by contacting Mr. Dan Wilson at the above address.

The proposed emergency rule may be modified if the modifications are supported by data and views submitted to the Department and does not result in a substantial change in the proposed emergency rule as noticed.

Upon adoption of the emergency rule by the Department, the emergency rule as adopted and its supporting documents will be delivered to the Attorney General-Administration for review as to legality and form to the extent form relates to legality. Any person may request notification of the date of submission to the Attorney General-Administration. Persons who wish to be advised of the submission of this material to the Attorney General-Administration, or who wish to receive a copy of the adopted rule, must submit the written request to:

Ms. Jane Nelson
Rules Coordinator
Minnesota Department of Health
925 Southeast Delaware Street
P.O. Box 59040
Minneapolis, Minnesota 55459-0040
(612) 627-5038

The emergency rule will take effect five working days after approval by the Attorney General-Administration and be effective for 180 days. The emergency rule will be continued in effect for an additional 180 days if the Department gives notice of continuation in accordance with *Minnesota Statutes*, section 14.35.

Adoption of these rules will not result in additional spending by local public bodies in excess of $100,000 per year for the first two years following adoption under the requirements of *Minnesota Statutes*, section 14.11.

Dated: 28 August 1991

Marlene E. Marschall
Commissioner of Health

Rules as Proposed (all new material)

4725.7605 [Emergency] FLUSH THREADED POLYVINYL CHLORIDE (PVC) CASING AND SCREENS USED FOR MONITORING WELLS AT PETROLEUM STORAGE TANK SITES.

Notwithstanding parts 4725.6900 to 4725.7600, a monitoring well may use flush threaded polyvinyl chloride (PVC) casing and screens used for leak detection or groundwater monitoring at an underground or aboveground petroleum storage tank site if the requirements in this part are met.

A. The screen must intersect the surface of the water table.

B. The total depth of the monitoring well must be 50 feet or less.

C. The monitoring well must be constructed in unconsolidated materials.

D. The annular space between the bore hole and the casing must be grouted with neat cement. The grout must be placed from within ten feet of the top of the screen to the established ground surface.


E. The flush threaded polyvinyl chloride casing must meet at least the standards in schedule 80 for polyvinyl chloride (PVC) materials of the American Society for Testing and Materials (ASTM), 1916 Race Street, Philadelphia, Pennsylvania. Schedule 80 standards are contained in the Annual Book of ASTM Standards, Volume 8, Designation D 1785-88 Standard Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80, and 120 Tables I and II, published December 1988. The ASTM standards are incorporated by reference, are not subject to frequent change, and are available through the Minitex interlibrary loan system.

KEY: PROPOSED RULES SECTION — Underlining indicates additions to existing rule language. ~~Strike outs~~ indicate deletions from existing rule language. If a proposed rule is totally new, it is designated "all new material." **ADOPTED RULES SECTION** — Underlining indicates additions to proposed rule language. ~~Strike outs~~ indicate deletions from proposed rule language.

JUL 2 2 1991

The Minnesota
State Register

Department of Administration—Print Communications Division



Rules edition
Published every Monday
(Tuesday if Monday is a holiday)

Monday 22 July 1991

Volume 16, Number 4

Pages 125-156

My question to the Ethical Practices Board is at what point should the City of Coon Rapids begin to comply with the filing of Statements of Economic Interest as mandated in M.S.A. 10A.09. This section does not obtain transition language for City's reaching the 50,000 population point.

Please advise as to the date the City needs to begin complying with this Statute and who is the "responsible authority" for collecting this data since S.F. #225 did not pass through the Legislature this year.

Department of Health

Notice of Solicitation of Outside Information or Opinions in the Matter of the Proposed Adoption of the Emergency Rules of the Minnesota Department of Health Governing the Use of Flush Threaded Polyvinyl Chloride Casing and Screens for Leak Detection and Monitoring Wells at Underground or Above Ground Petroleum Storage Tank Sites, Chapter 4725

NOTICE IS HEREBY GIVEN that the Minnesota Department of Health is seeking information or opinions from sources outside the Department in preparing to propose the adoption of emergency rules governing the use of flush threaded polyvinyl chloride casing and screens for leak detection and monitoring wells at underground or above ground petroleum storage tank sites, chapter 4725. The adoption of the rule is authorized by *Laws of Minnesota 1991*, chapter 175, section 1, which is codified as *Minnesota Statutes*, section 103I.222.

The Minnesota Department of Health requests information and opinions concerning the subject matter of the rule. Interested or affected persons or groups may submit data or views on the subject matter of concern in writing or orally. Written statements should be addressed to:

Dan Wilson
Minnesota Department of Health
Division of Environmental Health
925 Southeast Delaware Street
Minneapolis, Minnesota 55459

Oral statements will be received during regular business hours over the telephone at (612) 627-5161 by Dan Wilson and in person at the above address.

All statements of information and opinions shall be accepted until further notice is published in the *State Register* or the Notice of Hearing or Notice of Intent to Adopt Rules Without a Hearing is published in the *State Register.* Any written material received by the Minnesota Department of Health becomes part of the rulemaking record to be submitted to the attorney general or administrative law judge in the event that the rule is adopted.

Dated: 15 July 1991

Jane A. Nelson
Rules Coordinator

Department of Health

Notice of Solicitation of Outside Information or Opinions in the Matter of the Proposed Adoption of the Rules of the Minnesota Department of Health Relating to Infectious Waste Generators

NOTICE IS HEREBY GIVEN that the Minnesota Department of Health is seeking information or opinions from sources outside the Department in preparing to propose the adoption of rules relating to infectious waste generators. The adoption of the rule is

KEY: PROPOSED RULES SECTION — Underlining indicates additions to existing rule language. ~~Strike outs~~ indicate deletions from existing rule language. If a proposed rule is totally new, it is designated "all new material." **ADOPTED RULES SECTION** — Underlining indicates additions to proposed rule language. ~~Strike outs~~ indicate deletions from proposed rule language.

→ JANE NELSON

BRAUN[SM]
INTERTEC

Braun Intertec Environmental, Inc.
1345 Northland Drive
Mendota Heights, Minnesota 55120-1141
612-683-8700 Fax: 683-8888

Engineers and Scientists Serving the Built and Natural Environments

ONE "RESPONSE" TO EARLIER S.R. PERTAINING TO ISSUE. Dan

August 2, 1991

Dan Wilson
Minnesota Department of Health
Division of Environmental Health
925 Southeast Delaware Street
Minneapolis, MN 55459

Re: Opinion of Revision to Chapter 4725 Rules

Dear Mr. Wilson:

As requested in the State Register dated July 22, 1991, I would like to offer the opinion of Braun Intertec regarding the revision of chapter 4725 rules. In general, we agree with existing construction standards for monitoring wells with the exception of the current use restriction of flush threaded PVC casing and screens. It is our understanding that the Minnesota Department of Health is preparing to propose the adoption of emergency rules governing the use of flush threaded PVC for leak detection and monitoring wells at petroleum storage tank sites. It is our opinion that flush threaded PVC is an appropriate material to use for monitoring well construction at a majority of the sites our company is involved with. Most of the monitoring wells we install are less than 50 feet deep and are screened to intersect the water table. Past contention against the use of flush threaded PVC would therefore not apply in the majority of situations. That is, leakage through threaded joints (for water table wells) and the ability of the casing to withstand formation pressures (at relatively shallow depths) is not an issue.

Braun Intertec supports the proposed adoption of rules governing the use of flush threaded PVC. However, it is our opinion that the use of this material should be allowed at all types of sites in which it is deemed suitable, not only petroleum sites. It follows that if the use of flush threaded PVC produces a monitoring well which adequately protects the health and general welfare at a petroleum site, it should also perform similarly at other sites.

Sincerely,

Jon E. Scharf, P.E
Registered Monitoring Well Contractor
Registration #M0109



Recovery Equipment Supply Inc.

9060 Zachary Ln N. Ste. 116 P.O. Box 322 Maple Grove, MN 55369
Telephone 612-493-4818 FAX 612-493-4812 WATS 800-541-0518

October 7, 1991

Mr. Dan Wilson
Well Management Unit
Minnesota Department of Health
925 Southeast Delaware Street
P.O. Box 59040
Minneapolis, MN 55459-0040

Re: Monitoring Wells at Petroleum Storage Tank Sites

Mr. Wilson:

I have comments on two lines in this proposed rule:

Line 23: Commercially available bentonite grout with more than 20% solids should be allowed in addition to neat cement. When using bentonite grout, though, the top five feet should still be neat cement to provide a surface seal and support for the protective casing.

Line 27: Schedule 80 should be changed to schedule 40. There is no engineering reason that the heavier wall casing (sch 80) be used for maximum of 50 feet deep wells. The schedule 40 casing has adequate strength for these shallow wells. Furthermore, the reduced inside diameter (ID) of the heavier wall casing poses much difficulty in getting pumps and sampling devices that will fit.

If you have questions about what I have suggested please give me a call.

Sincerely,

David L. Kill

David L. Kill, P.E.
Sales Manager

DLK:yma



Environmental Engineers

Wenck

Wenck Associates, Inc.
1800 Pioneer Creek Ctr
Maple Plain, MN 55359

(612) 479-4200
Fax (612) 479-4242

October 11, 1991

Post-It™ brand fax transmittal memo 7671 | # of pages ▸

To Dan Wilson	From Paul Josephson
Co. MDH	Co. Wenck Associates Inc.
Dept. Well Mgmt Unit	Phone # 479-4207
Fax # 627-5135	Fax # 479-4242

Mr. Dan Wilson
Well Management Unit
Minnesota Department of Health
925 SE Delaware Street
P.O. Box 59040
Minneapolis, MN 55459-0040

Re: Emergency Rule of the MDH
Governing Flush Threaded PVC Casing and Screens
Used for Monitoring Wells at Petroleum Storage Tank Sites,
Minnesota Rules, part 4725.7605

Dear Mr. Wilson:

Wenck Associates, Inc. is pleased to see that the Minnesota Department of Health is considering adoption of the emergency rule for the installation of PVC casing and screens at petroleum storage tank sites. In general, we feel this a good step by the Department of Health.

We would take exception to one provision in the rule in Paragraph E. The rule states that PVC casing must meet at least standards of Schedule 80 PVC materials. Having worked with PVC materials in monitoring wells in the past we feel that Schedule 40 material would be sufficient in monitoring wells at petroleum storage tank sites where the depth of the monitoring well is limited to 50 feet or less as provided in this emergency rule. Schedule 80 PVC casing has a smaller inside diameter making installation of other materials within the casing difficult and costly, if not impossible.

It is not felt that at these depths the pressure would be sufficient to cause a collapse of the monitoring well casing particularly when the annular space is grouting.

We would recommend that the emergency rules allow for Schedule 40 PVC materials to be used in these monitoring wells.

Thank you for an opportunity to respond to the considered emergency rule.

Sincerely,

WENCK ASSOCIATES, INC.

Paul D. Josephson

Paul D. Josephson, P.E.
Vice President

PDJ/rlb

Ashland

Ashland Petroleum Company
DIVISION OF ASHLAND OIL, INC.

P.O. BOX 391 • ASHLAND, KENTUCKY 41114 • (606) 329-3333

ENVIRONMENTAL AFFAIRS DEPARTMENT

October 10, 1991

Mr. Dan Wilson
Well Management Unit
Minnesota Dept. of Health
925 SE Delaware Street
P. O. Box 59040
Minnesota, MN 55459-0040

Dear Dan:

Re: Emergency Rule 4725.7605
PVC Monitoring Wells

I'd like to take this opportunity to pass on a bit of relevant experience that may be helpful in fine-tuning the above referenced regulation. My comments are presented below and are referenced to the points *A* through *E* as published in the *State Register* (Cite 16 S.R. 585) on September 16, 1991 (Attached).

Point A

I believe a statement should be added to ensure that the screened interval take into account normal fluctuations of the water table.

Points B and C

Ashland Petroleum has installed PVC screens and riser pipes (Schedule 80) in consolidated materials as part of a groundwater monitoring network for a RCRA permitted landfill for petroleum refining wastes. The network has five wells in excess of 300 feet. No chemical or physical integrity problems were encountered. Well deviation was prevented with the use of centering attachments. Ashland has also had experience with 2-inch PVC wells installed to depths of 70 feet through a light phase petroleum layer. No deterioration has occurred in these wells.

Point D

I believe any backfill with low permeability (10^{-7}cm/sec) in the annular space would sufficiently seal the well. This would include bentonite products, natural clays from the borehole and bentonite/cement slurries.

Point E

No comment.

Thank you for the opportunity to comment.

Respectfully,

P. S. McCaffrey

Patrick S. McCaffrey

PSM/rfc:abr

BRUCE A. LIESCH ASSOCIATES, INC.
HYDROGEOLOGISTS • ENGINEERS • ENVIRONMENTAL SCIENTISTS

13400 15th Avenue No. • Plymouth, MN 55441 • 612-559-1423 • FAX No: 559-2202

September 26, 1991

SEP 1991
RECEIVED
WELL MGT.

Mr. Dan Wilson
Well Management Unit
Minnesota Department of Health
925 Southeast Delaware Street
P.O. Box 59040
Minneapolis, MN 55459-0040

RE: Emergency Rules Regarding Flush Threaded PVC Casing and Screen

Dear Mr. Wilson:

I write on behalf of Bruce A. Liesch Associates, Inc. (Liesch), an environmental consulting firm who has been in the business of environmental consulting in Minnesota for over 20 years. Over those 20 years, Liesch has installed and coordinated the installation of numerous monitoring wells throughout the state, for projects ranging from water supply development, solid and hazardous waste management, site investigations, as well as petroleum storage tank investigations and remediation. One of the observations we have made in this extensive track record associated with monitoring well installation is the fact that we can see significant changes in the water table elevation based on climatological factors which are out of the control of the driller and the consultant. It is this observation which provides the basis for our concern regarding one of the elements of the proposed emergency rules regarding PVC wells at petroleum storage sites. As outlined in the State Register dated Monday September 16, 1991, one of the elements for a PVC monitoring well to be installed to code is that the screen must intersect the surface of the water table. This requirement begs the question that the well if a well is put in at the anticipated water table surface and the water level subsequently rises, whether it is a day later, month later or a year later, does this suggest that the well is then not installed to code and would require replacement.

It is our understanding that one of the justifications for requiring the screen to intersect the water table is so that joints connecting casing to casing are above the water table. If this is the concern of the MDH, it would seem prudent to modify requirement that the screen intersect the surface of the water table to indicate that joints between casing, other than the joint attaching the first length of the casing to the screen, may not be below the water table. This would allow wells that are installed at the water table, to still be built to code in the event the water table rises. This modification would appear

to meet the design criteria envisioned by the Department of Health and will not leave ambiguity in the interpretation as to which wells were built to code and which were not. Without this clarification, many consultants and well drillers may be reluctant to install water table wells utilizing PVC materials if they may subsequently be required to replace those wells solely because of additional recharge to the water table. We appreciate any consideration you may provide regarding this matter and are available to provide further comment to the Minnesota Department of Health. If you have any questions regarding our concerns, please call me at (612) 559-1423.

Sincerely,

Kenneth P. Olson

KPO/ljs

ljs:goltrb9-19/GO

CETCO
COLLOID ENVIRONMENTAL TECHNOLOGIES COMPANY

1500 West Shure Drive • Arlington Heights, IL. 60004-1434 • USA
708/392-5800 • Telex ITT 4330321 • FAX 708/506-6150

October 10, 1991

Mr. Dan Wilson
Well Management Unit
Minnesota Department of Health
925 Southeast Delaware Street
P.O. Box 59040
Minneapolis, Minnesota 55459-0040

Dear Mr. Wilson:

We at Colloid Environmental Technologies Company, a subsidiary of American Colloid Company, would like to take this means to express our concern about line 23 of the "Proposed Emergency Rules Relating to Flush Threaded Polyvinyl Chloride (PVC) Casing and Screens Used for Monitoring Wells at Petroleum Storage Tank Sites." Line 23 calls for grouting the annular space with neat cement. We would like high solids bentonite slurry grouts to be included in these regulations as a substitute for neat cement.

The high solids bentonite slurry grouts offer some advantages over neat cement. Some of these advantages include:

1. High solids bentonite grouts remain flexible and will stick to well casing instead of shrinking away from it.

2. No heat of hydration is generated with bentonite grouts so that PVC casing is not harmed.

3. Bentonite grouts have a neutral pH and will not adversely affect water quality.

4. Bentonite grouts are not as detrimental to the drillers equipment as neat cement and the equipment is more easily cleaned when bentonite is used.

5. High solids bentonite grouts provide very low permeability in the range of 1×10^{-7} to 1×10^{-8} cm/sec.

6. High solids bentonite grouts do not begin setting until mixing stops so that they remain pumpable for a long peripd of time.

7. When high solids bentonite grouts are used they require less material handling for the driller because the mix requires less material than the cement mix and in our opinion gives a superior seal.

OCT 1991
RECEIVED
WELL MGT.

CETCO

8. If a well needs to be reconstructed or redrilled, the high solids bentonite grouts allow for this because they remain flexible and can be penetrated with a drill bit.

We hope these items mentioned above will persuade you to include high solids bentonite grouts in these regulations. We feel that in most cases bentonite provides a better seal than cement and therefore should be included.

Thank you for your consideration of this matter.

Sincerely,

Robert L. Oliver

Robert L. Oliver
Division Manager
CETCO

RLO/W009

OCT 1991
RECEIVED
WELL MGT.

Johnson Filtration Systems Inc.
World Leader through Talent & Technology™
P.O. Box 64118 • St. Paul, Minnesota 55164-0118
612-636-3900 • 1-800-VEE-WIRE • FAX 612-638-3132

October 10, 1991

Mr. Dan Wilson
Well Management Unit
MINNESOTA DEPARTMENT OF HEALTH
925 Southeast Delaware St.
PO Box 59040
Minneapolis, MN 55459-0040

EMERGENCY RULE FOR SHALLOW UNDERGROUND STORAGE TANK WELLS

Dear Mr. Wilson:

Enclosed are our comments to consider in adapting the emergency rule for PVC casing and screen in shallow underground storage tank wells.

We feel that incorporating all of these comments will help insure that a high percentage of the completed wells will provide representative samples for analysis.

Sincerely,

George Gillespie
Technical Director Well Products

rv

Enc.

cc: Greg Hanson



Johnson Filtration Systems Inc.
World Leader through Talent & Technology™
P.O. Box 64118 • St. Paul, Minnesota 55164-0118
612-636-3900 • 1-800-VEE-WIRE • FAX 612-638-3132

JOHNSON FILTRATION SYSTEM'S INC.

COMMENTS TO PROPOSED EMERGENCY RULE FOR FLUSH THREADED PVC CASING AND SCREENS USED FOR MONITORING WELLS AT PETROLEUM STORAGE TANK SITES

A. Modifications: We recommend Item E be modified to allow the use of Sch 40 material.

1. Supporting Data: Comprehensive lab tests conducted over a two year period show that Sch 40 PVC material has adequate collapse and tensile strength to withstand the expected forces of installation and well development in fifty foot deep wells. The attached copy of Page 7 of our Environmental Products Brochure describes the values for 2" and larger size PVC products.

   This comment is based on installing the PVC materials through a hollow stem auger.

B. Additions: We recommend the following additions to the emergency well code.

1. The well construction to include filter pack design, slot selection, and cleanliness, will generally follow ASTM STP D5092-90; entitled "Standard Practice for Design and Installation of Groundwater Monitoring Wells in Aquifers".

   Copies of this practice are available from:

   ASTM
   1916 Race Street
   Philadelphia, PA 19103-1187

   Note: Alternate well completions can be utilized for unusual situations like heaving or running sands.

2. To insure effective sampling or recovery rates in silty, fine sand formations, the screen shall have at least 5% open area for a .010" opening.

3. If aquifer pumping tests are required, use at least a 4" casing and screen size.

4. Flush thread with two threads per inch as described in ASTM F480 - 90 are preferred because of easy assembly, particularly in cold weather.

Prepared by:
George Gillespie
Technical Director Well Products
October 10, 1991



PVC VEE-WIRE® SCREENS

PIPE SIZE	DIAMETER		SHIP WT (LB/FT)	OPEN AREA (SQ. IN/FT.)			STRENGTH[5]		
	O.D. (IN)	I.D.[1] (clear) (IN)		6-SLOT	10-SLOT	20-SLOT	COLLAPSE[2] (PSI)	TENSILE[3] (LBS)	HANGING[4] WT (LBS)
2 INCH	2.38	1.92	0.8	3.7	6.0	11.3	85	1,700	425
4 INCH	4.62	4.00	1.7	7.2	11.6	21.8	75	2,100	525
6 INCH	6.63	5.75	3.7	8.1	13.2	25.0	75	4,600	1,150
8 INCH	8.63	7.50	4.6	N/A	N/A	40.6	55	5,500	1,375

Specifications are based on heat welded Sch40 F480 flush threads for 2" through 6"PS. Also available are 1¼", 1½", 3" and 5"PS. 2" and 4" sizes are stocked in several lengths (10 and 20 slot).

1. Clear IDs are minimum inside dimensions.
2. Collapse strengths are based on a 20-slot screen.
3. Tensile strengths are based on the total area of the screen support rods.
4. Hanging weights are the maximum combined weight of riser and screen to be hung from the top screen joint.
5. Strength properties are based on 72°F temperature.
6. 8"PS have flush threads with solvent bonded lapstrip. Minimum slot for 8"PS is 15-slot (31.5 sq. in./ft. of open area).

PVC SLOTTED PIPE

PIPE SIZE	DIAMETER		SHIP WT (LB/FT)	OPEN AREA (SQ. IN./FT.)			STRENGTH[5]		
	O.D.	I.D.[1] (clear) (IN)		6-SLOT	10-SLOT	20-SLOT	COLLAPSE[2] (PSI)	TENSILE[3] (LBS)	HANGING[4] WT (LBS)
2 INCH	2.38	2.06	0.8	1.6	2.7	5.1	103	2,100	525
4 INCH	4.50	4.02	2.2	2.4	4.0	7.6	63	7,500	1,875
6 INCH	6.63	6.06	4.0	N/A	6.0	11.3	42	11,000	2,750
8 INCH	8.63	7.96	5.7	N/A	11.0	20.0	31	11,600	2,900

Specifications are for Sch40 material, Sch80 and other diameters up to 12"PS are available. Standard fittings are F480 flush threads. Adaptors required to match Sch80 threads with Sch40 threads. 2" and 4" sizes are stocked in several lengths (10 and 20 slot).

1. Clear IDs are minimum inside dimensions.
2. Collapse strengths are based on a 20 slot screen.
3. Tensile strengths are based on the joint tensile strength of F480 flush threads.
4. Hanging weights are the maximum combined weight of riser and screen to be hung from the top screen joint.
5. Strength properties are based on 72°F temperature.

PVC RISER PIPE

PIPE SIZE	DIAMETER		SHIP WT (LB/FT)	STRENGTH[5]			
	O.D. (IN)	I.D.[1] (clear) (IN)		COLLAPSE (PSI)	TENSILE[2] (LBS)	COLUMN[3] (LBS)	HANGING[4] WT (LBS)
2 INCH	2.38	2.06	0.8	147	2,100	37	525
4 INCH	4.50	4.02	2.2	90	7,500	405	1,875
6 INCH	6.63	6.06	4.0	60	11,000	1,575	2,750
8 INCH	8.63	7.62	5.7	44	11,600	4,140	2,900

Specifications are for Sch40 material. Sch80 and other diameters up to 12"PS are also available. Standard fittings are F480 flush threads. Adaptors required to match Sch80 threads with Sch40 threads. 2" and 4" sizes are stocked in several lengths.

1. Clear IDs are minimum inside dimensions.
2. Tensile strengths are based on the joint tensile strength of F480 flush threads.
3. Column strengths are the axial load for buckling failure based on a 20' span hinged at both ends.
4. Hanging weights are the maximum recommended weight of riser and screen hung as one string in a well. Other considerations may limit this value.
5. Strength properties are based on 72°F temperature.

OCT 1991
RECEIVED
WELL MGT.

For more information call 800-Vee-Wire.

STATE OF MINNESOTA

MINNESOTA DEPARTMENT OF HEALTH

In the Matter of the Adoption of the Emergency Rules of the Minnesota Department of Health Governing Flush Threaded Polyvinyl Chloride (PVC) Casing and Screens Used for Monitoring wells at Petroleum Storage Tank Sites, Minnesota Rules, part 4725.7605

DECLARATION OF COUNSEL

I, Maria Christu, Special Assistant Attorney General, do hereby declare that I have examined the above-captioned rule, and the supporting rulemaking record, and that, based on my examination, the Administrative Procedure Act and Minnesota Rules, chapter 2010 have been followed. Any exceptions are listed below. For Attorney General billing purposes, the four-digit docket client code is 52 0015 · 1210

Maria C. Christu

Special Assistant
Attorney General

Dated: 11/7/91