



Rice County (Minn.).
Superintendent of Schools:
Reports on Rural School Houses.

Copyright Notice:

This material may be protected by copyright law (U.S. Code, Title 17). Researchers are liable for any infringement. For more information, visit www.mnhs.org/copyright.

Report on Rural School House, by Gertrude H. Bestul teacher

DATE October 28 1939 District No. 5 County of Rice
School Site: Acres About 3/4 Fence yes No. of trees 41 Condition of site Good
Building: Of what material wood When erected _____ Outside condition Good
Inside condition Good No. of school rooms one
School room: Length 23' Width 18' Height 9'
Length _____ Width _____ Height _____
What other rooms in building: Hallway
If building was erected after June 1, 1913, have plans been approved by the State? _____
Heating and Ventilation: Has it been approved by the State? _____

VENTILATING ROOM HEATER

Name of system Allen Radiator Furnace
When installed _____
Diameter of fire pot 19" X 16" Diameter outside jacket 25" X 10"
*Size of intake _____ Size of foul air outlet _____
Is foul air removed with smoke through chimney? _____
Is there a separate chimney for each room? _____
Outside dimensions of each chimney _____
If one chimney for all rooms, give outside dimensions 19" X 11"
Does chimney have a metal stack inside? _____
Size of evaporating pan 14" X 6" X 2 1/2"
Is the building heated by means of a steam plant? _____

BASEMENT FURNACE

Name and No. of furnace _____
Size of fresh air intake _____
Outside size of chimney _____
Does chimney have metal stack inside? _____
Size of school room heat ducts _____
How high above floor is heat register? _____
Size of school room foul air outlet _____
Is foul air removed through chimney or separate duct? _____
Is lower edge of foul air register level with floor? _____
Size of evaporating pan _____

If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 90 sq. ft Kind slate Condition Good
 Dictionaries—No. of advanced 1 Copyright 1937 Condition Good
 No. of elementary 8 Copyright 1924 Condition Good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) _____ Condition _____
 Maps—No. 10 State Map? yes Condition Good
 Globes—No. one Diameter of 12" Kind Johnson Condition Good
 Desks—No. of single 16 No. of double 2 Do they fit the pupils? yes Which do not? _____
 Is seat-work material provided? yes How kept closed cupboard
 Water Supply—Drinking Fountain? yes Individual Cups? _____ Condition Good
 Facilities for Washing Hands—Kind wash basin - paper towels
 Library—No. of Volumes _____ Condition _____ Greatest need _____
 Latest encyclopedia—Kind World No. of volumes 19 Copyright date 1937
 Outbuildings—No. Two Distance apart 52' Concealed Entrance _____
 Is there a boys' urinal? yes Condition Good Lighted? yes Toilet Paper yes
 Improvement needed _____
 Remarks: Chimney repaired

Report on Rural School House, by Miss Cantwell teacher

DATE Oct. 30 1939 District No. 7 County of Rice
 School Site: Acres 1 1/2 Fence _____ No. of trees 11 Condition of site fine
 Building: Of what material wood When erected 1928 Outside condition good
 Inside condition _____ No. of school rooms one
 School room: Length 30 Width 32 Height _____
 Length _____ Width _____ Height _____
 What other rooms in building: Two cloak halls and full basement
 If building was erected after June 1, 1913, have plans been approved by the State? yes
 Heating and Ventilation: Has it been approved by the State? yes

VENTILATING ROOM HEATER

Name of system _____
 When installed _____
 Diameter of fire pot _____ Diameter outside jacket _____
 *Size of intake _____ Size of foul air outlet _____
 Is foul air removed with smoke through chimney? _____
 Is there a separate chimney for each room? _____
 Outside dimensions of each chimney _____
 If one chimney for all rooms, give outside dimensions _____
 Does chimney have a metal stack inside? _____
 Size of evaporating pan _____

BASEMENT FURNACE

Name and No. of furnace _____
 Size of fresh air intake 30" x 36"
 Outside size of chimney 14" pipe
 Does chimney have metal stack inside? _____
 Size of school room heat ducts 36" x 24"
 How high above floor is heat register? 7 ft.
 Size of school room foul air outlet 16" x 20"
 Is foul air removed through chimney or separate duct? _____
 Is lower edge of foul air register level with floor? yes
 Size of evaporating pan _____

Is the building heated by means of a steam plant? _____ If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 146 Kind Slate Condition good
 Dictionaries—No. of advanced 2 Copyright 1939 Condition u. good
 No. of elementary 4 Copyright 1935 Condition good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 5 Condition u. good
 Maps—No. 10 State Map? ✓ Condition u. good
 Globes—No. 1 Diameter of 12 inches Kind Suspension Condition good
 Desks—No. of single 31 No. of double none Do they fit the pupils? yes Which do not?
 Is seat-work material provided? yes How kept Very well
 Water Supply—Drinking Fountain? ✓ Individual Cups? Condition good
 Facilities for Washing Hands—Kind Small sinks in wash room
 Library—No. of Volumes Condition Greatest need
 Latest encyclopedia—Kind World Book No. of volumes 19 Copyright date 1936
 Outbuildings—No. Distance apart Concealed Entrance
 Is there a boys' urinal? Condition Lighted? Toilet Paper

Improvement needed:

Remarks: We have purchased Gen. Science equipment four Prose and Poetry Readers for 8th grade, six health readers for grades 4 and 5, a new ball for ball ground equipment. New platform for playground swing and painted all playground equipment

Report on Rural School House, by

Mary L. Carrell teacher

DATE Oct. 30 1939 District No. 8 County of RiceSchool Site: Acres 3/4 Fence yes No. of trees 20 Condition of site GoodBuilding: Of what material Brick When erected 1876 Outside condition GoodInside condition Very good No. of school rooms oneSchool room: Length 28 ft. Width 27 ft. Height 12 ft.

Length _____ Width _____ Height _____

What other rooms in building: Two halls.

If building was erected after June 1, 1913, have plans been approved by the State? _____

Heating and Ventilation: Has it been approved by the State? yes

VENTILATING ROOM HEATER

Name of system Smith SystemWhen installed about 1930Diameter of fire pot 24" Diameter outside jacket 44"*Size of intake 14" X 20" Size of foul air outlet 12" X 24"Is foul air removed with smoke through chimney? yes

Is there a separate chimney for each room? _____

Outside dimensions of each chimney _____

If one chimney for all rooms, give outside dimensions 18" X 22"Does chimney have a metal stack inside? noSize of evaporating pan 20" X 8" X 6"

Is the building heated by means of a steam plant? _____

BASEMENT FURNACE

Name and No. of furnace _____

Size of fresh air intake _____

Outside size of chimney _____

Does chimney have metal stack inside? _____

Size of school room heat ducts _____

How high above floor is heat register? _____

Size of school room foul air outlet _____

Is foul air removed through chimney or separate duct? _____

Is lower edge of foul air register level with floor? _____

Size of evaporating pan _____

If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 120 Kind slate Condition Good
 Dictionaries—No. of advanced 2 Copyright 1931 Condition Good
 No. of elementary 6 Copyright 1937 Condition Good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 3 Condition Good
 Maps—No. 9 State Map? yes Condition Excellent
 Globes—No. 1 Diameter of 12" Kind Superior Condition Good
 Desks—No. of single 33 No. of double _____ Do they fit the pupils? yes Which do not? _____
 Is seat-work material provided? yes How kept workbooks, cupboard
 Water Supply—Drinking Fountain? yes Individual Cups? _____ Condition Good
 Facilities for Washing Hands—Kind 2 wash basins - soap - paper towels
 Library—No. of Volumes 300 Condition Fair Greatest need Books for grade 1-2-3
 Latest encyclopedia—Kind World Book No. of volumes 10 Copyright date 1928
 Outbuildings—No. 2 Distance apart Fence Concealed Entrance yes
 Is there a boys' urinal? yes Condition Fair Lighted? yes Toilet Paper yes
 Improvement needed: Toilets need re-plastering
 Remarks: Toilets are on opposite sides of a high board fence

Report on Rural School House, by Frances Shaske teacher

DATE Oct 31 1939 District No. 9 County of Rice
School Site: Acres 1 1/2 Fence no No. of trees great many Condition of site good
Building: Of what material wood structure When erected not known Outside condition good
Inside condition very good No. of school rooms 1
School room: Length 28 1/2 ft. Width 18 1/2 Height 11 1/2
Length _____ Width _____ Height _____
What other rooms in building: entry
If building was erected after June 1, 1913, have plans been approved by the State? _____
Heating and Ventilation: Has it been approved by the State? yes

VENTILATING ROOM HEATER

Name of system Manual Smith Connection Heater
When installed about 25 yrs ago
Diameter of fire pot 20" Diameter outside jacket 38 1/2"
*Size of intake 12 Size of foul air outlet 12
Is foul air removed with smoke through chimney? yes
Is there a separate chimney for each room? yes
Outside dimensions of each chimney 14" x 14"
If one chimney for all rooms, give outside dimensions _____
Does chimney have a metal stack inside? no
Size of evaporating pan 5 1/2" x 9 1/2"
Is the building heated by means of a steam plant? no

BASEMENT FURNACE

Name and No. of furnace _____
Size of fresh air intake _____
Outside size of chimney _____
Does chimney have metal stack inside? _____
Size of school room heat ducts _____
How high above floor is heat register? _____
Size of school room foul air outlet _____
Is foul air removed through chimney or separate duct? _____
Is lower edge of foul air register level with floor? _____
Size of evaporating pan _____

If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 100 Kind slate Condition good
 Dictionaries—No. of advanced 5 Copyright 1914-33 Condition good
 No. of elementary 2 Copyright 1935 Condition good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 4 Condition good
 Maps—No. 10 State Map? 1 Condition good
 Globes—No. 1 Diameter of 12 in. Kind suspension Condition good
 Desks—No. of single 12 No. of double 0 Do they fit the pupils? yes Which do not?
 Is seat-work material provided? yes How kept neat
 Water Supply—Drinking Fountain? yes Individual Cups? no Condition good
 Facilities for Washing Hands—Kind yes, have wash basin, soap, water, & paper towel
 Library—No. of Volumes 237 Condition good Greatest need
 Latest encyclopedia—Kind World Book Encyclopedia No. of volumes 19 Copyright date 1928
 Outbuildings—No. 2 Distance apart 50 ft. Concealed Entrance yes
 Is there a boys' urinal? yes Condition good Lighted? yes Toilet Paper yes
 Improvement needed:
 Remarks:

Report on Rural School House, by Alfred J. Silkey teacher

DATE October 31 1939 District No. 108 County of Rice

School Site: Acres 1 1/2 Fence No No. of trees 18 Condition of site good

Building: Of what material wood When erected _____ Outside condition good

Inside condition fair No. of school rooms 2

School room: Length 25' Width 20' Height 12'

Length 25' Width 18' Height 12'

What other rooms in building: hall

If building was erected after June 1, 1913, have plans been approved by the State? _____

Heating and Ventilation: Has it been approved by the State? _____

VENTILATING ROOM HEATER

Name of system Heatrola

When installed _____

Diameter of fire pot 20" Diameter outside jacket 34" x 34"

*Size of intake 12" x 24" Size of foul air outlet 4" x 12"

Is foul air removed with smoke through chimney? yes

Is there a separate chimney for each room? no

Outside dimensions of each chimney 20" x 32"

If one chimney for all rooms, give outside dimensions 20" x 32"

Does chimney have a metal stack inside? _____

Size of evaporating pan 12 x 32 (round)

Is the building heated by means of a steam plant? no

BASEMENT FURNACE

Name and No. of furnace _____

Size of fresh air intake _____

Outside size of chimney _____

Does chimney have metal stack inside? _____

Size of school room heat ducts _____

How high above floor is heat register? _____

Size of school room foul air outlet _____

Is foul air removed through chimney or separate duct? _____

Is lower edge of foul air register level with floor? _____

Size of evaporating pan _____

If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 100 Kind slate Condition good
 Dictionaries—No. of advanced 3 Copyright 1930 Condition fair
 No. of elementary 10 Copyright 1927 Condition fair
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) Condition good
 Maps—No. 12 State Map? yes Condition good
 Globes—No. 1 Diameter of 20" Kind suspension Condition good
 Desks—No. of single 41 No. of double none Do they fit the pupils? yes Which do not?

 Is seat-work material provided? yes How kept -----
 Water Supply—Drinking Fountain? ----- Individual Cups? yes Condition good
 Facilities for Washing Hands—Kind wash basin
 Library—No. of Volumes 200 Condition fair Greatest need fiction
 Latest encyclopedia—Kind Compton No. of volumes 15 Copyright date 1929
 Outbuildings—No. 2 Distance apart 50 ft. Concealed Entrance yes
 Is there a boys' urinal? yes Condition fair Lighted? no Toilet Paper yes
 Improvement needed: screen doors, better library
 Remarks: shakes on doors, window shades, library
 table.

Report on Rural School House, by C. L. Edwards teacher

DATE Nov. 1 1939 District No. 11 County of Rice
 School Site: Acres about 1/2 Fence yes No. of trees 10 Condition of site Good
 Building: Of what material Stucco When erected 1845 Outside condition Good
 Inside condition Good No. of school rooms 1
 School room: Length 27' 25" Width 18' 25" Height 9'
 Length Width Height
 What other rooms in building: cloak room
 If building was erected after June 1, 1913, have plans been approved by the State? In 1865 ✓
 Heating and Ventilation: Has it been approved by the State? yes ✓

VENTILATING ROOM HEATER

Name of system steamless heater
 When installed about 1936
 Diameter of fire pot 24" Diameter outside jacket 44" x 11"
 *Size of intake 8" x 8" Size of foul air outlet 10" x 22"
 Is foul air removed with smoke through chimney? No
 Is there a separate chimney for each room? yes
 Outside dimensions of each chimney 16" x 10"
 If one chimney for all rooms, give outside dimensions 16" x 10"
 Does chimney have a metal stack inside? yes
 Size of evaporating pan 15" x 17"
 Is the building heated by means of a steam plant?

BASEMENT FURNACE

Name and No. of furnace
 Size of fresh air intake
 Outside size of chimney
 Does chimney have metal stack inside?
 Size of school room heat ducts
 How high above floor is heat register?
 Size of school room foul air outlet
 Is foul air removed through chimney or separate duct?
 Is lower edge of foul air register level with floor?
 Size of evaporating pan

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 100 sq. ft. Kind Slate Condition Good
 Dictionaries—No. of advanced 1 Copyright 1936 Condition Good
 No. of elementary 6 Copyright 1935 Condition Good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 2 Condition Good
 Maps—No. 8 State Map? 1 Condition Good
 Globes—No. 1 Diameter of 12" Kind Superior Condition Good
 Desks—No. of single 14 No. of double None Do they fit the pupils? Yes Which do not? 1 too high use stool
 Is seat-work material provided? Yes How kept in case
 Water Supply—Drinking Fountain? Yes - bubbling Individual Cups? Condition Good
 Facilities for Washing Hands—Kind basin, paper towels
 ✓ Library—No. of Volumes 96 Condition Good Greatest need Reference Bk.
 Latest encyclopedia—Kind World Book No. of volumes 13 Copyright date 1928
 Outbuildings—No. 2 Distance apart 50 ft. Concealed Entrance Yes
 Is there a boys' urinal? Yes Condition Good Lighted? No Toilet Paper Yes
 Improvement needed: Storm door
 Remarks: Children have cold feet.

Report on Rural School House, by

Alice G. Fast

teacher

DATE October 30 1939District No. 12 County of RiceSchool Site: Acres 1/2 Fence HandNo. of trees 11 + 8 small trees Condition of site GoodBuilding: Of what material HandWhen erected 1874 Outside condition GoodInside condition GoodNo. of school rooms 1School room: Length 14'Width 9'Height 10'

Length

Width

Height

What other rooms in building: Hall, coal shed, small wood shed

If building was erected after June 1, 1913, have plans been approved by the State?

Heating and Ventilation: Has it been approved by the State? Yes

VENTILATING ROOM HEATER

Name of system Round Oak Stove

When installed

Diameter of fire pot

Diameter outside jacket

*Size of intake

Size of foul air outlet

Is foul air removed with smoke through chimney? Yes

Is there a separate chimney for each room?

Outside dimensions of each chimney

If one chimney for all rooms, give outside dimensions

Does chimney have a metal stack inside?

Size of evaporating pan

Is the building heated by means of a steam plant? _____ If so, fill out the blanks under Basement Furnace.

BASEMENT FURNACE

Name and No. of furnace

Size of fresh air intake

Outside size of chimney

Does chimney have metal stack inside?

Size of school room heat ducts

How high above floor is heat register?

Size of school room foul air outlet

Is foul air removed through chimney or separate duct?

Is lower edge of foul air register level with floor?

Size of evaporating pan

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 122 1/2 Kind Slate Condition Good
 Dictionaries—No. of advanced 3 Copyright 1929 Condition Good
 No. of elementary 3 Copyright 1929 Condition Good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) _____ Condition _____
 Maps—No. 80 State Map? yes Condition Good
 Globes—No. 1 Diameter of 12 Kind Imperial Condition Good
 Desks—No. of single 29 No. of double — Do they fit the pupils? yes Which do not? —
 Is seat-work material provided? yes How kept in bookbags
 Water Supply—Drinking Fountain? yes Individual Cups? no Condition Good
 Facilities for Washing Hands—Kind wash basin in a cabinet
 Library—No. of Volumes 186 Condition fair Greatest need Fiction
 Latest encyclopedia—Kind World Bible No. of volumes 20 Copyright date 1938
 Outbuildings—No. 2 Distance apart 50' Concealed Entrance yes
 Is there a boys' urinal? yes Condition Good Lighted? no Toilet Paper yes

Improvement needed:

Remarks:

Many improvements have been made on the school and I think the school is in a good condition.

Report on Rural School House, by Flaretta E. Leyler teacher

DATE Oct 30 193 9 District No. 14 County of Rice
 School Site: Acres 1.7 Fence _____ No. of trees 12 Condition of site Excellent
 Building: Of what material Brick When erected 1873 Outside condition fair
 Inside condition fair No. of school rooms 2
 School room: Length 28' x 25' Width _____ Height 12
 Length 26 Width 26 Height _____
 What other rooms in building: one (same as above)
 If building was erected after June 1, 1913, have plans been approved by the State? _____
 Heating and Ventilation: Has it been approved by the State? _____

VENTILATING ROOM HEATER

Name of system _____
 When installed _____
 Diameter of fire pot 15" Diameter outside jacket 40"
 *Size of intake 12" Size of foul air outlet 12" x 12"
 Is foul air removed with smoke through chimney? yes
 Is there a separate chimney for each room? no
 Outside dimensions of each chimney 40' x 22"
 If one chimney for all rooms, give outside dimensions _____
 Does chimney have a metal stack inside? yes
 Size of evaporating pan 4' x 15'
 Is the building heated by means of a steam plant? _____

BASEMENT FURNACE

Name and No. of furnace _____
 Size of fresh air intake _____
 Outside size of chimney _____
 Does chimney have metal stack inside? _____
 Size of school room heat ducts _____
 How high above floor is heat register? _____
 Size of school room foul air outlet _____
 Is foul air removed through chimney or separate duct? _____
 Is lower edge of foul air register level with floor? _____
 Size of evaporating pan _____

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 214 - 120 Kind slate Condition good
 Dictionaries—No. of advanced 2 Webster Copyright 136 Condition good
 No. of elementary 12 Copyright 135 '28 Condition good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 4 Condition good
 Maps—No. 9 State Map? yes Condition good
 Globes—No. 2 Diameter of 12" and 7" Kind Suspension Condition good
 Desks—No. of single 40 No. of double _____ Do they fit the pupils? yes Which do not? _____
 Is seat-work material provided? yes How kept File
 Water Supply—Drinking Fountain? yes Individual Cups? _____ Condition good
 Facilities for Washing Hands—Kind Basin Liquid soap
 Library—No. of Volumes 1400 Condition fair Greatest need Reference
 Latest encyclopedia—Kind Wared Bk No. of volumes 11 Copyright date 36
 Outbuildings—No. 2 Distance apart 50 Concealed Entrance yes
 Is there a boys' urinal? yes Condition good Lighted? window Toilet Paper yes
 Improvement needed: _____

Remarks: _____

Report on Rural School House, by

Mabel Donnan

teacher

DATE October 31 1939 District No. 15 County of Rice
 School Site: Acres one Fence no No. of trees 20 Condition of site Good
 Building: Of what material wood When erected 1885 Outside condition "
 Inside condition Good No. of school rooms 1
 School room: Length 30' 22" Width 21' 20" Height 21' 14"
 Length _____ Width _____ Height _____
 What other rooms in building: Cloak rooms
 If building was erected after June 1, 1913, have plans been approved by the State? _____
 Heating and Ventilation: Has it been approved by the State? Yes

VENTILATING ROOM HEATER

Name of system Oil Burner
 When installed 1939
 Diameter of fire pot 14 Diameter outside jacket _____
 *Size of intake 12" x 26" Size of foul air outlet 18" x 18"
 Is foul air removed with smoke through chimney? Yes
 Is there a separate chimney for each room? _____
 Outside dimensions of each chimney 26" x 26"
 If one chimney for all rooms, give outside dimensions "
 Does chimney have a metal stack inside? Yes
 Size of evaporating pan 4" x 18" x 6"
 Is the building heated by means of a steam plant? _____

BASEMENT FURNACE*

Name and No. of furnace _____
 Size of fresh air intake _____
 Outside size of chimney _____
 Does chimney have metal stack inside? _____
 Size of school room heat ducts _____
 How high above floor is heat register? _____
 Size of school room foul air outlet _____
 Is foul air removed through chimney or separate duct? _____
 Is lower edge of foul air register level with floor? _____
 Size of evaporating pan _____

Is the building heated by means of a steam plant? _____ If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 75 Kind Slate Condition Good
 Dictionaries—No. of advanced 1 Copyright 1934 Condition Good
 No. of elementary 6 Copyright 1935 Condition Good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 3 Condition Good
 Maps—No. 53 State Map? Yes Condition Good
 Globes—No. 1 Diameter of 12" Kind Suspension Condition "
 Desks—No. of single 30 No. of double 0 Do they fit the pupils? Yes Which do not? —
 Is seat-work material provided? Yes How kept Stored in Shelves
 Water Supply—Drinking Fountain? Yes Individual Cups? — Condition Fair
 Facilities for Washing Hands—Kind Sanitary for water and small sink
 Library—No. of Volumes 50 Condition Poor Greatest need In all lines
 Latest encyclopedia—Kind World Book No. of volumes 20 Copyright date 1937
 Outbuildings—No. 2 Distance apart 50 ft. Concealed Entrance Yes
 Is there a boys' urinal? Yes Condition Yes Lighted? No Toilet Paper Yes
 Improvement needed: Library Books ordered

Remarks:

Will be ordering library books now.

Report on Rural School House, by Mabel M. Vance teacher

DATE Oct. 31st 1939 District No. 16 County of Rice
 School Site: Acres 1/2 Fence no. No. of trees 6 Condition of site Good
 Building: Of what material Lumber When erected 1913 Outside condition Fair
 Inside condition Good No. of school rooms 1
 School room: Length 25 ft. Width 20 Height 12
 Length 25 ft. Width 20 Height 12
 What other rooms in building: Coal shed, 3 halls, enclosed porch.
 If building was erected after June 1, 1913, have plans been approved by the State? yes
 Heating and Ventilation: Has it been approved by the State? yes

VENTILATING ROOM HEATER

Name of system Waterbury
 When installed 1925
 Diameter of fire pot 2 ft. Diameter outside jacket 3 1/2 ft.
 *Size of intake 15 x 16 Size of foul air outlet 22 x 26
 Is foul air removed with smoke through chimney? yes
 Is there a separate chimney for each room? yes
 Outside dimensions of each chimney 25 x 37
 If one chimney for all rooms, give outside dimensions 25 x 37
 Does chimney have a metal stack inside? yes
 Size of evaporating pan 18 x 8
 Is the building heated by means of a steam plant? no

BASEMENT FURNACE

Name and No. of furnace _____
 Size of fresh air intake _____
 Outside size of chimney _____
 Does chimney have metal stack inside? _____
 Size of school room heat ducts _____
 How high above floor is heat register? _____
 Size of school room foul air outlet _____
 Is foul air removed through chimney or separate duct? _____
 Is lower edge of foul air register level with floor? _____
 Size of evaporating pan _____

If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 120 Kind Slate Condition Good
 Dictionaries—No. of advanced 2 Copyright 1936 Condition New
 No. of elementary 6 Copyright 1935 Condition New
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 4 to 6 Condition Good
 Maps—No. 9 State Map? Yes Condition New
 Globes—No. 1 Diameter of 12 Kind old Condition _____
 Desks—No. of single 21 No. of double 0 Do they fit the pupils? Yes Which do not? 0
 Is seat-work material provided? Yes How kept in library
 Water Supply—Drinking Fountain? Yes Individual Cups? No Condition Good
 Facilities for Washing Hands—Kind Jar and wash dish - sink - pipe outlet
 Library—No. of Volumes 175 Condition Fair to Ex. Greatest need _____
 Latest encyclopedia—Kind World Book No. of volumes 20 Copyright date 1933
 Outbuildings—No. 2 Distance apart 50 Concealed Entrance Yes
 Is there a boys' urinal? Yes Condition Good Lighted? Yes Toilet Paper Yes
 Improvement needed: Ceiling and walls repainted for
 Remarks: another year.