



Rice County (Minn.).
Superintendent of Schools:
Reports on Rural School Houses.

Copyright Notice:

This material may be protected by copyright law (U.S. Code, Title 17). Researchers are liable for any infringement. For more information, visit www.mnhs.org/copyright.

Report on Rural School House, by Irene A. Belman teacher

DATE Oct. 30, 1939 District No. 27 County of Rice
School Site: Acres 1 acre. Fence yes No. of trees 79 Condition of site good
Building: Of what material wood When erected over 50 years ago Outside condition good
Inside condition good No. of school rooms 1
School room: Length 24 Width 19 Height 12 1/2
Length 24 Width 19 Height 12 1/2
What other rooms in building: hall 20 ft x 6 ft 8 in
If building was erected after June 1, 1913, have plans been approved by the State?
Heating and Ventilation: Has it been approved by the State? no

VENTILATING ROOM HEATER

Name of system #13 Round Oak - Buchwill Co.
When installed 1928
Diameter of fire pot 20 in. Diameter outside jacket 32 in.
*Size of intake 12 x 9 Size of foul air outlet 16 x 20
Is foul air removed with smoke through chimney? not used.
Is there a separate chimney for each room? yes
Outside dimensions of each chimney 2 ft x 2 ft
If one chimney for all rooms, give outside dimensions 2 ft x 2 ft
Does chimney have a metal stack inside? yes
Size of evaporating pan 2 ft.
Is the building heated by means of a steam plant? no

BASEMENT FURNACE

Name and No. of furnace
Size of fresh air intake
Outside size of chimney
Does chimney have metal stack inside?
Size of school room heat ducts
How high above floor is heat register?
Size of school room foul air outlet
Is foul air removed through chimney or separate duct?
Is lower edge of foul air register level with floor?
Size of evaporating pan

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 55 sq ft Kind slate Condition good
 Dictionaries—No. of advanced 1 Copyright 1928 Condition Good
 No. of elementary 6 Copyright 1935 Condition Good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 2 Condition Fair
 Maps—No. 9 State Map? yes Condition New
 Globes—No. 1 Diameter of 12.57" Kind Suspension Condition Good
 Desks—No. of single 24 No. of double 0 Do they fit the pupils? yes Which do not?
 Is seat-work material provided? yes How kept In Book case
 Water Supply—Drinking Fountain? yes Individual Cups? Condition
 Facilities for Washing Hands—Kind Wash dish
 Library—No. of Volumes 115 Condition Fair Greatest need Primary Grades
 Latest encyclopedia—Kind World Book No. of volumes 10 Copyright date 1927
 Outbuildings—No. 2 Distance apart 50 ft. Concealed Entrance yes
 Is there a boys' urinal? yes Condition Good Lighted? yes Toilet Paper yes
 Improvement needed:
 Remarks: Ventilation System needed.

Report on Rural School House, by Irene Schrader teacher

DATE Nov 7 1939 District No. 28 County of Rice
 School Site: Acres .9 Fence no No. of trees 5 Condition of site Good
 Building: Of what material stone & stucco When erected 1867 Outside condition Good
 Inside condition fair No. of school rooms 1
 School room: Length 29' 6" Width 19' 10" Height 9'
 Length _____ Width _____ Height _____
 What other rooms in building: entry
 If building was erected after June 1, 1913, have plans been approved by the State? _____
 Heating and Ventilation: Has it been approved by the State? _____

VENTILATING ROOM HEATER

Name of system Waterman Waterbury
 When installed 1928
 Diameter of fire pot 15" Diameter outside jacket 30" x 30"
 *Size of intake 10" x 24" Size of foul air outlet 20" x 17"
 Is foul air removed with smoke through chimney? no
 Is there a separate chimney for each room? yes
 Outside dimensions of each chimney 25" x 25"
 If one chimney for all rooms, give outside dimensions _____
 Does chimney have a metal stack inside? no
 Size of evaporating pan 13" dia
 Is the building heated by means of a steam plant? _____

BASEMENT FURNACE

Name and No. of furnace _____
 Size of fresh air intake _____
 Outside size of chimney _____
 Does chimney have metal stack inside? _____
 Size of school room heat ducts _____
 How high above floor is heat register? _____
 Size of school room foul air outlet _____
 Is foul air removed through chimney or separate duct? _____
 Is lower edge of foul air register level with floor? _____
 Size of evaporating pan _____

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 100 Kind slate Condition good
 Dictionaries—No. of advanced 2 Copyright 1937 Condition Good
 No. of elementary 3 Copyright 1936 Condition Good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 4 Condition Good
 Maps—No. 7 State Map? yes Condition Good
 Globes—No. Have promised to borrow from Duke School Kind Condition
 Desks—No. of single 20 No. of double Do they fit the pupils? yes Which do not?

Is seat-work material provided? yes How kept cupboard
 Water Supply—Drinking Fountain? yes Individual Cups? Condition Good
 Facilities for Washing Hands—Kind Basin
 Library—No. of Volumes 217 Condition fair Greatest need fiction
 Latest encyclopedia—Kind the World Book No. of volumes 20 Copyright date 1928
 Outbuildings—No. 2 Distance apart 50 Concealed Entrance no
 Is there a boys' urinal? not in repair Condition fair Lighted? yes Toilet Paper yes
 Improvement needed: Toilets should be screened

Remarks: I painted.
Ceiling in room should be painted & walls paper because plaster seems to be peeling. A new table for wash basin needed.

Report on Rural School House, by Marion South teacher

DATE Oct. 30 1939 District No. 29 County of Rice
 School Site: Acres one Fence no No. of trees 8 or 10 small Condition of site fine
 Building: Of what material wood When erected 1860 Outside condition Good
 Inside condition very good No. of school rooms one
 School room: Length 30 Width 17 feet Height 11 ft.
 Length Width Height
 What other rooms in building: Hall & wood shed
 If building was erected after June 1, 1913, have plans been approved by the State? X
 Heating and Ventilation: Has it been approved by the State? yes

VENTILATING ROOM HEATER

Name of system Waterman Waterbury
 When installed 1935
 Diameter of fire pot 18-15 Diameter outside jacket 30x31
 *Size of intake 10 by 22 Size of foul air outlet 10x20
 Is foul air removed with smoke through chimney? yes
 Is there a separate chimney for each room? no
 Outside dimensions of each chimney
 If one chimney for all rooms, give outside dimensions 12-26
 Does chimney have a metal stack inside? no
 Size of evaporating pan 12 by 18 inches
 Is the building heated by means of a steam plant? no

BASEMENT FURNACE

Name and No. of furnace
 Size of fresh air intake
 Outside size of chimney
 Does chimney have metal stack inside?
 Size of school room heat ducts
 How high above floor is heat register?
 Size of school room foul air outlet
 Is foul air removed through chimney or separate duct?
 Is lower edge of foul air register level with floor?
 Size of evaporating pan
 If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 140 Kind Slate & Cardboard Condition Good and Fair
 Dictionaries—No. of advanced one Copyright 1934 Condition Ex.
 No. of elementary Six Copyright 1933-1934 Condition Ex & Fair
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 10 Condition Good
 Maps—No. 7 State Map? yes Condition Good Fair
 Globes—No. 1 Diameter of 12 in. Kind Suspension Condition Good
 Desks—No. of single 20 No. of double 0 Do they fit the pupils? yes Which do not? only
some cases the childrens legs are too short Benches fixed
 Is seat-work material provided? yes How kept Drawer
 Water Supply—Drinking Fountain? yes Individual Cups? x Condition Good
 Facilities for Washing Hands—Kind Burns & Pail - soap - towel holder
 Library—No. of Volumes 42 (around 107) Condition Fair Greatest need 028 material
 Latest encyclopedia—Kind World Book No. of volumes 19 Copyright date 1937
 Outbuildings—No. Two Distance apart 50 Concealed Entrance yes
 Is there a boys' urinal? yes Condition Good Lighted? Ventilator Toilet Paper yes
 Improvement needed: The latches need fixing
 Remarks: Everything is in fine condition only that lunch
equipment should be provided. We need a flag pole

Report on Rural School House, by

Lenna H. Ebel teacher

DATE October 31, 1939 District No. 30 County of RiceSchool Site: Acres 1 1/4 was Fence yes No. of trees 24 Condition of site GoodBuilding: Of what material Brick When erected 1899 Outside condition GoodInside condition Good No. of school rooms oneSchool room: Length 20 1/2 ft. Width 18 1/2 ft. Height 10 ft.Length 20 1/2 ft. Width 18 1/2 ft. Height 10 ft.What other rooms in building: Cloak room

If building was erected after June 1, 1913, have plans been approved by the State?

Heating and Ventilation: Has it been approved by the State?

VENTILATING ROOM HEATER

Name of system Smith System

When installed

Diameter of fire pot 24" Diameter outside jacket 48"*Size of intake 16" N.E. Size of foul air outlet 15 in.Is foul air removed with smoke through chimney? yesIs there a separate chimney for each room? NoOutside dimensions of each chimney 24" x 20"If one chimney for all rooms, give outside dimensions 24" x 20"Does chimney have a metal stack inside? NoSize of evaporating pan 6 qt - angular

Is the building heated by means of a steam plant?

BASEMENT FURNACE

Name and No. of furnace

Size of fresh air intake

Outside size of chimney

Does chimney have metal stack inside?

Size of school room heat ducts

How high above floor is heat register?

Size of school room foul air outlet

Is foul air removed through chimney or separate duct?

Is lower edge of foul air register level with floor?

Size of evaporating pan

If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 108 sq. ft. Kind Slate Condition Good
 Dictionaries—No. of advanced 4 Copyright 1931 Condition Fair
 No. of elementary 4 Copyright 1933 Condition Good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 13 Condition Good
 Maps—No. 8 State Map? Yes Condition Ex.
 Globes—No. 1 Diameter of 12" Kind Johnston Condition Poor
 Desks—No. of single 20 No. of double 0 Do they fit the pupils? Yes Which do not? -
 Is seat-work material provided? Yes How kept Cupboards
 Water Supply—Drinking Fountain? Yes Individual Cups? No Condition Good
 Facilities for Washing Hands—Kind Wash bowl
 Library—No. of Volumes 250 Condition Fair Greatest need Non-fiction
 Latest encyclopedia—Kind World Book No. of volumes 20 Copyright date 1939
 Outbuildings—No. 2 Distance apart 50 ft. Concealed Entrance Yes
 Is there a boys' urinal? Yes Condition Good Lighted? Yes Toilet Paper Yes
 Improvement needed: Should be farther apart.
 Remarks:

Report on Rural School House, by Betty Hackett teacher

DATE October 25, 1939 District No. 321 County of Rice
 School Site: Acres 1 acre Fence no No. of trees 18 Condition of site Good
 Building: Of what material Lumber When erected _____ Outside condition Very Good
 Inside condition Shells & woodwork good - floor poor No. of school rooms 1
 School room: Length 42 ft. Width 26 1/2 ft. Height 12 ft.
 Length _____ Width _____ Height _____
 What other rooms in building: 2 cloakrooms - entrance
 If building was erected after June 1, 1913, have plans been approved by the State? not erected after
 Heating and Ventilation: Has it been approved by the State? yes

VENTILATING ROOM HEATER

Name of system Smith system
 When installed 1938
 Diameter of fire pot 23" Diameter outside jacket 38"
 *Size of intake 10" x 23" Size of foul air outlet 12"
 Is foul air removed with smoke through chimney? yes
 Is there a separate chimney for each room? yes
 Outside dimensions of each chimney 20" x 12 1/2"
 If one chimney for all rooms, give outside dimensions 10" x 25"
 Does chimney have a metal stack inside? no
 Size of evaporating pan 5" x 18"
 Is the building heated by means of a steam plant? no

BASEMENT FURNACE

Name and No. of furnace _____
 Size of fresh air intake _____
 Outside size of chimney _____
 Does chimney have metal stack inside? _____
 Size of school room heat ducts _____
 How high above floor is heat register? _____
 Size of school room foul air outlet _____
 Is foul air removed through chimney or separate duct? _____
 Is lower edge of foul air register level with floor? _____
 Size of evaporating pan _____
 If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 100 Kind slate Condition Poor
 Dictionaries—No. of advanced 1 Copyright 1909 Condition Fair
 No. of elementary 7 Copyright 1937-38 Condition Good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) _____ Condition Good
 Maps—No. 9 State Map? yes Condition Good
 Globes—No. 1 Diameter of 18 in Kind suspension Condition Poor
 Desks—No. of single 25 No. of double 0 Do they fit the pupils? no Which do not? none
 Is seat-work material provided? yes How kept press
 Water Supply—Drinking Fountain? yes Individual Cups? no Condition Good
 Facilities for Washing Hands—Kind sink - basin
 Library—No. of Volumes 264 Condition Poor for Greatest need lower grades
 Latest encyclopedia—Kind 2 world No. of volumes 20 Copyright date 1938
 Outbuildings—No. 2 Distance apart 50 ft. Concealed Entrance yes
 Is there a boys' urinal? yes Condition Good Lighted? yes Toilet Paper yes
 Improvement needed: New floor - Library books
 Remarks: School has electric lights.

Report on Rural School House, by Elizabeth Ryan teacher

DATE Oct. 31 193 9 District No. 33 County of Rice
School Site: Acres 1/2 Fence no No. of trees 14 Condition of site good
Building: Of what material wood When erected _____ Outside condition good
Inside condition good No. of school rooms one
School room: Length 23 ft + 8 in Width 23 ft Height 10 ft.
Length _____ Width _____ Height _____
What other rooms in building: cloak room

If building was erected after June 1, 1913, have plans been approved by the State? _____

Heating and Ventilation: Has it been approved by the State? yes

VENTILATING ROOM HEATER

Name of system Smith's Heat Ret. & Vent.

When installed _____

Diameter of fire pot 23" Diameter outside jacket 14 1/8"

*Size of intake 12" Size of foul air outlet 12"

Is foul air removed with smoke through chimney? yes

Is there a separate chimney for each room? one

Outside dimensions of each chimney 2 ft x 2 ft.

If one chimney for all rooms, give outside dimensions _____

Does chimney have a metal stack inside? yes

Size of evaporating pan pail

Is the building heated by means of a steam plant? _____

BASEMENT FURNACE

Name and No. of furnace _____

Size of fresh air intake _____

outside size of chimney _____

Does chimney have metal stack inside? _____

Size of school room heat ducts _____

How high above floor is heat register? _____

Size of school room foul air outlet _____

Is foul air removed through chimney or separate duct? _____

Is lower edge of foul air register level with floor? _____

Size of evaporating pan _____

If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 96 sq ft Kind slate Condition good
 Dictionaries—No. of advanced 4 Copyright 1929 Condition "
 No. of elementary 2 Copyright 1929 Condition "
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) _____ Condition _____
 Maps—No. 9 State Map? yes Condition good
 Globes—No. 1 Diameter of 14" Kind desk Condition good
 Desks—No. of single 24 No. of double — Do they fit the pupils? yes Which do, not? _____
 Is seat-work material provided? yes How kept good
 Water Supply—Drinking Fountain? yes Individual Cups? _____ Condition good
 Facilities for Washing Hands—Kind wash stand
 Library—No. of Volumes 134 Condition good Greatest need _____
 Latest encyclopedia—Kind World Bks No. of volumes 28 Copyright date 1938
 Outbuildings—No. 2 Distance apart 50 Concealed Entrance yes
 Is there a boys' urinal? yes Condition yes Lighted? yes Toilet Paper yes
 Improvement needed: new girls toilet
 Remarks: We rent a library every 2 or 3 months

Report on Rural School House, by

Emily O. Schrieber teacher

DATE *October 31*, 193*9* District No. *37* County of *Rice*

School Site: Acres *4* Fence *Yes* No. of trees *16* Condition of site *Good*

Building: Of what material *Wood* When erected *1898* Outside condition *Good*

Inside condition *Good* No. of school rooms *1*

School room: Length *30 ft.* Width *16 1/2 ft.* Height *11 ft.*

Length _____ Width _____ Height _____

What other rooms in building: _____

If building was erected after June 1, 1913, have plans been approved by the State? *Yes*

Heating and Ventilation: Has it been approved by the State? *Yes*

VENTILATING ROOM HEATER.

Name of system *Manuel Smith*

When installed *1911 or 12*

Diameter of fire pot *20* Diameter outside jacket *4 ft.*

*Size of intake *12"* Size of foul air outlet *12"*

Is foul air removed with smoke through chimney? *Yes*

Is there a separate chimney for each room? _____

Outside dimensions of each chimney *26 x 24"*

If one chimney for all rooms, give outside dimensions _____

Does chimney have a metal stack inside? *No*

Size of evaporating pan *12 x 9 x 2*

Is the building heated by means of a steam plant? *No*

BASEMENT FURNACE

Name and No. of furnace _____

Size of fresh air intake _____

Outside size of chimney _____

Does chimney have metal stack inside? _____

Size of school room heat ducts _____

How high above floor is heat register? _____

Size of school room foul air outlet _____

Is foul air removed through chimney or separate duct? _____

Is lower edge of foul air register level with floor? _____

Size of evaporating pan _____

If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 102 Kind Slate Condition Good
 Dictionaries—No. of advanced 2 Copyright 1936 Condition Good
 No. of elementary 3 Copyright 1936 Condition Good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 4 Condition Good
 Maps—No. 9 State Map? Yes Condition Excellent
 Globes—No. 1 Diameter of 12" Kind Suspension Condition Good
 Desks—No. of single 17 No. of double 0 Do they fit the pupils? Yes Which do not? _____

 Is seat-work material provided? Yes How kept Good
 Water Supply—Drinking Fountain? Yes Individual Cups? _____ Condition _____
 Facilities for Washing Hands—Kind Basin
 Library—No. of Volumes 200 Condition Fair Greatest need All kinds
 Latest encyclopedia—Kind World Book No. of volumes 20 Copyright date 1938
 Outbuildings—No. 2 Distance apart 50' Concealed Entrance Yes
 Is there a boys' urinal? Yes Condition Good Lighted? Yes Toilet Paper Yes
 Improvement needed: None

Remarks:

Report on Rural School House, by Jean Weires teacher

DATE _____ 193____ District No. 38 County of Rice

School Site: Acres 1/2 A Fence No No. of trees 100 Condition of site Good

Building: Of what material Wood When erected _____ Outside condition Good

Inside condition Good No. of school rooms 1

School room: Length _____ Width _____ Height _____

Length _____ Width _____ Height _____

What other rooms in building: Woodshed, Hall

If building was erected after June 1, 1913, have plans been approved by the State? _____

Heating and Ventilation: Has it been approved by the State? _____

VENTILATING ROOM HEATER

Name of system Smith System Heating

When installed _____

Diameter of fire pot 20" Diameter outside jacket 40"

*Size of intake 23" x 10" Size of foul air outlet 18" x 19"

Is foul air removed with smoke through chimney? Yes

Is there a separate chimney for each room? _____

Outside dimensions of each chimney _____

If one chimney for all rooms, give outside dimensions 25" x 35"

Does chimney have a metal stack inside? Yes

Size of evaporating pan 21" x 11" x 5"

Is the building heated by means of a steam plant? _____

BASEMENT FURNACE

Name and No. of furnace _____

Size of fresh air intake _____

Outside size of chimney _____

Does chimney have metal stack inside? _____

Size of school room heat ducts _____

How high above floor is heat register? _____

Size of school room foul air outlet _____

Is foul air removed through chimney or separate duct? _____

Is lower edge of foul air register level with floor? _____

Size of evaporating pan _____

If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 100 Kind Slate Condition Good
Dictionaries—No. of advanced 2 Copyright 1931 Condition Good
No. of elementary 3 & 4 Copyright 1938 ⁽³⁾ 1935 ⁽⁶⁾ Condition Excellent
Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 2 Condition Good
Maps—No. 9 State Map? Yes Condition Fair
Globes—No. 1 Diameter of 12" Kind Suspension Condition Good
Desks—No. of single 22 No. of double 0 Do they fit the pupils? Yes Which do not?
Is seat-work material provided? Yes How kept In cupboard on shelves
Water Supply—Drinking Fountain? Yes Individual Cups? Condition Good
Facilities for Washing Hands—Kind Wash stand, wash basin, paper towels
Library—No. of Volumes 752 1st Book Condition Good Greatest need Reference books
Latest encyclopedia—Kind The World Book No. of volumes 19 Copyright date 1937
Outbuildings—No. 2 Distance apart 50 ft. Concealed Entrance Yes
Is there a boys' urinal? Yes Condition Good Lighted? Windows Toilet Paper Yes
Improvement needed:
Remarks:

Report on Rural School House, by Barbara Gardner teacher

DATE October 25, 1939 District No. 39 County of Rice
 School Site: Acres 5 Fence on one side No. of trees 15 Condition of site good
 Building: Of what material frame When erected 1903 Outside condition good
 Inside condition good except floor No. of school rooms one
 School room: Length 24 feet Width 18 feet Height 12 feet
 Length _____ Width _____ Height _____
 What other rooms in building: cloakroom
 If building was erected after June 1, 1913, have plans been approved by the State? _____
 Heating and Ventilation: Has it been approved by the State? yes

VENTILATING ROOM HEATER

Name of system Waterbury
 When installed 1929
 Diameter of fire pot 20 in Diameter outside jacket 3 feet
 *Size of intake 12" x 16" Size of foul air outlet 12" x 14"
 Is foul air removed with smoke through chimney? yes
 Is there a separate chimney for each room? _____
 Outside dimensions of each chimney 16" x 22"
 If one chimney for all rooms, give outside dimensions _____
 Does chimney have a metal stack inside? no
 Size of evaporating pan _____
 Is the building heated by means of a steam plant? _____

BASEMENT FURNACE

Name and No. of furnace _____
 Size of fresh air intake _____
 Outside size of chimney _____
 Does chimney have metal stack inside? _____
 Size of school room heat ducts _____
 How high above floor is heat register? _____
 Size of school room foul air outlet _____
 Is foul air removed through chimney or separate duct? _____
 Is lower edge of foul air register level with floor? _____
 Size of evaporating pan _____

Is the building heated by means of a steam plant? _____ If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 96 sq ft Kind slate & bark Condition good
 Dictionaries—No. of advanced 1 Copyright Condition
 No. of elementary 4 Copyright 1928 1930 Condition good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 3 Condition good
 Maps—No. 24 sets State Map? yes Condition good
 Globes—No. 1 Diameter of 18" Kind suspension Condition fair
 Desks—No. of single 20 No. of double 2 Do they fit the pupils? yes Which do not?
 Is seat-work material provided? yes How kept file cupboard
 Water Supply—Drinking Fountain? yes ^{no, stand} Individual Cups? Condition good
 Facilities for Washing Hands—Kind basin, cake soap, individual towels
 Library—No. of Volumes 241 Condition good Greatest need
 Latest encyclopedia—Kind World Encyclopedia No. of volumes 19 Copyright date 1935
 Outbuildings—No. 2 Distance apart 36 feet Concealed Entrance yes
 Is there a boys' urinal? yes Condition good Lighted? yes Toilet Paper yes
 Improvement needed:

Remarks:

Report on Rural School House, by Ruth M. Schneider teacher

DATE Oct. 30 1939 District No. 40 & 1 County of Rice
 School Site: Acres 1/4 Fence yes No. of trees 5 Condition of site Good
 Building: Of what material Hard When erected _____ Outside condition Good
 Inside condition Good No. of school rooms 1
 School room: Length 26 ft. Width 18 1/2 ft. Height 9 1/2 ft.
 Length _____ Width _____ Height _____
 What other rooms in building: Clock hall
 If building was erected after June 1, 1913, have plans been approved by the State? yes
 Heating and Ventilation: Has it been approved by the State? yes

VENTILATING ROOM HEATER

Name of system Minneapolis Waterman
 When installed _____
 Diameter of fire pot _____ Diameter outside jacket _____
 *Size of intake 9 x 18 Size of foul air outlet 6 x 8
 Is foul air removed with smoke through chimney? _____
 Is there a separate chimney for each room? _____
 Outside dimensions of each chimney 24 in.
 If one chimney for all rooms, give outside dimensions 24"
 Does chimney have a metal stack inside? _____
 Size of evaporating pan large
 Is the building heated by means of a steam plant? _____

BASEMENT FURNACE

Name and No. of furnace _____
 Size of fresh air intake _____
 Outside size of chimney _____
 Does chimney have metal stack inside? _____
 Size of school room heat ducts _____
 How high above floor is heat register? _____
 Size of school room foul air outlet _____
 Is foul air removed through chimney or separate duct? _____
 Is lower edge of foul air register level with floor? _____
 Size of evaporating pan _____

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 116 Kind slate Condition good
 Dictionaries—No. of advanced 3 Copyright 1931 Condition good
 No. of elementary 3 Copyright 1935 Condition good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 4 Condition good
 Maps—No. 10 State Map? one Condition good
 Globes—No. 1 Diameter of 12" Kind suspension Condition good
 Desks—No. of single 31 No. of double 0 Do they fit the pupils? Yes Which do not? They do.
fit.
 Is seat-work material provided? yes How kept By teacher.
 Water Supply—Drinking Fountain? yes Individual Cups? Condition good
 Facilities for Washing Hands—Kind Wash basin and soap. Paper towels? yes
 Library—No. of Volumes Condition good Greatest need lower grade books
 Latest encyclopedia—Kind Compton No. of volumes Copyright date
 Outbuildings—No. 2 Distance apart 50 ft. Concealed Entrance Yes
 Is there a boys' urinal? yes Condition good Lighted? No Toilet Paper yes
 Improvement needed:

Remarks:

Report on Rural School House, by Luella M. Blume teacher

DATE Nov 4 1937 District No. 41 County of Rice
 School Site: Acres 2 Fence no No. of trees 20 Condition of site good
 Building: Of what material wood When erected 1890 Outside condition good
 Inside condition good No. of school rooms 1
 School room: Length 28' Width 24' Height 11'
 Length _____ Width _____ Height _____
 What other rooms in building: Hall
 If building was erected after June 1, 1913, have plans been approved by the State? —
 Heating and Ventilation: Has it been approved by the State? —

VENTILATING ROOM HEATER

Name of system Junger Oil Burner
 When installed 1938
 Diameter of fire pot _____ Diameter outside jacket 30" x 48"
 *Size of intake 15" diam Size of foul air outlet 15" x 16"
 Is foul air removed with smoke through chimney? yes
 Is there a separate chimney for each room? —
 Outside dimensions of each chimney 14 x 22
 If one chimney for all rooms, give outside dimensions _____
 Does chimney have a metal stack inside? —
 Size of evaporating pan 2 -
 Is the building heated by means of a steam plant? _____

BASEMENT FURNACE

Name and No. of furnace _____
 Size of fresh air intake _____
 Outside size of chimney _____
 Does chimney have metal stack inside? _____
 Size of school room heat ducts _____
 How high above floor is heat register? _____
 Size of school room foul air outlet _____
 Is foul air removed through chimney or separate duct? _____
 Is lower edge of foul air register level with floor? _____
 Size of evaporating pan _____

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 110 sq. ft. Kind slate Condition Good
Dictionaries—No. of advanced 2 Copyright 1937 Condition Good
No. of elementary 6 Copyright 1935 Condition Good
Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 2 Condition fair
Maps—No. 8 State Map? yes Condition good
Globes—No. 1 Diameter of 12 in Kind nystron Condition new
Desks—No. of single 24 No. of double — Do they fit the pupils? yes Which do not? —

Is seat-work material provided? yes How kept cupboard
Water Supply—Drinking Fountain? yes Individual Cups? — Condition —
Facilities for Washing Hands—Kind Pouring water & paper towels
Library—No. of Volumes 90 Condition fair Greatest need lower grades
Latest encyclopedia—Kind World Book No. of volumes 19 Copyright date 1937
Outbuildings—No. 2 Distance apart 50 ft. Concealed Entrance yes
Is there a boys' urinal? yes Condition fair Lighted? yes Toilet Paper yes
Improvement needed: stair door
Remarks: _____