



Rice County (Minn.).
Superintendent of Schools:
Reports on Rural School Houses.

Copyright Notice:

This material may be protected by copyright law (U.S. Code, Title 17). Researchers are liable for any infringement. For more information, visit www.mnhs.org/copyright.

Report on Rural School House, by

Miss Lona Paulson teacher

DATE Nov. 1, 1939

District No. 54

County of Rice

School Site: Acres 1/2 - 1 Fence No

No. of trees 17 ^{8 large} ~~small~~ Condition of site Good

Building: Of what material Frame

When erected 7 years ago Outside condition resided

Inside condition Old but well kept

No. of school rooms 1

School room: Length 25 3/4

Width 17 1/2

Height 9 3/4

Length

Width

Height

What other rooms in building: Hall

If building was erected after June 1, 1913, have plans been approved by the State?

Heating and Ventilation: Has it been approved by the State?

VENTILATING ROOM HEATER

BASEMENT FURNACE

Name of system Smith System

Name and No. of furnace

When installed About 15 years ago

Size of fresh air intake

Diameter of fire pot Diameter outside jacket 3' 5"

Outside size of chimney

*Size of intake 38" Size of foul air outlet 39"

Does chimney have metal stack inside?

Is foul air removed with smoke through chimney? Yes

Size of school room heat ducts

Is there a separate chimney for each room?

How high above floor is heat register?

Outside dimensions of each chimney 26"

Size of school room foul air outlet

If one chimney for all rooms, give outside dimensions 26"

Is foul air removed through chimney or separate duct?

Does chimney have a metal stack inside?

Is lower edge of foul air register level with floor?

Size of evaporating pan 18" X 8" X 6"

Size of evaporating pan

Is the building heated by means of a steam plant? No

If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 101 sq ft. Kind slate ^{composition} Condition good
 Dictionaries—No. of advanced 1 Copyright 1935 Condition good
 No. of elementary 6 Copyright 1927-37 Condition Good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 4 to 8 books Condition Most are new.
 Maps—No. 8 State Map? Yes Condition New
 Globes—No. 1 Diameter of 12 Kind Suspension Condition Good
 Desks—No. of single 16 No. of double 0 Do they fit the pupils? Yes Which do not?
 They are adjusted to fit
 Is seat-work material provided? Yes How kept In desk and cupboard.
 Water Supply—Drinking Fountain? Yes Individual Cups? No Condition Good
 Facilities for Washing Hands—Kind Wash stand, basin, bar soap.
 Library—No. of Volumes 198 Condition Fair Greatest need Books for lower
 Latest encyclopedia—Kind World Book No. of volumes 13 Copyright date 1930
 Outbuildings—No. 2 Distance apart over 50' Concealed Entrance Yes
 Is there a boys' urinal? Yes Condition new Lighted? Yes Toilet Paper Yes
 Improvement needed: These are only a year old and excellent.
 Remarks: For being such an old building, I think, it is kept in
good condition. It is very easy to heat as it has a
large stove for such a small room. My biggest problem
is to keep it from being too hot and stuffy. It takes
very little fuel to heat. With the removal of one
row of seats, we now have much room.

Report on Rural School House, by Marie S. Haas teacher

DATE Oct. 30 1939 District No. 55 County of Rice
School Site: Acres 2 Fence Partly No. of trees 5 Condition of site Good
Building: Of what material Wood When erected 1875 Outside condition Good
Inside condition Good No. of school rooms 1
School room: Length 29' 9" Width 19' 2" Height about 12'
Length _____ Width _____ Height _____

What other rooms in building: none
If building was erected after June 1, 1913, have plans been approved by the State? _____
Heating and Ventilation: Has it been approved by the State? yes

VENTILATING ROOM HEATER

Name of system Waterman Waterbury
When installed 1929
Diameter of fire pot 18" Diameter outside jacket 2' 7"
*Size of intake 12" sq. Size of foul air outlet 16" 20"
Is foul air removed with smoke through chimney? yes
Is there a separate chimney for each room? yes
Outside dimensions of each chimney 2' by 2'
If one chimney for all rooms, give outside dimensions _____
Does chimney have a metal stack inside? _____
Size of evaporating pan 1 1/2' long 1' wide
Is the building heated by means of a steam plant? no

BASEMENT FURNACE

Name and No. of furnace _____
Size of fresh air intake _____
Outside size of chimney _____
Does chimney have metal stack inside? _____
Size of school room heat ducts _____
How high above floor is heat register? _____
Size of school room foul air outlet _____
Is foul air removed through chimney or separate duct? _____
Is lower edge of foul air register level with floor? _____
Size of evaporating pan _____

If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room	100	Kind	slate	Condition	Good		
Dictionaries—No. of advanced	1	Copyright	1933	Condition	Good		
No. of elementary	6	Copyright		Condition	Good		
Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old)				5	Condition	Good	
Maps—No. 8+ Hist. maps		State Map?	yes	Condition	Fair		
Globes—No. 1		Diameter of	12"	Kind	Suspension	Condition	Good
Desks—No. of single	18	No. of double	—	Do they fit the pupils?	yes	Which do not?	—

Is seat-work material provided? *yes* How kept *boxes - shelves*
 Water Supply—Drinking Fountain? *yes* Individual Cups? *no* Condition *Good*
 Facilities for Washing Hands—Kind *Wash basin and stand*
 Library—No. of Volumes *233* Condition *Good* Greatest need *Ref. books*
 Latest encyclopedia—Kind *World Book* No. of volumes *10* Copyright date *1927*
 Outbuildings—No. *2* Distance apart *50 ft.* Concealed Entrance *fenced*
 Is there a boys' urinal? *yes* Condition *fair* Lighted? *yes* Toilet Paper *yes*
 Improvement needed: *none at present*
 Remarks: _____

Report on Rural School House, by Marie Joachim teacher

DATE Nov. 1 1939 District No. 56 County, of Rice
 School Site: Acres 1 Fence yes No. of trees 18 Condition of site Good
 Building: Of what material wood When erected 1929 Outside condition Good
 Inside condition Very good No. of school rooms 1
 School room: Length 84' Width 93' Height 48'
 Length Width Height
 What other rooms in building: library, 2 cloak rooms, basement
 If building was erected after June 1, 1913, have plans been approved by the State? yes
 Heating and Ventilation: Has it been approved by the State? yes

VENTILATING ROOM HEATER

Name of system Waterman - Waterbury
 When installed
 Diameter of fire pot 24" Diameter outside jacket 43"
 *Size of intake 16" x 15" Size of foul air outlet 24" x 16"
 Is foul air removed with smoke through chimney? no
 Is there a separate chimney for each room?
 Outside dimensions of each chimney
 If one chimney for all rooms, give outside dimension 26 x 20
 Does chimney have a metal stack inside?
 Size of evaporating pan 17" x 5"
 Is the building heated by means of a steam plant? no

BASEMENT FURNACE

Name and No. of furnace
 Size of fresh air intake
 Outside size of chimney
 Does chimney have metal stack inside?
 Size of school room heat ducts
 How high above floor is heat register?
 Size of school room foul air outlet
 Is foul air removed through chimney or separate duct?
 Is lower edge of foul air register level with floor?
 Size of evaporating pan

If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 114 1/2 Kind Slate Condition Good
 Dictionaries—No. of advanced 3 Copyright 1913 Condition Good
 No. of elementary 4 Copyright 1935 Condition Good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 2 Condition Good
 Maps—No. 8 State Map? yes Condition Good
 Globes—No. 1 Diameter of 12" Kind _____ Condition Good
 Desks—No. of single 24 No. of double 0 Do they fit the pupils? yes Which do not? _____
 Is seat-work material provided? yes How kept shelves, in booklets
 Water Supply—Drinking Fountain? yes Individual Cups? No Condition Good
 Facilities for Washing Hands—Kind wash basin, paper towels
 Library—No. of Volumes 135 Condition Good Greatest need middle grades
 Latest encyclopedia—Kind World Book No. of volumes 18 Copyright date 1937
 Outbuildings—No. 2 Distance apart 50' Concealed Entrance yes
 Is there a boys' urinal? yes Condition Good Lighted? yes Toilet Paper yes
 Improvement needed: _____

Remarks: _____

Report on Rural School House, by

Veronica O'Brien

teacher

DATE *October 25* 193*9* District No. *57* County, of Rice

School Site: Acres *1/2* Fence *on road side* No. of trees Condition of site *fair*

Building: Of what material *frame* When erected *1889* Outside condition *Good*

Inside condition *Good* No. of school rooms *one*

School room: Length *23 ft.* Width *17 ft.* Height *9 1/2 ft.*

Length *17 ft.* Width Height

What other rooms in building: *entrance & coal shed, both small*

If building was erected after June 1, 1913, have plans been approved by the State? *yes*

Heating and Ventilation: Has it been approved by the State? *yes*

VENTILATING ROOM HEATER

Name of system *Smith*

When installed *very recently*

Diameter of fire pot *20"* Diameter outside jacket *30"*

*Size of intake *16" x 22"* Size of foul air outlet *18" x 22"*

Is foul air removed with smoke through chimney? *yes*

Is there a separate chimney for each room? *only one*

Outside dimensions of each chimney *22" x 25"*

If one chimney for all rooms, give outside dimensions *22" x 25"*

Does chimney have a metal stack inside? *yes*

Size of evaporating pan *14" x 16"*

Is the building heated by means of a steam plant? *no*

BASEMENT FURNACE

Name and No. of furnace

Size of fresh air intake

Outside size of chimney

Does chimney have metal stack inside?

Size of school room heat ducts

How high above floor is heat register?

Size of school room foul air outlet

Is foul air removed through chimney or separate duct?

Is lower edge of foul air register level with floor?

Size of evaporating pan

If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 84 Kind date & content Condition Good

Dictionaries—No. of advanced 2 Copyright 1932 Condition Good

No. of elementary 4 Copyright 1936-1938 Condition Good

Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 2 Condition Fair

Maps—No. 9 State Map? yes Condition Excellent

Globes—No. 1 Diameter of 12" Kind Hand Condition Excellent

Desks—No. of single 20 No. of double 0 Do they fit the pupils? yes Which do not?

Is seat-work material provided? yes How kept in envelopes

Water Supply—Drinking Fountain? yes Individual Cups? Condition Excellent

Facilities for Washing Hands—Kind basin & pitcher, bar soap

Library—No. of Volumes 198 Condition Mostly poor Greatest need single interesting books

Latest encyclopedia—Kind Pictured Knowledge No. of volumes 10 Copyright date 1927

Outbuildings—No. two Distance apart 120 Concealed Entrance yes

Is there a boys' urinal? yes Condition Fair Lighted? yes Toilet Paper No

Improvement needed: Doors, encyclopedias, supplementary readers,

Remarks: Library books, electricity & screens also work tables.

Report on Rural School House, by

Camilla Kubes teacher

DATE October 28 1939 District No. 58 County of Rice

School Site: Acres 1 Fence no No. of trees 5 Condition of site Good

Building: Of what material frame When erected 1904 Outside condition good

Inside condition good No. of school rooms 1

School room: Length 29 ft. Width 20 ft. 8 in Height 10 ft.

Length — Width — Height —

What other rooms in building: entry

If building was erected after June 1, 1913, have plans been approved by the State? —

Heating and Ventilation: Has it been approved by the State? yes

VENTILATING ROOM HEATER

BASEMENT FURNACE

Name of system Circulating Heater Name and No. of furnace —

When installed 1904 Size of fresh air intake —

Diameter of fire pot 18" Diameter outside jacket 33" Outside size of chimney —

*Size of intake 12" dia Size of foul air outlet 12" x 9" Does chimney have metal stack inside? —

Is foul air removed with smoke through chimney? yes Size of school room heat ducts —

Is there a separate chimney for each room? no How high above floor is heat register? —

Outside dimensions of each chimney — Size of school room foul air outlet —

If one chimney for all rooms, give outside dimensions 26" x 24" Is foul air removed through chimney or separate duct? —

Does chimney have a metal stack inside? no Is lower edge of foul air register level with floor? —

Size of evaporating pan 10" x 10" Size of evaporating pan —

Is the building heated by means of a steam plant? no If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 112 Kind slate Condition good
Dictionaries—No. of advanced 1 Copyright 1936 Condition good
No. of elementary 3 Copyright 1935-33 Condition good
Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 3 Condition good
Maps—No. 9 State Map? Yes Condition good
Globes—No. 1 Diameter of 12" Kind Suspension Condition good
Desks—No. of single 28 No. of double 0 Do they fit the pupils? Yes Which do not? —

Is seat-work material provided? Yes How kept good condition
 Water Supply—Drinking Fountain? Yes Individual Cups? — Condition good
 Facilities for Washing Hands—Kind basin - soap - paper towels
 Library—No. of Volumes 250 Condition good Greatest need 22 Books
 Latest encyclopedia—Kind Guarrie No. of volumes 19 Copyright date 1939
 Outbuildings—No. 2 Distance apart 50 ft Concealed Entrance Yes
 Is there a boys' urinal? Yes Condition good Lighted? No Toilet Paper Yes
 Improvement needed: foundation repaired

Remarks: _____

Report on Rural School House, by

Ruth E. Lines

teacher

DATE October 31 1939District No. 59

County of Rice

School Site: Acres 1 Fence noneNo. of trees 26Condition of site goodBuilding: Of what material wood

When erected

Outside condition goodInside condition goodNo. of school rooms 1 + HallSchool room: Length 27'Width 20'Height 12'

Length

Width

Height

What other rooms in building: 0 (Hall)

If building was erected after June 1, 1913, have plans been approved by the State?

Heating and Ventilation: Has it been approved by the State? yes

VENTILATING ROOM HEATER

Name of system Seamless Heater #240

When installed

Diameter of fire pot 24" Diameter outside jacket 35" x 35"*Size of intake 2' x 2' Size of foul air outlet 12" x 10"Is foul air removed with smoke through chimney? yesIs there a separate chimney for each room? yes (1 room)

Outside dimensions of each chimney

If one chimney for all rooms, give outside dimensions 31" x 29"Does chimney have a metal stack inside? yesSize of evaporating pan 12" diameter

Is the building heated by means of a steam plant?

BASEMENT FURNACE

Name and No. of furnace

Size of fresh air intake

Outside size of chimney

Does chimney have metal stack inside?

Size of school room heat ducts

How high above floor is heat register?

Size of school room foul air outlet

Is foul air removed through chimney or separate duct?

Is lower edge of foul air register level with floor?

Size of evaporating pan

If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 119 Kind slate Condition good
 Dictionaries—No. of advanced 2 Copyright 1934 Condition good
 No. of elementary 4 Copyright 1934 Condition new
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 4 Condition good
 Maps—No. 9 State Map? yes Condition good
 Globes—No. 1 Diameter of 12" Kind suspension Condition good
 Desks—No. of single 0 No. of double 20 Do they fit the pupils? yes Which do not?
 Is seat-work material provided? yes How kept booklets
 Water Supply—Drinking Fountain? fubler Individual Cups? no Condition good
 Facilities for Washing Hands—Kind wash dish & pail of water
 Library—No. of Volumes 207 Condition fair Greatest need books for gr 1-4
 Latest encyclopedia—Kind World Book No. of volumes 12 Copyright date 1930
 Outbuildings—No. 2 Painted up Distance apart 50' Concealed Entrance yes
 Is there a boys' urinal? no Condition 1931 Lighted? Toilet Paper yes
 Improvement needed:

Remarks:

Report on Rural School House, by Marcella Sexton teacher

DATE Oct. 30 193 39 District No. 60 County of Rice
 School Site: Acres 1 Fence _____ No. of trees 34 Condition of site fair
 Building: Of what material wood When erected _____ Outside condition good
 Inside condition good No. of school rooms 1
 School room: Length 28 ft 10 in Width 18 ft Height 9 ft
 Length _____ Width _____ Height _____
 What other rooms in building: hall & washshed
 If building was erected after June 1, 1913, have plans been approved by the State? _____
 Heating and Ventilation: Has it been approved by the State? yes

VENTILATING ROOM HEATER

Name of system Room heater
 When installed _____
 Diameter of fire pot 22" Diameter outside jacket 39"
 *Size of intake 12" x 15" Size of foul air outlet 12" x 14"
 Is foul air removed with smoke through chimney? yes
 Is there a separate chimney for each room? yes
 Outside dimensions of each chimney 20" x 24"
 If one chimney for all rooms, give outside dimensions _____
 Does chimney have a metal stack inside? no
 Size of evaporating pan 11" x 5" x 7"
 Is the building heated by means of a steam plant? no

BASEMENT FURNACE

Name and No. of furnace _____
 Size of fresh air intake _____
 Outside size of chimney _____
 Does chimney have metal stack inside? _____
 Size of school room heat ducts _____
 How high above floor is heat register? _____
 Size of school room foul air outlet _____
 Is foul air removed through chimney or separate duct? _____
 Is lower edge of foul air register level with floor? _____
 Size of evaporating pan _____
 If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 104 sq. ft. Kind Cardboard Condition good
 Dictionaries—No. of advanced 2 Copyright 1938 Condition good
 No. of elementary 6 Copyright 1935 Condition good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 3 Condition good
 Maps—No. 8 State Map? yes Condition good
 Globes—No. 1 Diameter of 12 in. Kind suspension Condition good
 Desks—No. of single 17 No. of double 0 Do they fit the pupils? yes Which do not? _____

 Is seat-work material provided? yes How kept workbooks envelopes
 Water Supply—Drinking Fountain? yes Individual Cups? no Condition good
 Facilities for Washing Hands—Kind basin - pouring method
 Library—No. of Volumes _____ Condition _____ Greatest need _____
 Latest encyclopedia—Kind picture knowledge No. of volumes _____ Copyright date _____
 Outbuildings—No. 3 Distance apart 50 ft. Concealed Entrance yes
 Is there a boys' urinal? yes Condition good Lighted? yes Toilet Paper yes
 Improvement needed: storm windows encyclopedias
 Remarks: school ground is on side hill but children may play in a pasture nearby

Report on Rural School House, by

Evelyn Knutson

teacher

DATE *November 1* 193*9*

District No. *63*

County of Riee

School Site: Acres *1* Fence *no*

No. of trees *11*

Condition of site *good*

Building: Of what material *wood*

When erected

Outside condition *good*

Inside condition *excellent*

No. of school rooms *1*

School room: Length *30*

Width *19*

Height *11*

Length

Width

Height

What other rooms in building: *entry or cloakroom and closet*

If building was erected after June 1, 1913, have plans been approved by the State?

Heating and Ventilation: Has it been approved by the State?

VENTILATING ROOM HEATER

Name of system *Smith*

When installed

Diameter of fire pot *18"* Diameter outside jacket *36"*

*Size of intake *38"* Size of foul air outlet *38"*

Is foul air removed with smoke through chimney? *yes*

Is there a separate chimney for each room?

Outside dimensions of each chimney *16" X 12"*

If one chimney for all rooms, give outside dimensions *16" X 12"*

Does chimney have a metal stack inside?

Size of evaporating pan *2' X 1' X 6"*

Is the building heated by means of a steam plant? *no*

BASEMENT FURNACE

Name and No. of furnace

Size of fresh air intake

Outside size of chimney

Does chimney have metal stack inside?

Size of school room heat ducts

How high above floor is heat register?

Size of school room foul air outlet

Is foul air removed through chimney or separate duct?

Is lower edge of foul air register level with floor?

Size of evaporating pan

If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 105 Kind slate Condition good
 Dictionaries—No. of advanced 1 Copyright 1930 Condition good
 No. of elementary 8 Copyright 4-1914 Condition very good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 4-1936 3 Condition good
 Maps—No. 8 State Map? yes Condition excellent
 Globes—No. 1 Diameter of 12" Kind stand Condition "
 Desks—No. of single 16 No. of double none Do they fit the pupils? yes Which do not? —

Is seat-work material provided? yes How kept good
 Water Supply—Drinking Fountain? yes Individual Cups? — Condition good
 Facilities for Washing Hands—Kind wash basin and shelf
 Library—No. of Volumes — Condition poor Greatest need 228 Books
 Latest encyclopedia—Kind World Book No. of volumes 22 18 Copyright date 1937
 Outbuildings—No. 2 Distance apart — Concealed Entrance yes
 Is there a boys' urinal? yes Condition excellent Lighted? yes Toilet Paper yes

Improvement needed: —Remarks: —

Report on Rural School House, by Luella Spitzack teacher

DATE Oct. 30 1939 District No. 68 County of Rice
 School Site: Acres 3 1/4 Fence ns. No. of trees 14 Condition of site good
 Building: Of what material frame When erected _____ Outside condition good
 Inside condition good No. of school rooms 1
 School room: Length 34 Width 17 Height 10 1/2
 Length _____ Width _____ Height _____
 What other rooms in building: woodshed, entry
 If building was erected after June 1, 1913, have plans been approved by the State? _____
 Heating and Ventilation: Has it been approved by the State? _____

VENTILATING ROOM HEATER

Name of system Riverside
 When installed _____
 Diameter of fire pot 24" Diameter outside jacket 42"
 *Size of intake 20" Size of foul air outlet 20"
 Is foul air removed with smoke through chimney? yes
 Is there a separate chimney for each room? _____
 Outside dimensions of each chimney 26 X 20
 If one chimney for all rooms, give outside dimensions 26 X 20
 Does chimney have a metal stack inside? no
 Size of evaporating pan 24" X 8" X 8"
 Is the building heated by means of a steam plant? _____

BASEMENT FURNACE

Name and No. of furnace _____
 Size of fresh air intake _____
 Outside size of chimney _____
 Does chimney have metal stack inside? _____
 Size of school room heat ducts _____
 How high above floor is heat register? _____
 Size of school room foul air outlet _____
 Is foul air removed through chimney or separate duct? _____
 Is lower edge of foul air register level with floor? _____
 Size of evaporating pan _____

If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 206 sq. ft. Kind slate Condition good.
 Dictionaries—No. of advanced 1 Copyright 1935 Condition good
 No. of elementary 2 Copyright 1931-1935 Condition good.
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 4 Condition good.
 Maps—No. 52 State Map? yes Condition good
 Globes—No. 1 Diameter of 12 Kind suspension Condition good
 Desks—No. of single 31 No. of double none Do they fit the pupils? yes Which do not?
 Is seat-work material provided? yes How kept supply cupboard
 Water Supply—Drinking Fountain? yes Individual Cups? Condition
 Facilities for Washing Hands—Kind washstand-paper towels, basin, soap, provided
 Library—No. of Volumes 260 Condition fair Greatest need intermediate grade
 Latest encyclopedia—Kind Compton's No. of volumes 15 Copyright date 1937.
 Outbuildings—No. 2 Distance apart 50 Concealed Entrance yes
 Is there a boys' urinal? yes Condition good Lighted? yes Toilet Paper yes
 Improvement needed:
 Remarks:

Report on Rural School House, by

Ruth Minsbaum

teacher

DATE *November 1* 193*9*District No. *66*

County of Rice

School Site: Acres *3* Fence *72*No. of trees *11 small*Condition of site *Good*Building: Of what material *Wood*When erected *1891*Outside condition *Good*Inside condition *Good*No. of school rooms *One*School room: Length *26 ft.*Width *21 ft.*Height *7 nearly 13 ft.*

Length

Width

Height

What other rooms in building: *Halls*

If building was erected after June 1, 1913, have plans been approved by the State?

Heating and Ventilation: Has it been approved by the State?

VENTILATING ROOM HEATER

Name of system *Catala*When installed *1935*Diameter of fire pot *18 in.* Diameter outside jacket *31 X 31**Size of intake *16 X 9* Size of foul air outlet *16 - 16*Is foul air removed with smoke through chimney? *Yes*Is there a separate chimney for each room? *Yes*Outside dimensions of each chimney *24 - 24*If one chimney for all rooms, give outside dimensions *24 X 24*Does chimney have a metal stack inside? *Yes*Size of evaporating pan *8 X 16*Is the building heated by means of a steam plant? *No*

BASEMENT FURNACE

Name and No. of furnace

Size of fresh air intake

Outside size of chimney

Does chimney have metal stack inside?

Size of school room heat ducts

How high above floor is heat register?

Size of school room foul air outlet

Is foul air removed through chimney or separate duct?

Is lower edge of foul air register level with floor?

Size of evaporating pan

If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 100 Kind slate Condition Good
 Dictionaries—No. of advanced 2 Copyright 1936 Condition Excellent
 No. of elementary 6 Copyright 1925 Condition Good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 4 Condition Good
 Maps—No. 10 State Map? Yes Condition Very
 Globes—No. 1 Diameter of 2 Kind Suspension Condition Good
 Desks—No. of single 19 No. of double _____ Do they fit the pupils? Yes Which do not? _____
 Is seat-work material provided? Yes How kept In desk
 Water Supply—Drinking Fountain? Yes Individual Cups? _____ Condition Good
 Facilities for Washing Hands—Kind Back bench, basins, soap, paper towels
 Library—No. of Volumes 220 Condition Good Greatest need _____
 Latest encyclopedia—Kind Pictorial Knowledge No. of volumes 17 Copyright date 1929
 Outbuildings—No. 2 Distance apart 50 ft. Concealed Entrance Yes
 Is there a boys' urinal? Yes Condition Good Lighted? Yes Toilet Paper Yes

Improvement needed:

Remarks: The school house roof has been re-shingled,
toilets painted inside, and a new state
map purchased.