



Rice County (Minn.).
Superintendent of Schools:
Reports on Rural School Houses.

Copyright Notice:

This material may be protected by copyright law (U.S. Code, Title 17). Researchers are liable for any infringement. For more information, visit www.mnhs.org/copyright.

Report on Rural School House, by Lucille Hammargren teacher

DATE October 31, 1937 District No. 113 County of Rice
 School Site: Acres one Fence yes No. of trees _____ Condition of site Good
 Building: Of what material _____ When erected 1888 Outside condition Good
 Inside condition Good No. of school rooms one
 School room: Length 25 ft. Width 12 ft Height 8 ft.
 Length _____ Width _____ Height _____
 What other rooms in building: Cloak Room
 If building was erected after June 1, 1913, have plans been approved by the State? _____
 Heating and Ventilation: Has it been approved by the State? yes

VENTILATING ROOM HEATER

Name of system Downsian Heater
 When installed _____
 Diameter of fire pot 26" Diameter outside jacket 42"
 *Size of intake 12" x 14 1/2" Size of foul air outlet D-12"
 Is foul air removed with smoke through chimney? yes
 Is there a separate chimney for each room? yes
 Outside dimensions of each chimney 22" x 24"
 If one chimney for all rooms, give outside dimensions _____
 Does chimney have a metal stack inside? _____
 Size of evaporating pan D-12" D-6" W-4"
 Is the building heated by means of a steam plant? No

BASEMENT FURNACE

Name and No. of furnace _____
 Size of fresh air intake _____
 Outside size of chimney _____
 Does chimney have metal stack inside? _____
 Size of school room heat ducts _____
 How high above floor is heat register? _____
 Size of school room foul air outlet _____
 Is foul air removed through chimney or separate duct? _____
 Is lower edge of foul air register level with floor? _____
 Size of evaporating pan _____

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 100 Kind Slate Condition Very good
 Dictionaries—No. of advanced 1 Copyright 1937 Condition Good
 No. of elementary 6 Copyright 1936 Condition Good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) _____ Condition Good
 Maps—No. 8 State Map? yes Condition fair
 Globes—No. one Diameter of 12 inch Kind Suspension Condition Good
 Desks—No. of single 14 No. of double none Do they fit the pupils? yes Which do not? _____
 Is seat-work material provided? yes Commercial seatwork in desk
 How kept I use much of my own.
 Water Supply—Drinking Fountain? yes also workbooks in reading
 Individual Cups? yes Condition good
 Facilities for Washing Hands—Kind Wash. Basin
 Library—No. of Volumes 58 Condition Good Greatest need Reference
 Latest encyclopedia—Kind Compton's Pictured No. of volumes 8 Copyright date 1924
 Outbuildings—No. two Distance apart 50 feet Concealed Entrance yes
 Is there a boys' urinal? no Condition good Lighted? yes Toilet Paper yes
 Improvement needed: Playground Equipment - Maps
 Remarks: The following was promised: Bookcase, clock, horizontal bar, and urinal for boy's toilet.

Report on Rural School House, by Ada Viola Morris teacher

DATE October 25 1939 District No. 115 County of Rice
 School Site: Acres 1/2 Fence no No. of trees 10 Condition of site Good
 Building: Of what material wood When erected _____ Outside condition Good
 Inside condition Good No. of school rooms 1
 School room: Length 27 ft. Width 19 ft. Height 10 ft.
 Length _____ Width _____ Height _____
 What other rooms in building: shed with cement floor, cloak room
 If building was erected after June 1, 1913, have plans been approved by the State? _____
 Heating and Ventilation: Has it been approved by the State? _____

VENTILATING ROOM HEATER

Name of system River Side Heater
 When installed _____
 Diameter of fire pot 2 ft. Diameter outside jacket 40"
 *Size of intake 12" x 12" Size of foul air outlet 10" x 12"
 Is foul air removed with smoke through chimney? yes
 Is there a separate chimney for each room? yes
 Outside dimensions of each chimney 26" x 21"
 If one chimney for all rooms, give outside dimensions _____
 Does chimney have a metal stack inside? yes
 Size of evaporating pan _____
 Is the building heated by means of a steam plant? no

BASEMENT FURNACE

Name and No. of furnace River Side Heater
 Size of fresh air intake 12" x 12"
 Outside size of chimney 26" x 21"
 Does chimney have metal stack inside? yes
 Size of school room heat ducts _____
 How high above floor is heat register? _____
 Size of school room foul air outlet 10" x 12"
 Is foul air removed through chimney or separate duct? _____
 Is lower edge of foul air register level with floor? no
 Size of evaporating pan 1' x 1 1/2' x 3'
 If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 100 Kind Slate Condition g.

Dictionaries—No. of advanced 5 Copyright 39-25 Condition V. g.

No. of elementary 6 Copyright 38-25 Condition V. g.

Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 30 Condition V. g.

Maps—No. 9 State Map? yes Condition Good

Globes—No. 1 Diameter of 12" Kind Suspension Condition Good

Desks—No. of single 35 No. of double none Do they fit the pupils? yes Which do not?

Is seat-work material provided? yes How kept V. Good

Water Supply—Drinking Fountain? yes Individual Cups? no Condition V. Good

Facilities for Washing Hands—Kind wash basins

Library—No. of Volumes 289 + text books Condition some V. g. Greatest need reference books

Latest encyclopedia—Kind World Book No. of volumes 19 Copyright date 1937

Outbuildings—No. 2 Distance apart 50 Concealed Entrance yes

Is there a boys' urinal? yes Condition V. g. Lighted? yes Toilet Paper yes

Improvement needed:

Remarks:

Report on Rural School House, by Pearl A. Miller teacher

DATE Oct. 30 1933 District No. 117 County of Rice
 School Site: Acres 1/2 Fence No. No. of trees 34 Condition of site Good
 Building: Of what material Wood When erected before 1913 Outside condition Good
 Inside condition Needs redecoration No. of school rooms 1
 School room: Length 29' Width 19' Height 10
 Length _____ Width _____ Height _____
 What other rooms in building: Hall
 If building was erected after June 1, 1913, have plans been approved by the State? _____
 Heating and Ventilation: Has it been approved by the State? _____

VENTILATING ROOM HEATER

Name of system Waterbury
 When installed _____
 Diameter of fire pot _____ Diameter outside jacket 43
 *Size of intake 16x16 Size of foul air outlet 12x12
 Is foul air removed with smoke through chimney? Yes
 Is there a separate chimney for each room? _____
 Outside dimensions of each chimney 24x24
 If one chimney for all rooms, give outside dimensions _____
 Does chimney have a metal stack inside? _____
 Size of evaporating pan _____
 Is the building heated by means of a steam plant? _____ If so, fill out the blanks under Basement Furnace.

BASEMENT FURNACE

Name and No. of furnace _____
 Size of fresh air intake _____
 Outside size of chimney _____
 Does chimney have metal stack inside? _____
 Size of school room heat ducts _____
 How high above floor is heat register? _____
 Size of school room foul air outlet _____
 Is foul air removed through chimney or separate duct? _____
 Is lower edge of foul air register level with floor? _____
 Size of evaporating pan _____

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 100 Kind Slate Condition Good
 Dictionaries—No. of advanced 2 Copyright 1936 Condition Good
 No. of elementary 4 Copyright 1935 Condition Good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 3 Condition Good
 Maps—No. 8 State Map? Yes Condition Good
 Globes—No. 1 Diameter of 12" Kind Suspension Condition Good
 Desks—No. of single 16 No. of double _____ Do they fit the pupils? Yes Which do not? Not from
 Is seat-work material provided? Yes How kept Cupboard
 Water Supply—Drinking Fountain? Yes Individual Cups? _____ Condition _____
 Facilities for Washing Hands—Kind Pitcher - Basin Paper Towels? Paper Towels
 Library—No. of Volumes 245 Condition Fair Greatest need Lower Br.
 Latest encyclopedia—Kind World Book No. of volumes 19 Copyright date 1937
 Outbuildings—No. 2 Distance apart 50 Concealed Entrance Yes
 Is there a boys' urinal? Yes Condition Good Lighted? Yes Toilet Paper Yes
 Improvement needed: Redecoration of school room
 Remarks: Extra tests - More ref. in geog.

Report on Rural School House, by Doris Garvin teacher

DATE October 1939 District No. 119 County of Rice
School Site: Acres 1/2 acre Fence yes No. of trees 11 Condition of site Good
Building: Of what material Wood When erected _____ Outside condition Good
Inside condition Good No. of school rooms one
School room: Length 25' 2" Width 12' Height 9' 2"
Length _____ Width _____ Height _____

What other rooms in building: none
If building was erected after June 1, 1913, have plans been approved by the State? _____
Heating and Ventilation: Has it been approved by the State? _____

VENTILATING ROOM HEATER

Name of system Mannings Smith Heating Co.
When installed 1916
Diameter of fire pot 22" Diameter outside jacket 40"
*Size of intake 12" Size of foul air outlet 12"
Is foul air removed with smoke through chimney? yes
Is there a separate chimney for each room? yes
Outside dimensions of each chimney 2 3/4' by 30 1/2"
If one chimney for all rooms, give outside dimensions 27'
Does chimney have a metal stack inside? yes
Size of evaporating pan 12" by 6"
Is the building heated by means of a steam plant? no

BASEMENT FURNACE

Name and No. of furnace _____
Size of fresh air intake _____
Outside size of chimney _____
Does chimney have metal stack inside? _____
Size of school room heat ducts _____
How high above floor is heat register? _____
Size of school room foul air outlet _____
Is foul air removed through chimney or separate duct? _____
Is lower edge of foul air register level with floor? _____
Size of evaporating pan _____

If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 103 Kind Slate Condition Good
 Dictionaries—No. of advanced 2 Copyright 1936 Condition Good
 No. of elementary _____ Copyright _____ Condition _____
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) _____ Condition _____
 Maps—No. 9 State Map? yes Condition Fair
 Globes—No. 1 Diameter of 12" Kind Stand Condition Fair
 Desks—No. of single 21 No. of double None Do they fit the pupils? yes Which do not? _____
 Is seat-work material provided? yes How kept On shelf
 Water Supply—Drinking Fountain? yes Individual Cups? _____ Condition Good
 Facilities for Washing Hands—Kind Soap & Water Pumping system used.
 Library—No. of Volumes 172 Condition Good Greatest need 529 Books
 Latest encyclopedia—Kind Compton's No. of volumes 15 Copyright date 1936
 Outbuildings—No. 3 Distance apart _____ Concealed Entrance yes
 Is there a boys' urinal? yes Condition Good Lighted? _____ Toilet Paper No
 Improvement needed: _____

Remarks: _____

Report on Rural School House, by Elsie Mae Fisher teacher

DATE October 25 1939 District No. 120 County of Rice
 School Site: Acres 2.9 Fence no No. of trees 5 large 12 sm Condition of site good
 Building: Of what material frame When erected 1894 Outside condition fair
 Inside condition good No. of school rooms 1
 School room: Length 29 ft. Width 17 ft. Height 10 ft.
 Length 29 ft. Width 17 ft. Height 10 ft.

What other rooms in building: entry
 If building was erected after June 1, 1913, have plans been approved by the State?
 Heating and Ventilation: Has it been approved by the State? yes

VENTILATING ROOM HEATER

Name of system Waterman-Watubury
 When installed 1935
 Diameter of fire pot 17 1/2" Diameter outside jacket 34 1/2"
 *Size of intake 12" x 21" Size of foul air outlet 12" x 18"
 Is foul air removed with smoke through chimney? yes
 Is there a separate chimney for each room?
 Outside dimensions of each chimney 17" x 26"
 If one chimney for all rooms, give outside dimensions 17" x 26"
 Does chimney have a metal stack inside? yes
 Size of evaporating pan 8" x 25"
 Is the building heated by means of a steam plant?

BASEMENT FURNACE

Name and No. of furnace
 Size of fresh air intake
 outside size of chimney
 Does chimney have metal stack inside?
 Size of school room heat ducts
 How high above floor is heat register?
 Size of school room foul air outlet
 Is foul air removed through chimney or separate duct?
 Is lower edge of foul air register level with floor?
 Size of evaporating pan

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 90 Kind slate Condition good
Dictionaries—No. of advanced 1 large Copyright 1936 Condition excellent
No. of elementary 4 Copyright 1935 Condition excellent
Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 9 Condition good
Maps—No. 8 State Map? yes Condition good
Globes—No. 1 Diameter of 12 inches Kind suspension Condition good
Desks—No. of single 17 No. of double 0 Do they fit the pupils? yes Which do not? none
Is seat-work material provided? yes How kept workbooks - filed in shelves
Water Supply—Drinking Fountain? yes Individual Cups? Condition fair
Facilities for Washing Hands—Kind wash-basin and paper towels
Library—No. of Volumes 205 Condition fair Greatest need fiction
Latest encyclopedia—Kind World Book No. of volumes 12 Copyright date 1938
Outbuildings—No. 2 Distance apart over 50 ft Concealed Entrance yes
Is there a boys' urinal? yes Condition good Lighted? yes Toilet Paper yes
Improvement needed _____
Remarks: _____

Report on Rural School House, by Rose A. Shields teacher

DATE October 31, 1939 District No. 121 County of Rice
School Site: Acres One Fence No No. of trees 32 Condition of site Good
Building: Of what material Frame When erected 1897 Outside condition Good
Inside condition Good No. of school rooms One
School room: Length 27 ft. Width 15 ft. Height 10 ft. 2 in.
Length _____ Width _____ Height _____
What other rooms in building: Woodshed

If building was erected after June 1, 1913, have plans been approved by the State? _____

Heating and Ventilation: Has it been approved by the State? Yes

VENTILATING ROOM HEATER

Name of system Northern De Luxe
When installed Sept. 1939
Diameter of fire pot 18 in. Diameter outside jacket 3 ft.
*Size of intake 9 X 22 in. Size of foul air outlet 12 X 15 in.
Is foul air removed with smoke through chimney? Yes
Is there a separate chimney for each room? Yes
Outside dimensions of each chimney 18 in. X 2 ft. in.
If one chimney for all rooms, give outside dimensions _____
Does chimney have a metal stack inside? _____
Size of evaporating pan ken. made, 3 ft. in. long
Is the building heated by means of a steam plant? _____

BASEMENT FURNACE

Name and No. of furnace _____
Size of fresh air intake _____
Outside size of chimney _____
Does chimney have metal stack inside? _____
Size of school room heat ducts _____
How high above floor is heat register? _____
Size of school room foul air outlet _____
Is foul air removed through chimney or separate duct? _____
Is lower edge of foul air register level with floor? _____
Size of evaporating pan _____

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 100 Kind Slate Condition Very Good
 Dictionaries—No. of advanced One Copyright 1937 Condition New
 No. of elementary 4 Copyright 1937 Condition Good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 2 ^{for Lower Grades} Condition Good
 Maps—No. 8 State Map? Yes Condition Good
 Globes—No. 1 Diameter of 12 Kind Suspension Condition New
 Desks—No. of single 15 No. of double _____ Do they fit the pupils? Yes Which do not? _____
 Is seat-work material provided? Yes How kept In cupboard on Shelves
 Water Supply—Drinking Fountain? Yes Individual Cups? Yes Condition Good
 Facilities for Washing Hands—Kind Wash Basin and Individual Towels
 Library—No. of Volumes 33 Condition Fair Greatest need a greater variety
 Latest encyclopedia—Kind Compton's Pictorial No. of volumes 15 Copyright date 1937
 Outbuildings—No. Two Distance apart 40 ft. Concealed Entrance Yes
 Is there a boys' urinal? Yes Condition Good Lighted? Yes Toilet Paper Yes
 Improvement needed: More shelving space.
 Remarks: We are getting Library Books from the Public Library in Hagibault as our Library is inadequate.

Report on Rural School House, by

Ethel R. Palan teacher

DATE October 25 1939

District No. 122

County of Rice

School Site: Acres 1 1/2

Fence No

No. of trees 7

Condition of site Fair

Building: Of what material Wood

When erected

Outside condition Fair

Inside condition Good

No. of school rooms 1

School room: Length 17

Width 17

Height 12

Length

Width

Height

What other rooms in building: Hall

If building was erected after June 1, 1913, have plans been approved by the State?

Heating and Ventilation: Has it been approved by the State? Yes

VENTILATING ROOM HEATER

Name of system Harvellette Circulator

When installed

Diameter of fire pot 15" Diameter outside jacket 22"

*Size of intake 12" Size of foul air outlet 12"

Is foul air removed with smoke through chimney? Yes

Is there a separate chimney for each room?

Outside dimensions of each chimney

If one chimney for all rooms, give outside dimensions

Does chimney have a metal stack inside? Yes

Size of evaporating pan 3" x 4" x 15"

Is the building heated by means of a steam plant?

BASEMENT FURNACE

Name and No. of furnace

Size of fresh air intake

Outside size of chimney

Does chimney have metal stack inside?

Size of school room heat ducts

How high above floor is heat register?

Size of school room foul air outlet

Is foul air removed through chimney or separate duct?

Is lower edge of foul air register level with floor?

Size of evaporating pan

If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 100 Kind Slate Condition good
 Dictionaries—No. of advanced 2 Copyright 1936 Condition good
 No. of elementary 4 Copyright 1936 Condition good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) _____ Condition good
 Maps—No. 8 State Map? Yes Condition Fair
 Globes—No. 1 Diameter of 12" Kind stand Condition good
 Desks—No. of single 22 No. of double None Do they fit the pupils? Yes Which do not? _____
 Is seat-work material provided? Yes How kept _____
 Water Supply—Drinking Fountain? Yes Individual Cups? _____ Condition good
 Facilities for Washing Hands—Kind Running Water
 Library—No. of Volumes About 200 Condition Fair Greatest need Best Upper E.
 Latest encyclopedia—Kind Compton's No. of volumes 18 Copyright date 1937
 Outbuildings—No. 2 Distance apart Over 50' Concealed Entrance Yes
 Is there a boys' urinal? Yes Condition good Lighted? Windows Toilet Paper Yes
 Improvement needed: _____
 Remarks: _____

Report on Rural School House, by

Margaret C. Miller teacher

DATE *November 22* 193*9* District No. *1238* County of *Rice*

School Site: Acres *3* Fence *no* No. of trees *4* Condition of site *Good*

Building: Of what material *Wood* When erected *about 1890* Outside condition *Good*

Inside condition *Good* No. of school rooms *1*

School room: Length *32 ft.* Width *20 ft.* Height *15 ft.*

Length *32 ft.* Width *20 ft.* Height *15 ft.*

What other rooms in building: *one cloak room*

If building was erected after June 1, 1913, have plans been approved by the State?

Heating and Ventilation: Has it been approved by the State? *yes*

VENTILATING ROOM HEATER

Name of system *Room Heater*

When installed *When school was built*

Diameter of fire pot *4"* Diameter outside jacket *16"*

*Size of intake *12" x 12"* Size of foul air outlet *12" x 14"*

Is foul air removed with smoke through chimney? *yes*

Is there a separate chimney for each room? *only 1 room*

Outside dimensions of each chimney *18" x 10"*

If one chimney for all rooms, give outside dimensions

Does chimney have a metal stack inside? *no*

Size of evaporating pan *11" x 7"*

Is the building heated by means of a steam plant? *no*

BASEMENT FURNACE

Name and No. of furnace

Size of fresh air intake

Outside size of chimney

Does chimney have metal stack inside?

Size of school room heat ducts

How high above floor is heat register?

Size of school room foul air outlet

Is foul air removed through chimney or separate duct?

Is lower edge of foul air register level with floor?

Size of evaporating pan

If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 100 Kind Slate Condition Good
 Dictionaries—No. of advanced 2 Copyright 1937 Condition Good
 No. of elementary 4 Copyright 1935 Condition Good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 2 Condition Good
 Maps—No. 9 State Map? yes Condition Good
 Globes—No. 1 Diameter of 12 in Kind Standard Condition Good
 Desks—No. of single 16 No. of double none Do they fit the pupils? yes Which do not?

Is seat-work material provided? yes How kept in hand at all times
 Water Supply—Drinking Fountain? yes Individual Cups? no Condition Good
 Facilities for Washing Hands—Kind Paper water over hands into basin
 Library—No. of Volumes 215 library books Condition some good and some poor Greatest need
 Latest encyclopedia—Kind The Standard No. of volumes 9 Copyright date 1923
 Outbuildings—No. 2 Distance apart 150 ft Concealed Entrance yes
 Is there a boys' urinal? yes Condition Good Lighted? yes Toilet Paper yes

Improvement needed: The need new encyclopedias
 Remarks: and new Geography books
badly. We have very little brown in
our school.

Report on Rural School House, by Mr. Ray Nickolay teacher

DATE October 27, 1938 District No. 125 County of Rice
 School Site: Acres $\frac{3}{4}$ acres Fence no No. of trees 30 Condition of site good
 Building: Of what material wood When erected 1901 Outside condition good
 Inside condition good No. of school rooms one
 School room: Length 25 feet Width 21 feet Height 15 feet
 Length _____ Width _____ Height _____
 What other rooms in building: none
 If building was erected after June 1, 1913, have plans been approved by the State? _____
 Heating and Ventilation: Has it been approved by the State? yes

VENTILATING ROOM HEATER

Name of system Convection Heater
 When installed 1936
 Diameter of fire pot 22" Diameter outside jacket 11"
 *Size of intake 14x10" Size of foul air outlet 13x14"
 Is foul air removed with smoke through chimney? yes
 Is there a separate chimney for each room? yes
 Outside dimensions of each chimney 20"x25"
 If one chimney for all rooms, give outside dimensions "
 Does chimney have a metal stack inside? yes
 Size of evaporating pan 18x12x10"
 Is the building heated by means of a steam plant? no

BASEMENT FURNACE

Name and No. of furnace _____
 Size of fresh air intake _____
 Outside size of chimney _____
 Does chimney have metal stack inside? _____
 Size of school room heat ducts _____
 How high above floor is heat register? _____
 Size of school room foul air outlet _____
 Is foul air removed through chimney or separate duct? _____
 Is lower edge of foul air register level with floor? _____
 Size of evaporating pan _____

If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 100 sq.ft. Kind slate Condition good
Dictionaries—No. of advanced two Copyright 1936-38 Condition good
No. of elementary five Copyright 1934 Condition good
Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) four Condition fair
Maps—No. nine State Map? yes Condition good
Globes—No. one Diameter of 12 in. Kind suspension Condition good
Desks—No. of single 20 No. of double none Do they fit the pupils? yes Which do not? none

Is seat-work material provided? yes How kept filed
Water Supply—Drinking Fountain? yes Individual Cups? no Condition good
Facilities for Washing Hands—Kind wash basin and sprinkler
Library—No. of Volumes sixty Condition good Greatest need wider sel.
Latest encyclopedia—Kind World Book No. of volumes 18 Copyright date 1938
Outbuildings—No. two Distance apart 50 ft. Concealed Entrance yes
Is there a boys' urinal? yes Condition good Lighted? yes Toilet Paper yes

Improvement needed: _____

Remarks: _____

Report on Rural School House, by Agatha Sandmann teacher

DATE October 31 1939 District No. 126 County of Rice

School Site: Acres 1 Fence 3 sides No. of trees 32 Condition of site Fair

Building: Of what material Wood When erected _____ Outside condition Good

Inside condition Good No. of school rooms 1

School room: Length 28 $\frac{5}{8}$ ft. Width 21 $\frac{1}{2}$ ft. Height 75 in

Length _____ Width _____ Height _____

What other rooms in building: Hall

If building was erected after June 1, 1913, have plans been approved by the State? _____

Heating and Ventilation: Has it been approved by the State? yes

VENTILATING ROOM HEATER.

Name of system Silent Lamp Oil Burner

When installed 1938

Diameter of fire pot 14 Diameter outside jacket 28 X 28

*Size of intake 23 $\frac{1}{2}$ X 8 $\frac{1}{2}$ Size of foul air outlet 18 X 19

Is foul air removed with smoke through chimney? yes

Is there a separate chimney for each room? yes

Outside dimensions of each chimney 25 X 25

If one chimney for all rooms, give outside dimensions 25 X 25

Does chimney have a metal stack inside? yes

Size of evaporating pan 18 X 6 $\frac{1}{2}$ X 3

Is the building heated by means of a steam plant? No

BASEMENT FURNACE

Name and No. of furnace _____

Size of fresh air intake _____

Outside size of chimney _____

Does chimney have metal stack inside? _____

Size of school room heat ducts _____

How high above floor is heat register? _____

Size of school room foul air outlet _____

Is foul air removed through chimney or separate duct? _____

Is lower edge of foul air register level with floor? _____

Size of evaporating pan _____

If so, fill out the blanks under Basement Furnace.

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 189.78 Kind slate & supplate Condition Good
 Dictionaries—No. of advanced none Copyright _____ Condition _____
 No. of elementary 8 Copyright 1935-38 Condition Good
 Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) 4 Condition Good
 Maps—No. 8 State Map? yes Condition Good
 Globes—No. 1 Diameter of 12 inch Kind Suspension Condition Good
 Desks—No. of single 19 No. of double _____ Do they fit the pupils? yes Which do not? _____

Is seat-work material provided? yes How kept Cupboard
 Water Supply—Drinking Fountain? yes Individual Cups? No Condition Good
 Facilities for Washing Hands—Kind Basin & Pitcher on stand
 Library—No. of Volumes 148 Condition fair & good Greatest need Lower grade
 Latest encyclopedia—Kind Compton's No. of volumes 15 Copyright date 1937
 Outbuildings—No. 3 Distance apart 50 ft. Concealed Entrance yes
 Is there a boys' urinal? yes Condition fair Lighted? yes Toilet Paper yes

Improvement needed: Chimney painted inside.

Remarks: _____

Report on Rural School House, by Anna M. Engeseth teacher

DATE Oct. 25 1939 District No. 127 County of Rice
 School Site: Acres one Fence yes No. of trees 25 Condition of site excellent
 Building: Of what material Brick When erected _____ Outside condition excellent
 Inside condition excellent No. of school rooms one
 School room: Length 26 ft. Width 21 ft. 6 in. Height 12 ft. 6 in.
 Length _____ Width _____ Height _____
 What other rooms in building: Lib., cloak room, Basement play room, store room, furnace
 If building was erected after June 1, 1913, have plans been approved by the State? _____
 Heating and Ventilation: Has it been approved by the State? _____

VENTILATING ROOM HEATER

Name of system _____
 When installed _____
 Diameter of fire pot _____ Diameter outside jacket _____
 *Size of intake _____ Size of foul air outlet _____
 Is foul air removed with smoke through chimney? _____
 Is there a separate chimney for each room? _____
 Outside dimensions of each chimney _____
 If one chimney for all rooms, give outside dimensions _____
 Does chimney have a metal stack inside? _____
 Size of evaporating pan _____
 Is the building heated by means of a steam plant? _____

BASEMENT FURNACE Linnox

Name and No. of furnace CD 2242 Terrill zone
 Size of fresh air intake 1 ft. diam.
 Outside size of chimney 3' x 3'
 Does chimney have metal stack inside? _____
 Size of school room heat ducts 12' x 20'
 How high above floor is heat register? 1st floor - 1-8 ft
 Size of school room foul air outlet ~~12' x 20'~~ 9' x 18'
 Is foul air removed through chimney or separate duct? _____
 Is lower edge of foul air register level with floor? yes
 Size of evaporating pan _____

*If circular, give circumference; if rectangular, give length and width.

EQUIPMENT OF SCHOOL

Blackboard—No. of square feet per room 144 Kind slate Condition Good
Dictionaries—No. of advanced 2 Copyright 1935 Condition Good
No. of elementary 4 Copyright 1935, 35 Condition Good
Supplementary Readers—No. of sets for each pupil (not counting books over 10 years old) _____ Condition _____
Maps—No. 9 State Map? yes Condition good
Globes—No. 1 Diameter of 12 Kind suspension Condition good
Desks—No. of single 24 No. of double 0 Do they fit the pupils? yes Which do not?

Is seat-work material provided? yes How kept fair
Water Supply—Drinking Fountain? yes Individual Cups? yes Condition fair
Facilities for Washing Hands—Kind wash basin, paper towels, soap
Library—No. of Volumes 193 Condition fair Greatest need none
Latest encyclopedia—Kind World Book No. of volumes 22 Copyright date 1931
Outbuildings—No. 2 Distance apart 50 ft Concealed Entrance yes
Is there a boys' urinal? yes Condition good Lighted? yes Toilet Paper yes

Improvement needed:

Remarks: