


NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.

Phone: 847-298-7500

Fax: 847-699-9744

Toll Free: 800-323-2358

Email: mkt@ntnamerica.com

Website: www.ntnamericas.com

Item # SUCT210-32, Take-Up Unit, Set Screw, Stainless Steel Housing, SUCT Type



[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)

Order Now

Ordering Options

FIND A DISTRIBUTOR

CONTACT NTN CUSTOMER SUPPORT SPECIALIST

ORDER THROUGH NTN DOL (AUTHORIZED DISTRIBUTORS ONLY)


Technical Specifications

Type

Take-Up Unit

Bearing Type	Ball Bearing
Locking Device	Set Screw
Seal Type	Contact
Seal Material	Silicone
Bearing Number	SUC210-32
Housing Number	ST210N
Insert Material	Stainless Steel
Housing Material	Stainless Steel
Performance	Normal Duty
Dynamic Load Rating	6182 lbf 27500 N 27.50 kN
Static Load Rating	5328 lbf 23700 N 23.70 kN
Rotational Speed [Max]	2900.0 RPM
Weight	6.108 lb 2.770 kg
Operating Temperature Range	-4 to 250 °F -20 to 120 °C
Lubrication	Relubricatable

Dimensional Specifications



Take-Up Unit, Set Screw, Stainless Steel Housing, SUCT Type - Dimensions

d	2.0000 in 50.800 mm
L	5.8700 in 149.0 mm
H	4.6100 in 117.0 mm
H1	4.0200 in 102.0 mm
H2	3.2700 in 83.0 mm
L1	3.5400 in 90.0 mm
L2	0.6300 in 16.0 mm
L3	3.3900 in 86.0 mm
N	1.1400 in 29.0 mm
N1	0.7500 in 19.0 mm
N2	1.9300 in 49.0 mm
A	1.9300 in 49.0 mm
A1	0.6300 in 16.0 mm
A2	1.4600 in 37.0 mm
B	2.0315 in 51.600 mm
S	0.7480 in 19.000 mm