
NTN BEARING CORPORATION OF AMERICA
Head Office
1600 E. Bishop Court, P.O. Box 7604
Mount Prospect, IL 60056-7604, U.S.A.
Phone: 847-298-7500
Fax: 847-699-9744
Toll Free: 800-323-2358
Email: mkt@ntnamerica.com
Website: www.ntnamericas.com

Item # UELT207-104D1, Take-Up Unit, Cast Housing, Eccentric Locking Collar, UELT Type





Order Now | Technical Specifications | Dimensional Specifications

Order Now


Ordering Options	FIND A DISTRIBUTOR CONTACT NTN CUSTOMER SUPPORT SPECIALIST ORDER THROUGH NTN DOL (AUTHORIZED DISTRIBUTORS ONLY)

Technical Specifications

Type	Take-Up Unit

Bearing Type	Ball Bearing
Locking Device	Eccentric Locking Collar
Seal Type	Contact
Seal Material	Nitrile Rubber
Bearing Number	UEL207-104D1
Housing Number	T207D1
Housing Material	Cast Iron
Performance	Light Duty
Dynamic Load Rating	5778 lbf 25700 N 25.70 kN
Static Load Rating	3440 lbf 15300 N 15.30 kN
Rotational Speed [Max]	4200 RPM
Weight	3.800 lb 1.720 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C
Lubrication	Relubricatable

Dimensional Specifications



Take-Up Unit, Cast Housing, Eccentric Locking Collar, UELT Type - Dimensions

d	1.2500 in 31.750 mm

L	5.0937 in 129.0 mm
H	4.0313 in 102.0 mm
H1	3.5000 in 89.0 mm
H2	2.5312 in 64.0 mm
L1	3.0625 in 78.0 mm
L2	0.5937 in 15.0 mm
L3	2.5312 in 64.0 mm
N	0.8750 in 22.0 mm
N1	0.6250 in 16.0 mm
N2	1.4687 in 37.0 mm
A	1.4687 in 37.0 mm
A1	0.4724 in 12.0 mm
A2	1.1875 in 30.0 mm
r	2.0000 in 51.0 mm
B1	2.0118 in 51.100 mm
S	0.7402 in 18.800 mm
F	0.1811 in 4.600 mm