



The Timken Company


4500 Mt Pleasant St. NW

N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number UEL206-20, UEL 200 Take-Up Mounted Bearings - Eccentric Locking Collar



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#)

Specifications

Bearing Number	UEL206-20
Shaft Size d	1 1/4 in
Locking Style	Eccentric Locking Collar
Housing Construction	Take-Up

Dimensions



Housing Width A	37 mm 1.457 in
Slot Width A1	12 mm 0.472 in
Socket Width A2	28 mm 1.102 in



Total Height H	102 mm 4.016 in
Pitch Height H1	89 mm
Height H2	56 mm
Total Length L	113 mm 4.449 in
Shaft Length L1	70 mm 2.756 in
Dimension L2	10 mm
Slot Length L3	57 mm 2.244 in
Adjustment Screw Bore N	22 mm 0.866 in
Opening Width N1	16 mm 0.63 in
Opening Height N2	37 mm 1.457 in
Center of Bearing from End S	18.3 mm 0.72 in
Dimension B1	48.4 mm 1.906 in
Grease Nipple Size	B-1/4-28UNF

Basic Load Ratings

Static Load Rating	11300 N 2540 lbf
Dynamic Load Rating	19500 N 4384 lbf



Bearing Number	UEL206-20			
Load Ratings - C _r	4384	lbf	19500	N
Load Ratings - C _{0r}	2540	lbf	11300	N
Weight	3.1	lb	1.4	kg

TIMKEN

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

UEL206-20
UEL200 Take-Up Mounted Bearings -
Eccentric Locking Collar

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY