Livestock Dosage Guidelines



Streamline your livestock management with our comprehensive dosage guidelines, ensuring optimal health and care for your cattle, sheep, goats, swine, and horses.

CATTLE:

Initial Dose Via Drench:

Administer 30cc (1 oz) per 100 lbs body weight. Continue this dose for 3 days for cattle experiencing problems.

Maintenance Dosage:

Up to 500 lbs: Give 15cc (1/2 oz) per head, per day. Over 500 lbs: Give 30cc (1 oz) per head, per day.

Initial Dose Top Dress:

Apply 30cc (1 oz) per 100 lbs body weight per day for up to 3 days.

Maintenance Dosage:

Up to 500 lbs: Apply 15cc (1/2 oz) per head, per day. Over 500 lbs: Apply 30cc (1 oz) per head, per day.

Water Trough Treatment:

Administer an **initial dose** of 60cc (2 oz) per head, per day for the first week, followed by a **maintenance dosage** of 30cc (1 oz) per head, weekly. Ensure the trough is placed in a shaded area for maximum efficiency.

SHEEP AND GOATS:

Initial Dose Via Drench:

Administer 20cc per 50 lbs body weight.

Maintenance Dosage:

Give 10cc per head, per day via top dress or drench.

Water Trough Treatment: Use 30cc (1 oz) per 5 gallons of water.

SWINE:

Initial Dose Oral:

Administer 30cc (1 oz) per 50 lbs body weight.

Maintenance Dosage:

Give 15cc (1/2 oz) per head, per day as a top dress with dry or slop feed.

Medicator Application:

Apply at a rate of 1:128.

HORSES:

Foals:

Initial Dose Via Drench:

Administer 30cc (1 oz).

Maintenance Dosage:

Apply 30cc (1 oz) per day as a top dress.

Mature Horses:

Initial Dose Via Drench:

Administer 60cc (2 oz).

Maintenance Dosage:

Give 30cc (1 oz) per head, per day as a top dress.

