

LBL

Application For: Medicare Supplement Coverage

If you are applying during Open Enrollment or Guaranteed Issue period, SKIP SECTIONS 4 and 5 and GO TO SECTION 6		
Height: ____ feet ____ inches Weight: ____ pounds	Height: ____ feet ____ inches Weight: ____ pounds	
In the past 12 months, have you used tobacco in any form, or used nicotine products including a patch, gum, or electronic cigarettes? ☐ Yes ☐ No	In the past 12 months, have you used tobacco in any form, or used nicotine products including a patch, gum, or electronic cigarettes? ☐ Yes ☐ No	
SECTION 4. HEALTH QUESTIONS - If either Applicant A or Applicant B answer "Yes" to any of the following questions 1-15, or to <u>any</u> of 16 B, C, D, or E that person is not eligible for Medicare Supplement Coverage.		
	Applicant A	Applicant B
1. Have you been advised by a physician to have surgery, medical tests, treatment or therapy that has not been performed?	☐ Yes ☐ No	☐ Yes ☐ No
2. Have you been advised by a physician that surgery may be required within the next 12 months for cataract(s)?	☐ Yes ☐ No	☐ Yes ☐ No
3. Have you been hospitalized two or more times within the last two years?	☐ Yes ☐ No	☐ Yes ☐ No
4. Are you currently hospitalized, bedridden, living in a nursing facility, receiving hospice or home health care, using a wheelchair or a motorized mobility aid?	☐ Yes ☐ No	☐ Yes ☐ No
5. Have you had an organ transplant or amputation caused by disease?	☐ Yes ☐ No	☐ Yes ☐ No
6. Have you been diagnosed with emphysema or chronic pulmonary disorder other than asthma, or have you been treated with supplemental oxygen or a nebulizer for a pulmonary disorder?	☐ Yes ☐ No	☐ Yes ☐ No
7. Have you been diagnosed with Parkinson's disease, multiple sclerosis, ALS (amyotrophic lateral sclerosis), systemic lupus, or myasthenia gravis?	☐ Yes ☐ No	☐ Yes ☐ No
8. Have you been diagnosed with, Alzheimer's disease, senile dementia or any other cognitive disorder?	☐ Yes ☐ No	☐ Yes ☐ No
9. Have you been diagnosed with Acquired Immune Deficiency Syndrome (AIDS), AIDS Related Complex (ARC,) or Human Immunodeficiency Virus (HIV) infection?	☐ Yes ☐ No	☐ Yes ☐ No
10. Within the past two years, have you been treated or been advised by a physician to have treatment for internal cancer or melanoma?	☐ Yes ☐ No	☐ Yes ☐ No
11. Within the past two years, have you been treated or been advised by a physician to have treatment for chronic kidney disease, cirrhosis, or chronic hepatitis?	☐ Yes ☐ No	☐ Yes ☐ No
12. Within the past two years, have you been treated or been advised by a physician to have treatment for alcoholism, drug abuse, mental or nervous disorder requiring psychiatric hospitalization?	☐ Yes ☐ No	☐ Yes ☐ No
13. Within the past two years, have you been treated or been advised by a physician to have treatment for heart attack, coronary artery disease, congestive heart failure, enlarged heart, heart valve surgery, or heart rhythm disorders including use of pacemaker or defibrillator?	☐ Yes ☐ No	☐ Yes ☐ No
14. Within the past two years, have you been treated or been advised by a physician to have treatment for stroke, transient ischemic attack (TIA), carotid artery disease, or peripheral vascular disease?	☐ Yes ☐ No	☐ Yes ☐ No
15. Within the past two years, have you been treated or been advised by a physician to have treatment for osteoporosis with a fracture or fractures, rheumatoid arthritis, or crippling or disabling arthritis?	☐ Yes ☐ No	☐ Yes ☐ No
16. A. Have you been diagnosed with diabetes? If yes, have you also been:	☐ Yes ☐ No	☐ Yes ☐ No
B. advised by a medical professional to take more than 50 units of insulin daily or three or more medications (insulin and oral)?	☐ Yes ☐ No	☐ Yes ☐ No
C. diagnosed with retinopathy or neuropathy?	☐ Yes ☐ No	☐ Yes ☐ No
D. diagnosed with heart disease?	☐ Yes ☐ No	☐ Yes ☐ No
E. treated for high blood pressure with three or more medications?	☐ Yes ☐ No	☐ Yes ☐ No

HEIGHT AND WEIGHT CHART

LBL

	← lower weights – higher weights →		
Height	Standard Premium Weight	* Preferred ¹ Premium Weight	Standard Premium Weight
4' 2"	54 - 59	60 - 124	125 - 149
4' 3"	56 - 62	63 - 129	130 - 155
4' 4"	59 - 64	65 - 135	136 - 161
4' 5"	60 - 67	68 - 140	141 - 168
4' 6"	63 - 70	71 - 145	146 - 174
4' 7"	65 - 72	73 - 151	152 - 181
4' 8"	67 - 75	76 - 156	157 - 187
4' 9"	70 - 78	79 - 162	163 - 194
4' 10"	72 - 80	81 - 167	168 - 201
4' 11"	75 - 83	84 - 173	174 - 208
5' 0"	77 - 86	87 - 179	180 - 215
5' 1"	80 - 89	90 - 185	186 - 222
5' 2"	83 - 92	93 - 191	192 - 229
5' 3"	85 - 95	96 - 198	199 - 237
5' 4"	88 - 98	99 - 204	205 - 244
5' 5"	91 - 101	102 - 210	211 - 252
5' 6"	93 - 104	105 - 217	218 - 260
5' 7"	96 - 108	109 - 223	224 - 268
5' 8"	99 - 111	112 - 230	231 - 276
5' 9"	102 - 114	115 - 237	238 - 284
5' 10"	105 - 117	118 - 244	245 - 292
5' 11"	108 - 121	122 - 251	252 - 301
6' 0"	111 - 124	125 - 258	259 - 309
6' 1"	114 - 128	129 - 265	266 - 318
6' 2"	117 - 131	132 - 273	274 - 326
6' 3"	121 - 135	136 - 280	281 - 335
6' 4"	124 - 139	140 - 288	289 - 344
6' 5"	127 - 142	143 - 295	296 - 353
6' 6"	130 - 146	147 - 303	304 - 363
6' 7"	134 - 150	151 - 311	312 - 373
6' 8"	137 - 154	155 - 319	320 - 382
6' 9"	140 - 158	159 - 327	328 - 392
6' 10"	144 - 162	163 - 335	336 - 402
6' 11"	147 - 166	167 - 343	344 - 412
7' 0"	151 - 170	171 - 351	352 - 422
7' 1"	155 - 174	175 - 360	361 - 432
7' 2"	158 - 178	179 - 368	369 - 442
7' 3"	162 - 182	183 - 377	378 - 452
7' 4"	166 - 186	187 - 386	387 - 463

*** Preferred¹ premium** requires **both** a Preferred Premium Weight (green column) **and** no tobacco or nicotine use within the past 12 months.

If the applicant's weight falls within one of the Standard Premium Weight columns, standard premium rates apply even if the applicant has not used tobacco or nicotine within the past 12 months.

If the applicant's weight is below the lowest Standard Premium Weight or above the highest Standard Premium Weight, the applicant is not insurable.

¹In ND only, premium rates are Tobacco/Nicotine and Non-Tobacco/Non-Nicotine. Height and weight is not a factor for determination of premium rate. In ND, use the Height/Weight table from the Standard Low to the Standard High to determine insurability.

PARTIAL LIST OF UNINSURABLE MEDICATIONS

Below is a partial list of uninsurable medications. Please contact underwriting if you are unsure about a medication that does not appear in the list below.

If the medication is on the list below but is being prescribed for a condition not listed below or is being prescribed in an "off-label" situation, the condition may or may not be insurable. However, if the "off-label" condition being treated is on the list of uninsurable health conditions, the risk is not insurable. If the situation is not clear, it is best to contact underwriting in advance of filling out an application.

Generic	Brands	Used for
abacavir	Ziagen	HIV
abarelix	Plenaxis	cancer
abciximab	ReoPro	heart
acamprosate	Campral	alcohol abuse
adalimumab	Humira	rheumatoid arthritis
AL-721	AL-721	AIDS, HIV
albuterol/ipratropium	DuoNeb, Combivent Respimat	COPD
alemtuzumab	Campath, Lemtrada	multiple sclerosis, leukemia
alteplase	Activase	heart, stroke
altretamine	Hexalen	cancer
amantadine	Endantadine, Symmetrel, Symadine	Parkinson's
ambrisentan	Letairis	pulmonary hypertension
amiodarone	Cordarone, Pacerone, Nexterone	heart
anakinra	Kineret	rheumatoid arthritis
anastrozole	Arimidex	cancer
apomorphine	Apokyn, Uprima	Parkinson's
aripiprazole	Abilify, Aristada	schizophrenia
asparaginase	Elspar	leukemia
atazanavir	Reyataz	HIV
auranofin	Ridaura	rheumatoid arthritis
aurothioglucose	Solganal	rheumatoid arthritis
aurothiomalate	Myochrysine, Aurolate	severe arthritis
azathioprine	Imuran, Azasan	rheumatoid arthritis, kidney transplant
BCG	TheraCyx, Tice BCG	bladder cancer
becaplermin	Regranex	diabetic neuropathy
benztropine	Cogentin	Parkinson's
bevacizumab	Avastin	cancer
bicalutamide	Casodex	prostate cancer
biperiden hydrochloride	Akineton	Parkinson's
bleomycin	Blenoxane	cancer
bromocriptine	Cycloset, Parlodel	Parkinson's
busulfan	Myleran, Busulfex	cancer
capecitabine	Xeloda	cancer
carbidopa	Lodosyn	Parkinson's
carbidopa/levodopa	Sinemet, Rytary, Duopa, Atamet, Carbilev, Parcopa	Parkinson's
carboplatin	Paraplatin	cancer
chlorambucil	Leukeran	cancer, kidney disease, rheumatoid arthritis
chlorotrianisene	Tace	cancer

Generic	Brands	Used for
chlorpromazine	Thorazine	schizophrenia, psychosis
cilostazol	Pletal	peripheral vascular disease
cinacalcet	Sensipar	hyperparathyroidism due to cancer or kidney disease
cisplatin	Platinol	cancer
cladribine	Leustatin	leukemia
clozapine	Clozaril, FazaClo, Versacloz	schizophrenia
cyclophosphamide	Cytoxan, Neosar	cancer, rheumatoid arthritis, lupus
cycloserine	Seromycin	tuberculosis
cyclosporine	Neoral, Sandimmune, Gengraf	organ transplant, cancer, severe arthritis
dalteparin	Fragmin	cardiovascular, cancer
dantrolene	Dantrium, Ryanodex, Revonto	multiple sclerosis
darunavir	Prezista	AIDS, HIV
delavirdine	Rescriptor	AIDS, HIV
didanosine	Videx, ddl	AIDS, HIV
dipyridamole	Persantine	cardiovascular
dipyridamole/aspirin	Aggrenox	stroke, TIA
disulfiram	Antabuse	alcohol abuse
donepezil	Aricept	dementia
doxorubicin	Adriamycin, Caelyx, Rubex	cancer
dronabinol	Marinol, THC	cancer
efavirenz	Sustiva	AIDS, HIV
emtricitabine	Atripla	AIDS, HIV
emtricitabine	Emtriva, Coviracil	AIDS, HIV
emtricitabine/tenofovir	Truvada	HIV
enfuvirtide	Fuzeon	AIDS, HIV
enoxaparin	Lovenox	peripheral vascular disease
entacapone	Comtan	Parkinson's
entacapone/levodopa/carbidopa	Stalevo	Parkinson's
epoetin alfa	Epogen, Procrit, Eprex	chronic kidney disease
eptifibatide	Integrilin	heart
ergoloid mesylates	Hydergine	dementia
estramustine	Emcyt	cancer
etanercept	Enbrel	severe arthritis
ethinyl estradiol	Estinyl	cancer
ethopropazine	Parsidol	Parkinson's
etoposide	VePesid, Toposar, Etopophos	cancer
exemestane	Aromasin	cancer
filgrastim	Neupogen, Granix, Zarxio	cancer
flecainide	Tambocor	heart
fluorouracil	Adrucil	cancer
fluphenazine	Modecate, Prolixin, Moditen, Permitil	psychosis
flutamide	Euflex, Eulexin	cancer
fondaparinux	Arixtra	vascular disease
fosamprenavir	Lexiva	HIV
foscarnet sodium	Foscavir	AIDS, HIV
fulvestrant	Faslodex	cancer

Generic	Brands	Used for
galantamine	Razadyne, Reminyl	dementia
glatiramer	Copaxone, Glatopa	multiple sclerosis
gold sodium thiomalate	Myochrysine, Aurolate	severe arthritis
goserelin	Zoladex	cancer
haloperidol	Haldol, Peridol	psychosis
heparin	Calcilean, Calciparine, Hepalean, Liquaemin	cardiovascular
hydroxyurea	Hydrea, Droxia	cancer
imatinib	Gleevec	cancer
indinavir	Crixivan, IDV	AIDS, HIV
infliximab	Remicade	rheumatoid arthritis
insulin > 50 units per day	many brands	diabetes mellitus
interferon	many brands	AIDS, HIV, cancer, multiple sclerosis, hepatitis
interferon alfa-2a	Roferon-A	AIDS, HIV, cancer
interferon beta 1a	Avonex, Rebif	multiple sclerosis
interferon beta 1b	Betaseron, Extavia	multiple sclerosis
ipratropium	Atrovent	COPD
isoniazid	Hyzyd, INH, Laniazid, Nydrazid, Rimifon, Tubizid	tuberculosis
lamivudine	Combivir, 3TC, Epivir	AIDS
lamivudine/zidovudine/abacavir	Trizivir	HIV
letrozole	Femara	cancer
leucovorin	Wellcovorin	cancer
leuprolide	Lupron, Eligard	cancer
levamisole hydrochloride	Ergamisol	cancer
levodopa	Larodopa, Dopar, L-Dopa	Parkinson's
lomustine	Gleostine, CCNU	cancer
lopinavir	Kaletra	HIV
loxapine	Loxitane	schizophrenia
maraviroc	Selzentry	HIV
medroxyprogesterone acetate	Depo-Provera, Provera, Amen, Curretab, Cycrin	cancer
megestrol	Megace	cancer
melphalan	Alkeran	cancer
memantine	Namenda	dementia
methadone	Methadose, Dolophine	severe pain
methotrexate	Trexall, Rheumatrex, Rasuvo, Otrexup	severe arthritis, cancer
mitomycin	Mutamycin	cancer
mitoxantrone	Novantrone	multiple sclerosis, cancer
morphine	Contin, Avinza, Depodur, Duramorph, Infumorph, Astramorph, Kadian, Oramorph, Rapi-Ject, Roxanol	severe pain
mycophenolate	CellCept, Myfortic	myasthenia gravis, organ transplant
naltrexone	ReVia, Vivitrol, Depade	opioid or alcohol detox
natalizumab	Tysabri	multiple sclerosis
nebulizer device		respiratory / pulmonary disorders

Generic	Brands	Used for
nelfinavir	Viracept	AIDS, HIV
neostigmine	Prostigmin, Bloxiverz	Myasthenia Gravis
nesiritide	Natrecor	congestive heart failure
nevirapine	Viramune	AIDS, HIV
nilutamide	Nilandron	cancer
nitroglycerin	glyceryl trinitrate, Nitrol, Nitro Bid, Tridil, NTG	heart
nitroglycerin transdermal	NitroDur, Minitran, Deponit, Nitrocine	heart
olanzapine	Zyprexa	schizophrenia
ondansetron	Zofran	cancer
oxygen		Respiratory / pulmonary disorder
paliperidone	Invega	schizophrenia
penicillamine	Cuprimine, Depen	rheumatoid arthritis, disease of liver or kidneys
pergolide mesylate	Permax	Parkinson's
perphenazine	Trilafon	schizophrenia
pimozide	Orap	schizophrenia
pramipexole	Mirapex	Parkinson's
procainamide	Procanbid, Pronestyl	heart
prochlorperazine	Compazine	psychosis
procyclidine	Kemadrin	Parkinson's
pyridostigmine	Mestinon, Regonol	Myasthenia Gravis
quetiapine	Seroquel	schizophrenia
quinidine	Quinaglute, Quinidex	
rasagiline	Azilect	Parkinson's
riluzole	Rilutek	ALS - amyotrophic lateral sclerosis
risperidone	Risperdal	schizophrenia, psychosis
ritonavir	Norvir	AIDS, HIV
rituximab	Rituxan	non-Hodgkin lymphoma
rivastigmine	Exelon	dementia
ropinirole	Requip	Parkinson's
rotigotine	Neupro	Parkinson's
saquinavir	Invirase, Fortovase	AIDS, HIV
selegiline	Carbex, Eldepryl, Zelapar	Parkinson's
sotalol	Betapace, Sorine, Sotylize	heart
stavudine	Zerit, d4T	AIDS, HIV
streptozocin	Zanosar	cancer
tacrine	Cognex	dementia
tacrolimus	Prograf, Hecoria, Astagraf, Envarsus	myasthenia gravis, organ transplant
tamoxifen	Soltamox	cancer
tenofovir	Viread	AIDS, HIV
testolactone	Teslac	cancer
thioridazine	Mellaril	psychosis, dementia
thiotepa	Tespa, Thioplex	cancer
thiothixene	Navane	psychosis
ticlopidine	Ticlid	cardiovascular
tiotropium	Spiriva	COPD