

(rituximab)

RITUXAN infusion orders

Patient Name _____ DOB _____

Phone _____ M ☐ F ☐

DIAGNOSIS Please provide ICD-10 code

- | | |
|--|--|
| ☐ _____ Rheumatoid Arthritis | ☐ _____ Microscopic Polyangitis |
| ☐ _____ Granulomatosis w/Polyangitis
<small>(wegener's granulomatosis GPA)</small> | ☐ _____
<small>(other)</small> |

PRE-MEDICATION

- | | |
|--|---|
| ☐ Tylenol 1000mg PO | ☐ Solu-Medrol 125mg IVP |
| ☐ Diphenhydramine 25mg PO | ☐ Solu-Cortef 100mg IVP |
| ☐ Cetirizine 10mg PO | ☐ Diphenhydramine 25mg IVP |
| ☐ _____ | ☐ _____ |

RITUXAN ORDERS

DOSAGE

- ☐ 1000mg
☐ 375mg/m²

PATIENT WEIGHT

_____ lbs.
_____ kg

FREQUENCY

- ☐ initial dose (0) followed by 2nd dose on day 15 (induction for RA diagnosis)
☐ single dose
☐ every week for 4 weeks total
☐ _____
(other frequency)

NOTES

ORDERING PROVIDER

Signature **X** _____ Date _____

Provider _____ Phone _____ Fax _____