

# **Chrome Delete Technical Data Sheet**

**Chrome Delete** 

# **Description**

Chrome delete is a product designed to remove vapor deposited chrome off plastic.

#### **Benefits and Features**

- Strip vapor deposited chrome off plastic effortless
- Ready to use without dilution

#### **ENVIRONMENT**

RoHS Compliant No-VOC

### **Usage Parameters**

Properties	Value
Shelf Life	3 y

## **Temperature Ranges**

Properties	Value
Storage Temperature	-16 to 27 °C
Limits <sup>a)</sup>	[60 to 80 °F]

a) Cool, dry, and well ventilated area recommended.

## **Properties of Chrome Delete**

Properties		Value
Shelf Life Color Odor		3 y Dark orange-brown Mild acidic/iron
pH Percent (wt/wt) of	(FeCl₃) (FeCl₂) (HCl)	<1 ≥38.4% <1.5% <0.8%
Insolubles Specific Gravity @20 °C [68 °F] Boiling Point Freezing Point		<0.5% 1.4 g/mL 106 °C [222 °F] 0 °C [32 °F]

# Compatibility

**Chemical**— FeCl<sub>3</sub> reacts strongly with metals.

# **Storage**

Store between 16 and 27 °C [60 and 80 °F] in dry area. Store in plastic container. Do NOT store in metal containers.

Date: 10/17/2023 / Ver. 1.0



# Chrome Delete Technical Data Sheet

**Chrome Delete** 

### Health, Safety, and Environmental Awareness

Please see Chrome Delete Saftey Data Sheet (SDS) for greater details on transportation, storage, handling and other security guidelines.

#### **Environmental Impact:**

This product meets the European Directive 2011/65/EU Annex II (ROHS); recasting 2002/95/EC.

**Health and Safety:** The solution causes serious eye damage and skin irritation. May be corrosive to metals. Wear eye protection/face protection/gloves. Avoid release to the environment.

#### **HMIS® RATING**

HEALTH:	* 2
FLAMMABILITY:	0
PHYSICAL HAZARD:	1
PERSONAL PROTECTION:	

**NFPA® 704 CODES** 



Approximate HMIS and NFPA Risk Ratings Legend:

0 (Low or none); 1 (Slight); 2 (Moderate); 3 (Serious); 4 (Severe)

# **Application Instructions**

Follow the procedure below for best results. If further directions for removing chrome are needed contact Body-liner staff Customer Service (844-525-4637)

- 1. Fully immerse in solution.
- 2. Agitate once or twice until stripping action is complete.

#### To speed up stripping

Warm the solution between 35 to 55 °C [95 to 131 °F].

ATTENTION! Do NOT heat the solution above 55 °C [131 °F].

**NOTE:** Dilution is not recommended.



# **Chrome Delete Technical Data Sheet**

**Chrome Delete** 

## **Packaging and Supporting Products**

Cat. No.	Packaging	Net Volume		Net Weight		Packaging Weight	
BCD001-4.9	Bottle	4.9 L	1.28 gal	7.44 kg	16.4 lb	7.62 kg <sup>a)</sup>	16.8 lb <sup>a)</sup>

## **Technical Support**

Contact us regarding any questions, improvement suggestions, or problems with this product. TDS & SDS sheets are availabe at www.TeamBodyliner.com

Email: Admin@teambodyliner.com

Phone: +(1) 844-525-4637 (Canada, Mexico, USA & International)

Mailing address: Head Office

5118 52nd St Olds, AB, Canada

T4H 1G9

# Warranty

19890775 Alta Ltd. warranties this product for 12 months from the date of purchase by the end user.
19890775 Alta Ltd. makes no claims as to shelf life of this product for the warranty. The liability of whether based on its warranty, contracts, or otherwise shall in no case include incidental or consequential damage.

#### **Disclaimer**

This information is believed to be accurate. It is intended for professional end users having the skills to evaluate and use the data properly. 19890775 Alta Ltd does not guarantee the accuracy of the data and assumes no liability in connection with damages incurred while using it.