

# CTTK

Managing user roles & permissions



# Agency | Managing user roles & permissions Print


In this article, we discuss how you, as an agency admin, can granularly manage your users' permissions across various modules.

If you are here looking for sub-account's user roles and permission management, [click here](#).

## Getting started with user permissions

To manage users' permissions for an agency,

- Navigate to **Settings > Team**.
- Click on the edit icon for the user whose permissions you want to edit.
- Click on 'Roles & Permissions' in the left menu.




Name	Email	Role	User Type	Location	Actions
Agency Admin	agencyadmin@citk.com	Test User	Account Admin	AGENCY ADMIN	
Admin User A	adminusera@citk.com	Test User	Account Admin	AGENCY ADMIN	
Test User	testuser@citk.com	Test User	Account Admin	AGENCY ADMIN	

## Assigning user type and role

- **User Type:** Select whether you wish to create the user for the agency or a specific sub-account.
- **Role:** Select whether the user is an admin or a user.


## Managing user roles & permissions



## Restrict access to specific sub-accounts

Agency admins can assign agency admins to specific sub-accounts and restrict them from accessing other sub-accounts to which they are not assigned.

For example, Alex, who is an agency admin, can access only assigned sub-accounts '78th Avenue' and 'A Mailbox NYC', without compromising his access level. However, he will not be able to access 'Baker's Inn' which he is not assigned to.




## Assign permissions

Agency admins can apply granular permissions to their users. You may control the permissions at two levels:

- **Module:** Toggle the module off to completely restrict access to the module.
- **Granular:** Using checkboxes, you can set the permissions at a granular level.

## Managing user roles & permissions

The new permissions structure is backward compatible with the old set of permission structures and their functionalities.



## Copy permissions

Agency admins can copy a user's granular permissions to another user. For example, when Bob joins the sales team, the admin can clone Alex's permissions to Bob.

