


SEPTIC TANK LIQUID DEPTH REQUIREMENTS

ND 36" MIN. 78" MAX
WI 36" MIN. 72" MAX

COVERS FOR EACH COMPARTMENT ARE
PRE-CAST CONCRETE AND INSTALLED ON SITE



CROSS SECTION OF EXTERIOR FOOTING/WALL

PRODUCT NAME: SITE CONSTRUCTED

MODEL NUMBER(S): SIZE UNLIMITED

SKAW PRE-CAST

26255 105th STREET, NEW AUBURN
WISCONSIN 54757

SKAW ND PRE-CAST LLC

1027 WELO STREET S, TIOGA, ND 58852


PHONE: (715) 967-2277

TOLL FREE: 1-800-924-8625

HOME PHONE: (715) 967-2305

FAX: (715) 967-2707 (SHOP)

FAX: (715) 967-2708 (HOME)



CROSS SECTION OF BLOCK OUT DETAIL (INTERIOR SIDE OR END WALLS)

48" x 48" x 8" ADD 80 GALLONS PER OPENING

PRODUCT NAME: SEPTIC/SEPTIC, SEPTIC/PUMP, SEPTIC/SIPHON
OR HOLDING/HOLDING
MODEL NUMBER(S): SITE CONSTRUCTED/SIZE UNLIMITED

SKAW PRE-CAST
26255 105th STREET, NEW AUBURN
WISCONSIN 54757
SKAW ND PRE-CAST LLC
1027 WELO STREET S, TIOGA, ND 58652

PHONE: (715) 967-2277
TOLL FREE: 1-800-924-8625
HOME PHONE: (715) 967-2305
FAX: (715) 967-2707 (SHOP)
FAX: (715) 967-2708 (HOME)