

The Gold Of Oceans and Nature



NNP

**Nordic Native Pristine
Pharma (Global)**

北歐原生製藥



NPP

Nordic Native Pristine

Main Focus

產品主要重點
Innovation, Purity, Quality
技術創新, 純度, 品質

Giving you the best Nature has to offer

Epax[®] NORSKFORTE[®] Plus Omega-3
Högkoncentrerat fiskolja, 500mg
Innehåller: 14 g Omega-3 fettsyror (EPA och DHA) samt 120 kapslar.
NORSKFORTE Plus innehåller också fiskolja som är certifierad och uppfyller strikta kvalitetskrav för produktionssättet.

Epax[®] NORSKFORTE[®] Kids Omega-3 DHA
Högkoncentrerat fiskolja, 300mg
Innehåller: 14 g Omega-3 fettsyror (EPA och DHA) samt 180 kapslar.
NORSKFORTE Kids är certifierad och uppfyller strikta kvalitetskrav för produktionssättet.

Epax[®] NORSKFORTE[®] Plus Omega-3
Högkoncentrerat fiskolja, 500mg
Innehåller: 14 g Omega-3 fettsyror (EPA och DHA) samt 120 kapslar.
NORSKFORTE Plus innehåller också fiskolja som är certifierad och uppfyller strikta kvalitetskrav för produktionssättet.

Blueberry Eye Vitamin
För din synförmåga
HÖGKONCENTRERAD
BÅGÄRSGÄRSGRÄD
ORIGINÄLPRODUKT SÄSKAT
PÅ NATURLIGT OCH
HÖGKVALITATIVT GÄR
EXTRAKT OCH
MED VITAMINER OCH
MINERALER SOM
BIDRAR TILL
NORMALISERING
AV DIN
SYNFÖRMÅGA


Blueberry Eye Vitamin
För din synförmåga
HÖGKONCENTRERAD
BÅGÄRSGÄRSGRÄD
ORIGINÄLPRODUKT SÄSKAT
PÅ NATURLIGT OCH
HÖGKVALITATIVT GÄR
EXTRAKT OCH
MED VITAMINER OCH
MINERALER SOM
BIDRAR TILL
NORMALISERING
AV DIN
SYNFÖRMÅGA

GMP CERTIFIED, FDA CERTIFIED

NNP Nordic Native Pristine



Major certifications-manufactured in Epax FDA certified facility
具備所有主要認證-在**Epax FDA**認證的工廠生產



Raw Materials Summary Report

Raw Material Brand Name: EPAX®	
Raw Material Summary: ★★★★★	★ The manufacturing facility is an approved and registered food/dietary supplement manufacturing facility with an appropriate certification = YES ★ The company and/or product has been registered in accordance with the regulatory authorities' requirements where the product is produced = YES ★ The analytical methods used have met the IFOS standard of testing = YES ★ Each lot of certified IFOS raw material has been individually inspected and reviewed for IFOS program compliance = YES ★ The product has met the IFOS Consumer Report 5-Star Rating Criteria = YES

NNP-epax Omega-3 fatty acids

歐米茄3魚油

The Oceans' Gold in Fresh Shape



Epax's history started with fish oil production in Ålesund, Norway in 1838, more than 185 years ago. Until 2018, ePax was part of FMC group (6 billion + in sales, NYSE listed biotech company). Now a part of Norway's largest fishery company, proud to continue building on Norwegian fish oil tradition with modern factories of state-of-the-art, **proprietary, patent protected** purification and concentration technologies in Norway. NNP- Epax ingredients comply with the strictest regulatory standards for manufacturing of dietary supplements and supply FDA compliant intermediates with Active Pharmaceutical Ingredients.

Epax的歷史始於1838年，185年前從挪威奧勒鬆生產起。直到2018年，ePax都是FMC集團的一部分（FMC銷售額超過60億美元，是紐約證券交易所上市的生物技術公司）。現在是挪威最大的漁業公司Pelagia集團的一部分，自豪地繼續在挪威建立現代化的提純和濃縮專有技術工廠，繼續繼承挪威魚油的傳統。Epax魚油成分符合製造膳食補充劑的最嚴格監管標準，並向FDA兼容的中間體提供活性藥物成分。

NNP-epax Credentials

魚油的資質和認證



- **Product Innovation**
By utilizing partnerships with leading expertise and leading biotech and pharmaceutical companies in the world.
- **Highest Purity**
By using suppliers/Partners that are able to deliver ultra-pure ingredients that are safe and reliable.
- **Highest Quality**
By using highest qualified suppliers with certifications for Quality, Safety and Environmental responsibilities.

·產品創新

透過利用與世界領先的專業知識和領先的生物技術和製藥公司的合作夥伴關係。

·最高純度

透過使用能夠提供安全可靠的超純成分的供應商/合作夥伴。

·最好的品質

透過使用具有品質、安全和環境責任認證的最高規格供應商



NNP-epax Credentials 魚油的資質和認證



Raw Materials Summary Report

Raw Material Brand Name:

EPAX®

Raw Material Summary:



- ★ The manufacturing facility is an approved and registered food/dietary supplement manufacturing facility with an appropriate certification = **YES**
- ★ The company and/or product has been registered in accordance with the regulatory authorities' requirements where the product is produced = **YES**
- ★ The analytical methods used have met the IFOS standard of testing = **YES**
- ★ Each lot of certified IFOS raw material has been individually inspected and reviewed for IFOS program compliance = **YES**
- ★ The product has met the IFOS Consumer Report 5-Star Rating Criteria = **YES**

Credentials

資質和認證

Premier fish oil (Omega-3 fatty acids) company in the world

世界第一魚油公司



Credentials

資質和認證

Premier fish oil (Omega-3 fatty acids) company in the world

世界第一魚油公司




- Over 185 years of history, pioneer in fish oil processing in Norway
- Most clinically researched/adapted Omega-3 fish oil in the world
- State of the art, most technologically advance facility and processing technology
- Unrivaed in the pursue of purity, concentration in the Omega 3 industry worldwide
- With highest industry certifications , unrivaed in the industry
- Founding member of the Global Omega 3 organization in the world, defining standards of the industry worldwide
- 超過**185**年的歷史，挪威魚油加工的先驅，世界上臨床研究/應用性最強的**Omega-3**魚油
- 最先進的技術，最先進的設備和加工技術
- 純度和濃度在全球**Omega 3**行業中排名第一
- 具有所有業內最高的行業認證
- 全球**Omega 3**組織的創始成員，定義了全球行業標準。



Credentials 資質和認證



- First to introduce condition-specific Omega 3 formulas for a wide range of health applications
- Our portfolio of highly concentrated marine Omega-3 is uniquely formulated with varying concentrations and ratios of EPA and DHA fatty acids, which are designed to address specific health concerns.
- 率先推出適用於各種健康應用的針對具體情況的標靶 **Omega 3** 配方,適用於廣泛健康領域
- 數十年來, **Epax®** 的濃縮魚油已在全球範圍內用於廣泛的臨床研究,以確定**Omega-3 EPA和DHA**的重要作用。我們的**Omega-3**濃縮魚油是全球最重要的以百位數計的多項臨床研究所使用,這比世界上任何其他海洋**Omega-3**公司總和都要多。通過選擇 **NNP Epax®**,不僅可以保證獲得安全,高純度的**Omega-3**成分,還可以確保您獲得更多的健康收益。也可以確信自己選擇的是科學支持的安全有效的成分。



Clinical Research/Trials (NNP-epax)

魚油臨床研究



- Cardiovascular Health
- von Schacky C, Angerer P, Kothny W. Et al. The effect of dietary omega-3 fatty acids on coronary atherosclerosis. A randomized, double-blind, placebo-controlled trial. Ann.Intern.Med. 1999;130:554-562
- von Schacky C, Baumann K, Angerer P. The effect of n-3 fatty acids on coronary atherosclerosis: results from SCIMO, an angiographic study, background and implications.LIPIDS 2001;36:S99-S102
- Lervang HH, Schmidt EB, Møller JM. Et al. The effect of low-dose supplementation with n-3 polyunsaturated fatty acids on some risk markers of coronary heart disease. Scand J Clin Lab Invest 1993;53:417-423
- Markmann P, Lerche C, Nørtoft LL. A critical view on using fish-oil in prevention of ischaemical heart disease. Ugeskr Laeger 1992;154:2288-2292
- Schmidt EB. n-3 fatty acids and the risk of coronary heart disease. Dan.Med.Bull 1997;44:1-22
- Marckmann P, Bladbjerg EM, Jespersen J et al. Dietary fish oil (4 g daily) and cardiovascular risk markers in healthy men. Arterioscler.Thromb.Vasc.Biol. 1997;17:3384-3391
- Cazzola R, Russo-Volpe S, Miles EA, et al. Age- and dose-dependent effects of an eicosapentaenoic acid-rich oil on cardiovascular risk factors in healthy male subjects. Atherosclerosis 2007;193:159-167
- Einvik G, Klemsdal TO, Sandvik L et al. A randomized clinical trial on n-3 PUFA supplementation and all-cause mortality in elderly men at high cardiovascular risk. Eur J Cardiovasc Rehab 2010;17:588-592
- Hjerkin EM, Abdelnoor M, Breivik L et al. Effect of diet or very long chain omega-3 fatty acids on progression of atherosclerosis, evaluated by carotid plaques, intima-media thickness and by pulse wave propagation in elderly men with hypercholesterolaemia. European Journal of Cardiovascular Prevention and Rehabilitation 2006;13:325-333
- Dyerberg J, Eskesen DC, Andersen PW et al. Effects of trans- and n-3 unsaturated fatty acids on cardiovascular risk markers in healthy males. European.journal of clinical.nutrition 2004;58:1062-1070
- Dyerberg J, Christensen JH, Eskesen D et al. Trans, and n-3 polyunsaturated fatty acids and vascular function-A yin yang situation. Atherosclerosis.Supplements 2006;33-35
- Schmidt EB, Varming K, Pedersen JO et al. Long-term supplementation with n-3 fatty acids. Scan J Clin Lab Invest 1992;52:229-236

Clinical Research/Trials (NNP-epax)

魚油臨床研究



- Rees D, Miles EA, Banerjee T, et al. Dose-related effects of eicosapentaenoic acid on innate immune function in healthy humans: a comparison of young and older men. *American journal of clinical nutrition* 2006;83:331-342
- cell adhesion molecule-1. *Clinical science* 2003;105:13-20
- Eid H, Arnesen H, Hjerkin EM et al. Effect of diet and omega-3 fatty acid intervention on asymmetric dimethylarginine. *Nutrition & Metabolism* 2006;3:4
- Furenes EB, Seljeflot I, Solheim S et al. Long-term influence of diet and/or omega-3 fatty acids on matrix metalloproteinase-9 and PAPP-A in men at high risk of coronary heart disease. *SCL* 2008;68:177-184
- Bonnema SJ, Jespersen LT, Marving J et al. Supplementation with olive oil rather than fish oil increases small arterial compliance in diabetic patients *Diab Nutr & Metabol* 1995;8:81-87
- Hjerkin EM, Seljeflot I, Ellingsen I et al. Influence of long-term intervention with dietary counseling, long-chain n-3 fatty acid supplements, or both on circulating markers of endothelial activation in men with long-standing hyperlipidemia. *American journal of clinical nutrition* 2005;81:583-589
- Christensen JH, Therkelsen K, Møller JM et al. n-3 fatty acids do not decrease plasma endothelin levels in healthy individuals. *Scan J Clin Invest* 1997;57:495-500
- Fashing P, Ratheiser K, Waldhäusl W et al. Metabolic effects of fish-oil supplementation in patients with impaired glucose tolerance. *Diabetes* 1991;40:583-589
- Fashing P, Rohac M, Liener K et al. Fish oil supplementation versus gemfibrozil treatment in hyperlipidemic NIDDM. *Horm Metab Res* 1996;28:230-236
- Troseid M, Seljeflot I, Hjerkin EM et al. IL-18 is a strong predictor of cardiovascular events in elderly men with the metabolic syndrome. *Diab Care* 2008;32:486-492
- Kamolrat T, Gray SR, and Thivierge MC. Fish oil positively regulates anabolic signalling alongside an increase in whole-body gluconeogenesis in ageing skeletal muscle. *Eur J Nutr* 2013;52(2):647-657
- Flachs P, Rossmeisl M, and Kopecky J. The effect of n-3 fatty acids on glucose homeostasis and insulin sensitivity. *Physiol Res* 2014;63(1): 93-118

Clinical Research/Trials (NNP-epax)

魚油臨床研究



- Kopecky J, et al. Combined intervention with Pioglitazone and n-3 fatty acids in metformin-treated diabetic patients on postprandial lipid clearance and selected cytokines. Nutrition & Metabolism NUAM-D-15-00080R1
- Razny,U., Kiec-Wilk,B., Polus,A., Goralska,J., Malczewska-Malec,M., Wnek,D., Zdzenicka,A., Gruca,A., Childs,C.E., Kapusta,M., Slowinska-Solnica,K., Calder,P.C., and Dembinska-Kiec,A. (2015) Effect of caloric restriction with or without n-3 polyunsaturated fatty acids on insulin sensitivity in obese subjects: A randomized placebo controlled trial, BBA clinical 4, 7-13.
- Bas JM, Caimari A, Rodriguez-Naranjo MI, Childs CE, Chavez CP, West AL, Miles EA, Arola L, Calder PC. Impairment of lysophospholipid metabolism in obesity: altered plasma profile and desensitization to the modulatory properties of n–3 polyunsaturated fatty acids in a randomized controlled trial. Am J Clin Nutr 2016;104:266-279
- Razny Urszula, Beata Kiec-Wilk, Anna Polus, Joanna Goralska, Malgorzata Malczewska-Malec, Dominika Wnek, Anna Zdzenicka et al. 2015. Effect of caloric restriction with or without n-3 polyunsaturated fatty acids on insulin sensitivity in obese subjects: a randomized placebo controlled trial. BBA Clinical 2015;4:7–13
- Clark,L.F., Thivierge,M.C., Kidd,C.A., McGeoch,S.C., Abraham,P., Pearson,D.W.M., Horgan,G.W., Holtrop,G., Thies,F., and Lobley,G.E. (2016) Fish oil supplemented for 9 months does not improve glycaemic control or insulin sensitivity in subjects with impaired glucose regulation: a parallel randomised controlled trial, The British journal of nutrition 115, 75-86
- Polus A, Zapala B, Razny U, Gielicz A, Kiec-Wilk B, Malczewska-Malec M, Sanak M, Childs CE, Calder PC, Dembinska-Kiec A. Omega-3 fatty acid supplementation influences the whole blood transcriptome in women with obesity, associated with pro-resolving lipid mediator production. Biochim Biophys Acta. 2016;1861(11):1746-1755
- Rohith N. Thota, Shamasunder H. Acharya and Manohar L. Garg. Curcumin and/or omega-3 polyunsaturated fatty acids supplementation reduces insulin resistance and blood lipids in individuals with high risk of type

Clinical Research/Trials (NNP-epax)

魚油臨床研究



- effects of dietary saturated fatty acids and fish oil on plasma lipids and lipoproteins in men. Am J Clin Nutr 1993;57:634-639
- Schmidt EB, Ernst E, Varming K et al. The effect of n-3 fatty acids on lipids and haemostasis in patients with Type IIa and Type IV hyperlipidemia. Thromb Haemostas 1989;62:797-801
- Schmidt EB, Sørensen PJ, Pedersen JO et al. The effect of n-3 polyunsaturated fatty acids on lipids, haemostasis, neutrophil and monocyte chemotaxis in insulin-dependant diabetes mellitus. J Intern Med 1989;225 (suppl):201-206
- Schmidt EB, Varming K, Ernst E et al. Dose-response studies on the effect of n-3 polyunsaturated fatty acids on lipids and haemostasis. Tromb Haemostas 1990;63:1-5
- Schmidt EB, Pedersen JO, Varming K et al. N-3 fatty acids and leucocyte chemotaxis. Effects in hyperlipidaemia and dose-response studies in healthy men. Arteriosclerosis and Thrombosis 1991;11:429-435
- Schmidt EB, Klausen IC, Kristensen SD et al. The effect of n-3 polyunsaturated fatty acids on Lp(a). Clin Chim Acta 1991;198:271-278
- Schmidt EB, Varming K, Svaneborg N et al. N-3 polyunsaturated fatty acid supplementation in men with moderate and severe hypertriglyceridemia: a dose-response study. Ann Nutr Metab 1992;36:283-287
- Schmidt EB, Lervang HH, Varming K et al. Long-term supplementation with n-3 fatty acids: effects on blood lipids, haemostasis and blood pressure. Scand J Clin Lab Invest 1992;52:221-228
- Svaneborg N, Møller JM, Schmidt EB et al. The acute effects of a single very high dose of n-3 fatty acids on plasma lipids and lipoproteins in healthy subjects. Lipids 1994;29:145-147
- Stark KD, Park EJ, Maines VA et al. Effect of a fish-oil concentrate on serum lipids in postmenopausal women receiving and not receiving hormone replacement therapy. Am J Clin Nutr 2000;72:389-394
- Seljeflot I, Johansen O, Arnesen H et al. Procoagulant activity and cytokine expression in whole blood cultures from patients with atherosclerosis supplemented with omega-3 fatty acids. Thromb.Haemost. 1999;81:566-570

Clinical Research/Trials (NNP-epax)

魚油臨床研究



- Lindman AS, Pedersen JI, Hjerkin EM et al. The effects of long-term diet and omega-3 fatty acid supplementation on coagulation factor VII and serum phospholipids with special emphasis on the R353Q polymorphism of the FVII gene. Thrombosis and haemostasis 2004;6:1097-1104
- Barstad RM, Roald HE, Petersen LB et al. Dietary supplementation of omega-3 fatty acids has no effect on acute collagen induced thrombus formation in flowing native blood. Blood Coagulation and Fibrinolysis. 1995;6:374-381
- Flaten H, Høstmark AT, Kierulf P et al. Fish-oil concentrate: effects on variables related to cardiovascular disease. Am J Clin Nutr 1990;52:300-306
- Freese R, Mutanen M. Alpha-linolenic acid and marine long-chain n-3 fatty acids only slightly differ in their effects on haemostatic factors in healthy subjects. Am J Clin Nutr 1997;66:591-598
- Freese R, Mutanen M. Small effects of linseed oil or fish oil supplementation on postprandial changes in hemostatic factors. Thromb Res 1997;85(2):147-152
- Freese R. Dietary fatty acids and hemostasis. Effects of n-3 and n-6 fatty acids on platelet function and coagulation in healthy subjects. 1997;Uni Helsinki 75
- Müllertz A, Hølmer G, Grøndahl-Hansen J et al. Increased concentration of plasminogen activator inhibitor type-1 in plasma after intake of fish oil. Fibrinolysis 1990;4(suppl 2):86-88
- Christensen JH, Gustenhoff P, Korup E et al. n-3 polyunsaturated fatty acids, heart rate variability and ventricular

Clinical Research/Trials (NNP-epax)

魚油臨床研究



- arrhythmias in post-AMI-patients. A clinical controlled trial. Ugeskr.Laeger 1997;159:5526-5529
- Christensen JH, Gustenhoff P, Korup E et al. Effect of fish oil on heart rate variability in survivors of myocardial infarction: a double blind randomised controlled trial. BMJ 1996;312:677-678
- Christensen JH, Gustenhoff P, Ejlersen E et al. n-3 fatty acids and ventricular extrasystoles in patients with ventricular tachyarrhythmias. Nutrition Res 1995;15:1-8
- Christensen JH, Gustenhoff P, Korup E et al. n-3 fatty acids and ventricular arrhythmias in post-myocardial infarction patients with a low ejection fraction 1995;10:107-114
- Christensen JH, Christensen MS, Dyerberg J et al. Heart rate variability and fatty acid content of blood cell membranes: a dose-response study with n-3 fatty acids. Am J Clin Nutr 1999;70:331-337
- Christensen JH, Aarøe J, Knudsen N et al. Heart rate variability and n-3 fatty acids in patients with chronic renal failure. Clin Nephrol 1998;49:102-106
- Kumar S, Sutherland F, Wheeler M, Heck PM, Lee G, Teh AW, Manohar LG, Morgan JG, Sparks PB. Effects of chronic omega-3 polyunsaturated fatty acid supplementation on human atrial mechanical function after reversion of atrial arrhythmias to sinus rhythm: Reversal of tachycardia-mediated atrial cardiomyopathy with fish oils. Heart Rhythm 2011;8:643-649
- Seljeflot I, Arnesen H, Brude IR et al. Effects of omega-3 fatty acids and/or antioxidants on endothelial cell markers. Eur.J.Clin.Invest. 1998;28:629-635
- Berstad P, Seljeflot I, Veierod MB et al. Supplementation with fish oil affects the association between very long-chain n-3 polyunsaturated fatty acids in serum non-esterified fatty acids and soluble vascular

Clinical Research/Trials (NNP-epax)

魚油臨床研究



- Wu S-Y, Mayneris-Perxachs J, Lovegrove JA, Todd S, and Yaqoob P. Fish-oil supplementation alters numbers of circulating endothelial progenitor cells and microparticles independent of eNOS genotype. *AJCN* 2014 doi: 10.3945/ajcn.114.088880.
- Minihiene AM, Khan S, Leigh-Firbank EC et al. ApoE polymorphism and fish oil supplementation in subjects with an atherogenic lipoprotein phenotype. *Atherosclerosis, thrombosis, and vascular biology* 2000;20:1990-1997
- Nordøy A, Hatcher LF, Ullman DL et al. Individual

***NNP* Products**

Omega-3 DHA for Seniors

長者魚油




- **NNP Senior Plus Omega 3 DHA**
- TG/N Form of Fish Oil, much superior than the inexpensive EE form Fish Oil generally available in the market in terms of human body absorption, bioavailability.
- NNP epax's world leading proprietary extraction and processing method
- FDA approved epax's manufacturing facility of pharmaceutical API (Active Pharmaceutical Ingredients)
- **TG / N**形式的魚油，比市場上通常出售的廉價**EE**合成魚油優越得多。預防腦退化,老年癡呆症,有效活化腦細胞，提高腦神經信息傳送速度，增強記憶力。
- 術語中的老人腦黃金. 特殊軟膠囊,香橙味十足，彈性口感越嚼越香，無魚油腥味沒有合成甜味劑，色素或香精,全天然成分。



***NNP* Products** **Omega-3 DHA for Kids** 兒童魚油



- **NNP Kids Plus Omega 3 DHA**
- TG/N Form of Fish Oil, much superior than the inexpensive EE form Fish Oil generally available in the market in terms of human body absorption, bioavailability.
- Epax's world leading proprietary extraction and processing method
- FDA approved manufacturing facility of pharmaceutical API (Active Pharmaceutical Ingredients)
- **TG / N**形式的魚油，比市場上通常出售的廉價**EE**合成魚油優越得多。幫助嬰兒，兒童的眼睛和大腦發育，保護視網膜發育健康。
- 幫助兒童集中注意力與提高理解能力，增加記憶力。術語中的兒童腦黃金。特殊軟膠囊，香橙味十足，彈性口感越嚼越香。
- 無魚油腥味沒有合成甜味劑，色素或香精，全天然成分。胎兒可以通過懷孕的母親吸收**DHA**，產前和產後母親適用。



NNP Products

90% Concentrate Omega-3

90%濃度魚油



- **Pristine Pure Omega 3, 90% concentrate with highest purity & potency**
- TGN form, purest with the highest percentage of Omega 3 concentration in the industry. TGN Form of Fish Oil, much superior than the inexpensive EE form Fish Oil generally available in the market in terms of human body absorption, bioavailability.
- Epax's world leading proprietary extraction and processing method
- FDA approved epax's manufacturing facility of pharmaceutical API (Active Pharmaceutical Ingredients)
- **TG / N形式的魚油，比市場上通常出售的廉價EE合成魚油優越得多。目前全球 T/G形式最高含量,濃度,純度的Omega 3魚油,最優質膠囊，自融吸收. 有助於保持血管暢通，預防血栓產生，組織中風或心肌梗塞的發生；**
- **清除血液中堆積的脂肪，預防動脈硬化及阻止末梢血管阻塞的產生. 降低血脂血壓、防止心腦動脈硬化、保護大腦和心臟都具有神奇的功效**
- **預防复发性关节炎,等等.**



***NNP* Products**

Bilberry Eye Vitamin

野生藍莓花青素

Treasure from the Swedish wilderness

來自北歐大自然的寶藏



- **Bilberry Eye Vitamin**

- Nordic wild bilberry naturally contains the highest concentration of antioxidant – anthocyanin. Researches have generally discovered that wild bilberry contains 15 times more anthocyanin than farmed blueberry in concentration & varieties.
- Clinically formulated with optimal combo ingredients of Bilberry powder (100:1 QCE 20000mg), Lutein, Zeaxanthin, Vitamin A, C, E, Zinc, with all natural ingredients working together to achieve optimum results for eyes and human body's antioxidant needs.
- 野生藍莓為北歐國寶，屬稀少資源，野生森林藍莓花青素是抗氧化之皇，是種植藍莓的**15倍**，維生素**E**的**50-100倍**，維生素**C**的**20-50倍**。科學配方加入純天然葉黃素（液體黃金）護眼法寶，全純天然，極致安全，被歐洲人稱為口服保養“化妝品”。世界領先新科技提純技術，一小粒即含全球最高的相當於**22克野生藍莓**和高達**25毫克天然葉黃素**，每日一粒就完全滿足你全身和眼睛的需要。花青素的部分功效：
 - （1）有助於預防多種與自由基有關的疾病，包括癌症、心臟病、過早衰老和關節炎
 - （2）通過防止應激反應和吸煙引起的血小板凝集來減少心臟病和中風的發生
 - （3）增強免疫系統能力來抵禦致癌物質；花青素清除自由基的功效，亦可讓癌細胞無法順利擴散，藉此保護更多健康的細胞免於被癌細胞侵蝕
 - （4）具有抗突變的功能從而減少致癌因子的形成
 - （5）抗過敏緩解花粉病和其它過敏症，具有調節體液免疫的作用，改善過敏體質。藍莓素功效非常廣泛，臨床運用超過二十多種，適用於絕大部分人群每日使用。



NNP Products

Bilberry Eye Vitamin

野生藍莓花青素

Treasure from the Swedish wilderness

來自北歐大自然的寶藏



- The pictures on the right exhibit the different growth conditions of Wild bilberry in Sweden(top) VS. the farmed blueberry in North America(bottom).

Wild bilberry grows as basically single strand fruit vs. the bunched harvest of the farm blueberry.

- 右邊的圖片展示了不同的 瑞典野生越橘的生長條件（上）VS.北美洲養殖的藍莓（下）。野生越橘基本上呈現單支生長 水果 VS. 與農場藍莓的成串收穫



***NNP* Products**
Bilberry Eye Vitamin
野生藍莓花青素
Treasure from the Nordic wilderness



- **Bilberry Eye Vitamin**

Based on Nordic Bilberries with high level of natural Lutein and Zeaxanthin that are antioxidative carotenoids (xanthophylls), which build the macular pigment of the retina.

Anthocyanin, Lutein and Zeaxanthin cannot be produced by the human body itself, thus an intake of these carotenoids through food is necessary. Includes also vitamins and minerals combined that contribute to the maintenance of normal eye vision.

Clinically formulated with optimal combo ingredients of Bilberry powder (100:1 QCE 20000mg), includes Lutein, Zeaxanthin, Vitamin A, C, E, Zinc, with all natural ingredients working together to achieve optimum results for eyes and human body's antioxidant needs.

以北歐越橘為基礎，含高濃度天然葉黃素和玉米黃素，它們是抗氧化類胡蘿蔔素。是可形成視網膜黃斑色素(**macular pigment**)的重要成分。

花青素、葉黃素和玉米黃質人體本身不能產生，因此需要透過食物攝取這些類胡蘿蔔素。

包含維生素和礦物質，有助於維持正常的眼睛視力。經過臨床配製，採用越橘粉（**100:1 QCE 20000mg**）、葉黃素、玉米黃質、維生素、**A、C、E**、鋅的最佳組合成分，所有天然成分共同作用，以達到眼睛和人體抗氧化需求的最佳效果。



***NNP* Products**
Bilberry Eye Vitamin
野生藍莓花青素
Treasure from the Swedish wilderness
來自北歐大自然的寶藏



- 15 times more concentrated anthocyanin from wild Nordic bilberry than blueberry
- 25 mg of natural Lutein
- 1.5 mg of natural Zeaxanthin
- With special proprietary formulation from the knowledge and clinical researches of the scientists of FMC group
- With the highest industry certifications of FDA and C-GMP
- USDA organic certified
- Non-GMO
- 北歐野生越橘的花青素濃度是普通藍莓的 **15** 倍.
- 含**25** 毫克天然葉黃素
- 含**1.5** 毫克天然玉米黃素
- 採用源自 **FMC** 科學家的知識和臨床研究的特殊專有配方
- 擁有**FDA**和**C-GMP**產業最高認證
- 美國農業部有機認證
- 非基因改造



***NNP* Products**
Bilberry Eye Vitamin
野生藍莓花青素
Treasure from the Swedish wilderness
來自北歐大自然的寶藏



Clinical studies
臨床研究

- Hahn A. Nahrungsergänzungsmittel und ergänzende bilanzierte Daiten. Wissenschaftliche Verlagssellschaft; 2006
- Krishnadev N, et al. Nutritional supplements for age-related macular degeneration. Curr Opin Ophthalmol. 2010; 21(3):184-9
 - Janicke C, et al. Handbuch Phytotherapie: Indikationen, Anwendungen, Wirksamkeit, Präparate. WVG, Wissenschaftliche Verlagsgesellschaft; 2003
- Canter PH, Ernst E. Anthocyanosides of Vaccinium myrtillus (bilberry) for night vision-a systematic review of placebo-controlled trials. Surv Ophthalmol. 2004; 49(1) : 38-50

***NNP* Products**
Bilberry Eye Vitamin
野生藍莓花青素
Treasure from the Swedish wilderness
來自北歐大自然的寶藏
Clinical studies
臨床研究




- Monograph. Vaccinium myrtillus (bilberry). Altern Med Rev. 2001; 6(5): 500-4
- Engin KN. Alpha-tocopherol : Looking beyond an antioxidant. Mol Vis. 2009; 15:855-60
- A randomized, placebo-controlled, clinical trial of high-dose supplementation with vitamins C and E and beta carotene for age-related cataract and vision loss: Areds report no. 9. Arch Ophthalmol. 2001; 119 (10) : 1439-52

NNP epax clinicals and researches by the world's elite scientists and researchers and clinicians

世界上最傑出的科學家，研究人員和臨床醫生對Epax魚油的臨床和研究


- NNP epax high concentration Omega 3 fish oil's effect on maintaining telomeres length, anti-aging conclusion. (Clinical studies conducted by Elizabeth Blackburn, Nobel prize winner of medicine-2009, picture on the right)
- NNP epax high concentration DHA fish oil clinical study conducted by Dr. Yvonne Freudlevi of the Karolinska Institut of Sweden(Host of the Nobel prize of Medicine), on the effect of DHA fish oil in preventing and reducing symptoms of Alzheimer disease, a breakthrough discovery
- Hundreds of independent clinical researches and studies based on epax fish oil worldwide over the last 40+ years
- **NNP epax高濃度Omega 3魚油維持端粒長度、抗老化的結論。**（**2009年諾貝爾醫學獎得主Elizabeth Blackburn**進行的臨床研究，右圖）
- **NNP epax高濃度DHA魚油臨床研究**，瑞典卡羅林斯卡醫學院 **Yvonne Freudlevi**博士（對**DHA**魚油預防和減輕阿茲海默症症狀的作用取得突破性發現
- 過去 **40** 多年來，全球數百項基於 **EPAX** 魚油的獨立臨床研究和研究



NNP Products

Align with world's premier partners/suppliers in the industry

與業界頂級的合作夥伴/供應商結盟



N N P-epax Omega-3 fatty acids



The Brain and Heart Capsule

歐盟官方對Omega 3的攝取建議

To utilize the EFSA* health claims of Omega-3, a daily dosage of 250 mg DHA and 250 mg EPA is required.

- 250 mg **DHA** contributes to the maintenance of normal brain function and to the maintenance of normal eye vision
- 250 mg **EPA + DHA** combined contribute to maintain the normal functioning of



* EFSA – European Food Safety Authority

NNP Bilberry Eye Vitamin

Treasure from the Nordic wilderness



歐盟官方對**Bilberry** 越橘(野生藍莓)攝取
建議

European Health Claim:

Antioxidants are well known to promote
your Eye Health !

- Lutein
- Zeaxanthin



NNP product summary

產品概要



保持健康的心臟！
過上健康長壽的生活！



NNP Omega-3 魚油的好處

- 提供人體必需但無法自合成的Omega-3成分
- 調節三酸甘油酯水平和血壓，預防心血管疾病和中風
- 控制身體炎症，關節疼痛和關節炎
- 提供對大腦和眼睛健康至關重要的Omega-3 成分
- 維持和調節情緒平衡和心理健康
- 維持細胞端粒健康以延長壽命

為什麼 NNP-epax 90% Omega-3 最理想？

- 設立了最科學，臨床配製的 Omega-3 行業標準
- 天然 TGN 形式的最高效力 Omega-3
- 超高純度設定了純度和濃度的行業標準
- 185 年的 Omega-3 生產專業知識和科技
- 最先進的高真空分子蒸餾，以創造最佳的 EPA/DHA 比例
- 先進的技術和製程減少氧化副產物和反式脂肪
- 最先進的 FDA，挪威醫藥機構批准的為歐盟和美國生產醫藥原料的設施
- HACCP認證並實施（嚴格輻射監測）
- 根據生態願景計畫制定安全，可持續，可追溯，負責任的 Omega-3 成分標準
- 非基因改造
- 定期檢測重金屬和環境污染物，明顯優於歐盟/美國藥典標準

保持您的眼睛健康，
讓您的肌膚容光煥發！



NNP 藍莓(越橘)眼維生素的功效

- 保持眼睛健康和視力健康
- 預防眼部疾病，AMD，白內障等
- 補充人體無法產生的葉黃素和玉米黃素
- 保持視網膜健康並預防失明
- 改善夜視能力
- 幫助人體產生膠原蛋白
- 歐洲人的口服美容品/化妝品，保持眼睛，頭髮，指甲健康
- 有助於改善肌膚，讓其容光煥發
- 抑制皮膚痣，黑斑
- 全身性抗氧化

為什麼 NNP 越橘眼維生素最受歡迎？ 歐洲口服化妝品

- NNP 藍莓(越橘)源自北歐,瑞典，抗氧化劑含量是普通藍莓的15倍
- 經過科學和臨床研究的組合配方，效果經過驗證
- 越橘果粉濃縮比例為 100:1 的高濃度
- 維生素E含量比普通藍莓高100倍，維生素C含量比普通藍莓高50倍
- 天然葉黃素和玉米黃素共同作用，實現最佳的眼睛健康保護作用
- 維生素A和鋅成分維持人體眼睛和大腦健康
- 擁有全球主要認證，包括美國農業部有機認證
- 非基因改造
- 素食膠囊

NNP product availability

Professional Recommendations 專業推薦



專業推薦


- Professional outlets
- DR's clinics
- Pharmacies
- Natural health product outlets
- Naturalpathic clinics
- Chinese Medicine clinics
- 專業網點
- 醫生診所
- 藥房
- 天然保健品專賣店
- 自然療法診所
- 中醫診所



NNP product availability

Professional Outlets

專業網點




NNP product availability

Professional Outlets



NNP product availability

Professional Outlets




NNP product availability

Professional Outlets



NNP product availability

Professional Outlets



NNP product availability

Professional Outlets



NNP product availability

Professional Outlets



NNP product availability

Professional Outlets



NNP product availability

Professional Outlets



NNP product availability

Professional Outlets



NNP product availability

Professional Outlets



NNP product availability

Professional Outlets



NNP product availability




Professional Outlets




NNP product availability

Professional Outlets



NNP product availability

Professional Outlets



NNP product availability

Professional Outlets




NNP product availability

Professional Outlets



Other channels and product exposures

Import / export forums



不同渠道的產品展示



Cleanest, purest, highest certifications

最乾淨、最純淨、最高認證的產品



World's Leading Quality, Purity, and Innovation
Pharmacy Recommended, Cleanest, Safest and Highest Certified Food Supplements
Industry's Purest & Highest Concentrate Omega-3
World's Rare & Precious Swedish Wild Blueberry Concentrate

**FDA CERTIFIED
GMP COMPLIANCE
HEALTH CANADA CERTIFIED**

Pristine Pure Omega-3
Pristine Pure Omega-3 DHA

Health and Benefits

- Positive Effect on Alzheimer's Dementia
- Heart Health
- Sleep Quality
- Prevent Blindness
- Forever Young
- Reduce Inflammation
- Positive Effect on Joints
- Mood Health
- Healthier Mom and Baby
- Pre-and Postnatal Health
- Sports Nutrition

Mega Blueberry Eye Vitamin

Health and Benefits

- Whole Body Antioxidant Support
- Cardiovascular Benefits
- Cognitive Benefits
- Blood Sugar Benefits
- Eye Health



Thanks for your time! 謝謝你的時間和閱讀！

Contact us:

聯絡以下電子郵箱
info@nnpglobal.com