

Nerve Pressure Therapy for Neuropathy: A Comprehensive Patient Guide

Peripheral neuropathy – nerve damage in the hands, feet, or other parts of the body – often causes pain, tingling, or numbness. Nerve pressure therapy refers to a range of techniques that relieve neuropathic pain by applying targeted physical pressure to nerves and surrounding tissues. This guide explains what nerve pressure therapy is, how it works to reduce pain, and how it can help in conditions like diabetic neuropathy and chemotherapy-induced neuropathy. We'll also discuss scientific evidence supporting these methods and provide practical, step-by-step techniques and safety tips for patients.

What Is Nerve Pressure Therapy?

Nerve pressure therapy involves using physical pressure (with fingers, hands, or tools) on specific points of the body to alleviate nerve pain. It encompasses several non-invasive techniques, including **acupressure**, **myofascial release**, and **trigger point therapy**. In acupressure, pressure is applied to the same spots used in acupuncture (but without needles) to stimulate the body's self-healing responses. Myofascial release and trigger point therapy involve massaging or pressing on tight bands of muscle or connective

tissue (fascia) to release tension and relieve pain . All these methods share the goal of reducing neuropathic pain by improving circulation, relaxing tight tissues, and modulating nerve signals.

How It Works: When pressure is applied to certain points or tight areas, it can trigger physiological mechanisms that relieve pain. One key mechanism is the “**gate control**” effect – pressure and massage stimulate large nerve fibers that can block pain signals from reaching the brain . This is like closing a gate on pain pathways. Additionally, pressure therapy prompts the body to release endorphins (natural pain-relieving chemicals) and reduces stress hormones like adrenaline , which together decrease pain perception and promote relaxation. Pressure on muscles and fascia also improves blood flow in the area , bringing more oxygen and nutrients to nerve fibers. This **improved circulation** can help nerves function better and reduce the “pins and needles” sensation . Over time, regular pressure therapy may even encourage healing – for example, one study found that consistent acupuncture/acupressure improved nerve conduction (the speed of nerve signals) in neuropathy patients .

Key Techniques:

- **Acupressure:** Finger or thumb pressure on specific “acupoints” corresponding to nerve pathways. For example, pressing points on the feet, hands, or ears can influence nerve pain in those regions. (This is analogous

to acupuncture, but without needles.)

- **Myofascial Release:** A therapist or patient applies gentle, sustained pressure to areas of tight **fascia** (the connective tissue around muscles and nerves). This stretches and softens the tissue to release “bound up” nerves and improve mobility .
- **Trigger Point Therapy:** Identifying tight “knots” in muscle (trigger points) that can cause referred pain, and pressing or massaging them until they relax. This can ease pain that might be radiating along a nerve path. For instance, a tight calf muscle trigger point can aggravate foot neuropathy pain, so releasing it may provide relief.

Overall, nerve pressure therapy is a **complementary** approach – it’s usually used alongside standard medical care (like medications or physical therapy). It is **non-invasive** (no surgery or injections) and generally safe when done correctly, making it an attractive option for patients seeking additional relief without added drugs. In the next sections, we will focus on how these therapies help **peripheral neuropathy**, especially in diabetes and chemotherapy, and review scientific evidence.

Peripheral Neuropathy Overview

Peripheral neuropathy means damage to the peripheral nerves – the network of nerves outside the brain and spinal

cord. This condition is very common in people with diabetes and in cancer patients after certain chemotherapy treatments. Symptoms often include burning pain, tingling (“pins and needles”), heightened sensitivity, or loss of sensation in the affected areas (typically the feet and hands) . For example, diabetic peripheral neuropathy (DPN) usually starts in the toes and feet, progressing upward, and can cause sharp pains or numbness. Chemotherapy-induced peripheral neuropathy (CIPN) often causes tingling and pain in the hands and feet during or after cancer treatment . These neuropathies can greatly impact quality of life – making walking or daily tasks difficult – and there are limited medications that fully relieve the pain.

Conventional treatments for neuropathy pain include medications (like gabapentin, duloxetine, or pain relievers), good blood sugar control in diabetes, and supplements or vitamins in some cases. However, many patients still experience significant pain or discomfort even with these measures. That’s why **non-drug therapies** such as nerve pressure techniques are gaining attention. They offer a way to manage symptoms by working with the body’s natural pain-control systems. Importantly, pressure therapy can be self-administered (like doing acupressure or massage at home) or provided by trained practitioners (such as physical therapists, massage therapists, or acupuncturists), making it a flexible addition to one’s care plan.

How Pressure Therapy Relieves Neuropathic Pain

Understanding the science behind pressure-based therapies can help you use them effectively. Here we break down the main physiological effects that explain how these techniques reduce neuropathic pain:

- **Pain Signal Modulation:** Applying pressure stimulates certain nerve fibers that compete with pain fibers. According to the gate control theory, this competition can “close the gate” on pain signals traveling up the spinal cord . In practical terms, when you rub or press a painful area, it often feels better because the pressure signals are interfering with the pain signals. This is one reason why massage or acupressure on a painful foot can temporarily reduce burning or tingling sensations.
- **Release of Natural Painkillers:** Pressure therapy can trigger the release of endorphins and enkephalins – neurochemicals in the brain that reduce pain and produce a feeling of well-being . Acupressure and related techniques have been shown to activate these endogenous opioids, which is part of how acupuncture/acupressure treatments provide analgesia (pain relief). Many patients report a reduction in pain intensity and improved relaxation after a session, which

aligns with this endorphin effect.

- **Improved Blood Flow and Nerve Nutrition:**

Massaging tissues with moderate pressure causes blood vessels to dilate (open up). This **vasodilation** increases blood circulation in the area . Better blood flow means more oxygen and nutrients reach the nerves. In diabetic neuropathy, poor circulation in the small vessels contributes to nerve damage . Massage or myofascial release can counteract this by increasing circulation, thereby “feeding” the nerves and helping clear out inflammatory substances. One study noted that deep pressure massage might enhance skin sensation in the feet by improving blood flow to nerve endings .

- **Reducing Nerve Entrapment:** Nerves travel through muscles and fascia; if those tissues are tight, they can pinch or irritate nerves. Myofascial release and trigger point therapy specifically aim to relieve these soft-tissue restrictions. By holding gentle pressure on a tight fascia or pressing a knot in the muscle, the tissue gradually lengthens and softens, releasing any “trapped” nerves . For example, if neuropathic pain in the hand is worsened by tight forearm muscles, a therapist releasing those muscles may reduce pressure on the median nerve, easing symptoms. The Cleveland Clinic notes that myofascial release is essentially a trigger-point therapy because it focuses on easing stiff, painful spots in the

fascia that can restrict movement and cause pain .

- **Neuroplastic Changes:** Emerging research shows that repeated stimulation of pressure points can lead to changes in the nervous system itself. In an auricular (ear) acupressure study for chemotherapy-induced neuropathy, patients who received regular ear acupressure not only reported less pain and numbness, but also showed changes in functional MRI brain scans . The acupressure seemed to increase connectivity in certain brain networks involved in pain inhibition, which could explain sustained pain relief . Interestingly, that same study found reductions in blood levels of inflammatory cytokines (proteins that promote inflammation) after 4 weeks of treatment . Lower inflammation around nerves may contribute to long-term relief. While this is a more advanced concept, it highlights that pressure therapy might help “reset” abnormal pain pathways and inflammation in neuropathy.

In summary, nerve pressure therapy works on multiple levels – from the local effects (relaxing muscles, improving circulation) to nervous system-wide effects (dampening pain signals and releasing anti-pain chemicals). These mechanisms complement each other to provide relief from neuropathic pain. Now, let’s look at the evidence for how these therapies help in specific neuropathy conditions.

Evidence for Acupressure and Pressure Therapies in Neuropathy

Modern research is beginning to validate what patients have anecdotally reported for years – that these hands-on techniques can reduce neuropathic pain and improve function. Below, we review scientific evidence from clinical trials, case studies, and reviews for different types of pressure-based therapies:

Acupressure (and Acupuncture) for Neuropathy

There is growing evidence that **acupressure** – pressing on traditional acupuncture points – can alleviate neuropathy symptoms. Because acupressure is closely related to acupuncture (which uses needles on the same points), research on acupuncture is also relevant and has shown promising results for neuropathic pain:

- **Diabetic Neuropathy:** A recent randomized controlled trial in Turkey tested acupressure for painful diabetic neuropathy. In this study, 86 patients with type 2 diabetes and neuropathy were split into two groups: one group received acupressure on specific points for six sessions (over six consecutive days), and the other group received no extra intervention. The results showed that acupressure **significantly reduced neuropathy-related pain** and even improved sleep quality compared to the control group. The researchers concluded that acupressure is a useful nursing

intervention for diabetic neuropathy symptom relief . Another trial is examining self-administered acupressure for diabetic neuropathy pain and blood sugar control. The rationale is that acupressure's pain relief (through gating and endorphins) might also reduce stress and in turn modestly improve blood sugar levels . In fact, a meta-analysis in 2023 reported that acupressure was associated with a **significant reduction in HbA1c** (a measure of long-term blood sugar) in people with diabetes , possibly due to overall improved metabolic and stress conditions.

- **Chemotherapy-Induced Neuropathy:** Cancer centers have explored acupressure as a drug-free option for patients experiencing CIPN. A pilot study of **auricular acupressure** (pressing on points on the ear) in patients with chemotherapy-induced neuropathy found notable improvements: after 4 weeks of treatment, patients reported a 46% decrease in pain severity, 49% less numbness, and 38% less tingling in their toes . Objective tests showed better sensation in the toes and higher pain tolerance, suggesting that the acupressure enhanced the body's own pain-inhibiting mechanisms . Building on that, a 2024 clinical trial protocol is underway to rigorously test ear acupressure in a larger group of cancer patients . Furthermore, in 2025 a study combined **self-acupressure with qigong exercise** for CIPN: after 16 weeks, the group doing these practices had significantly greater reductions in neuropathy

symptoms than a control group . They reported improvements in functional abilities and quality of life as well . These findings support that acupressure (especially combined with gentle exercise or movement) can meaningfully help relieve CIPN in cancer survivors.

- **General Neuropathy Pain:** Broader research on acupuncture indicates it can improve nerve function and pain in various neuropathies, which is encouraging for acupressure use as well. A meta-analysis of 6 randomized trials (680 total patients) found that acupuncture significantly outperformed sham treatments in relieving peripheral neuropathy symptoms (the odds of improvement were over 4 times higher with acupuncture) . In diabetic neuropathy, acupuncture not only reduced pain but also improved nerve conduction velocity (meaning nerves were transmitting signals better) . Since acupressure uses the same points and principles, many experts believe that **self-acupressure can offer similar benefits** for neuropathy without the barrier of needles. In fact, acupressure is often called “acupuncture without needles,” and it has the advantage that patients can do it themselves regularly once taught. This makes it an accessible at-home therapy.

Which pressure points? Practitioners often target points believed to influence the legs and feet for peripheral neuropathy. For example, points around the ankles and below

the knees (such as **SP6** or **ST36** in acupuncture) are commonly used for leg neuropathy in traditional Chinese medicine . In ear acupressure for CIPN, clinicians use points on the ear corresponding to the feet, hands, and nervous system – including points called “Shenmen” (for calming and pain) and points for the cingulate gyrus and brain stem (to modulate pain perception) . *Figure 1* below illustrates an example from a research trial where seeds were taped on an ear to stimulate key points for neuropathy relief.

Figure 1: Ear acupressure (auriculotherapy) for neuropathy. In auricular therapy, tiny seeds or beads are taped to specific points on the outer ear that correspond to areas of nerve pain (in this case, points for the hands, feet, and pain control). The patient presses these seeds for a few minutes several times a day to stimulate the points and relieve symptoms . Research shows this method can reduce chemotherapy-induced neuropathy symptoms, leveraging the ear’s nerve connections to the brain for pain relief .

Massage and Myofascial Release for Neuropathy

Therapeutic massage and myofascial release (a specialized form of massage focusing on connective tissue) have also shown benefits for neuropathic pain, particularly in diabetic neuropathy:

- **Foot Massage in Diabetic Neuropathy:** Several studies indicate that regular foot massage can improve neuropathy symptoms in people with diabetes. A 2020 review of research found evidence that massage therapy

provides **pain relief** for diabetic neuropathy and may even help with secondary issues like foot ulcers and high blood sugar levels . More recently, a 2022 randomized study reported that foot massage therapy produced a significant reduction in discomfort from diabetic peripheral neuropathy compared to controls . Beyond pain reduction, massage has functional benefits: in one trial, 60 diabetic patients with neuropathy received **Thai foot massage** (a type of deep acupressure massage on the feet) three times a week for 2 weeks . By the end of the study, the massage group had better balance and walking ability than the control group, as measured by timed get-up-and-go tests . They also showed improved range of motion in the foot and improved sensation (they could feel a monofilament on their soles better than before) . These improvements suggest that massage not only eases pain but also enhances nerve function and mobility in neuropathy patients .

- **Myofascial Release:** This is a gentle technique where a therapist finds areas of fascial tightness and holds a light pressure stretch until the tissue releases. While formal studies of myofascial release specifically for neuropathy are limited, it is known to help conditions like **nerve compression syndromes** (e.g. carpal tunnel syndrome) by loosening the tissues around the nerves . In the context of peripheral neuropathy, myofascial release may be used to reduce general foot tightness or calf muscle tension, which can indirectly relieve pressure on

small nerves. Importantly, **myofascial pain and neuropathic pain often overlap**. Research published in *Diabetes Care* found that about 22% of patients with painful diabetic neuropathy also had myofascial pain (active trigger points in their muscles) compounding their symptoms . None of the patients with painless neuropathy had myofascial pain, which suggests that these muscle trigger points might be a factor in pain generation . Similarly, around 25% of chemotherapy-induced neuropathy patients were noted to have co-existing myofascial pain in another study . This means a significant subset of neuropathy sufferers might get relief from therapies that release trigger points. Clinicians in the study even recommended **routine screening for myofascial trigger points** in neuropathy patients, so that those elements can be treated for better overall pain control . Treating the myofascial component (through pressure techniques) can thus reduce the total pain experience.

- **General Massage Benefits:** Massage therapy at large is known to increase circulation and reduce muscle tension, which is beneficial in neuropathy where nerves are starving for blood flow and often surrounded by tight tissue . Patients with neuropathy often feel a temporary easing of burning pain and an improvement in limb flexibility after a good massage session. Some also report better sleep on nights they receive a massage, likely because of reduced pain and activation of the relaxation

response.

Trigger Point Therapy

Trigger point therapy can be thought of as a subset of myofascial work focusing specifically on “knots” – hyperirritable spots in muscle that can refer pain elsewhere. While not a direct cure for nerve damage, trigger point release can alleviate additional pain that a neuropathy patient might be experiencing due to muscle compensations or postural issues.

For example, if neuropathy causes someone to walk awkwardly, they may develop trigger points in the calves, back, or hips. These tight spots then cause their own pain (sometimes mimicking or amplifying neuropathic pain). By identifying and pressing on these points, either manually or with tools, one can deactivate them. Physical therapists sometimes perform **ischemic compression**, where they apply firm pressure to a trigger point until it softens – this can hurt a bit initially (a “good hurt”), followed by relief and greater range of motion. Studies on myofascial pain syndrome show that such trigger point therapies can decrease pain intensity and improve function in chronic pain patients.

As mentioned earlier, research has uncovered that a notable percentage of painful neuropathy cases have a trigger point component. Therefore, integrating trigger point therapy into neuropathy care can be quite effective. It might involve a massage therapist working on common areas like the calves,

hamstrings, lower back, or even small muscles in the feet. Sometimes **dry needling** (inserting a thin needle into the trigger point) is used by specialists, which is essentially the acupuncture approach to trigger points. However, patients can also use simple pressure at home – like pressing a tight calf muscle against a ball or using their thumb to massage a tender spot – to help those knots release.

Summing up the evidence: Across various studies, pressure-based therapies (acupressure, massage, etc.) show **meaningful improvements in neuropathic pain, sensation, and quality of life**. They are not magic cures – nerve damage may still be present – but they provide a safe means to manage and reduce symptoms. Importantly, these therapies carry fewer side effects than medications (no drowsiness, no medication interactions) and can empower patients to actively participate in their pain management. Next, we'll move on to practical techniques and how you can use nerve pressure therapy in your daily routine or with professional guidance.

Techniques and Tips: Applying Pressure Therapy Safely

In this section, we provide **clear, step-by-step techniques** for acupressure and massage that patients can use at home, as well as guidance on working with therapists. These techniques are illustrated to help you follow along. Remember: always communicate with your healthcare provider before starting new therapies, and stop any technique that causes sharp pain

or feels harmful. The goal is **gentle, gradual relief**, not intense pain.

Self-Acupressure Techniques

You can perform acupressure on yourself using just your fingers and thumbs. Here are a few simple techniques targeting common neuropathy areas:

- **Foot Acupressure (Reflexology style):** Sit in a comfortable position where you can reach your feet. Using your thumb, apply firm pressure to the sole of your foot. Work along the arch (instep) and the ball of the foot using small circular motions or steady pressure. When you find a tender spot (for many neuropathy patients, points in the arch or between the toes might be sore), press into it until you feel a mild, tolerable ache (never press to severe pain). Hold for about **5–10 seconds**, then release . You can repeat this 3–5 times on that spot . Do this for several points on each foot. This method is similar to what's done in Thai foot massage: pressing along energy meridians in the feet, with each pressure held for a few seconds at the point of slight discomfort . Many people find that after repeating a cycle of pressure holds, the tender spot becomes less painful, indicating the tension is releasing. Finish by briskly rubbing or kneading the whole foot to flush out any soreness.
- **Hand Acupressure:** If your hands are affected by neuropathy (common in chemotherapy neuropathy or

carpal tunnel syndrome), you can massage them similarly. Using the thumb of one hand, press into the opposite palm and massage the fleshy areas. A well-known acupressure point for generalized pain relief is the **web between the thumb and index finger** (called LI-4 in acupuncture). Squeeze this web area firmly for 10 seconds (it will likely feel achy), then release. This can help with hand pain and also has systemic pain-relief effects. Then, massage each finger by gently squeezing and pulling along its length (this also helps with circulation). If certain parts of your hand are numb, focus on massaging around those areas to stimulate the nerves.

- **Ear Seed Acupressure:** As mentioned earlier, the ear contains microsystem points that can influence the whole body. While it's best to have a practitioner show you the exact points, one simple at-home method is **ear massage**. Gently rub and squeeze the outer edge of your ears between your fingers and thumb. You can also press on the inner part of the ear (where it feels a bit harder, known as the concha) in a circular motion. Some patients get small **ear acupressure seeds** or beads from an acupuncturist, which are taped onto specific points of the ear. If you have these, follow your provider's instructions: typically you will press on each taped seed for about **3 minutes, 3 times a day** to stimulate the point. The pressure should be firm enough to feel a bit tender, but not excessively painful. Ear seeds can be left on for a few

days at a time to provide continuous point stimulation – you just keep pressing them a few times per day. This technique has been successfully taught to chemotherapy patients to self-manage their neuropathy symptoms at home .

Tip: When doing acupressure, it's good to be **consistent**. Benefits accrue over time with regular practice. Try to set aside a few minutes each day (for example, 10 minutes in the morning and evening) to do your self-acupressure routine on hands or feet. Many patients combine this with relaxing music or deep breathing to enhance pain relief and relaxation.

Self-Massage and Myofascial Release Techniques

While a professional massage is wonderful, you can also perform simple massage techniques on yourself to relieve neuropathic discomfort. Below is a **daily foot massage routine** adapted from experts in neuropathy massage therapy, which you can perform at home:

Daily Neuropathy Foot Massage Routine:

1. **Warm-Up Massage (15 minutes per foot):** Sit in a chair and cross one foot over the opposite knee. Apply lotion or oil if desired. Using both hands, **lightly but deeply massage the entire foot**, starting from the toes and working towards the heel. Knead the sole with your thumbs, and use your fingers on the top of the foot. The pressure should be as deep as you can comfortably

tolerate *without causing pain* . If your feet are very sensitive at first, you might only manage a gentle touch – that’s okay. With regular sessions, you’ll likely be able to press a bit deeper as the tissues acclimate.

2. **Range of Motion Exercise:** Still sitting, extend your foot and **rotate your ankle** through its full range. A fun way is to “draw” the alphabet in the air with your big toe – this makes you move the ankle in many directions . After A to Z (or a few repetitions), gently stretch each toe. **Grasp each toe at the tip and slowly pull and rotate it**, then **squeeze along each toe** from base to tip . (Don’t crack your knuckles, just gentle movement and pressure.)
3. **Deep Stroking Massage:** Now, with one hand, **stroke firmly from your toes up to your knee** along the calf – this encourages blood flow upward . With the other hand, continue to **squeeze and massage all the soft tissue of your foot**, working from the toes toward the heel . Be sure to include the sides of the foot, the top (arch) of the foot, and the heel. **Press and rub between the metatarsal bones** (the long bones in your forefoot, between the toes and ankle) – neuropathy pain often concentrates there, and massage can relieve it. Spend extra time on any sore spots, using small circular pressure.

4. **Calf Massage and Repeat:** Massage your lower leg (calf muscles) by squeezing and kneading it with both hands . The calf often tightens in people with foot neuropathy, which can reduce blood flow to the nerves, so loosening it is beneficial. Finally, **repeat the ankle circles and foot strokes** one more time . End by gently shaking out the foot.

This routine, done once daily, can help **increase circulation, improve foot flexibility, and reduce pain/numbness** over time. It mirrors what a massage therapist might do in a session, but empowers you to do it every day.

Other self-myofascial techniques include using simple tools: for instance, **roll a tennis ball under your foot** while seated, pressing down as tolerated to massage the sole. Or use a foam roller on your calves/thighs if those muscles are tense. Even **rubbing your feet on the carpet or a textured surface** for a few minutes can provide stimulation if you have some numbness . The key is consistent, gentle stimulation to the nerves.

Working with a Therapist: If you have access to a massage therapist or physical therapist, they can perform more intense or targeted techniques, especially in areas you can't easily reach yourself (like your back, hips, or neck if needed). Communicate to them that you have neuropathy and where your symptoms are. Skilled therapists often combine Swedish

massage strokes for relaxation with deeper trigger point work for painful spots. They will also be cautious if you have areas of reduced sensation – ensuring not to use pressure that’s too intense (since you might not feel it normally). A typical schedule might be a **60-minute massage once a week** for several months . Therapists experienced with diabetic neuropathy, for example, will often start very gently (maybe the first session is mostly light touch because the feet can be extremely sensitive or sore) . As you build trust and tolerance, they can gradually increase pressure “to the bone” (meaning very deep pressure) but only as you are able to handle it without pain . This progressive approach can lead to significant improvements in nerve health and pain levels.

Many patients report that after a series of regular massages, their neuropathic pain flare-ups are less frequent or severe. Increased foot sensation (like being able to feel the ground better) is another benefit, which can improve balance and reduce fall risk .

Best Practices and Safety Considerations

While nerve pressure therapy is generally safe, especially compared to medications, it’s important to follow best practices to avoid any potential issues. Here are some safety tips and guidelines to ensure you get the most benefit with minimal risk:

- **Avoid Excessive Pressure:** More pressure is not always better. Using too much force can actually

aggravate your nerves or bruise tissues. Neuropathic nerves are already sensitive, so pressure should be firm but not painful. An **aggressive deep massage or very hard pressure can increase pain** in irritated nerves . Always stay within your comfort zone – aim for a “good hurt” (a mild, releasing discomfort) not an outright “bad pain.” If you have areas of numbness, be extra cautious: you might not fully feel pain in that area, so you could inadvertently press too hard and cause tissue damage. For instance, pressing a numb foot with a hard object could injure the skin without you realizing. **Never continue a pressure that feels sharp, electric, or stabbing** – those sensations mean the nerve is being pinched or irritated, and you should ease up.

- **Frequency and Consistency:** Consistency is key to seeing improvement. For self-therapy, moderate daily practice is more effective than a very intense session once in a while. You might massage your feet 10–15 minutes every night rather than a one-hour session only monthly. In research studies, acupressure is often applied **multiple times a week or daily** to achieve results . Listen to your body, though – if an area feels sore from yesterday’s massage, you can skip a day or focus on a different area. When working with a professional, keep a regular schedule if possible (e.g. weekly appointments), and do your “homework” exercises they recommend between visits .

- **Track Your Progress:** It's a good idea to keep a simple **log of your symptoms** as you start pressure therapy. For example, rate your pain or numbness each day on a 0–10 scale, or jot down how far you can walk or how well you slept. Over weeks, you can see if there's improvement. Some patients use the Neuropathic Pain Questionnaire or the pain sub-score of a diary to quantify changes. Noticing positive changes (even small ones) can motivate you to continue. If you are not seeing any improvement after a reasonable period (say 4–6 weeks of consistent effort), discuss with your healthcare provider – they might adjust your techniques or try a different approach.
- **Combining with Medical Care:** Nerve pressure therapy works **best as part of a holistic plan**. Continue taking any prescribed medications for neuropathy (like pain relievers or supplements) unless your doctor advises otherwise. Good control of underlying conditions – such as blood sugar in diabetes or vitamin levels in nutritional neuropathy – will complement your acupressure/massage efforts. Think of it like this: medications and medical treatments work from the “inside,” while pressure therapy works from the “outside,” meeting in the middle to calm your nerves.
- **Special Considerations for Diabetes:** If you have diabetic neuropathy, there are a couple of extra precautions. First, because diabetes can reduce healing

and sensation in the feet, ensure your **skin is protected**. Do not massage or press on areas with open wounds, ulcers, cuts, or active infections – doing so could worsen them or spread infection (in fact, the acupressure trial we mentioned excluded patients with any foot wounds to avoid this risk). Focus on intact skin and be gentle near any fragile areas. Second, be aware of **blood sugar effects**. A relaxing massage can sometimes enhance insulin activity or uptake of glucose. There have been cases where a massage **lowered blood sugar levels** slightly by reducing stress and improving circulation . If you are on insulin or blood sugar-lowering medications, check your blood sugar after a session until you know how it affects you. Have a quick source of glucose nearby if you're prone to hypoglycemia. This doesn't happen to everyone, but it's good to be mindful of the possibility of a drop in blood sugar due to the systemic relaxation effect.

- **Special Considerations for Chemotherapy Patients:** If you're undergoing chemotherapy or have peripheral neuropathy from chemo, clear any complementary therapies with your oncology team. Acupressure and gentle massage are usually welcomed (and many cancer centers, like Mass General and Memorial Sloan Kettering, actively use them for symptom management). However, avoid deep or vigorous massage if your platelet counts are very low (to prevent bruising) or if you have any bone fragility.

Auricular acupressure (ear seeds) is very safe – the materials are typically tiny seeds or beads with tape, and they don't interfere with treatment . Just ensure the tape and ear stay clean to avoid skin irritation. If you experience dizziness, skin rash, or any odd symptom during these therapies, inform your provider.

- **When to Seek Professional Help:** If your neuropathy pain is severe or disabling, or if you're unsure about techniques, seeking a trained practitioner can make a big difference. **Physical therapists** can teach you nerve gliding exercises and desensitization techniques. **Massage therapists** (especially those experienced in medical or orthopedic massage) can perform deeper tissue work than you might be able to do yourself. **Acupuncturists** can identify the acupressure/acupuncture points most relevant to your specific neuropathy pattern and even provide ear seeds for you to use at home. These professionals can also ensure you're doing techniques correctly and safely. Consider at least a few sessions with a therapist to jump-start your self-care routine.
- **No Side-Effects, But Be Patient:** One of the best aspects of nerve pressure therapy is the lack of systemic side effects – you're not putting chemicals into your body, so you avoid issues like drowsiness, dizziness, or drug interactions. Acupressure in particular has **no significant side effects** when done appropriately; it's

non-invasive and simple . The main “side effect” might be temporary soreness in the muscles, similar to how you’d feel after exercise, especially when you first start deep massages. This is normal and should ease as your body adapts. Stay hydrated and rest if needed. Keep in mind that these therapies often require **weeks of regular application** to show strong results. So, don’t be discouraged if your pain isn’t gone overnight. Gradual improvement is the goal – for instance, after two weeks you might realize “I’m waking up less at night from foot pain,” or “I could walk a bit longer today without as much burning in my feet.” Those small victories add up.

Conclusion: Empowering Your Nerve Health

Nerve pressure therapy offers a hands-on, empowering way to manage neuropathy symptoms. Techniques like acupressure, massage, myofascial release, and trigger point therapy work by tapping into your body’s innate ability to heal and adjust – from releasing natural painkillers and improving blood flow to calming overactive nerves. Scientific studies have started to back up these approaches, showing reductions in pain scores, improvements in sensation, and better quality of life for patients with diabetic and chemotherapy-induced neuropathy who use pressure-based therapies . Perhaps equally important, many patients feel a sense of control and participation in their care when they practice these methods.

By learning some simple techniques, you can make nerve pressure therapy a regular part of your routine. It can be as straightforward as a nightly foot massage or a few minutes pressing an acupressure point when pain flares up. Always remember the core principles: **be gentle and patient, stay consistent, and listen to your body's feedback.** Over time, you may find that you rely less on pain medications or can engage in activities you thought you'd lost, thanks to better symptom control.

Lastly, maintain open communication with your healthcare providers about what you're doing. Most doctors are very supportive of safe complementary therapies, especially when you can cite evidence (as we have in this report) that these techniques are beneficial. Together with your medical treatments, nerve pressure therapy can be a valuable component of a comprehensive neuropathy management plan – helping reduce pain, restore function, and improve your day-to-day comfort.

References: (Scientific studies and sources supporting the information in this guide)

1. Dimitrova, A., et al. *J Altern Complement Med.* 2017 – Meta-analysis of acupuncture for neuropathy: showed improved nerve conduction and 4-fold higher odds of symptom relief vs control .
2. Chatchawan, U., et al. *Med Sci Monit.* 2015 – RCT on Thai foot massage in diabetic neuropathy: improved

balance, foot range of motion, and sensation after 2 weeks of thrice-weekly deep foot massages .

3. Cheung, D.S.T., et al. *ESMO Open*. 2025 – RCT on qigong + self-acupressure for CIPN: 16-week program led to significantly reduced neuropathy symptoms and better quality of life compared to waitlist control .
4. Lukkahatai, N., et al. *PLoS One*. 2024 – Auricular point acupressure for CIPN (study protocol + pilot data): 4 weeks of ear acupressure reduced pain 46%, numbness 49%, tingling 38%; fMRI showed increased pain-inhibition network activity .
5. CenterWatch Clinical Trial Listing 2025 – Self-applied acupressure in type 2 diabetics: mentions gate control and endorphin theories, and prior study where nurse-administered acupressure reduced diabetic neuropathic pain . Also notes acupressure’s safety and lack of side effects .
6. Giresun University Trial (NCT06936956) – RCT: Acupressure vs control in 86 diabetics: acupressure significantly reduced polyneuropathy pain and improved sleep quality .
7. Nye, J., *Clinical Pain Advisor News*. 2022 – Letter in *Diabetes Care*: 22% of painful diabetic neuropathy patients had concurrent myofascial trigger point pain, vs

0% in painless neuropathy; authors urge screening and treating muscle trigger points in neuropathic pain .

8. Medical News Today – “Can foot massages help with diabetic neuropathy?” 2023: Cites a 2020 review that massage may relieve pain, reduce foot ulcer symptoms, and even slightly lower HbA1c; a 2022 study confirming foot massage significantly reduced DPN discomfort . Also provides safety tips regarding pressure and hypoglycemia .
9. Cleveland Clinic – “Myofascial Release Therapy” 2022: Explains that therapists apply gentle sustained pressure to tight fascial knots (trigger points) to relieve pain and that this can help issues including compressed nerves .
10. American Massage Therapy Association – Neuropathy Massage Protocol 2012: Emphasizes increasing circulation to combat neuropathy’s ischemia, advises gradual deep pressure (to tolerance) and provides a structured daily foot self-massage routine .