



Customer: NW Natural Goods
Product identity: HEMP - RB 0141
Metrc ID: .
Metrc Source ID:
Laboratory ID: 25-001644-0001

Summary

Potency:

Analyte per 4g	Result	Limits	Units	Status	
CBC per 4g	0.232		mg/4g		CBD-Total per Serving Size 24.3 mg/4g
CBD per 4g	24.3		mg/4g		
CBDV per 4g	0.196		mg/4g		Delta-9-THC-Total per <LOQ
CBG per 4g	0.720		mg/4g		(Reported in milligrams per serving)

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

Analyte	Result (mg/kg)	Limits (mg/kg)	Status
Multi-Residue Pesticide Profile	< LOQ for all analytes		

Metals:

Less than LOQ for all analytes.

Microbiology:

Less than LOQ for all analytes.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-001644/D001.R000
Report Date: 02/24/2025
ORELAP#: OR100028
Purchase Order:
Received: 02/17/25 11:28

Customer: NW Natural Goods
United States of America (USA)
Product identity: HEMP - RB 0141
Metrc ID: .
Metrc Source ID:
Material: Cannabinoid Edible
Sample Date:
Laboratory ID: 25-001644-0001
Evidence of Cooling: No
Temp: 18.4 °C
Serving Size #1: 4 g

Sample Results

Potency per 4g		Method: J AOAC 2015 V98-6 (mod) ^b		Units mg/se Batch: 2501175		Analyze: 2/18/25 8:07:00 PM
Analyte	Result	Limits	Units	LOQ	Notes	
CBC per 4g	0.232		mg/4g	0.130		
CBC-A per 4g	< LOQ		mg/4g	0.130		
CBC-Total per 4g	< LOQ		mg/4g	0.244		
CBD per 4g	24.3		mg/4g	0.130		
CBD-A per 4g ¹	< LOQ		mg/4g	0.130		
CBD-Total per 4g ¹	24.3		mg/4g	0.244		
CBDV per 4g	0.196		mg/4g	0.130		
CBDV-A per 4g	< LOQ		mg/4g	0.130		
CBDV-Total per 4g	< LOQ		mg/4g	0.242		
CBE per 4g	< LOQ		mg/4g	0.130		
CBG per 4g	0.720		mg/4g	0.130		
CBG-A per 4g	< LOQ		mg/4g	0.130		
CBG-Total per 4g	0.720		mg/4g	0.242		
CBL per 4g	< LOQ		mg/4g	0.130		
CBL-A per 4g	< LOQ		mg/4g	0.130		
CBL-Total per 4g	< LOQ		mg/4g	0.244		
CBN per 4g	< LOQ		mg/4g	0.130		
CBT per 4g	< LOQ		mg/4g	0.130		
Δ10-THC-9R per 4g	< LOQ		mg/4g	0.130		
Δ10-THC-9S per 4g	< LOQ		mg/4g	0.130		
Δ10-THC-Total per 4g	< LOQ		mg/4g	0.260		
Δ8-THC per 4g ¹	< LOQ		mg/4g	0.130		
Δ8-THCV per 4g	< LOQ		mg/4g	0.130		
Δ9-THC per 4g ¹	< LOQ		mg/4g	0.130		
Δ9-THC-Total per 4g	< LOQ		mg/4g	0.244		
Δ9-THCP per 4g	< LOQ		mg/4g	0.130		
Δ9-THCV per 4g	< LOQ		mg/4g	0.130		
Δ9-THCV-A per 4g	< LOQ		mg/4g	0.130		
Δ9-THCV-Total per 4g	< LOQ		mg/4g	0.244		
exo-THC per 4g	< LOQ		mg/4g	0.130		



Potency per 4g Method: J AOAC 2015 V98-6 (mod)^b Units mg/se Batch: 2501175 Analyze: 2/18/25 8:07:00 PM

Analyte	Result	Limits	Units	LOQ	Notes
THC-A per 4g ¹	< LOQ		mg/4g	0.130	
Total Cannabinoids per 4g	25.5		mg/4g		

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
E.coli	< LOQ		cfu/g	10	2501110	02/20/25 AOAC 991.14 (Petrifilm)		
Total Coliforms	< LOQ		cfu/g	10	2501110	02/20/25 AOAC 991.14 (Petrifilm)		
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2501111	02/21/25 AOAC 2014.05 (RAPID)		
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2501111	02/21/25 AOAC 2014.05 (RAPID)		

Solvents Method: Residual Solvents by HS-GC-MS^b Units µg/g Batch 2501245 Analyze 02/21/25 09:10 AM

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane ¹	< LOQ	380	100	pass		2-Butanol ¹	< LOQ	5000	200	pass	
2-Ethoxyethanol ¹	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane) ¹	< LOQ		200		
2-Methylpentane ¹	< LOQ		30.0			2-Propanol (IPA) ¹	< LOQ	5000	200	pass	
2,2-Dimethylbutane ¹	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane) ¹	< LOQ		200		
2,3-Dimethylbutane ¹	< LOQ		30.0			3-Methylpentane ¹	< LOQ		30.0		
Acetone ¹	< LOQ	5000	200	pass		Acetonitrile ¹	< LOQ	410	100	pass	
Benzene ¹	< LOQ	2.00	1.00	pass		Butanes (sum) ¹	< LOQ	5000	400	pass	
Cyclohexane ¹	< LOQ	3880	200	pass		Ethyl acetate ¹	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether ¹	< LOQ	5000	200	pass	
Ethylene glycol ¹	< LOQ	620	200	pass		Ethylene oxide ¹	< LOQ	50.0	20.0	pass	
Hexanes (sum) ¹	< LOQ	290	150	pass		Isopropyl acetate ¹	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene) ¹	< LOQ	70.0	30.0	pass		m,p-Xylene ¹	< LOQ		200		
Methanol ¹	< LOQ	3000	200	pass		Methylene chloride ¹	< LOQ	600	60.0	pass	
Methylpropane (Isobutane) ¹	< LOQ		200			n-Butane ¹	< LOQ		200		
n-Heptane ¹	< LOQ	5000	200	pass		n-Hexane ¹	< LOQ		30.0		
n-Pentane ¹	< LOQ		200			o-Xylene ¹	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran ¹	< LOQ	720	100	pass		Toluene ¹	< LOQ	890	100	pass	
Total Xylenes ¹	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Pesticides Method: AOAC 2007.01 Units mg/kg Batch 2501225 Analyze 02/20/25 03:01 PM

Analyte	Result	Limits	Status	Notes
Multi-Residue Pesticide Profile	< LOQ for all analytes			



Metals

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Arsenic [±]	< LOQ	0.200	mg/kg	0.0173	2501168	02/19/25 AOAC 2013.06 (mod.) ^Þ	pass	
Cadmium [±]	< LOQ	0.200	mg/kg	0.0173	2501168	02/19/25 AOAC 2013.06 (mod.) ^Þ	pass	
Lead [±]	< LOQ	0.500	mg/kg	0.0173	2501168	02/19/25 AOAC 2013.06 (mod.) ^Þ	pass	
Mercury [±]	< LOQ	0.100	mg/kg	0.00864	2501168	02/19/25 AOAC 2013.06 (mod.) ^Þ	pass	

Mycotoxins

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aflatoxin B1 [±]	< LOQ		µg/kg	5.00	2501212	02/20/25 Mycotoxins by AOAC 2007.01		
Aflatoxin B2 [±]	< LOQ		µg/kg	5.00	2501212	02/20/25 Mycotoxins by AOAC 2007.01		
Aflatoxin G1 [±]	< LOQ		µg/kg	5.00	2501212	02/20/25 Mycotoxins by AOAC 2007.01		
Aflatoxin G2 [±]	< LOQ		µg/kg	5.00	2501212	02/20/25 Mycotoxins by AOAC 2007.01		
Ochratoxin A	< LOQ	20.0	µg/kg	5.00	2501212	02/20/25 Mycotoxins by AOAC 2007.01 ^Þ	pass	
Total Aflatoxins	< LOQ	20.0	µg/kg	20.0		02/24/25 Mycotoxins by AOAC 2007.01 ^Þ	pass	

Nutrition

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Moisture (Loss on Drying)	18.0		g/100g	0.10	2501187	02/18/25 AOAC 925.10 (mod.)		
Water Activity	0.626		Aw	0.030	2501150	02/18/25 AOAC 978.18		

**Abbreviations**

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

▷ = ISO/IEC 17025:2017 accredited method.

⊥ = TNI accredited analyte.

Units of Measure

cfu/g = Colony forming units per gram

g = Gram

g/100g = Grams per 100 Grams

µg/g = Microgram per gram

µg/kg = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/4g = Milligram per 4g

% = Percentage of sample

A_w = Water Activity

% wt = µg/g divided by 10,000



Residue List

Method AOAC 2007.01

Units mg/kg

Analyzed 2/20/25

Parameter	LOQ	Parameter	LOQ	Parameter	LOQ	Parameter	LOQ
2,4-D	0.10	2,4-DB	0.10	2,4-DP	0.10	2,4,5-T	0.10
2,4,5-TP	0.10	Abamectin (Avermectin)	0.10	Acephate	0.20	Acequinocyl	0.10
Acetamiprid	0.10	Acetochlor	0.20	Acibenzolar-s-methyl	0.10	Acifluorfen	0.10
Acrinathrin	0.10	Afidopyropen	0.10	Alachlor	0.20	Aldicarb	0.10
Aldicarb-sulfone	0.10	Aldicarb-sulfoxide	0.10	Aldrin	0.10	Ametoctradin	0.10
Ametryn	0.10	Aminocyclopyrachlor	0.10	Anilazine	0.30	Aspon	0.10
Asulam	0.10	Atrazine	0.10	Atrazine-desethyl	0.10	Azadirachtin	0.10
Azinphos-ethyl	0.10	Azinphos-methyl	0.10	Azoxystrobin	0.10	Benalaxyl	0.10
Bendiocarb	0.10	Benfluralin	0.10	Benoxacor	0.10	Bensulide	0.10
Bentazone	0.10	Benzovindiflupyr	0.10	BHC (α , β , γ , δ isomers)	0.10	Bifenazate	0.10
Bifenox	0.10	Bifenthrin	0.10	Binapacryl	0.40	Bioresmethrin	0.10
Bitertanol	0.20	Boscalid	0.10	Broflanilide	0.10	Bromacil	0.20
Bromophos-ethyl	0.20	Bromophos-methyl	0.10	Bromopropylate	0.10	Bromoxynil	0.10
Bromuconazole	0.10	Bupirimate	0.10	Buprofezin	0.10	Butachlor	0.10
Butoxycarboxim	0.10	Butralin	0.20	Butylate	0.10	Cadusafos	0.10
Captafol	1.00	Captan	0.20	Carbaryl	0.10	Carbendazim	0.10
Carbofuran	0.10	Carbofuran-3-hydroxy	0.10	Carbophenothion	0.10	Carbophenothion-methyl	0.10
Carboxin	0.10	Carfentrazone-ethyl	0.10	Chlorantraniliprole	0.10	Chlordane	0.10
Chlordimeform	0.10	Chlorfenapyr	0.20	Chlorfenson	0.10	Chlorfenvinphos	0.10
Chlorimuron-ethyl	0.10	Chlormetofen	0.20	Chlorobenzilate	0.10	Chloroneb	0.10
Chlorothalonil	0.40	Chlorpropham (CIPC)	0.10	Chlorpyrifos-ethyl	0.10	Chlorpyrifos-methyl	0.10
Chlorsulfuron	0.10	Chlorthal-dimethyl (Dacthal, D)	0.10	Chlorthion	0.20	Chlorthiophos	0.10
Cinerin I	0.10	Clethodim	0.10	Clethodim-sulfone	0.10	Clethodim-sulfoxide	0.10
Clofentezine	0.10	Clomazone	0.10	Clopyralid	0.10	Clothianidin	0.10
Coumaphos	0.10	Crotoxyphos	0.10	Cyanazine	0.10	Cyanofenphos	0.10
Cyanophos	0.40	Cyantraniliprole	0.10	Cyazofamid	0.10	Cycloate	0.10
Cycloxydim	0.10	Cyflufenamid	0.10	Cyflumetofen	0.10	Cyfluthrin (incl. Beta-Cyfluthrin)	0.20
Cyhalothrin, lambda	0.10	Cymoxanil	0.10	Cypermethrin and isomers (su	0.10	Cyprodinil	0.10
Cyromazine	0.10	DDD-o,p'	0.10	DDD-p,p'	0.10	DDE-o,p'	0.10
DDE-p,p'	0.10	DDT-o,p'	0.10	DDT-p,p'	0.10	DEF (Tribufos)	0.10
Deltamethrin	0.10	Demeton	0.20	Demeton-s-methyl	0.20	Demeton-s-methyl sulfone	0.20
Desmedipham	0.10	Diallate	0.10	Diazinon	0.10	Diazoxon (Diazinon OA)	0.10
Dicamba	0.10	Dichlobenil	0.10	Dichlofenthion	0.10	Dichlofluanid	0.10
Dichlorbenzamide	0.10	Dichlorvos	0.10	Diclobutrazol	0.10	Diclofop	0.10



Residue List

Method AOAC 2007.01

Units mg/kg

Analyzed 2/20/25

Parameter	LOQ	Parameter	LOQ	Parameter	LOQ	Parameter	LOQ
Diclofop-methyl	0.10	Dicloran	0.40	Dicofol o,p	0.20	Dicofol-p,p	0.20
Dicrotophos	0.10	Dieldrin	0.10	Diethofencarb	0.10	Diethyltoluamide (DEET)	0.10
Difenoconazole	0.10	Diffubenzuron	0.10	Diffufenzopyr	0.10	Dimethenamid	0.10
Dimethoate	0.10	Dimethomorph	0.10	Diniconazole	0.10	Dinocap	0.10
Dinoseb	0.10	Dinotefuran	0.10	Dioxathion	0.10	Diphenamid	0.10
Diphenylamine	0.10	Disulfoton	0.20	Disulfoton-sulfone	0.10	Disulfoton-sulfoxide	0.10
Dithianon	0.10	Dithiopyr	0.10	Diuron	0.10	Diuron metabolite (DCPMU)	0.10
DNOC (Dinitrocresol)	0.10	Edifenphos	0.10	Endosulfan I (alpha)	0.20	Endosulfan II (beta)	0.20
Endosulfan sulfate	0.10	Endrin	0.20	Endrin Aldehyde	0.20	EPN	0.10
EPTC	0.10	Esfenvalerate	0.20	Etaconazole	0.10	Ethaboxam	0.10
Ethalfuralin	0.10	Ethiofencarb	0.10	Ethion	0.10	Ethirimol	0.10
Ethofumesate	0.10	Ethoprophos	0.10	Ethoxyquin	0.20	Etofenprox	0.10
Etoxazole	0.10	Etridiazole	0.10	Etrimfos	0.10	Famoxadone	0.20
Famphur	0.10	Fenamidone	0.10	Fenamiphos	0.10	Fenamiphos-sulfone	0.10
Fenamiphos-sulfoxide	0.10	Fenarimol	0.10	Fenazaquin	0.10	Fenbuconazole	0.10
Fenbutatin oxide	0.10	Fenchlorphos	0.10	Fenchlorphos-oxon	0.10	Fenhexamid	0.10
Fenitrothion	0.10	Fenobucarb	0.10	Fenoxaprop-p-ethyl	0.10	Fenoxycarb	0.10
Fenpropathrin	0.10	Fenpyroximate	0.10	Fenson	0.20	Fensulfothion	0.10
Fenthion	0.10	Fenuron	0.10	Fipronil	0.10	Fonicamid	0.10
Fluazifop	0.10	Fluazinam	0.10	Fluchloralin	0.10	Flucythrinate	0.30
Fludioxonil	0.10	Flufenacet	0.10	Flumetsulam	0.10	Flumioxazin	0.10
Fluometuron	0.10	Fluopicolide	0.10	Fluopyram	0.10	Fluoxastrobin	0.10
Fluprimidol	0.10	Flupyradifurone	0.10	Fluridone	0.10	Fluroxypyr	0.10
Flusilazole	0.10	Fluthiacet-methyl	0.10	Flutianil	0.10	Flutolanil	0.10
Flutriafol	0.10	Fluxapyroxad	0.10	Folpet	0.10	Fomesafen	0.10
Fonofos	0.10	Foramsulfuron	0.10	Forchlorfenuron	0.10	Formetanate	0.10
Furathiocarb	0.10	Halosulfuron-methyl	0.10	Haloxypop	0.10	Heptachlor	0.10
Heptachlor epoxide	0.10	Hexachlorobenzene	0.10	Hexaconazole	0.10	Hexazinone	0.10
Hexythiazox	0.10	Hydroprene	0.10	Imazalil	0.10	Imazamox	0.10
Imazapic	0.10	Imazapyr	0.10	Imazaquin	0.10	Imazethapyr	0.10
Imidacloprid	0.10	Indaziflam	0.10	Indoxacarb	0.10	Iprobenfos	0.10
Iprodione	0.10	Isazophos	0.10	Isobenzan	0.10	Isocarbophos	0.10
Isodrin	0.10	Isofenphos	0.10	Isofenphos-methyl	0.10	Isofenphos-oxon	0.10
Isofetamid	0.10	Isoprocab	0.10	Isopropalin	0.10	Isoprothiolane	0.10



Residue List

Method AOAC 2007.01

Units mg/kg

Analyzed 2/20/25

Parameter	LOQ	Parameter	LOQ	Parameter	LOQ	Parameter	LOQ
Isoproturon	0.10	Isoxaben	0.10	Isoxaflutole	0.10	Jasmodin I	0.10
Kresoxim-methyl	0.10	Lactofen	0.20	Lenacil	0.10	Linuron	0.10
Malaaxon	0.10	Malathion	0.10	Mandestrobin	0.10	Mandipropamid	0.10
MCPA	0.10	MCPB	0.10	MCPP (Mecoprop)	0.10	MCPP-P	0.10
Mecarbam	0.10	Mefentrifluconazole	0.10	Mepanipyrim	0.10	Mesosulfuron-methyl	0.10
Mesotrione	0.10	Metaxyl	0.10	Metalddehyde	0.10	Metconazole	0.10
Methacrifos	0.10	Methamidophos	0.10	Methidathion	0.10	Methiocarb	0.10
Methiocarb-sulfone	0.10	Methiocarb-sulfoxide	0.10	Methiozolin	0.10	Methomyl	0.10
Methoxychlor	0.10	Methoxyfenozide	0.10	Metobromuron	0.10	Metolacarb	0.10
Metolachlor	0.10	Metrafenone	0.10	Metribuzin	0.10	Metsulfuron-methyl	0.10
Mevinphos	0.10	Mexacarbate	0.10	MGK-264	0.10	Mirex	0.10
Molinate	0.10	Monocrotophos	0.10	Monolinuron	0.10	Myclobutanil	0.10
Naled	0.10	Napropamide	0.10	Neburon	0.10	Nicosulfuron	0.10
Nitrapyrin	0.10	Nitrofen	0.20	Norflurazon	0.10	Novaluron	0.10
Nuarimol	0.20	O-Phenylphenol	0.50	Omethoate	0.10	Oryzalin	0.10
Oxadiazon	0.10	Oxadixyl	0.10	Oxamyl	0.10	Oxamyl-oxime	0.10
Oxathiapiprolin	0.10	Oxychlorane	0.10	Oxydemeton-methyl	0.10	Oxyfluorfen	0.10
Oxythioquinox	0.20	Paclobutrazole	0.10	Paraaxon-ethyl	0.10	Paraaxon-methyl	0.10
Parathion-ethyl	0.10	Parathion-methyl	0.30	Penconazole	0.10	Pendimethalin	0.10
Penflufen	0.10	Pentachloroaniline	0.10	Pentachloroanisole	0.10	Pentachlorobenzene	0.10
Pentachlorophenol	0.10	Pentachlorothioanisole	0.30	Penthiopyrad	0.10	Permethrin	0.10
Perthane	0.10	Phenmedipham	0.10	Phenothrin	0.10	Phenthoate	0.10
Phorate	0.10	Phorate OA	0.10	Phorate-sulfone	0.10	Phorate-sulfoxide	0.10
Phosalone	0.10	Phosmet	0.10	Phosmet oxon	0.10	Phosphamidon	0.10
Phoxim	0.10	Picloram	0.10	Pinoxaden	0.10	Piperonyl butoxide	0.10
Pirimicarb	0.10	Pirimiphos-ethyl	0.10	Pirimiphos-methyl	0.10	Prallethrin	0.10
Primisulfuron-methyl	0.10	Prochloraz	0.10	Procymidone	0.10	Prodiamine	0.10
Profenofos	0.10	Profluralin	0.10	Promecarb	0.10	Prometon	0.10
Prometryn	0.10	Pronamide (Propyzamid)	0.10	Propachlor	0.10	Propamocarb	0.10
Propanil	0.10	Propargite	0.10	Propazine	0.10	Propetamphos	0.10
Propham	0.10	Propiconazole	0.10	Propoxur	0.10	Propoxycarbazone sodium	0.10
Prosulfuron	0.10	Prothioconazole	0.10	Prothiofos	0.10	Pydiflumetofen	0.10
Pymetrozine	0.10	Pyraclostrobin	0.10	Pyraflufen-ethyl	0.10	Pyrazophos	0.10
Pyrethrins (total)	0.10	Pyridaben	0.10	Pyridate	0.10	Pyrifluquinazon	0.10



Residue List

Method AOAC 2007.01

Units mg/kg

Analyzed 2/20/25

Parameter	LOQ	Parameter	LOQ	Parameter	LOQ	Parameter	LOQ
Pyrimethanil	0.10	Pyriproxyfen	0.10	Pyroxasulfone	0.10	Pyroxulam	0.10
Quinalphos	0.10	Quinclorac	0.10	Quinoxifen	0.10	Quintozene (PCNB)	0.10
Quizalofop	0.10	Resmethrin	0.10	Rimsulfuron	0.10	Rotenone	0.10
S-421	0.10	Saflufenacil	0.10	Sebuthylazine	0.10	Sedaxane	0.10
Sethoxydim	0.10	Siduron	0.10	Simazine	0.10	Simetryn	0.10
Spinetoram	0.10	Spinosad	0.10	Spirodiclofen	0.10	Spiromesifen	0.10
Spirotetramat	0.10	Spirotetramat enol	0.10	Spiroxamine	0.10	Sulfallate	0.10
Sulfentrazone	0.30	Sulfometuron-methyl	0.10	Sulfosulfuron	0.10	Sulfotep	0.10
Sulfoxaflor	0.10	Sulprofos	0.10	Tau-fluvalinate	0.10	Tebuconazole	0.10
Tebufenozide	0.10	Tebuthiuron	0.10	Tecnazene	0.10	Tefluthrin	0.10
Tembotrione	0.10	Terbacil	0.40	Terbufos	0.10	Terbufos-sulfone	0.10
Terbufos-sulfoxide	0.10	Terbuthylazine	0.10	Terbutryn	0.10	Tetrachlorvinphos	0.10
Tetraconazole	0.10	Tetradifon	0.10	Tetramethrin	0.10	Tetrasul	0.10
Thiabendazol 5 hydroxy	0.10	Thiabendazole	0.10	Thiacloprid	0.10	Thiamethoxam	0.10
Thifensulfuron-methyl	0.10	Thiobencarb	0.10	Thiodicarb	0.10	Thiometon	0.20
Thionazin	0.10	Thiophanate-methyl	0.10	Tolclofos-methyl	0.10	Tolfenpyrad	0.10
Tolyfluanid	0.10	Topramezone	0.10	Tralkoxydim	0.10	Triadimefon	0.10
Triadimenol	0.10	Triallate	0.10	Triasulfuron	0.10	Triazophos	0.10
Tribenuron-methyl	0.10	Trichlorfon (Metrifonate)	0.10	Triclopyr	0.20	Trifloxystrobin	0.10
Trifloxysulfuron	0.10	Triflumizole	0.10	Trifluralin	0.10	Triflurosulfuron-methyl	0.10
Triforine	0.10	Trinexapac-ethyl	0.10	Triticonazole	0.10	Vinclozolin	0.10
Zoxamide	0.10						



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-001644/D001.R000
Report Date: 02/24/2025
ORELAP#: OR100028
Purchase Order:
Received: 02/17/25 11:28



Hemp & Cannabis
Chain of Custody

Northwest-Natural-
Goods-1739456499

						Testing							
						H0042S - A. atoxins+Ochratoxin CLCC	H0010 - Potency Cannabis (Basic+Expanded)	Multi-Residue Pesticide Pro e (Cannabis)	M283 - RAPID Yeast and Mold Count (RYM) Petri m	M075 - E. coli/Coliform Count (EC) Petri m	H0013 - Cannabis Heavy Metals Pro e CR	H0008 - Residual Solvents (Cannabis - Oregon)	N3600 - Water Activity & Moisture (as Loss on Drying) Food
Company Details Company: <u>Northwest Natural Goods</u> [Redacted] [Redacted] [Redacted] [Redacted] [Redacted] [Redacted] Billing Information [Redacted]						Project Details Turnaround Time: <u>5 Business Days Req. For Micro Testing Standard</u> Relinquishment Sampling, Courier & Shipping Options: <u>Pick-Up Courier Service</u> Project Name / ID: <u>HEMP - RB 0141</u> Pick-Up Details Pick-Up Location Name: <u>Northwest Natural Goods</u> [Redacted] [Redacted] [Redacted] Receipt Information Evidence of Cooling?: No Sample Condition: Satisfactory Prelog Storage: Canna Shelves							
#	Sample Name	Material	Amount Provided	Reporting Unit	Serving Size								
1	HEMP - RB 0141	Cannabinoid Edible	20 each	mg/g & mg/serving	4 g	✓	✓	✓	✓	✓	✓	✓	✓

Relinquished By	Date	Time	Temp., °C	Received By	Date	Time	Received Temp., °C	IRTherm. CL#
Kristen Johnson	02/13/2025	06:21		BCR	02/17/2025	10:25	NA	NA
BCR	02/17/2025	11:06	18.4	dst	02/17/2025	11:28	18.4	Other

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the [current terms of services](#) associated with this COC. By signing "Relinquished by" you are agreeing to these terms.

Columbia Laboratories
12423 NE Whitaker Way
Portland, OR 97230

P: (503) 254-1794
info@columbiaboratories.com

Page 1 of 1
www.columbiaboratories.com



Laboratory Quality Control Results

JAOAC2015 V986 Batch ID: 2501175

Laboratory Control Sample

Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.0324	0.0328	%	98.9	80.0 - 120	Acceptable	
CBDV	2	0.0349	0.0354	%	98.6	80.0 - 120	Acceptable	
CBE	2	0.0356	0.0363	%	98.2	80.0 - 120	Acceptable	
CBDA	1	0.0359	0.0353	%	102	90.0 - 110	Acceptable	
CBGA	1	0.0356	0.0352	%	101	80.0 - 120	Acceptable	
CBG	1	0.0344	0.0337	%	102	80.0 - 120	Acceptable	
CBD	1	0.0294	0.0293	%	101	90.0 - 110	Acceptable	
THCV	2	0.0349	0.0354	%	98.5	80.0 - 120	Acceptable	
d8THCV	2	0.0355	0.0367	%	96.6	80.0 - 120	Acceptable	
THCVA	2	0.0316	0.0317	%	99.6	80.0 - 120	Acceptable	
CBN	1	0.0342	0.0337	%	101	80.0 - 120	Acceptable	
exo-THC	2	0.0325	0.0334	%	97.2	80.0 - 120	Acceptable	
d9THC	1	0.0310	0.0303	%	102	90.0 - 110	Acceptable	
d8THC	1	0.0342	0.0353	%	96.8	90.0 - 110	Acceptable	
9S-d10THC	1	0.0349	0.0356	%	98.1	80.0 - 120	Acceptable	
CBL	2	0.0320	0.0346	%	92.5	80.0 - 120	Acceptable	
9R-d10THC	1	0.0297	0.0307	%	96.8	80.0 - 120	Acceptable	
CBC	2	0.0333	0.0348	%	95.5	80.0 - 120	Acceptable	
THCA	1	0.0389	0.0376	%	103	90.0 - 110	Acceptable	
CBCA	2	0.0340	0.0342	%	99.5	80.0 - 120	Acceptable	
CBLA	2	0.0322	0.0330	%	97.8	80.0 - 120	Acceptable	
d9THCP	2	0.0309	0.0337	%	91.7	80.0 - 120	Acceptable	
CBT	2	0.0309	0.0345	%	89.4	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.00322	%	< 0.00322	Acceptable	
CBDV	<LOQ	0.00322	%	< 0.00322	Acceptable	
CBE	<LOQ	0.00322	%	< 0.00322	Acceptable	
CBDA	<LOQ	0.00322	%	< 0.00322	Acceptable	
CBGA	<LOQ	0.00322	%	< 0.00322	Acceptable	
CBG	<LOQ	0.00322	%	< 0.00322	Acceptable	
CBD	<LOQ	0.00322	%	< 0.00322	Acceptable	
THCV	<LOQ	0.00322	%	< 0.00322	Acceptable	
d8THCV	<LOQ	0.00322	%	< 0.00322	Acceptable	
THCVA	<LOQ	0.00322	%	< 0.00322	Acceptable	
CBN	<LOQ	0.00322	%	< 0.00322	Acceptable	
exo-THC	<LOQ	0.00322	%	< 0.00322	Acceptable	
d9THC	<LOQ	0.00322	%	< 0.00322	Acceptable	
d8THC	<LOQ	0.00322	%	< 0.00322	Acceptable	
9S-d10THC	<LOQ	0.00322	%	< 0.00322	Acceptable	
CBL	<LOQ	0.00322	%	< 0.00322	Acceptable	
9R-d10THC	<LOQ	0.00322	%	< 0.00322	Acceptable	
CBC	<LOQ	0.00322	%	< 0.00322	Acceptable	
THCA	<LOQ	0.00322	%	< 0.00322	Acceptable	
CBCA	<LOQ	0.00322	%	< 0.00322	Acceptable	
CBLA	<LOQ	0.00322	%	< 0.00322	Acceptable	
d9THCP	<LOQ	0.00322	%	< 0.00322	Acceptable	
CBT	<LOQ	0.00322	%	< 0.00322	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



Laboratory Quality Control Results

JAOAC2015 V986			Batch ID: 2501175					
Sample Duplicate			Sample ID: 25-0015840001					
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.00323	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.00323	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.00323	%	NA	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.00323	%	NA	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.00323	%	NA	< 20	Acceptable	
CBG	0.00763	0.00748	0.00323	%	1.89	< 20	Acceptable	
CBD	<LOQ	<LOQ	0.00323	%	NA	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.00323	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.00323	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.00323	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.00323	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.00323	%	NA	< 20	Acceptable	
d9THC	0.263	0.262	0.00323	%	0.0891	< 20	Acceptable	
d8THC	<LOQ	<LOQ	0.00323	%	NA	< 20	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.00323	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.00323	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.00323	%	NA	< 20	Acceptable	
CBC	0.00442	0.00450	0.00323	%	1.75	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.00323	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.00323	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.00323	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.00323	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.00323	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent


Laboratory Quality Control Results

Residual Solvents				Batch ID: 2501245			
Method Blank				Laboratory Control Sample			
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec Limits Notes
Propane	ND	< 200		506	585	µg/g	86.5 60 - 120
Isobutane	ND	< 200		639	770	µg/g	83.0 60 - 120
Butane	ND	< 200		645	769	µg/g	83.9 60 - 120
2,2-Dimethylpropane	ND	< 200		827	956	µg/g	86.5 60 - 120
Methanol	ND	< 200		1590	1650	µg/g	96.4 60 - 120
Ethylene Oxide	ND	< 30		47.5	57.7	µg/g	82.3 60 - 120
2-Methylbutane	ND	< 200		1550	1620	µg/g	95.7 60 - 120
Pentane	ND	< 200		1530	1620	µg/g	94.4 60 - 120
Ethanol	ND	< 200		1580	1680	µg/g	94.0 70 - 130
Ethyl Ether	ND	< 200		1550	1640	µg/g	94.5 60 - 120
2,2-Dimethylbutane	ND	< 30		170	182	µg/g	93.4 60 - 120
Acetone	ND	< 200		1410	1640	µg/g	86.0 60 - 120
2-Propanol	ND	< 200		1520	1630	µg/g	93.3 60 - 120
Ethyl Formate	ND	< 500		1040	1610	µg/g	64.6 70 - 130 Q7
Acetonitrile	ND	< 100		485	513	µg/g	94.5 60 - 120
Methyl Acetate	ND	< 500		1550	1610	µg/g	96.3 70 - 130
2,3-Dimethylbutane	ND	< 30		170	184	µg/g	92.4 60 - 120
Dichloromethane	ND	< 60		549	589	µg/g	93.2 60 - 120
2-Methylpentane	ND	< 30		181	185	µg/g	97.8 60 - 120
MTBE	ND	< 500		1530	1610	µg/g	95.0 70 - 130
3-Methylpentane	ND	< 30		164	177	µg/g	92.7 60 - 120
Hexane	ND	< 30		163	174	µg/g	93.7 60 - 120
1-Propanol	ND	< 500		1510	1600	µg/g	94.4 70 - 130
Methylethylketone	ND	< 500		1560	1610	µg/g	96.9 70 - 130
Ethyl acetate	ND	< 200		1550	1620	µg/g	95.7 60 - 120
2-Butanol	ND	< 200		1520	1640	µg/g	92.7 60 - 120
Tetrahydrofuran	ND	< 100		454	511	µg/g	88.8 60 - 120
Cyclohexane	ND	< 200		1450	1610	µg/g	90.1 60 - 120
2-methyl-1-propanol	ND	< 500		1390	1610	µg/g	86.3 70 - 130
Benzene	ND	< 1		4.75	5.56	µg/g	85.4 60 - 120
Isopropyl Acetate	ND	< 200		1500	1620	µg/g	92.6 60 - 120
Heptane	ND	< 200		1420	1610	µg/g	88.2 60 - 120
1-Butanol	ND	< 500		1390	1610	µg/g	86.3 70 - 130
Propyl Acetate	ND	< 500		1520	1620	µg/g	93.8 70 - 130
1,4-Dioxane	ND	< 100		406	487	µg/g	83.4 60 - 120
2-Ethoxyethanol	ND	< 30		159	180	µg/g	88.3 60 - 120
Methylisobutylketone	ND	< 500		1460	1620	µg/g	90.1 70 - 130
3-Methyl-1-butanol	ND	< 500		1360	1600	µg/g	85.0 70 - 130
Ethylene Glycol	ND	< 200		405	530	µg/g	76.4 60 - 120
Toluene	ND	< 100		431	497	µg/g	86.7 60 - 120
Isobutyl Acetate	ND	< 500		1500	1620	µg/g	92.6 70 - 130
1-Pentanol	ND	< 500		1380	1600	µg/g	86.3 70 - 130
Butyl Acetate	ND	< 500		1520	1600	µg/g	95.0 70 - 130
Ethylbenzene	ND	< 200		911	1060	µg/g	85.9 60 - 120
m,p-Xylene	ND	< 200		894	1040	µg/g	86.0 60 - 120
o-Xylene	ND	< 200		946	1090	µg/g	86.8 60 - 120
Cumene	ND	< 30		192	227	µg/g	84.6 60 - 120
Anisole	ND	< 500		1390	1610	µg/g	86.3 70 - 130
DMSO	ND	< 500		1260	1600	µg/g	78.8 70 - 130
1,2-dimethoxyethane	ND	< 50		154	162	µg/g	95.1 70 - 130
Triethylamine	ND	< 500		1400	1600	µg/g	87.5 70 - 130
N,N-dimethylformamide	ND	< 150		413	487	µg/g	84.8 70 - 130
N,N-dimethylacetamide	ND	< 150		490	498	µg/g	98.4 70 - 130
Pyridine	ND	< 50		144	162	µg/g	88.9 70 - 130
Sulfolane	ND	< 50		119	173	µg/g	68.8 70 - 130 Q7
1,2-Dichloroethane	ND	< 1		0.934	1	µg/g	93.4 70 - 130
Chloroform	ND	< 1		0.957	1	µg/g	95.7 70 - 130
Trichloroethylene	ND	< 1		0.892	1	µg/g	89.2 70 - 130
1,1-Dichloroethane	ND	< 1		1.05	1	µg/g	105.0 70 - 130


QC - Sample Duplicate
Sample ID: 25-001518-0001

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Formate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
1-Propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Methylethylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
1-Butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500	µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500	µg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
Pyridine	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Sulfolane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,1-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

µg/g- Microgram per gram or ppm



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-001644/D001.R000
Report Date: 02/24/2025
ORELAP#: OR100028
Purchase Order:
Received: 02/17/25 11:28





Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.