




# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50415009-001



Production Method: Other - Not Listed

Batch#: 20250409-001

Harvest Date: 04/09/25

Sample Size Received: 1 units

Total Amount: 100 units

Retail Product Size: 0.3952 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 04/15/25

Sampled: 04/15/25

Completed: 04/17/25

Revision Date: 06/13/25

Sampling Method: SOP.T.20.010.FL

Jun 13, 2025 | ZHI Technologies Inc  
2962 NW 60th St.  
Fort Lauderdale, FL, 31809, US



empire products with outstanding taste and performance. by design

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**NOT TESTED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

MISC.



### Cannabinoid

**TESTED**



Total THC  
**ND**

Total THC/Patch : 0.000 mg



Total CBD  
**5.226%**

Total CBD/Patch : 20.653 mg



Total Cannabinoids  
**5.226%**

Total Cannabinoids/Patch : 20.653 mg

|         | DB-THC | THCA  | CBD   | CBDA  | DB-THC | CBG   | CBGA  | CBN   | THCV  | CBGV  | CBC   |
|---------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| %       | ND     | ND    | 5.226 | ND    | ND     | ND    | ND    | ND    | ND    | ND    | ND    |
| mg/unit | ND     | ND    | 20.65 | ND    | ND     | ND    | ND    | ND    | ND    | ND    | ND    |
| LOD     | 0.001  | 0.001 | 0.001 | 0.001 | 0.001  | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| %       | %      | %     | %     | %     | %      | %     | %     | %     | %     | %     | %     |

Analyzed by:  
3135, 3665, 585, 4151, 1440

Weight:  
0.4041g

Extraction date:  
04/16/25 11:35:26

Extracted by:  
1125

Analysis Method : 116 T.40.031 SOP 1.10.011  
Analytical Batch : DAB07417911  
Instrument Used : DX-11 011  
Analyzed Date : 06/10/25 09:07:35

Batch Date : 04/15/25 08:30:16

Dilution : 400  
Reagent : 041125.R04; 012725.01; 041125.R07  
Consumables : 947 110; 04112111; 062224CH01; 0000155309  
Pipette : DA-079; DA 108; DA 070

For more information analyze our High Performance Liquid Chromatography with GC detection in accordance with Florida Rule 64E02-70

Label Claim

**PASSED**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND - Not Detected, ppm - Parts Per Million, ppb - Parts Per Billion, RSD - Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are state determined thresholds based on F.S. Rule 64E02-39 and F.S. Rule 64E04. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for cannabis does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # C.M.L. 0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation #ILA  
Testing 97164

Signature  
04/17/25

Revision: #2 This revision supersedes any and all previous versions of this document.





4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



CBD  
Matrix : Derivative  
Type: Transdermal Patch

# Certificate of Analysis

**PASSED**

ZHI Technologies Inc.

2962 NW 60th St.  
Fort Lauderdale, FL, 33309, US  
Telephone: (954) 368-7664  
Email: lab@zhi.com

Sample : DA50415009-001

Batch# : 20250409-001  
Sampled : 04/15/25  
Ordered : 04/15/25

Sample Size Received : 1 units  
Total Amount : 100 units  
Completed : 04/17/25 Expires: 06/15/26  
Sample Method : SOP Clant Method

Page 3 of 6



## Pesticides

**PASSED**

| Pesticide                           | LOD   | Units | Action Level | Pass/Fail | Result | Pesticide                        | LOD   | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|----------------------------------|-------|-------|--------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm   | 30           | PASS      | ND     | OXAMYL                           | 0.010 | ppm   | 0.5          | PASS      | ND     |
| TOTAL DIMETHOATE                    | 0.010 | ppm   | 3            | PASS      | ND     | PACLOBUTRAZOL                    | 0.010 | ppm   | 0.1          | PASS      | ND     |
| TOTAL PERMETHRIN                    | 0.010 | ppm   | 1            | PASS      | ND     | PHOSMET                          | 0.010 | ppm   | 0.2          | PASS      | ND     |
| TOTAL PYRETHRINS                    | 0.010 | ppm   | 1            | PASS      | ND     | PIPERONYL BUTOXIDE               | 0.010 | ppm   | 3            | PASS      | ND     |
| TOTAL SPINETORAM                    | 0.010 | ppm   | 3            | PASS      | ND     | PRALLETHRIN                      | 0.010 | ppm   | 0.4          | PASS      | ND     |
| TOTAL SPINOSAD                      | 0.010 | ppm   | 3            | PASS      | ND     | PROPICONAZOLE                    | 0.010 | ppm   | 1            | PASS      | ND     |
| ABAMECTIN 85A                       | 0.010 | ppm   | 0.1          | PASS      | ND     | PROPOXUR                         | 0.010 | ppm   | 0.1          | PASS      | ND     |
| ACEPHATE                            | 0.010 | ppm   | 2            | PASS      | ND     | PYRIDABEN                        | 0.010 | ppm   | 3            | PASS      | ND     |
| ACQUINOXYL                          | 0.010 | ppm   | 2            | PASS      | ND     | SPINOSIFEN                       | 0.010 | ppm   | 3            | PASS      | ND     |
| ACETAMIPRID                         | 0.010 | ppm   | 0.1          | PASS      | ND     | SPINETORAMAT                     | 0.010 | ppm   | 3            | PASS      | ND     |
| ALDICARB                            | 0.010 | ppm   | 3            | PASS      | ND     | SPIROXAMINE                      | 0.010 | ppm   | 0.1          | PASS      | ND     |
| AZOXYSTROBIN                        | 0.010 | ppm   | 1            | PASS      | ND     | TEBUCONAZOLE                     | 0.010 | ppm   | 1            | PASS      | ND     |
| BIFENAZATE                          | 0.010 | ppm   | 0.5          | PASS      | ND     | THIACLOPRID                      | 0.010 | ppm   | 0.1          | PASS      | ND     |
| BIFENTHRIN                          | 0.010 | ppm   | 1            | PASS      | ND     | THIAMETHOXAM                     | 0.010 | ppm   | 1            | PASS      | ND     |
| BOSCALID                            | 0.010 | ppm   | 0.5          | PASS      | ND     | TRIFLOXYSTROBIN                  | 0.010 | ppm   | 1            | PASS      | ND     |
| CARBARYL                            | 0.010 | ppm   | 0.1          | PASS      | ND     | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | ppm   | 0.2          | PASS      | ND     |
| CARBOFURAN                          | 0.010 | ppm   | 3            | PASS      | ND     | PARATHION METHYL *               | 0.010 | ppm   | 0.1          | PASS      | ND     |
| CHLORANTHILIPROLE                   | 0.010 | ppm   | 1            | PASS      | ND     | CAPTAN *                         | 0.010 | ppm   | 1            | PASS      | ND     |
| CHLORANQUAT CHLORIDE                | 0.010 | ppm   | 0.1          | PASS      | ND     | CHLORDANE *                      | 0.010 | ppm   | 0.1          | PASS      | ND     |
| CHLORPYRIFOS                        | 0.010 | ppm   | 0.5          | PASS      | ND     | CHLORFENAPYR *                   | 0.010 | ppm   | 0.1          | PASS      | ND     |
| CLOFENTEZINE                        | 0.010 | ppm   | 0.1          | PASS      | ND     | CYFLUTHRIN *                     | 0.050 | ppm   | 1            | PASS      | ND     |
| CGIMAPHOS                           | 0.010 | ppm   | 0.1          | PASS      | ND     | CYPERMETHRIN *                   | 0.050 | ppm   | 1            | PASS      | ND     |
| DAMINOZIDE                          | 0.010 | ppm   | 1            | PASS      | ND     |                                  |       |       |              |           |        |
| DIAZINON                            | 0.010 | ppm   | 0.1          | PASS      | ND     |                                  |       |       |              |           |        |
| DICHLORVOS                          | 0.010 | ppm   | 0.1          | PASS      | ND     |                                  |       |       |              |           |        |
| DIMETHOATE                          | 0.010 | ppm   | 0.1          | PASS      | ND     |                                  |       |       |              |           |        |
| ETHOPROPHOS                         | 0.010 | ppm   | 0.1          | PASS      | ND     |                                  |       |       |              |           |        |
| ETOFENPROX                          | 0.010 | ppm   | 0.1          | PASS      | ND     |                                  |       |       |              |           |        |
| ETOXAZOLE                           | 0.010 | ppm   | 1.5          | PASS      | ND     |                                  |       |       |              |           |        |
| FEENDEXAMID                         | 0.010 | ppm   | 1            | PASS      | ND     |                                  |       |       |              |           |        |
| FENOXICARB                          | 0.010 | ppm   | 0.1          | PASS      | ND     |                                  |       |       |              |           |        |
| FENPROXIMATE                        | 0.010 | ppm   | 2            | PASS      | ND     |                                  |       |       |              |           |        |
| FIPRONIL                            | 0.010 | ppm   | 0.1          | PASS      | ND     |                                  |       |       |              |           |        |
| FLONICAMID                          | 0.010 | ppm   | 2            | PASS      | ND     |                                  |       |       |              |           |        |
| FLUDIOXONIL                         | 0.010 | ppm   | 3            | PASS      | ND     |                                  |       |       |              |           |        |
| HEXYTHIAZOX                         | 0.010 | ppm   | 2            | PASS      | ND     |                                  |       |       |              |           |        |
| IMAZALIL                            | 0.010 | ppm   | 0.1          | PASS      | ND     |                                  |       |       |              |           |        |
| IMIDACLOPRID                        | 0.010 | ppm   | 1            | PASS      | ND     |                                  |       |       |              |           |        |
| INDOXACARB METHYL                   | 0.010 | ppm   | 1            | PASS      | ND     |                                  |       |       |              |           |        |
| MALATHION                           | 0.010 | ppm   | 2            | PASS      | ND     |                                  |       |       |              |           |        |
| METALAXYL                           | 0.010 | ppm   | 1            | PASS      | ND     |                                  |       |       |              |           |        |
| NETHIOCARB                          | 0.010 | ppm   | 0.1          | PASS      | ND     |                                  |       |       |              |           |        |
| METHOMYL                            | 0.010 | ppm   | 0.1          | PASS      | ND     |                                  |       |       |              |           |        |
| NEVBYPHOS                           | 0.010 | ppm   | 0.1          | PASS      | ND     |                                  |       |       |              |           |        |
| NYCLOBUTANIL                        | 0.010 | ppm   | 5            | PASS      | ND     |                                  |       |       |              |           |        |
| NALED                               | 0.010 | ppm   | 0.5          | PASS      | ND     |                                  |       |       |              |           |        |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND - Not Detected, ppm - Parts Per Million, ppb - Parts Per Billion, RSD - Relative Standard Deviation, LOD - Limit of Detection (LOD) and LOQ - Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64B20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL 0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA  
Testing 97164

Signature  
04/17/25

Revision: #2 This revision supersedes any and all previous versions of this document



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



CBD  
Matrix : Derivative  
Type: Transdermal Patch

# Certificate of Analysis

**PASSED**

ZNI Technologies Inc

2962 NW 60th St  
Fort Lauderdale, FL, 33309, US  
Telephone: (954) 996-7675  
Email: info@znictechnologies.com

Sample : DA50415009-001

Batch# : 20250409 001  
Sampled : 04/17/25  
Ordered : 04/15/25

Sample Size Received : 1 units  
Total Amount : 100 units  
Completed : 04/17/25 Expires: 05/13/26  
Sample Method : SOP U Herb Method

Page 4 of 6



## Residual Solvents

**PASSED**

| Solvents             | LOD     | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE   | 0.800   | ppm   | 8            | PASS      | ND     |
| 1,2-DICHLOROETHANE   | 0.200   | ppm   | 2            | PASS      | ND     |
| 2-PROPANOL           | 50.000  | ppm   | 500          | PASS      | ND     |
| ACETONE              | 75.000  | ppm   | 750          | PASS      | ND     |
| ACETONITRILE         | 6.000   | ppm   | 60           | PASS      | ND     |
| BENZENE              | 0.100   | ppm   | 1            | PASS      | ND     |
| BUTANES (N-BUTANE)   | 500.000 | ppm   | 5000         | PASS      | ND     |
| CHLOROFORM           | 0.200   | ppm   | 2            | PASS      | ND     |
| DICHLOROMETHANE      | 12.500  | ppm   | 125          | PASS      | ND     |
| ETHANOL              | 500.000 | ppm   |              | TESTED    | ND     |
| ETHYL ACETATE        | 40.000  | ppm   | 400          | PASS      | ND     |
| ETHYL ETHER          | 50.000  | ppm   | 500          | PASS      | ND     |
| ETHYLENE OXIDE       | 0.500   | ppm   | 5            | PASS      | ND     |
| HEPTANE              | 500.000 | ppm   | 5000         | PASS      | ND     |
| METHANOL             | 25.000  | ppm   | 250          | PASS      | ND     |
| N-HEXANE             | 25.000  | ppm   | 250          | PASS      | ND     |
| PENTANES (N-PENTANE) | 75.000  | ppm   | 750          | PASS      | ND     |
| PROPANE              | 500.000 | ppm   | 5000         | PASS      | ND     |
| TOLUENE              | 15.000  | ppm   | 150          | PASS      | ND     |
| TOTAL XYLENES        | 15.000  | ppm   | 150          | PASS      | ND     |
| TRICHLOROETHYLENE    | 2.500   | ppm   | 25           | PASS      | ND     |

Analyzed by:  
4444, 4451, 585

Weight:  
0.0198g

Extraction date:  
06/11/25 12:01:13

Extracted by:  
4444

Analysis Method : SOP T 40 041 FL  
Analytical Batch : DA08711050L  
Instrument Used : DA-GCM5 003  
Analyzed Date : 06/12/25 11:14:10

Batch Date : 06/11/25 10:01:35

Dilution : 1  
Reagent : 030420.09  
Consumables : 429651: 315545  
Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with U.S. Rule 64ER20-19

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND-Not Detected, ppm-Parts Per Million, ppb-Parts Per Billion, RSD-Relative Standard Deviation, Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 64. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL 0002  
ISO 17025 Accreditation # 150/IEC  
17025 2017 Accreditation #JLA  
Testing 97164

Signature  
04/17/25

Revision: #2 This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



CBD  
Matrix : Derivative  
Type: Transdermal Patch

# Certificate of Analysis

**PASSED**

ZIH Technologies Inc

2962 NW 60th St  
Fort Lauderdale, FL, 33309, US  
Telephone: (954) 396-7675  
Email: lab@zihtechnologies.com

Sample : DA50415009-001

Batch# : 26250409-001  
Sampled : 04/15/25  
Ordered : 04/15/25

Sample Size Received : 1 units  
Total Amount : 100 units  
Completed : 04/17/25 Expires: 06/18/26  
Sample Method : SOP Client Method

Page 5 of 6

| Microbial   |     |       |             |             |              | Mycotoxins  |       |       |        |             |              |
|---|-----|-------|-------------|-------------|--------------|---|-------|-------|--------|-------------|--------------|
| Analyte   | LOD | Units | Result      | Pass / Fail | Action Level | Analyte   | LOD   | Units | Result | Pass / Fail | Action Level |
| ASPERGILLUS TERREUS   |     |       | Not Present | PASS        |              | AFLATOXIN B2  | 0.002 | ppm   | ND     | PASS        | 0.02         |
| ASPERGILLUS NIGER   |     |       | Not Present | PASS        |              | AFLATOXIN B1  | 0.002 | ppm   | ND     | PASS        | 0.02         |
| ASPERGILLUS FUMIGATUS   |     |       | Not Present | PASS        |              | OCHRATOXIN A  | 0.002 | ppm   | ND     | PASS        | 0.02         |
| ASPERGILLUS FLAVUS  |     |       | Not Present | PASS        |              | AFLATOXIN G1  | 0.002 | ppm   | ND     | PASS        | 0.02         |
| SALMONELLA SPECIFIC GENE  |     |       | Not Present | PASS        |              | AFLATOXIN G2  | 0.002 | ppm   | ND     | PASS        | 0.02         |
| ECOLI SHIGELLA  |     |       | Not Present | PASS        |              |   |       |       |        |             |              |
| TOTAL YEAST AND MOLD  | 10  | CFU/g | <10         | PASS        | 100000       |   |       |       |        |             |              |
| Analyzed by: 4892, 4520, 585<br>Weight: 0.8345g<br>Extraction date: 06/11/25 10:45:11<br>Extracted by: 4520,4892  |     |       |             |             |              | Analyzed by: 4056, 585<br>Weight: 0.3862g<br>Extraction date: 06/11/25 13:04:13<br>Extracted by: 4056,450,585   |       |       |        |             |              |
| Analysis Method : SOP T 40 056C, SOP T 40 050 FL, SOP T 40 209 FL<br>Analytical Batch : DA087389MX<br>Instrument Used : DA-111 (PathogenDx Scanner), DA 049 (95°C Heat Block), DA 402 (55°C Heat Block)<br>Analyzed Date : 06/12/25 09:37:15<br>Dilution : 10<br>Reagent : 031125.06; 050225.19; 051325.R51; 093024.05<br>Consumables : 7582002001; 7582002063<br>Pipette : N/A |     |       |             |             |              | Analysis Method : SOP T 30 102 FL, SOP T 40 102 FL<br>Analytical Batch : DA087404MYC<br>Instrument Used : N/A<br>Analyzed Date : 06/12/25 10:27:27<br>Dilution : 250<br>Reagent : 060825.R01; 043025.Z8; 061025.R57; 060625.R04; 061025.R58; 042925.R13; 061125.R01<br>Consumables : 040724CH01; 6822423-02<br>Pipette : DA-093; DA-094; DA-219 |       |       |        |             |              |

Total yeast and mold testing is performed utilizing MW and traditional culture based techniques in accordance with F.S. Rule 64E820.19

Mycotoxins testing utilizing Liquid Chromatography with Triple Quadrupole Mass Spec functionality in accordance with F.S. Rule 64E820.39

Analysis Method : SOP T 40 209 FL  
Analytical Batch : DA087390TYM  
Instrument Used : DA-328 (25°C Incubator)  
Analyzed Date : 06/11/25 11:41:03  
Batch Date : 06/11/25 00:06:15

## Heavy Metals

| Metal   | LOD   | Units | Result | Pass / Fail | Action Level |
|---|-------|-------|--------|-------------|--------------|
| TOTAL CONTAMINANT LOAD METALS   | 0.080 | ppm   | ND     | PASS        | 5            |
| ARSENIC   | 0.020 | ppm   | ND     | PASS        | 1.5          |
| CADMIUM   | 0.020 | ppm   | ND     | PASS        | 0.5          |
| MERCURY   | 0.020 | ppm   | ND     | PASS        | 3            |
| LEAD  | 0.020 | ppm   | ND     | PASS        | 0.5          |
| Analyzed by: 4022, 4521, 585<br>Weight: 0.2095g<br>Extraction date: 06/11/25 14:06:56<br>Extracted by: 1077,4531  |       |       |        |             |              |
| Analysis Method : SOP T 20 082 FL, SOP T 40 082 FL<br>Analytical Batch : DA087394HEA<br>Instrument Used : DA-ICPM5-004<br>Analyzed Date : 06/12/25 10:29:33<br>Dilution : 50<br>Reagent : 060425.R41; 060925.R08; 060925.R07; 061025.R39; 060925.R05; 060925.R06; 120324.07; 060925.R09<br>Consumables : 040724CH01; J609879-0193; 179436<br>Pipette : DA-061; DA-191; DA-216 |       |       |        |             |              |

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spec functionality in accordance with F.S. Rule 64E820.39

This Kaycha Labs Certificate shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND - Not Detected, ppm - Parts Per Million, ppb - Parts Per Billion, RSD - Relative Standard Deviation, LOD - Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E820-39 and F.S. Rule 58.4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL 0007  
ISO 17025 Accreditation # ISOIEC 17025:2017 Accreditation PLA-Testing 97164

Signature  
04/17/25

Revision: #2 This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



CBD  
Matrix : Derivative  
Type: Transdermal Patch

# Certificate of Analysis

**PASSED**

ZHI Technologies Inc

2962 NW 60th St  
Fort Lauderdale, FL, 33309, US  
Telephone: (561) 596-7675  
Email: [testing@zhittechnologies.com](mailto:testing@zhittechnologies.com)

Sample : DA50415009-001

Batch# : 70250409-001  
Sampled : 04/15/25  
Ordered : 04/15/25

Sample Size Received : 3 tests  
Total Amount : 100 units  
Completed : 04/17/25 Expires: 06/17/25  
Sample Method : SOP Client Method

Page 6 of 6



**Filth/Foreign  
Material**

**PASSED**

| Analyte                    | LOD   | Units | Result | P/F  | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | %     | ND     | PASS | 1            |

|                           |               |                                       |                       |
|---------------------------|---------------|---------------------------------------|-----------------------|
| Analyzed by:<br>1879, 585 | Weight:<br>1g | Extraction date:<br>06/11/25 12:37:42 | Extracted by:<br>1879 |
|---------------------------|---------------|---------------------------------------|-----------------------|

Analysis Method : SOP 1.40.090  
Analytical Batch : DA007419FIL  
Instrument Used : Filth/Foreign Material Microscope  
Analyzed Date : 06/11/25 23:08:24  
Batch Date : 06/11/25 12:30:22

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection (naked eye) and microscope technologies in accordance with F.S. Rule 64B30.01.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND - Not Detected, ppm - Parts Per Million, ppb - Parts Per Billion, RSD - Relative Standard Deviation, LOD - Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64B20.39 and F.S. Rule 64B.4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL 0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation # IALA  
Testing 97164

Signature  
04/17/25

Revision: #2 This revision supersedes any and all previous versions of this document.