




Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50415009-002



Production Method: Other - Not Listed

Batch#: 20250409-002

Harvest Date: 04/09/25

Sample Size Received: 1 units

Total Amount: 100 units

Retail Product Size: 0.3245 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 04/15/25

Sampled: 04/15/25

Completed: 04/17/25

Revision Date: 06/13/25

Sampling Method: SOP.T.20.010.FL

Jun 13, 2025 | ZHI Technologies Inc

2962 NW 66th St.
Fort Lauderdale, FL, 33309, US



ZHI

empower products with outstanding taste and performance... by design!

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC

ND

Total THC/Patch : 0.000 mg



Total CBD

ND

Total CBD/Patch : 0.000 mg



Total Cannabinoids

6.482%

Total Cannabinoids/Patch : 21.034 mg

	DB-THC	THCA	CBD	CBDA	DB-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	ND	ND	ND	ND	ND	ND	ND	6.482	ND	ND	ND
mg/unit	ND	ND	ND	ND	ND	ND	ND	21.03	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:

3335, 1465, 585, 4151, 1440

Weight:

0.3245g

Extraction date:

04/16/25 11:38:26

Extracted by:

3335

Analysis Method : SOP.T.40.011.SOP.T.30.011

Analytical Batch : 156035-127901

Instrument Used : DA 11-001

Analyzed Date : 06/10/25 09:07:40

Batch Date : 04/16/25 08:38:16

Dilution : 400

Reagent : 041125.R04, 012725.R3, 041125.R07

Certification : 947.110, 04312111, 0622240101, 0000355303

Pipette : DA 079, DA 108, DA 078

Full Spectrum cannabinoid analysis using High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64E02.25

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND - Not Detected, ppm - Parts Per Million, ppb - Parts Per Billion, RSD - Relative Standard Deviation, LOD - Limit of Detection (LOD) and LOQ - Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E02.09 and F.S. Rule 18.4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for passed/failed does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA
Testing 97164



Signature
04/17/25

Revision: #2

This revision supersedes any and all previous versions of this document



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



CBN
Matrix : Derivative
Type: Transdermal Patch

Certificate of Analysis

PASSED

ZHI Technologies Inc

2062 NW 60th St
Fort Lauderdale, FL, 33309, US
Telephone: (954) 596-7675
Email: bob@zhittechnologies.com

Sample #: DA50415009-002

Batch#: 10/11/25

Sampled: 04/15/25

Ordered: 04/15/25

Sample Size Received: 1 units

Total Amount: 100 units

Completed: 04/17/25 Expires: 06/13/26

Sample Method: SOP-Limit Method

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOATHORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BIFTHOXIDE	0.010	ppm	1	PASS	ND
TOTAL SPINETORAM	0.010	ppm	1	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B3A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	1	PASS	ND	PYRIDABEN	0.010	ppm	5	PASS	ND
ACEQUIMICYL	0.010	ppm	2	PASS	ND	SPROMESPEN	0.010	ppm	1	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	1	PASS	ND	THIAZLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.2	PASS	ND
CARBOFUURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLOSANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	ppm	1	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.2	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFFENTHEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	ppm	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analysed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	4056, 505	0.3012g	06/11/25 13:04:13	4056,450,505		
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHIOFOPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method:					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	450, 505					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Instrument Used:					
FENHEXAMID	0.010	ppm	3	PASS	ND	DA1125-02-1 (P5)					
FENOXICARB	0.010	ppm	0.1	PASS	ND	DA1125-10-26 (1)					
FENPYROXIMATE	0.010	ppm	2	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND	Dilution:	250				
FLONICAMID	0.010	ppm	2	PASS	ND	Reagent:	060825-R01, 043025-Z0, 061025-R57, 050625-R04, 061025-R58, 042925-R11, 061125-R01				
FLUDIOXONIL	0.010	ppm	1	PASS	ND	Consumables:	040724CH01, 6822421-02				
HEXATHIAZOX	0.010	ppm	2	PASS	ND	Pipette:	DA-093, DA-094, DA-219				
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple Quadrupole Mass Spectrometry in accordance with F.S. Rule 60B20-19.					
KRESOXIN-METHYL	0.010	ppm	1	PASS	ND	Analysed by:	Weight:	Extraction date:	Extracted by:		
MALATHION	0.010	ppm	2	PASS	ND	450, 505	0.3012g	06/11/25 13:04:11	4056,450,505		
METALAKYL	0.010	ppm	3	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analysis Method:					
METHOMYL	0.010	ppm	0.1	PASS	ND	450, 505					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used:					
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	DA1125-02-1 (P5)					
NALED	0.010	ppm	0.5	PASS	ND	DA1125-10-26 (1)					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E20-39 and F.S. Rule 5K 4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL 0002
ISO 17025 Accreditation # 1541007
17025:2017 Accreditation PJA
Testing 97164

Signature
04/17/25

Revision: #2 This revision supersedes any and all previous versions of this document



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs



CBN
 Matrix : Derivative
 Type: Transdermal Patch

Certificate of Analysis

PASSED

ZHI Technologies Inc

2967 NW 60th St
 Fort Lauderdale, FL, 33308, US
 Telephone: (954) 596-7675
 Email: lab@zhi-technologies.com

Sample : DA50415009-002

Batch# : 20/50409-002
 Sampled : 04/15/25
 Ordered : 04/15/25

Sample Size Received : 1 units
 Total Amount : 100 units
 Completed : 04/17/25 Expires: 06/11/26
 Sample Method : SOP Client Method

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
 4444, 4451, 585

Weight:
 0.0212g

Extraction date:
 06/11/25 12:01:13

Extracted by:
 4444

Analysis Method : SOP T-40-041 FL
 Analytical Batch : DA001/410501
 Instrument Used : DA-GCMS 003
 Analyzed Date : 06/12/25 11:14:11

Batch Date : 06/11/25 10:01:35

Dilution : 1

Reagent : 030420.09

Consumables : 429651; 315545

Pipette : DA-415 (25ul, Syringe - 44285); DA-416 (25ul, Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND - Not Detected, ppm - Parts Per Million, ppb - Parts Per Billion, RSD - Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 59-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for narcotics does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL 0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJA
 Testing 97164

Signature
 04/17/25

Revision: #2 This revision supersedes any and all previous versions of this document



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



CBN
Matrix : Derivative
Type: Transdermal Patch

Certificate of Analysis

PASSED

ZHI Technologies Inc

2962 NW 60th St
Fort Lauderdale, FL, 33309, US
Telephone: (954) 366-7677
Email: info@zhi-tech.com

Sample : DA50415009-002

Batch# : 12025009-002
Sampled : 04/15/25
Ordered : 04/15/25

Sample Size Received : 11 units
Total Amount : 100 units
Completed : 04/17/25 Expires: 06/17/25
Sample Method : SOP Chem Method

Page 5 of 6



Microbial

PASSED



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 4892, 4520, 585
Weight: 1.1686g
Extraction date: 06/11/25 10:45:11
Extracted by: 4520, 4892

Analysis Method : SOP T 40 056C, SOP T 40 056 FL, SOP T 40 209 FL
Analytical Batch : DA0873907M4
Instrument Used : DA-111 (Pathogen) Scanner, DA-049 (95°C Heat Block), DA-402 (55°C Heat Block)
Batch Date : 06/11/25 08:05:32
Analyzed Date : 06/11/25 09:37:15

Dilution : 10
Reagent : 031325.06; 050225.19; 051325.R51; 093024.05
Consumables : 7582002001; 7582002063
Pipette : N/A

Analyzed by: 4892, 3621, 585
Weight: 1.1686g
Extraction date: N/A
Extracted by: 4892

Analysis Method : SOP T 40 209 FL
Analytical Batch : DA0873907M4
Instrument Used : DA-328 (25°C Incubator)
Batch Date : 06/11/25 08:06:15
Analyzed Date : 06/11/25 13:08:10

Dilution : N/A
Reagent : 031325.06; 050225.19; 050725.R36
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64E02-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 4056, 585
Weight: 0.3032g
Extraction date: 06/11/25 13:04:13
Extracted by: 4056, 450, 585

Analysis Method : SOP T 30 102 FL, SOP T 40 102 FL
Analytical Batch : DA087404MYC
Instrument Used : N/A
Batch Date : 06/11/25 09:27:48
Analyzed Date : 06/11/25 10:27:28

Dilution : 250
Reagent : 060825.R01; 043025.Z8; 061025.R57; 060625.R04; 061025.R58; 042925.R13; 061125.R01
Consumables : 040724CH01; 6822423-02
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple Quadrupole Mass Spectrometry in accordance with F.S. Rule 64E02-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	1
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1027, 4053, 383
Weight: 0.2586g
Extraction date: 06/11/25 14:08:14
Extracted by: 1022, 4531

Analysis Method : SOP T 30 082 FL, SOP T 40 002 FL
Analytical Batch : DA087394HEA
Instrument Used : DA-ICPH5-005
Batch Date : 06/11/25 08:28:23
Analyzed Date : 06/11/25 10:29:33

Dilution : 50
Reagent : 060425.RM1; 060925.R08; 060925.R07; 061025.R39; 060925.R05; 060925.R06; 120324.07; 060925.R09
Consumables : 040724CH01; 609879-0193; 179436
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64E02-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E02-39 and F.S. Rule 9K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMT1-0002
ISO 17025 Accreditation # ISO/IEC
17025-2017 Accreditation P/LA
Testing 97164

Signature
04/17/25

Revision: #2 This revision supersedes any and all previous versions of this document



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



CBN
Matrix : Derivative
Type: Transdermal Patch

Certificate of Analysis

PASSED

ZHI Technologies Inc

2902 NW 60th St
Fort Lauderdale, FL, 33309, US
Telephone: (954) 596-7675
Email: lab@zhi technologies.com

Sample : DA50415009-002

Batch# : 20250109-002

Sampled : 04/17/25

Ordered : 04/15/25

Sample Size Received : 1 units

Total Amount : 100 units

Completed : 04/17/25 Expires: 06/13/26

Sample Method : SOP1 Test Method

Page 6 of 6



Filth/Foreign Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585 Weight: 1g Extraction date: 06/11/25 12:37:43 Extracted by: 1879

Analysis Method : SOP 1.40.090
Analytical Batch : DA00741961L
Instrument Used : Filth/Foreign Material Microscope Batch Date : 06/11/25 12:30:22
Analyzed Date : 06/11/25 23:08:24

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with I.S. Rule 64R20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND - Not Detected, ppm-Parts Per Million, ppb-Parts Per Billion, RSD-Relative Standard Deviation, LOD-Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on I.S. Rule 64R20-39 and I.S. Rule 58.4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # 150NEC
17025:2017 Accreditation PMA
Testing 97164

Signature
04/17/25

Revision: #2 This revision supersedes any and all previous versions of this document.