Ht Head Tilt	1 U U			T H	Ε	ВЕ	H	AV	10	RA	\ L	T	ΑI	BLE	-	0 F	I	ELI	E N	1 E N	T	S	(Ga 1 U Gestural U Absence Fz, Br Closed		n 1U/2M ust f Agg
None	Jc, Tp Head DNL	2					I	CELL K	EY				ı	NDEX				COLOR	ΚE	(12		12	1.4		15		16	-	Er Ye, Agg - Body 4.0 DA		Vh Head
Ef Eyebrow Flash	2 U U	Hd Head Downcast	U-ASI ~U			9	Symbol Name	Acc Arm Cross	U	Variable Factors Cultural Prevale Sexual Propens	ence		 U E D	DNL Deception J Universal J/m Universal B Before An D During an	+ Male swering	ely		Fully open Variable Deceptive if Mix	ĸed			LC Lip Compression	U	TS U/M Sucking	Tu Turtling	1 U U	Om Object-Mou	1 U th U	Jc Jaw Clench	1 U U	Wd 1 Nostril U	Cg	firmation ∪
B Sq, Ye Pe, Hb None	Eyes	De Jc, Cs None	Open Gpr Head DNL	Dec	ception Rat	Confirming Go Amplifying Go Microphysic ting Scale (DRS) N	estures ological	Df Ct Capill 2.0	Ht Arms	Gesture Type Conflicting Beh Body Region Deception Time			N	A After an A M Mostly Ma Mostly Fe UKR Ukraine ME Middle Ea Capill Capillary	les males st Pressure	/ Df		Medium Stress High Stress Deceptive/Stres Facial Expression	ss on			Ct, Shg	Ot	Ct Sw Ag Face	Sh, Fz Ec, Cl Fr 2.5	Uns Bn Head BDA	Lr, Bn Ip	Ps Face	Lc, Cr E Capill Fa	Bn- (Pd, St Agg Cg Ha Df Face 3.0 BDA	Hu, Fn	
Yn Yawn	1 U U	Ha Happines	0 U S U				ı						0	ASI Asian Cou BLG Bulgaria Gesture Types Closed Closed Open Open				Temperature Af	fect			Fl Flushing	U	Hb 2 UKR-ASI Head 1U/2M Back	Lr Lip Retraction	1 U U	Ot Orbital Tension	2 U U	Bn Eyebrow Narrowing		Vh u	Adar Raise	m's Apple м
Bh, Hu Pt, Fc Hu		Sq, Ye Ip None	Open Jc, Tp Head DNL			4		-		C		7		Agg Aggressiv Uns Unsure	9	0		10		11		Ha, Lc Ears F	Wd ace	Ct Open Lp Sw Br Head 1.5 DNL	None Br	Uns Sq Face DA	Fc	Uns Ha Eyes BD	Eo I Df Ey	Hd S	Bon Uns Sw, Fr Sp Breathing Neck 3.0 BDA	Sw Fi	t Uns Fr Neck
Gg Guiding Gesture	3 U U	Bg Baton Gestures		Ye Vertical Headshak	U	HS Head Support	2 U U	Sp Surprise	U	Br Blink Rate	1 U U	Pd Pupil Dilation		Sq Squint		Sh Shrug	1 U U	Sa Sadness	1 U U	Dg Disgust	1 U	Fr Fear	1 U	Contempt U	Ag Anger	1 U U	Protecting Gestures		Sw Swallow	1 U	EC 1 Elbow Close U	Ss	S U U U U U U U U U U U U U U U U U U U
D Pe, Hd De, Ff None	Open None Arm	Jc, Grs Ia, Ot Fl	Arm		Open Br Head	Capill	Head	Pe Ct, Hu Wp	Sh Face		Ct Eyes	Sp	Wd, Ot Eyes	Ot, Hs Lc Br	O/U Co Eyes	Fr	Neck	Sa Sa Tearing	Face	Dg None I	Open Wd Face	Fr Bb	o, la Face		Jc, Wd Pc	Face	Df, Shg Eyebrow	Arms	Aa Ne	Ts Feck N	Ip, Df Closed Fw, Gpr Fr None Arms	Ot None	Pe
De Digital Extension	DNL 1 U U	Palm Exposure	DNL 1 U	CS Chin Strol	DNL 1 U ke M	PC Pupil Constriction	1 U U	EO Elbows Out		PS Posture	NA 2 U U	NO NO (Horizontal Shakin	1 U -BLG	Locked Fingers	DNL 2 U U	St Steepling	3 U U/M	Bh Behind He	DNL 1 U ead U	Ah	2 U	Shg Self Hug	F	Bb 2 Arms M/F Behind Back	Cr Constantly Raised (Shoo		Gestures Sw, Hd Closed Hd, Pr Company			1 U U F	Ft 4 Facial U Touching	Tto Thro	oat ∪
E Pe, Eo Ps, Ff Capill	Open Gpr Hands		Open Co Hands	None	Open Co Hands	None	Fi Eyes		Jc Arms		Open Cr Torso	Br Df None	Open Lc Head	Df, Ec Bi, Pt	St Hands	Ct, Hb Ot Capill	Hands	Ct, Co, Ha None	Hands	Ct Clo Sw, Ff N Thumbs A	osed Vone Arms	lp No None Should	one lder	Jc Open Lc, Ha Hd Musc Arms	Fr, Ss Ot, Cg None	Uns None Shoulder	Jp, Wt None	None Arm	Gpr None Al	Jns Fr V	Hu, Fns Uns Vh, Sw Fr None Hands	Hu, Vh	
la Arms in A	2 U	Λ	DNL 1 U-ME, ASI M	Tlt Pelvic Tilt	DNL 2 U : M	Ff Pelvic Faci	2 U	Po Hands in Pockets	U	Tch Chest Touching	NA 1 U U	DC Double Leg Cross	1 U	Tp Tapping		Fidgeting	DNL 1 U	Grs Grasping (Two-handed)	DNL 1 U U/F	Bon (Hands on) Back of Neck	1 U U	Lp Lint Picking	1 U U	Wf Wrist to Forehead	Bar Barrier Gesture	BD 1 U U	BC Barrier Cross	BD 1 U-ME F	Pdn Palms Down	1 U U	Gpr Genital Protecting	Hush	
Agg, Ps De, Ge None	Arms	Cs, St Acc Fi	Legs	St, Ge Ps None	Open None Pelvic	Ps None	Open None Pelvic	Ge Capill	Hd Hands	Jp, Cc Hu, Sp None	Fr Hands	Acc, Thc Lc	Ha Legs		Hands	Tp, Bon Aa, Pr None	Hands		Hands		Vh ands	Cg, Lc None Hai	nds	None Hands	Gs, Cc Proximity		Grs None	Legs	Capill Han	Ag E	Sw, Cg Closed Bi, Tch Fr Jc Hands	Sw, Tu	
Ge Groin Exposure	DNL 1 U-ASI M	Lg Leg Cross	1 U	Agg Toes Up	1 U U	Bre Breathing Rate	2 U U	FC (Torso) Facing		Pt Posture Tilt	2 U	Kh Knee Hug	B~D 1 U U	Df Digital Flexion	DA 1 U U	Bi Binding	1 U	La Lock Ankle	1 U	Gm Grooming		The Thigh Clasp		Wt 2 Wrist Touch	Ip Inward Pointing (To	1 U U	Er Eyelid Rub	BDA 1 U U	KC Knee Clasp	1 U U F	Fw 1 Foot U Withdrawal	Finge to No	ger U
G Pt, Tlt Pe None	Ct, Ag	Pe, De None		De, Ha None	Open Df Feet DNL	Br De None V-1.0/3.5		Ff	0	Toward None	Away Torso	Shg, Bi Fi, Ip None	Ag Arms	Kc, Sw	Closed Ag Hands BDA	Dc, La Gpr, Fz None	Closed Shg Legs	1	Legs	Wf, Cg N	None ands	Pd, Wd Jc	c, Br nds	Speed Hands	Sw, Grs	Closed Pe, Hb Feet BA	Capill	Uns Sa Hands BDA	Pt, Ca No Capill Han	one F	Cl, Jp Uns Fr, Ot Agg None Feet 3.5 BA	Gm, Fv	- None
Deception 11 or more points for e	Deception	on Rating S	cale (DR		eraction	Opi Other's Property	1 U U	Oi _{U-U} Object interaction	U	Sr Shoe Removal	1 U F	BC Belonging Carelessnes	U	WC Watch Checking	1 U U	Jb Jacket Buttoning	1 U M	Clothing Covering (1 U F	Ob Object Barrier		Ca Chair Arms		GS U U Groin Shield U	Bs Belonging Security C	1 U s U heck	Ftb Fists on Tab	2 U ole M	Oc Object Concealment	1 U U	Jp 1 Jewelry Play F	Cl (Feet Chai	1 U et Around) U ir Legs
The full gui	de to The	e Behaviora	al Table c		Object Int	Bg, Ge De Willingness	Open None Object DNL		Object	Hb, Ge	Object	None Ag, Sa Pd 1.0	None Object	Kc, Jc, Lc Cg Capill 1.0	Open Fr Object DNL	Bg Wt Capill	Closed None Object	Jb, Bg Vh, Pt Tugging	Closed None Object DNL	Bg, Cg N Using Ob	lone oject	Br, Sw No Holding Obj	one ject	Gp, Oc Closed Ff, Wp None With Object 2.0 BDA	Jp, Bi Personal	Uns None Object BDA	La, Ge, H	Aggr Sa, Sw Object DA	Jb, Cg Hiding Obje	ect F	Oi, Ct Uns Tch None Playing Object 3.5 BA	Pr, Ec Wrap	. None
The Ellipsis N Excerpt Reg					Verbal	Hes (Vocal) Hesitancy		Psd Psychologic Distancing	cal ∪	Rip Rising Vocal Pitch	1 U U	Spd Increase in Vocal Speed	U	NA Non-Answer Statement	1 U	Prn Pronoun Absence	1 U U	Res Résumé Statement	1 U U	NC Non- Contracting		Qr Question Reversal	U	Ambiguity Statements	Politeness	1 U U	Oa Over-Apolo	1 U gy U	MC Mini- Confession		EXC U	Chro	
NC		Neuro-Cogn Internationa © 2012-2024 Duplication	al Copyrigl I Chase Hu	ht ughes.	Direct \	Sw Fns - 4.0	Lc Verbal D	Ot, Ye No, Pe - 4.0	None Verbal		None Verbal	Br, Bg Wt, Lp - 4.0	Fi Verbal	No, Bg Pt - 4.0	None Verbal D	None None - 4.0	None Verbal D	Bg, Pe Fr, Sh - 4.0	None Verbal D		None erbal		one rbal	Ip, No None - Verbal		None Verbal D	No Pe - 4.0	None Verbal DA	- Vert	one (No - Ot, Bg None - Verbal 4.0 D	-	None Verbal

THE BEHAVIORAL TABLE OF ELEMENTS QUICK REFERENCE


THE BASICS

As the world-first behavior profiling tool, The Behavioral Table of Elements (BTE) was designed to have applications everywhere. From an overseas interrogation room to a first date. The table not only allows advanced, standardized analysis of behavior, it assists in training operators in recognizing behavior signals, and seeing the crucial elements everyone else misses during conversation. The most advanced behavior training and recognition system is now publicly available.

DECEPTION

Deception is rated per question and answer scenario. If a subject's behaviors tally up to more than 11 points on the Deception Rating Scale during the entire question and answer period, deception is highly likely.

THE CELL KEY



Symbol: Each cell has a unique symbol for abbreviation

Name: Short description of the behavior

Confirming Gestures: confirm the original intended meaning of the gesture or behavior

Amplifying Gestures: add meaning to the original intended meaning of the behavior

Microphysiological: small physiological indicators to measure the severity/intensity of the behavior

Variable Factors: shows how many variations of this single behavior have been identified

Cultural Prevalence: Shows whether a certain culture is more/less likely to perform behavior

Sexual Propensity: Shows whether men or women are more/less likely to perform behavior

Gesture Type: Identifies which of the 4 behavior types this behavior is: Closed, Open, Aggressive, or Unsure

Conflicting Behaviors: behaviors that indicate conflict with behavior's intended meaning


Body Region: Identifies which body part or region is mostly involved with the behavior

Deception Rating Scale (DRS): Likelihood of stress/deception on a 1-4 scale

Deception Timeframe: Whether the behavior is likely to be seen Before (B), during (D), or after (A) a response is given to a question

ARCHITECTURE

The BTE is laid out to where the top of the head is on the top of the table. The feet and lower body are lower. From left to right, the BTE indicates least stressful/deceptive behaviors to most stressful/deceptive behaviors. The bottom two rows contain behaviors that are verbal or take place outside the body or with objects.



THE C5 FRAMEWORK

In behavior analysis, the "C5" framework introduces five key elements to improve accuracy and understanding:

Change: Observing deviations from an individual's usual behavior to identify underlying psychological states or environmental influences.

Context: Considering the environmental and situational factors that influence behavior, emphasizing the importance of not interpreting actions in isolation.

Clusters: Analyzing groups of behaviors collectively to gain a more accurate understanding of an individual's emotional state or intentions.

Culture: Recognizing the impact of cultural conditioning on behavior, understanding that behaviors may vary significantly across different cultural contexts.

Checklist: Refers to a standard accepted group of behaviors identified as deceptive based on statistical and research data, contained within The Behavioral Table of Elements, to guide the analysis of potentially deceptive actions.

C5 is intended for sequential use to transform observation into insightful analysis.

COLORS

- Red circles may show up on a non-stressful cell. This means that if this behavior is seen in the same period as a behavior that contains a 4.0 on the DRS, the behavior with red letters automatically becomes a 4.0 on the DRS
- **Blue circles** in cells mean that temperature will increase this behavior in all humans. In cold environments, these behaviors can be lowered in point-value, or overlooked
- **Green Background:** are the least stressful behaviors on the chart
- **Cyan background:** Variable, in that they can present in different values, such as breathing rate fast or slow
- **Grey Cells:** Indicate facial expressions and microexpressions
- **Blue Cells:** Indicate slight discomfort and stress
- **Yellow Cells:** Indicate higher discomfort behaviors
- **Red Cells:** The behaviors with the highest level of stress

SLATE

Standardized Language Analysis and Text Evaluation

The SLATE analysis tool is an excerpt from the advanced Neuro-Cognitive Intelligence Level Three Behavior Profiling System.

Detail Focus					
Горical Focus					
Thematic Synthesis					
Геrms Usage					
Desired Desult of Language	Sympathy	Assistance	Rapport	Understanding	Shock
Desired Result of Language	Innocence	Agreement	Fear	Vindication	Anger
/erb Usage					
Pronoun Usage					
GHT References					
Story Archatyras	Good vs Evil	○ Love	Redemption	Courage / Journey	Coming of Age
Story Archetypes	O Power / Corruption	Survival	Oldentity	Tragedy	Comedy
Role Adoption	Caretaker	Mentor	Hero	Sidekick	Victim
References and Comparisons					
Orientation (Active/Passive)	Passive	Active	Shifting		
Response Latency					
/erbal Fluency					
Repeated Themes/Phrases					
Jse of Absolutes					
/olume and Pitch Shifts					
Shifts in Vocabulary					
Shifts in Comfort					
Shifts in Speed					
Shifts in Complexity					
Shifts in POV					
Shifts in Chronology					
	Hesitancy	Psychological Distancing	Severity Softening	Rising Pitch	Speed Changes
Verbal Deception Indicators	Non-Answers	Pronoun Gaps (Absence)	Resume Statements	Non-Contracted Denials	Question Reversals
	Ambiguity Spikes	O Politeness Spikes	Over-Apology	Micro-Confessions	Exclusions
	○ Fidgeting	Artery Protection	Fear Movement	Genital Protection	Freezing
Spikes in Non-verbal Stress	Self-Soothing	Turtling	Confirmation Glances	O Postural Retreat	Hygienic Behavior