



UL Inventory

109 Result(s) Found

BX

Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
1/3C BX 600V AIA - 800754 bk wt rd	374.02'	NR36	502.65 lb	H46442B
1/3C BX 600V AIA - 800754 bk wt rd	124.67'	NR36	222.67 lb	N18367A
1/3C BX 600V AIA - 800754 bk wt rd	872.70'	RH40	520.29 lb	N18367B
10/2C BX 600V AIA HVC #8 alum bond - 802159 bn gy #8 aluminum bond wire	2434.59'	NR40	500.45 lb	781705A
10/2C BX 600V AIA HVC #8 alum bond-250 - 802159-250 bn gy #8 aluminum bond wire	2493.44'	SKID	429.90 lb	H113082
10/2C BX 600V AIA HVC #8 alum bond-1000 - 802159-1000 bn gy #8 aluminum bond wire	997.38'	SKID	207.23 lb	H130449
10/2C BX 600V AIA HVC #8 alum bond-1000 - 802159-1000 bn gy #8 aluminum bond wire	997.38'	N/A	381.40 lb	H130585
10/2C BX 600V AIA HVC #8 alum bond-1000 - 802159-1000 bn gy #8 aluminum bond wire	1994.75'	SKID	385.81 lb	H130870
10/2C BX 600V AIA-1000 - 800111-1000 bk wt	7979.00'	18	1455.05 lb	J032959
10/2C BX 600V AIA-250 - 800111-250 bk wt	249.34'	COIL	672.41 lb	J034547

Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
10/2C BX 600V AIA-250 - 800111-250 bk wt	11220.47'	COIL	1582.92 lb	J034913
10/2C BX 600V AIA-250 - 800111-250 bk wt	2742.78'	COIL	694.46 lb	J034934
10/3C BX 600V AIA HVC #8 alum bond-1000 - 802160-1000 bn or gy #8 aluminum bond wire	997.38'	N/A	N/A	G95619
10/3C BX 600V AIA-1000 - 800136-1000 bk wt rd	997.38'	24	425.49 lb	J029812
10/3C BX 600V AIA-250 - 800136-250 bk wt rd	1745.41'	COIL	443.13 lb	J029813
10/3C BX 600V AIA-250 - 800136-250 bk wt rd	4488.19'	COILS	N/A	J029841
10/4C BX 600V AIA HVC #8 alum bond-1000 - 802234-1000 bn or yw gy #8 aluminum bond wire	997.38'	N/A	1298.52 lb	H95648
10/4C BX 600V AIA HVC #8 alum bond-1000 - 802234-1000 bn or yw gy #8 aluminum bond wire	3989.50'	SKID	1289.70 lb	H95650
12/2C BX 600V AIA-Random Lengths - 800119-R bk wt	8817.80'	SKID	1018.53 lb	H77225
12/2C BX 600V AIA-Random Lengths - 800119-R bk wt	10079.48'	SKID	1157.43 lb	J017170
12/2C BX 600V AIA-1000 - 800119-1000 bk wt	1994.75'	18	N/A	J027899
12/2C BX HVC 600V AIA-250 - 800598-250 or gy	2244.09'	SKID	2.20 lb	P20214
12/2C Strnd BX 600V AIA-250 - 802287-250 bk wt	5485.56'	N/A	N/A	P25219
12/3C BX HVC 600V AIA-250 - 800926-250 bn or yw	1246.72'	N/A	N/A	G16141

Product / Part Number 12/3C BX 600V AIA-Random Lengths - 800143-R bk wt rd	Quantity 8735.01'	Reel/Skid SKID	Weight 1274.27 lb	Reel ID H77219
Product / Part Number 12/3C BX 600V AIA - 800143 bk wt rd	Quantity 498.69'	Reel/Skid 16	Weight 2.20 lb	Reel ID H85884B
Product / Part Number 12/3C BX 600V AIA-1000 - 800143-1000 bk wt rd	Quantity 2992.13'	Reel/Skid N/A	Weight 1455.05 lb	Reel ID J016612
Product / Part Number 12/3C BX 600V AIA-1000 - 800143-1000 bk wt rd	Quantity 2992.13'	Reel/Skid SKID	Weight 447.54 lb	Reel ID J022276
Product / Part Number 12/3C BX 600V AIA-1000 - 800143-1000 bk wt rd	Quantity 997.38'	Reel/Skid N/A	Weight 443.13 lb	Reel ID J022327
Product / Part Number 12/3C BX 600V AIA-1000 - 800143-1000 bk wt rd	Quantity 997.38'	Reel/Skid SKID	Weight 171.96 lb	Reel ID J022558
Product / Part Number 12/3C Strnd BX 600V AIA-250 - 803178-250 bk wt rd	Quantity 498.69'	Reel/Skid N/A	Weight N/A	Reel ID J024057
Product / Part Number 12/3C Strnd BX 600V AIA-250 - 803178-250 bk wt rd	Quantity 1496.06'	Reel/Skid SKID	Weight 2.20 lb	Reel ID J024221
Product / Part Number 12/3C BX HVC 600V AIA-1000 - 800599-1000 bn or gy	Quantity 4986.88'	Reel/Skid N/A	Weight N/A	Reel ID P25105
Product / Part Number 12/3C BX 600V AIA - 800143 bk wt rd	Quantity 9251.97'	Reel/Skid 60	Weight 1664.49 lb	Reel ID S039905
Product / Part Number 12/3C BX 600V AIA - 800143-LL bk wt rd	Quantity 15498.69'	Reel/Skid 60	Weight 2504.45 lb	Reel ID S039977A
Product / Part Number 12/4C BX 600V AIA-250 - 800203-250 bk wt rd be	Quantity 249.34'	Reel/Skid N/A	Weight 392.42 lb	Reel ID H85925A
Product / Part Number 12/4C BX 600V AIA-250 - 800203-250 bk wt rd be	Quantity 1496.06'	Reel/Skid N/A	Weight 537.93 lb	Reel ID J000199
Product / Part Number 12/4C BX 600V AIA-250 - 800203-250 bk wt rd be	Quantity 4737.53'	Reel/Skid N/A	Weight 1582.92 lb	Reel ID J012000

Product / Part Number 14/2C BX 600V AIA-250 - 800123-250 bk wt	Quantity 1496.06'	Reel/Skid COIL	Weight N/A	Reel ID J001868
Product / Part Number 14/2C BX 600V AIA-1000 - 800123-1000 bk wt	Quantity 2992.13'	Reel/Skid N/A	Weight 908.30 lb	Reel ID J016601
Product / Part Number 14/3C BX 600V AIA-1000 - 800155-1000 bk wt rd	Quantity 1994.75'	Reel/Skid N/A	Weight N/A	Reel ID H113928
Product / Part Number 14/3C BX 600V AIA-250 - 800155-250 bk wt rd	Quantity 1246.72'	Reel/Skid N/A	Weight N/A	Reel ID J001948
Product / Part Number 14/4C BX 600V AIA-1000 - 800206-1000 bk wt rd be	Quantity 4986.88'	Reel/Skid N/A	Weight 1225.77 lb	Reel ID S13919
Product / Part Number 2/3C BX 600V AIA - 800159 bk wt rd	Quantity 396.96'	Reel/Skid NR36	Weight 443.13 lb	Reel ID 544890E
Product / Part Number 2/3C BX 600V AIA-125 - 800159-125 bk wt rd	Quantity 124.67'	Reel/Skid SKID	Weight 1538.82 lb	Reel ID H120145A
Product / Part Number 2/3C BX 600V AIA-125 - 800159-125 bk wt rd	Quantity 249.34'	Reel/Skid SKID	Weight 249.12 lb	Reel ID J010770
Product / Part Number 2/3C BX 600V AIA-Random Lengths - 800159-R bk wt rd	Quantity 324.15'	Reel/Skid SKID	Weight 410.06 lb	Reel ID J011675
Product / Part Number 2/3C BX 600V AIA-125 - 800159-125 bk wt rd	Quantity 623.36'	Reel/Skid COILS	Weight 597.45 lb	Reel ID J028128A
Product / Part Number 2/3C BX 600V AIA - 800159 bk wt rd	Quantity 55.12'	Reel/Skid SKID	Weight 152.12 lb	Reel ID S034096F
Product / Part Number 2/3C BX 600V AIA-Random Lengths - 800159-R bk wt rd	Quantity 383.86'	Reel/Skid 40	Weight 476.20 lb	Reel ID S034709D
Product / Part Number 2/3C BX 600V AIA-Random Lengths - 800159-R bk wt rd	Quantity 311.68'	Reel/Skid 40	Weight 365.97 lb	Reel ID S035000D
Product / Part Number 2/3C BX 600V AIA-500 - 800159-500 bk wt rd	Quantity 498.69'	Reel/Skid 36	Weight 533.52 lb	Reel ID S047216G

Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
2/3C BX 600V AIA-500 - 800159-500 bk wt rd	498.69'	36	533.52 lb	S047216H
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
2/3C BX 600V AIA-500 - 800159-500 bk wt rd	498.69'	36	529.11 lb	S047216I
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
2/3C BX 600V AIA-500 - 800159-500 bk wt rd	498.69'	36	529.11 lb	S047216J
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
2/3C BX 600V AIA-500 - 800159-500 bk wt rd	498.69'	36	533.52 lb	S047241A
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
2/3C BX 600V AIA-500 - 800159-500 bk wt rd	498.69'	36	533.52 lb	S047241B
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
2/3C BX 600V AIA-500 - 800159-500 bk wt rd	498.69'	36	531.31 lb	S047241C
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
2/3C BX 600V AIA-500 - 800159-500 bk wt rd	498.69'	36	531.31 lb	S047241D
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
2/4C BX 600V AIA-1000 - 800208-1000 bk wt rd be	997.38'	45	2493.43 lb	G85279
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
2/4C BX 600V AIA-500 - 800208-500 bk wt rd be	498.69'	40	672.41 lb	G85279A
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
2/4C BX 600V AIA-100 - 800208-100 bk wt rd be	398.95'	COILS	621.70 lb	J027607
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
3/3C BX 600V AIA - 800164 bk wt rd	475.75'	NR36	434.31 lb	946288E
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
3/3C BX 600V AIA-125 - 800164-125 bk wt rd	124.67'	N/A	N/A	H66155
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
3/4C BX 600V AIA-500 - 800216-500 bk wt rd be	498.69'	36	568.79 lb	G31017B
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
3/4C BX 600V AIA-125 - 800216-125 bk wt rd be	374.02'	N/A	N/A	H47907

Product / Part Number 4/3C BX 600V AIA - 800171 bk wt rd	Quantity 348.08'	Reel/Skid NR30	Weight 257.94 lb	Reel ID 868514E
Product / Part Number 4/3C BX 600V AIA - 800171 bk wt rd	Quantity 436.85'	Reel/Skid NR30	Weight 315.26 lb	Reel ID 918826C
Product / Part Number 4/3C BX 600V AIA - 800171 bk wt rd	Quantity 409.92'	Reel/Skid NR30	Weight 297.62 lb	Reel ID 918829A
Product / Part Number 4/3C BX 600V AIA - 800171 bk wt rd	Quantity 269.29'	Reel/Skid NR30	Weight 207.23 lb	Reel ID 919682E
Product / Part Number 4/3C BX 600V AIA - 800171 bk wt rd	Quantity 488.85'	Reel/Skid 50	Weight 2.20 lb	Reel ID 946283A
Product / Part Number 4/3C BX 600V AIA - 800171 bk wt rd	Quantity 442.91'	Reel/Skid 36	Weight 339.51 lb	Reel ID H94465B
Product / Part Number 4/3C BX 600V AIA - 800171 bk wt rd	Quantity 249.34'	Reel/Skid 36	Weight 390.22 lb	Reel ID H94479A
Product / Part Number 4/3C BX 600V AIA - 800171 bk wt rd	Quantity 281.26'	Reel/Skid 36	Weight 249.12 lb	Reel ID H94479C
Product / Part Number 4/3C BX 600V AIA-125 - 800171-125 bk wt rd	Quantity 623.36'	Reel/Skid SKID	Weight 447.54 lb	Reel ID H94736
Product / Part Number 4/3C BX 600V AIA-125 - 800171-125 bk wt rd	Quantity 374.02'	Reel/Skid SKID	Weight 273.37 lb	Reel ID J004860
Product / Part Number 4/3C BX 600V AIA - 800171 bk wt rd	Quantity 215.43'	Reel/Skid 36	Weight 209.44 lb	Reel ID XH94479B
Product / Part Number 4/4C BX 600V AIA-500 - 800220-500 bk wt rd be	Quantity 498.69'	Reel/Skid 36	Weight 471.79 lb	Reel ID S037998A
Product / Part Number 4/4C BX 600V AIA-500 - 800220-500 bk wt rd be	Quantity 498.69'	Reel/Skid 36	Weight 469.58 lb	Reel ID S037998B
Product / Part Number 4/4C BX 600V AIA-500 - 800220-500 bk wt rd be	Quantity 498.69'	Reel/Skid 36	Weight 469.58 lb	Reel ID S037998C

Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
4/4C BX 600V AIA-500 - 800220-500 bk wt rd be	498.69'	36	471.79 lb	S037998D
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
4/4C BX 600V AIA-500 - 800220-500 bk wt rd be	498.69'	36	471.79 lb	S037998E
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
4/4C BX 600V AIA - 800220 bk wt rd be	108.27'	36	N/A	S037998G
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
6/2C BX 600V AIA-125 - 800128-125 bk wt	124.67'	N/A	125.66 lb	J000491
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
6/2C BX 600V AIA-125 - 800128-125 bk wt	498.69'	N/A	685.64 lb	J009852
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
6/2C BX 600V AIA-500 - 800128-500 bk wt	3490.81'	24	1413.16 lb	J033005
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
6/2C BX 600V AIA-125 - 800128-125 bk wt	374.02'	COIL	156.53 lb	J033031
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
6/3C BX 600V AIA-1000 - 800183-1000 bk wt rd	997.38'	NR40	524.70 lb	J020503
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
6/3C BX 600V AIA-250 - 800183-250 bk wt rd	249.34'	SKID	350.53 lb	J021079
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
6/4C BX 600V AIA-125 - 800225-125 bk wt rd be	124.67'	N/A	299.83 lb	H47902
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
6/4C BX 600V AIA-500 - 800225-500 bk wt rd be	1994.75'	30	1186.09 lb	J032344
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
6/4C BX 600V AIA-500 - 800225-500 bk wt rd be	1994.75'	30	1179.47 lb	J032371
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
6/4C BX 600V AIA-125 - 800225-125 bk wt rd be	374.02'	COIL	222.67 lb	J032373
Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
6/4C BX 600V AIA-500 - 800225-500 bk wt rd be	498.69'	30	606.27 lb	J032376

Product / Part Number	Quantity	Reel/Skid	Weight	Reel ID
8/2C BX 600V AIA-125 - 800131-125 bk wt	997.38'	N/A	670.20 lb	J005389
8/2C BX 600V AIA-500 - 800131-500 bk wt	997.38'	SKID	N/A	J007047
8/2C BX 600V AIA-125 - 800131-125 bk wt	124.67'	SKID	61.73 lb	J007059
8/2C BX 600V AIA-250 - 800131-250 bk wt	2493.44'	N/A	N/A	J010746
8/2C BX 600V AIA-250 - 800131-250 bk wt	748.03'	SKID	2.20 lb	J026125
8/2C BX 600V AIA-250 - 800131-250 bk wt	249.34'	COIL	88.18 lb	J026453
8/2C BX 600V AIA-1000 - 800131-1000 bk wt	2992.13'	30	628.32 lb	J026549
8/2C BX 600V AIA-250 - 800131-250 bk wt	249.34'	76M	83.78 lb	J026553
8/3C BX 600V AIA-250 - 800193-250 bk wt rd	1246.72'	N/A	N/A	H86278
8/3C BX 600V AIA-250 - 800193-250 bk wt rd	249.34'	COIL	108.03 lb	J028315
8/3C BX 600V AIA-125 - 800193-125 bk wt rd	124.67'	COIL	182.98 lb	J029073
8/3C BX 600V AIA-125 - 800193-125 bk wt rd	498.69'	30	176.37 lb	J029101
8/3C BX 600V AIA-250 - 800193-250 bk wt rd	498.69'	COILS	174.16 lb	J033570
8/3C BX 600V AIA-200 - 800193-200 bk wt rd	398.95'	N/A	1179.47 lb	h61704
8/4C BX 600V AIA-500 - 800228-500 bk wt rd be	1496.06'	N/A	1060.42 lb	J005213

