



UL Inventory

235 Result(s) Found

MC - Aluminium

| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
|---|----------|-----------|-----------|------------|
| 1/3C Alum Cdr MC bare #4 grd 600V AIA - 801813 bk wt rd bare #4 ground | 492.13' | NR36 | 330.69 lb | S025465AE |
| 1/3C Alum Cdr MC bare #4 grd 600V AIA - 801813 bk wt rd bare #4 ground | 114.70' | 40" | 339.51 lb | S026956A |
| 1/3C Alum Cdr MC bare#4grd 600V AIA -LL - 801813-LL bk wt rd bare #4 ground | 229.66' | 40 | 218.26 lb | S028679EA |
| 1/3C Alum Cdr MC bare#4grd 600V AIA-500 - 801813-500 bk wt rd bare #4 ground | 498.69' | 45 | 434.31 lb | S028693BAA |
| 1/3C Alum Cdr MC bare#4grd 600V AIA -LL - 801813-LL bk wt rd bare #4 ground | 196.85' | NR36 | 171.96 lb | S029048C |
| 1/3C AI Cdr bare MC bk JKT600V AIA - 802236-LL bk wt rd bare #4 ground | 492.13' | 40 | 460.77 lb | S034733B |
| 1/3C AI Cdr bare MC bk JKT600V AIA - 802236 bk wt rd bare #4 ground | 521.65' | 40 | 425.49 lb | S034740EA |
| 1/3C AI Cdr bare MC bk JKT600V AIA - 802236-LL bk wt rd bare #4 ground | 748.03' | 40 | 617.29 lb | S034742B |
| 1/3C AI Cdr bare MC bk JKT600V AIA - 802236 bk wt rd bare #4 ground | 997.38' | NR45 | 762.80 lb | S034745A |
| 1/3C AI Cdr bare MC bk JKT600V AIA - 802236 bk wt rd bare #4 ground | 997.38' | NR45 | 815.71 lb | S034745B |

| | | | | |
|--|----------|-----------|-----------|-----------|
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 1/3C AI Cdr bare MC bk JKT600V AIA - 802236 bk wt rd bare #4 ground | 997.38' | NR45 | 787.05 lb | S034745C |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 1/3C AI Cdr bare MC bk JKT600V AIA - 802236 bk wt rd bare #4 ground | 852.76' | NR40 | 674.61 lb | S034747E |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 1/3C AI Cdr bare MC 600V AIA Bjkt-1000 - 802236-1000 bk wt rd bare #4 ground | 997.38' | NR40 | 789.25 lb | S035982A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 1/3C AI Cdr bare MC bk JKT600V AIA - 802236 bk wt rd bare #4 ground | 862.86' | 40 | 612.88 lb | S035982EA |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 1/3C AI Cdr bare MC 600V AIA Bjkt-1000 - 802236-1000 bk wt rd bare #4 ground | 997.38' | NR45 | 813.50 lb | S035992A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 1/3C AI Cdr bare MC bk JKT600V AIA - 802236-LL bk wt rd bare #4 ground | 193.57' | NR40 | 238.10 lb | S035992B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 1/3C Alum Cdr MC bare#4grd 600V AIA -LL - 801813-LL bk wt rd bare #4 ground | 396.98' | 30 | 326.28 lb | S036262AC |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 1/3C Alum Cdr MC bare#4grd 600V AIA -LL - 801813-LL bk wt rd bare #4 ground | 196.85' | 40 | 220.46 lb | S036273C |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 1/3C Alum Cdr MC bare#4grd 600V AIA -LL - 801813-LL bk wt rd bare #4 ground | 383.86' | 40 | 332.90 lb | S036300E |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 1/3C Alum Cdr MC bare #4 grd 600V AIA - 801813 bk wt rd bare #4 ground | 485.56' | NR40 | 361.56 lb | S051503F |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| #1/4C AI BrGrd 600V MCTHHN AIA-1000 - 801875-1000 bk 1-4, #4 bare aluminum ground | 997.38' | NR45 | 826.73 lb | 699698E |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| #1/4C AI BrGrd 600V MCTHHN AIA-1000 - 801875-1000 bk 1-4, #4 bare aluminum ground | 997.38' | NR45 | 826.73 lb | 699698F |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| #1/4C AL 600VMC THHN AIA - 802819 bk wt rd be #4 gn | 393.96' | 40 | 379.19 lb | 814792BA |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| #1/4C AL 600VMC THHN AIA - 802819 bk wt rd be #4 gn | 669.29' | 40 | 553.36 lb | 814793DA |

| | | | | |
|--|----------|-----------|-----------|----------|
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| #1/4C AL 600VMC THHN AIA - 802819 bk wt rd be #4 gn | 649.61' | NR40 | 566.59 lb | 814798B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| #1/4C AL 600VMC THHN AIA - 802819 bk wt rd be #4 gn | 298.22' | NR45 | 317.47 lb | 840189E |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| #1/4C AL 600VMC THHN AIA - 802819 bk wt rd be #4 gn | 702.15' | NR45 | 599.66 lb | 840189F |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| #1/4C AL 600V MC THHN AIA-1000 - 802819-1000 bk wt rd be #4 gn | 997.38' | NR45 | 848.78 lb | 840255A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| #1/4C AL 600V MC THHN AIA-1000 - 802819-1000 bk wt rd be #4 gn | 997.38' | NR45 | 846.57 lb | 840255B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| #1/4C AL 600V MC THHN AIA-1000 - 802819-1000 bk wt rd be #4 gn | 997.38' | NR45 | 850.98 lb | 840255C |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| #1/4C AL 600VMC THHN AIA - 802819 bk wt rd be #4 gn | 213.44' | 45 | 284.40 lb | 840255EA |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| #1/4C Al 4 bare AL Grd 600VMC THHN AIA - 801856 bk wt rd be #4 bare aluminum ground | 124.67' | 24 | 2.20 lb | H56623A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/3C ALUM CDR MC br#6grd 600V AIA BK JKT - 802256 bk wt rd bare #6 ground | 354.07' | NR40 | 268.96 lb | 811579F |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/3C ALUM CDR MC br#6grd 600V AIA BK JKT - 802256 bk wt rd bare #6 ground | 295.22' | NR40 | 255.74 lb | 811581E |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/3C ALUM CDR MC br#6grd 600V AIA BK JKT - 802256 bk wt rd bare #6 ground | 885.83' | RH40 | 544.54 lb | 812652E |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/3C ALUM CDR MC br#6grd 600V AIA BK JKT - 802256 bk wt rd bare #6 ground | 341.10' | RH45 | 350.53 lb | 812979C |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/3C ALUM CDR MC br#6grd 600V AIA BK JKT - 802256 bk wt rd bare #6 ground | 751.02' | RH45 | 593.04 lb | 812980C |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/3C Alum Cdr MC bare #6 grd 600V AIA - 801821 bk wt rd bare #6 ground | 147.64' | 40 | 211.64 lb | H121100 |

| | | | | |
|--|----------|-----------|------------|-----------|
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/3C Alum Cdr MC bare #6 grd 600V AIA - 801821 bk wt rd bare #6 ground | 951.44' | 40 | 520.29 lb | S022202CA |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/3C Alum Cdr MC bare #6 grd 600V AIA - 801821-LL bk wt rd bare #6 ground | 803.81' | 40 | 473.99 lb | S022206B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/4C Alum Cdr MC bare #6 grd 600V AIA - 801822 bk wt rd be bare #6 ground | 722.10' | NR45 | 526.90 lb | 731499C |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/2 Alum Cdr MC bare #6 grd 600V AIA - 803167 bk wt bare #6 ground | 795.91' | N/A | 2286.19 lb | S031101 |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/2 Alum Cdr MC bare #6 grd 600V AIA - 803167 bk wt bare #6 ground | 961.29' | SKID | 365.97 lb | S031169G |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/2 Alum Cdr MC bare #6 grd 600V AIA - 803167 bk wt bare #6 ground | 997.38' | RH36 | 306.44 lb | S031283A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/2 Alum Cdr MC bare #6 grd 600V AIA - 803167 bk wt bare #6 ground | 997.38' | RH36 | 306.44 lb | S031283B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/2 Alum Cdr MC bare #6 grd 600V AIA - 803167 bk wt bare #6 ground | 997.38' | RH36 | 308.65 lb | S031283D |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/2 Alum Cdr MC bare #6 grd 600V AIA - 803167 bk wt bare #6 ground | 997.38' | RH36 | 302.03 lb | S031283E |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/2 Alum Cdr MC bare #6 grd 600V AIA - 803167 bk wt bare #6 ground | 997.38' | RH36 | 306.44 lb | S031283F |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/3C Al Cdr MC br#6 grd 600V AIA BK JKT - 802380 bk wt rd bare #6 ground | 285.43' | RH45 | 222.67 lb | 818256B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/3C Al Cdr MC br#6 grd 600V AIA BK JKT - 802380 bk wt rd bare #6 ground | 196.48' | RH40 | 163.14 lb | 818257B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/3C Al Cdr MC br#6 grd 600V AIA BK JKT - 802380 bk wt rd bare #6 ground | 301.84' | RH40 | 213.85 lb | 818258B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/3C Alum Cdr MC bare #6 grd 600V AIA -LL - 801820-LL bk wt rd bare #6 ground | 199.48' | 36 | 130.07 lb | 957940AC |

| | | | | |
|--|----------|-----------|-----------|------------|
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/3C Alum Cdr MC bare #6 grd 600V AIA - 801820 bk wt rd bare #6 ground | 1446.19' | SKID | 685.64 lb | 958000A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/3C Alum Cdr MC bare #6 grd 600V AIA -LL - 801820-LL bk wt rd bare #6 ground | 282.15' | 36 | 178.57 lb | S022699AB |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/3C Alum Cdr MC bare #6 grd 600V AIA - 801820 bk wt rd bare #6 ground | 377.30' | NR36 | 194.01 lb | S022728A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/3C Alum Cdr MC bare #6 grd 600V AIA -LL - 801820-LL bk wt rd bare #6 ground | 623.36' | 36 | 341.72 lb | S022744AE |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/3C Alum Cdr MC bare #6 grd 600V AIA -LL - 801820-LL bk wt rd bare #6 ground | 285.25' | 36 | 178.57 lb | S024012AB |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/3C Alum Cdr MC bare #6 grd 600V AIA -LL - 801820-LL bk wt rd bare #6 ground | 803.81' | 36 | 352.74 lb | S024024AD |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/3C Alum Cdr MC bare #6 grd 600V AIA -LL - 801820-LL bk wt rd bare #6 ground | 561.02' | 36 | 266.76 lb | S024032AAA |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/3C Alum Cdr MC bare #6 grd 600V AIA -LL - 801820-LL bk wt rd bare #6 ground | 799.90' | 36 | 242.51 lb | S027425E |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/3C Alum Cdr MC bare #6 grd 600V AIA - 801820 bk wt rd bare #6 ground | 905.62' | NR36 | 341.72 lb | S027545B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/3C Alum Cdr MC bare #6 grd 600V AIA -LL - 801820-LL bk wt rd bare #6 ground | 639.76' | 36 | 293.21 lb | S029033ADA |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/3C Alum Cdr MC bare #6 grd 600V AIA -LL - 801820-LL bk wt rd bare #6 ground | 484.82' | 36 | 321.87 lb | S029039AB |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/4C Alum Cdr MC bare #6 grd 600V AIA - 802136 bk 1-4 bare #6 ground | 971.13' | NR40 | 476.20 lb | 675217E |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/4C Alum Cdr MC bare #6 grd 600V AIA - 802136 bk 1-4 bare #6 ground | 669.24' | NR40 | 370.38 lb | 675219F |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/4C Alum Cdr MC bare #6 grd 600V AIA - 802310 bk wt rd be bare #6 ground | 662.26' | 40 | 372.58 lb | 699811BA |

| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
|--|----------|-----------|-----------|-----------|
| 4/4C Alum Cdr MC bare #6 grd 600V AIA - 802136 bk 1-4 bare #6 ground | 196.85' | 24 | 2.20 lb | H56622A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/4C Alum Cdr MC HVC bare #6 grd 600V AIA-1000 - 803... BN, OR, YW, GY bare #6 ground | 997.38' | 40 | 526.90 lb | S031049A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/4C Alum Cdr MC HVC bare #6 grd 600V AIA-1000 - 803... BN, OR, YW, GY bare #6 ground | 997.38' | 40 | 526.90 lb | S031049B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/4C Alum Cdr MC HVC bare #6 grd 600V AIA-1000 - 803... BN, OR, YW, GY bare #6 ground | 997.38' | 40 | 526.90 lb | S031049C |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/4C AI Cdr MC br#6 grd 600V AIA BK JKT - 803293-LL bk wt rd be bare #6 ground | 869.42' | NR40 | 533.52 lb | S049537BA |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 6/2C ALUM CDR MC bare 8 600V AIA-1000 - 802557-1000 bk wt bare 8 | 997.38' | 36 | 257.94 lb | 961055B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 6/2C ALUM CDR MC Bare #8 600V AIA - 802557 bk wt 8 bare | 848.77' | 36 | 222.67 lb | 961055C |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 6/2C ALUM CDR MC 600V AIA - 802086 bk wt 6 gn | 249.34' | RH36 | 114.64 lb | G81931A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 6/2C ALUM CDR MC Bare #8 600V AIA - 802557 bk wt 8 bare | 519.63' | 36 | 160.94 lb | H128387 |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 6/3C Alum Cdr MC bare #8 grd 600V AIA - 802150 bk wt rd bare #8 ground | 164.57' | 36 | 160.94 lb | H127358 |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 6/3C ALUM CDR MC 600V AIA - 802087 bk wt rd bare 6 ground | 584.46' | NR36 | 209.44 lb | S019674B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 6/3C ALUM CDR MC 600V AIA - 802087 bk wt rd bare 6 ground | 426.88' | RH36 | 167.55 lb | S019710E |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 6/3C ALUM CDR MC 600V AIA -LL - 802087-LL bk wt rd bare 6 ground | 1484.09' | 36 | 328.49 lb | S019721HA |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 6/3C ALUM CDR MC 600V AIA - 802087 bk wt rd bare 6 ground | 688.98' | 36 | 242.51 lb | S019763J |

| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
|---|----------|--------------|-----------|----------|
| 6/3C ALUM CDR MC 600V AIA - 802087 bk wt rd bare 6 ground | 971.13' | 60 | 630.52 lb | S026797 |
| 6/3C ALUM CDR MC 600V AIA - 802087 bk wt rd bare 6 ground | 396.96' | NR36 | 160.94 lb | S028949B |
| 6/3C Alum Cdr MC bare #8 grd 600V AIA - 802150 bk wt rd bare #8 ground | 816.93' | SKID | 2.20 lb | S031141D |
| 6/3C Alum Cdr MC bare#8grd 600V AIA-1000 - 802150-10... bk wt rd bare #8 ground | 997.38' | 36 | 299.83 lb | S031158A |
| 6/3C Alum Cdr MC bare #8 grd 600V AIA - 802150 bk wt rd bare #8 ground | 646.33' | 45 | 478.40 lb | S031177A |
| 6/3C Alum Cdr MC bare#8grd 600V AIA-1000 - 802150-10... bk wt rd bare #8 ground | 997.38' | RH36 | 297.62 lb | X031141D |
| 6/3C Alum Cdr MC bare #8 grd 600V AIA - 802150 bk wt rd bare #8 ground | 698.16' | 40" N/R REEL | 2.20 lb | X789141H |
| #6/4C AI 6 bare ALGrd600VMCTHHN AIA-1000 - 801874-... bk 1-4 #6 bare aluminum ground | 997.38' | NR36 | 348.33 lb | 699610A |
| #6/4C AI 6 bare ALGrd600VMCTHHN AIA-1000 - 801874-... bk 1-4 #6 bare aluminum ground | 997.38' | NR36 | 354.94 lb | 699610C |
| #6/4C AI 6 bare AL Grd 600VMC THHN AIA - 801874 bk 1-4 #6 bare aluminum ground | 646.30' | NR36 | 240.30 lb | 699937E |
| 8/2C ALUM CDR MC bare #8 600V AIA - 803168 bk wt bare 8 | 997.38' | NR36 | 187.39 lb | S031885A |
| 8/2C ALUM CDR MC bare #8 600V AIA - 803168 bk wt bare 8 | 997.38' | NR36 | 178.57 lb | S031885D |
| 8/2C ALUM CDR MC bare #8 600V AIA-1000 - 803168-1000 bk wt bare 8 | 997.38' | 30 | 194.01 lb | S047859A |
| 8/2C ALUM CDR MC bare #8 600V AIA-1000 - 803168-1000 bk wt bare 8 | 997.38' | 30 | 194.01 lb | S047859B |

| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
|---|----------|-----------|-----------|-----------|
| 8/2C ALUM CDR MC bare #8 600V AIA-1000 - 803168-1000 bk wt bare 8 | 997.38' | 30 | 194.01 lb | S047859C |
| 8/2C ALUM CDR MC bare #8 600V AIA-1000 - 803168-1000 bk wt bare 8 | 997.38' | 30 | 194.01 lb | S047859D |
| 8/3C ALUM CDR MC bare #8 600V AIA-1000 - 803169-1000 bk wt rd bare 8 | 997.38' | 36 | 266.76 lb | S047768C |
| 8/3C ALUM CDR MC bare #8 600V AIA-1000 - 803169-1000 bk wt rd bare 8 | 997.38' | 36 | 266.76 lb | S047768D |
| 8/3C ALUM CDR MC bare #8 600V AIA-1000 - 803169-1000 bk wt rd bare 8 | 997.38' | 36 | 268.96 lb | S047783A |
| 1/0 3C Al Cdr bare#4grd MC 600V AIA-250 - 801428-250 bk wt rd bare #4 ground | 249.34' | NR36 | 224.87 lb | 677644D |
| 1/0 3C Alum Cdr MC 600V AIA - 801313 bk wt rd #4 gn | 905.51' | NR45 | 769.41 lb | 859262C |
| 1/0 3C Alum Cdr MC 600V+#6awg cu grndAIA - 801400 bk wt rd gn | 505.67' | RH45 | 456.36 lb | G51172 |
| 1/0 3C Alum Cdr bare #4 grd MC 600V AIA - 801428 bk wt rd bare #4 ground | 918.64' | NR45 | 738.55 lb | S017320A |
| 1/0 3C Alum Cdr bare #4 grd MC 600V AIA - 801428 bk wt rd bare #4 ground | 426.51' | SKID | 385.81 lb | S018810E |
| 1/0 3C Alum Cdr bare #4 grd MC 600V AIA - 801428 bk wt rd bare #4 ground | 767.72' | NR45 | 608.48 lb | S018863E |
| 1/0 3C Alum Cdr bare #4 grd MC 600V AIA - 801428 bk wt rd bare #4 ground | 213.25' | NR36 | 205.03 lb | S018902B |
| 1/0 3C Alum Cdr bare #4 grd MC 600V AIA - 801428 bk wt rd bare #4 ground | 357.61' | SKID | 379.19 lb | S018998AB |
| 1/0 3C Alum Cdr bare #4 grd MC 600V AIA - 801428 bk wt rd bare #4 ground | 305.12' | SKID | 306.44 lb | S026984D |

| | | | | |
|---|----------|-----------|-----------|----------|
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 1/0 3C Alum Cdr bare #4 grd MC 600V AIA - 801428 bk wt rd bare #4 ground | 374.02' | SKID | 354.94 lb | S027026D |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 1/0 3C Alum Cdr bare #4 grd MC 600V AIA - 801428 bk wt rd bare #4 ground | 820.21' | 50 | 795.87 lb | S032364 |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 1/0 3C Alum Cdr bare #4 grd MC 600V AIA - 801428 bk wt rd bare #4 ground | 882.55' | SKID | 731.93 lb | S032385B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 1/0 3C Alum Cdr bare #4 grd MC 600V AIA - 801428 bk wt rd bare #4 ground | 374.02' | NR40 | 374.79 lb | S032408G |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 1/0 3C Alum Cdr bare #4 grd MC 600V AIA - 801428 bk wt rd bare #4 ground | 358.06' | NR45 | 328.49 lb | S033593B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 1/0 3C Alum Cdr bare #4 grd MC 600V AIA - 801428 bk wt rd bare #4 ground | 196.85' | NR36 | 194.01 lb | S033645F |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 1/0 3C Alum Cdr bare #4 grd MC 600V AIA - 801428 bk wt rd bare #4 ground | 756.56' | SKID | 659.18 lb | S033837C |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 1/0 3C Alum Cdr bare #4 grd MC 600V AIA - 801428 bk wt rd bare #4 ground | 839.90' | NR45 | 672.41 lb | S035057B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 1/0 3C Alum Cdr bare #4 grd MC 600V AIA - 801428 bk wt rd bare #4 ground | 918.64' | NR45 | 718.71 lb | S035139C |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 1/0 3C Alum Cdr bare #4 grd MC 600V AIA - 801428 bk wt rd bare #4 ground | 259.19' | 45 | 330.69 lb | S035163B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 1/0 3C Alum Cdr bare #4 grd MC 600V AIA - 801428 bk wt rd bare #4 ground | 728.35' | 45 | 645.95 lb | S036193B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 1/0 4C AL #4 br AL Grd 600V MC THHN AIA - 801850 bk wt rd be #4 bare aluminum ground | 997.38' | NR50 | 978.85 lb | S025976A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare #2 grd 600V AIA - 802240 bk wt rd bare #2 | 249.34' | NR40 | 268.96 lb | 665571BB |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare #4 grd 600V AIA - 801807 bk wt rd bare#4 | 656.17' | SKID | 599.66 lb | J025436 |

| | | | | |
|---|----------|-----------|------------|-----------|
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare 600V AIA - 801807-LL bk wt rd bare#4 | 396.98' | 45 | 513.68 lb | J037578 |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare #4 grd 600V AIA - 801807 bk wt rd bare#4 | 711.94' | NR45 | 595.25 lb | R034167E |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare #4 grd 600V AIA - 801807 bk wt rd bare#4 | 915.59' | NR45 | 787.05 lb | S017863B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare #4 grd 600V AIA - 801807 bk wt rd bare#4 | 695.17' | NR40 | 582.02 lb | S017868C |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare 600V AIA - 801807-LL bk wt rd bare#4 | 426.51' | 45 | 498.24 lb | S022233D |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare 600V AIA - 801807-LL bk wt rd bare#4 | 531.50' | NR40 | 471.79 lb | S030432C |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare #4 grd 600V AIA - 801807 bk wt rd bare#4 | 488.71' | NR40 | 449.74 lb | S030463C |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare #4 grd 600V AIA - 801807 bk wt rd bare#4 | 498.69' | NR40 | 447.54 lb | S030488C |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare #4 grd 600V AIA - 801807 bk wt rd bare#4 | 492.13' | SKID | 707.68 lb | S030499 |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare 600V AIA - 801807-LL bk wt rd bare#4 | 357.61' | 45 | 465.17 lb | S030510B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare 600V AIA - 801807-LL bk wt rd bare#4 | 636.48' | 45 | 661.39 lb | S030521B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare #4 grd 600V AIA - 801807 bk wt rd bare#4 | 951.44' | 60 | 1031.76 lb | S032882 |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare 600V AIA - 801807-LL bk wt rd bare#4 | 590.55' | 45 | 540.13 lb | S033777CB |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare #4 grd 600V AIA - 801807 bk wt rd bare#4 | 853.02' | 60 | 978.85 lb | S033783 |

| | | | | |
|--|----------|-----------|------------|-----------|
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare 600V AIA - 801807-LL bk wt rd bare#4 | 826.77' | 45 | 769.41 lb | S034321CA |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare 600V AIA - 801807-LL bk wt rd bare#4 | 980.97' | 45 | 820.12 lb | S034390DA |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare #4 grd 600V AIA - 801807 bk wt rd bare#4 | 774.28' | RH40 | 648.16 lb | S035198A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare #4 grd 600V AIA - 801807 bk wt rd bare#4 | 538.06' | RH40 | 496.04 lb | S035310A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare 600V AIA - 801807-LL bk wt rd bare#4 | 403.54' | 50" | 526.90 lb | S035376C |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare #4 grd 600V AIA - 801807 bk wt rd bare#4 | 606.96' | 60 | 930.35 lb | S035415X |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare 600V AIA - 801807-LL bk wt rd bare#4 | 702.10' | 50" | 787.05 lb | S035425C |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare #4 grd 600V AIA - 801807 bk wt rd bare#4 | 885.83' | RH 66 | 1111.13 lb | S064460 |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare #4 grd 600V AIA - 801807 bk wt rd bare#4 | 620.08' | 40 | 575.41 lb | S064496B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Al Cdr MC bare #4grd600V AIA-1000 - 801807-1000 bk wt rd bare#4 Alum grd | 997.38' | NR45 | 824.53 lb | S064581AA |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Al Cdr MC bare #4grd600V AIA-1000 - 801807-1000 bk wt rd bare#4 Alum grd | 997.38' | NR45 | 895.08 lb | S064581AB |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Al Cdr MC bare #4grd600V AIA-1000 - 801807-1000 bk wt rd bare#4 Alum grd | 997.38' | NR45 | 943.58 lb | S064581AC |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Al Cdr MC bare #4grd600V AIA-1000 - 801807-1000 bk wt rd bare#4 Alum grd | 997.38' | NR45 | 837.76 lb | S064581AD |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 2/0 3C Alum Cdr MC bare 600V AIA - 801807-LL bk wt rd bare#4 | 918.64' | NR45 | 817.91 lb | S064581AE |

| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
|--|----------|-----------|------------|-----------|
| 2/0 4C Alum Cdr MC bare #4 grd 600V AIA - 801816 bk wt rd be bare #4 ground | 997.38' | RH40 | 1018.53 lb | 716742C |
| 2/0 4C Alum Cdr MC bare #4 grd 600V AIA - 801816 bk wt rd be bare #4 ground | 1381.36' | RH56 | 1651.26 lb | 716744BB |
| 250/3C AI #2bareAL Grd 600VMC THHN AIA - 802260 bk wt rd #2 bare aluminum ground | 249.34' | NR45 | 465.17 lb | 870107B |
| 250/3C AI #2bareAL Grd 600VMC THHN AIA - 802260 bk wt rd #2 bare aluminum ground | 196.85' | NR45 | 403.45 lb | 870111BB |
| 250/3C AI #2bareALG 600VMC THHN AIA-1000 - 802260... bk wt rd #2 bare aluminum ground | 997.38' | 56 | 1715.19 lb | S042396A |
| 250/4C AI 1 bare Grd 600VMC THHN AIA - 802219 bk 1-4 #1 bare aluminum ground | 75.80' | NR50 | 335.10 lb | S022504BF |
| 250/4C AI 1 bare Grd 600VMC THHN AIA - 802219 bk 1-4 #1 bare aluminum ground | 167.32' | NR60PAN | 617.29 lb | S027353B |
| 250/4C AI 1 bareALGrd 600VMC THHN AIA - 802419 bk wt rd be #1 bare aluminum ground | 36.09' | NR40 | 152.12 lb | S032230BF |
| 250/4C AI 1 bare Grd 600VMC THHN AIA - 802219 bk 1-4 #1 bare aluminum ground | 99.74' | NR50 | 372.58 lb | S040464AA |
| 250/4C AI 1 bare Grd 600VMC THHN AIA - 802219 bk 1-4 #1 bare aluminum ground | 99.74' | NR50 | 381.40 lb | S040464AB |
| 250/4C AI 1 bareALGrd 600VMC THHN AIA - 803270 BN OG YW GY 1 bare aluminum ground | 121.39' | NR50 | 396.83 lb | S041890D |
| 3/0 3C Alum Cdr MC bare #2 grd 600V AIA - 801861 bk wt rd bare #2 ground | 994.09' | NR45 | 978.85 lb | 688549B |
| 3/0 3C AICdrMC bare4grd blk jkt 600V AIA - 801883 bk, wt, rd, bare #4 ground | 941.52' | NR50 | 1126.56 lb | 823810C |
| 3/0 3C Alum Cdr MC bare #4 grd 600V AIA - 801644-LL bk wt rd bare#4 ground | 223.10' | 40 | 348.33 lb | S022355AA |

| | | | | |
|--|----------|-----------|------------|------------|
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 3/0 3C Alum Cdr MC bare #4 grd 600V AIA - 801644-LL bk wt rd bare#4 ground | 166.57' | NR40 | 260.15 lb | S022373BA |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 3/0 3C Alum Cdr MC bare #4 grd 600V AIA - 801644-LL bk wt rd bare#4 ground | 146.98' | 40 | 202.83 lb | S031625BB |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 3/0 3C Alum Cdr MC bare #4 grd 600V AIA - 801644 bk wt rd bare#4 ground | 124.67' | NR45 | 665.80 lb | S031647A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 3/0 3C Alum Cdr MC bare #4 grd 600V AIA - 801644-LL bk wt rd bare#4 ground | 200.47' | NR45 | 304.24 lb | S035493C |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 3/0 3C Alum Cdr MC bare #4 grd 600V AIA - 801644-LL bk wt rd bare#4 ground | 347.77' | 40 | 390.22 lb | S041683CA |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 3/0 3C Al Cdr MC bare#4grd 600V AIA-1000 - 801644-1000 bk wt rd bare#4 ground | 997.38' | NR45 | 972.24 lb | S086201A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 3/0 3C Al Cdr MC bare#4grd 600V AIA-1000 - 801644-1000 bk wt rd bare#4 ground | 997.38' | NR45 | 1031.76 lb | S086201C |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 300/4C AL bare grd 600V MC THHN AIA - 803153-LL BK,WT,RD,BE Bare 2 | 538.06' | NR60 | 1377.89 lb | S035439ACA |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 300/4C AL bare grd 600V MC THHN AIA - 803153-LL BK,WT,RD,BE Bare 2 | 309.19' | 50 | 857.60 lb | S035967ACA |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 300/4C AL bare grd 600V MC THHN AIA - 803153 BK,WT,RD,BE Bare 2 | 200.13' | PAN60 | 720.91 lb | S035967BC |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 300/4C AL bare AL Grd 600V MC THHN AIA - 803175 BK,WT,RD,BE Bare 1/0 | 925.20' | NR56 | 2120.84 lb | S035978A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 300/4C AL bare AL Grd 600V MC THHN AIA - 803175 BK,WT,RD,BE Bare 1/0 | 660.56' | NR60 | 1611.58 lb | S038252A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 300/4C AL bare grd 600V MC THHN AIA-1000 - 803350-1... BK,WT,RD,BE Bare 1 | 997.38' | NR66 | 2303.83 lb | S080513A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 300/4C AL bare grd 600V MC THHN AIA - 803350 BK,WT,RD,BE Bare 1 | 314.96' | RH72 | 1124.36 lb | S080513B |

| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
|---|----------|-----------|------------|-----------|
| 300/4C AL bare grd 600V MC THHN AIA-1000 - 803350-1... BK,WT,RD,BE Bare 1 | 997.38' | NR66 | 2332.49 lb | S083161AA |
| 350/3C AL #2 bare AL Grd 600V MC THHN AIA - 803271 BN OR YW 2 bare aluminum ground | 75.46' | PAN60 | 493.83 lb | S041894B |
| 350/4C AI 2/0 bareALGrd 600VMC THHN AIA - 803152 BK,WT,RD,BE Bare 2/0 | 141.63' | S026802BB | 765.00 lb | S026802BB |
| 350/4C AI 2/0 bareALGrd 600VMC THHN AIA - 803152 BK,WT,RD,BE Bare 2/0 | 541.34' | 72 | 1704.17 lb | S032072 |
| 350/4C AI 4/0 bare Grd 600VMC THHN AIA - 803244 bk 1-4 #4/0 bare aluminum ground | 725.07' | NR66 | 2131.87 lb | S045426BB |
| 350/4CAI 4/0br ALGrd600VMC THHN AIA-1000 - 803244-... bk 1-4 #4/0 bare aluminum ground | 997.38' | NR72 | 2857.19 lb | S045461AA |
| 3C 4/0 Alum Cdr MC bare #1 grd 600V AIA - 802241 bk wt rd bare #1 ground | 491.71' | NR45 | 330.69 lb | 665597B |
| 3C 4/0 Alum Cdr MC bare #1 grd 600V AIA - 802241 bk wt rd bare #1 ground | 498.69' | NR45 | 628.32 lb | 676135BB |
| 4/0 3C AI Cdr MC bare#2grd 600V AIA-250 - 801818-250 bk wt rd bare #2 ground | 249.34' | NR45 | 381.40 lb | 688548AB |
| 4/0 3C AI Cdr MC bare#2grd 600V AIA-250 - 801818-250 bk wt rd bare #2 ground | 249.34' | NR45 | 423.29 lb | 696666AB |
| 3C 4/0 Alum Cdr MC 600V AIA - 802780 bk wt rd #2 gn | 246.35' | RH45 | 392.42 lb | 842276B |
| 3C 4/0 Alum Cdr MC 600V AIA - 802780 bk wt rd #2 gn | 745.04' | NR50 | 1078.06 lb | 847959KB |
| 4/0 3C Alum Cdr MC bare #2 grd 600V AIA - 801818-LL bk wt rd bare #2 ground | 254.27' | 50" | 396.83 lb | S024820AB |
| 4/0 3C Alum Cdr MC bare #2 grd 600V AIA - 801818-LL bk wt rd bare #2 ground | 265.30' | NR45 | 376.99 lb | S032937B |

| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
|---|----------|-----------|------------|-----------|
| 4/0 3C Alum Cdr MC bare #2 grd 600V AIA - 801818 bk wt rd bare #2 ground | 485.56' | NR50 | 712.09 lb | S091997F |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 4/0 4C Alum Cdr MC bare #2 grd 600V AIA - 801756 bk wt rd be bare#2 ground | 229.66' | NR50 | 535.72 lb | S091786C |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 400/4C AI 4/0 bareALGrd 600VMC THHN AIA - 803127 bk 1-4 4/0 bare aluminum ground | 774.28' | 68 | 2548.54 lb | 957221A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 400/4C AI 4/0 bareALGrd 600VMC THHN AIA - 803127 bk 1-4 4/0 bare aluminum ground | 734.91' | NR68 | 2420.67 lb | S022884B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 400/4C AI 4/0 bareALGrd 600VMC THHN AIA - 803127 bk 1-4 4/0 bare aluminum ground | 318.24' | NR66 | 1311.75 lb | S022942B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 400/4C AL Bare 600V MC THHN AIA - 802422 bk wt rd be 3/0 bare aluminum ground | 94.75' | NR60PN | 639.34 lb | S030477B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 400/4C AI 4/0 bareALGrd 600VMC THHN AIA - 803127 bk 1-4 4/0 bare aluminum ground | 735.07' | NR72 | 2396.42 lb | S039130B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 400/4C AI 4/0 bareALGrd 600VMC THHN AIA - 803127 bk 1-4 4/0 bare aluminum ground | 925.20' | NR68 | 2806.48 lb | S039150A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 400/4C AI 4/0 bareALGrd 600VMC THHN AIA - 803127-LL bk 1-4 4/0 bare aluminum ground | 491.71' | NR68 | 1699.76 lb | S039193B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 400/4C AI 4/0 bareALGrd 600VMC THHN AIA - 803127 bk 1-4 4/0 bare aluminum ground | 482.28' | 68 | 1746.06 lb | S039208BA |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 400/4C AI 4/0 bareALGrd 600VMC THHN AIA - 803127 bk 1-4 4/0 bare aluminum ground | 547.90' | NR72 | 2030.46 lb | S045522B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 400/4C AI 4/0 ALGrd 600VMC THHN AIA-1000 bare - 803... bk 1-4 4/0 bare aluminum ground | 997.38' | NR72 | 3119.54 lb | S045586A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 400/4C AI 4/0 bareALGrd 600VMC THHN AIA - 803127-LL bk 1-4 4/0 bare aluminum ground | 252.62' | NRPAN60 | 1042.79 lb | S045586B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 400/4C AI 4/0 bareALGrd 600VMC THHN AIA - 803127 bk 1-4 4/0 bare aluminum ground | 557.74' | RH66 | 1880.54 lb | S078110 |

| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
|---|----------|-----------|------------|------------|
| 400/4C AI 4/0 bareALGrd 600VMC THHN AIA - 803127 bk 1-4 4/0 bare aluminum ground | 485.56' | RH66 | 1690.94 lb | S078129 |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 500/3C AI 400 IALG 600VMC THHN AIA HVC - 802532 500 br,yw,or, 400 gn | 399.95' | NR68 | 1510.16 lb | 821532 |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 500/3C AI 400 IALG 600VMC THHN AIA HVC - 802532 500 br,yw,or, 400 gn | 524.62' | NR68 | 2026.05 lb | 821545A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 500/4C AL 250 bare 600V MC THHN AIA - 803125 bk 1-4 250 bare aluminum ground | 199.48' | NR60PN | 1060.42 lb | S023741AAA |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 500/4C AL 250 bare 600V MC THHN AIA - 803125 bk 1-4 250 bare aluminum ground | 374.02' | NR72 | 1763.70 lb | S027618B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 500/4C Cmpct AL MC 600V THHN AIA bare - 802999 bk,wt,rd,be 2/0 bare aluminum ground | 203.41' | NR66 | 1069.24 lb | S028969BB |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 500/4C AL 250 bare AL Grd 600V MC THHN AIA - 803265 BN OR YW GY 250 bare aluminum ground | 236.22' | NR60PN | 1040.58 lb | S041909C |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 500/4C AL 250 bare AL Grd 600V MC THHN AIA - 803265 BN OR YW GY 250 bare aluminum ground | 242.78' | NR60PN | 1124.36 lb | S041924B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 500/4C AL 2-0 bare AL Grd 600V MC THHN AIA - 803266 BN OR YW GY 2/0 bare aluminum ground | 331.36' | NR66 | 1406.55 lb | S041936B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 500/4C AL 2-0 bare AL Grd 600V MC THHN AIA - 803266 BN OR YW GY 2/0 bare aluminum ground | 498.69' | NR66 | 1942.27 lb | S043433B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 500/4C AL 250 bare 600V MC THHN AIA - 803125 bk 1-4 250 bare aluminum ground | 564.30' | NR66 | 2220.05 lb | S044739A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 500/4C AL 250 bare 600V MC THHN AIA - 803125 bk 1-4 250 bare aluminum ground | 387.14' | NR66 | 1664.49 lb | S044793A |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 500/4C AL 250 bare 600V MC THHN AIA - 803125-LL bk 1-4 250 bare aluminum ground | 380.58' | NR72 | 1743.85 lb | S046588B |
| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
| 600/4C AI 400 bareALGrd 600VMC THHN AIA - 803126 bk 1-4 400 bare aluminum ground | 577.48' | NR72 | 2724.91 lb | S024390X |

| Product / Part Number | Quantity | Reel/Skid | Weight | Reel ID |
|---|----------|-----------|------------|------------|
| 600/4C AI 400 bare 600V MC THHN - 803150 BK,WT,RD,BE Bare #400 | 403.94' | NR66 | 1992.98 lb | S030059B |
| 600/4C AI 300 bareALGrd 600VMC THHN AIA - 803151 BK,WT,RD,BE Bare #300 | 459.32' | SKID | 2235.48 lb | S031046 |
| 600/4C AI 400 bare 600V MC THHN - 803150 BK,WT,RD,BE Bare #400 | 75.80' | NR60PN | 659.18 lb | S031057B |
| 600/4C AL 350 bare AL Grd 600V MC THHN AIA - 80326... BN OR YW GY 350 bare aluminum ground | 967.85' | RH78 | 4188.78 lb | S041957A |
| 600/4C AL 350 bare AL Grd 600V MC THHN AIA - 80326... BN OR YW GY 350 bare aluminum ground | 82.02' | PAN60 | 610.68 lb | S041967ABB |
| 600/4C AI 400 bareALGrd 600VMC THHN AIA - 803126 bk 1-4 400 bare aluminum ground | 997.38' | NR84 | 4382.78 lb | S048823 |
| 750/4C AL 600V MC bare HVC THHN AIA - 803149 BN OR YW GY 3/0 bare ground | 711.94' | SKID | 3699.35 lb | 957322 |
| 750/4C AL 600V MC bare HVC THHN AIA - 803149 BN OR YW GY 3/0 bare ground | 751.02' | NR78 | 3847.06 lb | S030282A |
| 750/4C AL 600V MC bare HVC THHN AIA - 803149 BN OR YW GY 3/0 bare ground | 722.10' | RH78 | 3534.01 lb | S030406A |
| 750/4C AL 600V MC bare HVC THHN AIA - 803149 BN OR YW GY 3/0 bare ground | 669.29' | NR84 | 3560.46 lb | S032106A |
| 750/4C AL 600V MC bare HVC THHN AIA - 803149 BN OR YW GY 3/0 bare ground | 836.61' | SKID | 4243.89 lb | S032137 |
| 750/4C AI 1/0 bareALGrd 600VMC THHN AIA - 802178 bk wt rd be 1/0 bare aluminum ground | 241.36' | NR66 | 1512.37 lb | S032178B |
| 750/4C AI 1/0 bareALGrd 600VMC THHN AIA - 802178 bk wt rd be 1/0 bare aluminum ground | 1017.06' | RH84 | 4894.26 lb | S038266 |
| 750/4C AI 1/0 bareALGrd 600VMC THHN AIA - 802178 bk wt rd be 1/0 bare aluminum ground | 1017.06' | RH84 | 4894.26 lb | S038277 |
| 750/4C AI 1/0 bareALGrd 600VMC THHN AIA - 802178 bk wt rd be 1/0 bare aluminum ground | 1017.06' | RH84 | 4867.80 lb | S038288 |

