Certificate of Analysis

Laboratory license: #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA
www.greengrowerlabs.com

SAMPLE ID: GF41279205614110

SAMPLE NAME: Straw-Mata

SOURCE INFORMATION

ORIGINATION	LICENSE #	ADDRESS
No Mids	412792	16845 UPPER BADGER POCKET RD, ELLENSBURG, WA, 98926
CATEGORY	**TYPE**	**SAMPLE DATE**
Harvested Material	Flower Lot	08/28/2026
DATE RECEIVED	**DATE REPORTED**	**QTY RECEIVED (G)**
08/28/2026	08/30/2026	15

TESTING SUMMARY

PESTICIDES PASS MYCOTOXINS PASS HEAVY METALS PASS MICROBIALS PASS GENERAL ANALYSIS PASS

ANALYTICAL METHODS

Potency: HPLC UV-VIS DETECTOR | **Pesticides & Mycotoxins:** LC-MS/MS | **Microbials:** RT-qPCR & 3M PERIFILM | **Heavy Metals:** ICP-MS | **General Analysis:** ROTRONIC METER / VISUAL

COMMENT / NOTES

None

POTENCY

26
TOTAL CANNABINOIDS

ANALYTE	MASS (%)	MASS (MG/G)
Δ9-THC	0.16	1.60
THCa	26	260.00
Total THC	**22.96**	**229.60**
CBD	< 0.10	0.00
CBDA	< 0.10	0.00
Total CBD	**0.00**	**0.00**

**Total cannabinoids: Sum of analytes mass (%) | *Total THC: (THCa×0.877)+Δ9-THC | *Total CBD: (CBDA×0.877)+CBD*

GENERAL ANALYSIS

ANALYTE	LIMIT	UNIT	RESULT	PASS / FAIL
Stems	5	%	0	PASS
I.E.H (Insects, Excrement, Hair)	1	ea.	0	PASS
Seeds or Other	2	%	0	PASS
Water Activity (Aw)	0.65	Aw	0.35	PASS

**I.E.H = Insects, Excrement, Hair (count). Water Activity limit ≤ 0.65 Aw.*

HEAVY METALS

ANALYTE	LIMIT (µg/g)	UNIT (µg/g)	PASS / FAIL
Arsenic	2.0	< 0.30	PASS
Cadmium	0.82	< 0.30	PASS
Lead	1.2	< 0.30	PASS
Mercury	0.40	< 0.30	PASS

MICROBIALS

ANALYTE	LIMIT	RESULT	PASS / FAIL
STEC (Shiga toxin-producing E. coli)	NEGATIVE	Negative	PASS
Salmonella	NEGATIVE	Negative	PASS
BTGN (Bile-Tolerant Gram-Negative Bacteria)	10,000 CFU/g	< 30	PASS

PESTICIDES & MYCOTOXINS

ANALYTE	LIMIT	MASS(PPM)	P/F	ANALYTE	LIMIT	MASS(PPM)	P/F	ANALYTE	LIMIT	MASS(PPM)	P/F
Total Abamectin[e]	0.5	< 0.38	PASS	Dimethoate	0.20	< 0.15	PASS	Naled	0.50	< 0.38	PASS
Acephate	0.4	< 0.30	PASS	Ethoprophos	0.20	< 0.15	PASS	Oxamyl	1.0	< 0.75	PASS
Acequinocyl	2.0	< 1.5	PASS	Etofenprox	0.40	< 0.30	PASS	Paclobutrazol	0.40	< 0.30	PASS
Acetamiprid	0.2	< 0.15	PASS	Etoxazole	0.20	< 0.15	PASS	Permethrins[a]	0.20	< 0.15	PASS
Aldicarb	0.40	< 0.30	PASS	Fenoxycarb	0.20	< 0.15	PASS	Phosmet	0.20	< 0.15	PASS
Azoxystrobin	0.20	< 0.15	PASS	Fenpyroximate	0.40	< 0.30	PASS	Piperonyl butoxide	2.0	< 1.5	PASS
Bifenazate	0.20	< 0.15	PASS	Fipronil	0.40	< 0.30	PASS	Prallethrin	0.20	< 0.15	PASS
Bifenthrin	0.20	< 0.15	PASS	Flonicamid	1.0	< 0.75	PASS	Propiconazole	0.40	< 0.30	PASS
Boscalid	0.40	< 0.30	PASS	Fludioxonil	0.40	< 0.30	PASS	Propoxur	0.20	< 0.15	PASS
Carbaryl	0.20	< 0.15	PASS	Hexythiazox	1.0	< 0.75	PASS	Pyrethrins[b]	1.0	< 0.75	PASS
Carbofuran	0.20	< 0.15	PASS	Imazalil	0.20	< 0.15	PASS	Pyridaben	0.20	< 0.15	PASS
Chlorantraniliprole	0.20	< 0.15	PASS	Imidacloprid	0.40	< 0.30	PASS	Spinosad[c]	0.20	< 0.15	PASS
Chlorfenapyr	1.0	< 0.75	PASS	Kresoxim-methyl	0.40	< 0.30	PASS	Spiromesifen	0.20	< 0.15	PASS
Chlorpyrifos	0.20	< 0.15	PASS	Malathion	0.20	< 0.15	PASS	Spirotetramat	0.20	< 0.15	PASS
Clofentezine	0.20	< 0.15	PASS	Metalaxyl	0.20	< 0.15	PASS	Spiroxamine	0.40	< 0.30	PASS
Cyfluthrin	1.0	< 0.75	PASS	Methiocarb	0.20	< 0.15	PASS	Tebuconazole	0.40	< 0.30	PASS
Cypermethrin	1.0	< 0.75	PASS	Methomyl	0.40	< 0.30	PASS	Thiacloprid	0.20	< 0.15	PASS
Daminozide	1.0	< 0.75	PASS	Methyl parathion	0.20	< 0.15	PASS	Thiamethoxam	0.20	< 0.15	PASS
DDVP (Dichlorvos)	0.10	< 0.075	PASS	MGK-264	0.20	< 0.15	PASS	Trifloxystrobin	0.20	< 0.15	PASS
Diazinon	0.20	< 0.15	PASS	Myclobutanil	0.20	< 0.15	PASS	**Total Aflatoxins[d]**	20 ppb	< 15	PASS
								Ochratoxin A	20 ppb	< 15	PASS

ND = Not Detected | [a]cis+trans-Permethrin | [b]Pyrethrin I+II | [c]Spinosyn A+D | [d]Aflatoxin B1,B2,G1,G2 | [e]Abamectin B1a,B1b

This product has been tested by Green Grower Labs using validated testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Green Grower Labs.

Flower samples are separated for the required field of testing, then homogenized before testing using liquid nitrogen. Numerical values may exhibit minor differences as a result of rounding.

Matt Heist

Matt Heist
Lab Director

COA ID GGL_412792_GF41279205614110