

# Safety Data Sheet

29 CFR 1910.1200

SDS REPORT

Report No.: 21-05480-PS Date: April 14, 2021

Applicant : Beifa Group Co., Ltd.

Address: No.68 Weiliu Road, Xiaogang, Beilun, Ningbo, China.

Sample Name : Gel ink pen

(ITA36199/ITA36200/ITA36201/ITA36202/ITA36203/ITA36204/IT A39059/ITA39060/ITA36156/ITA36157/ITA36158/ITA36159/ITA3 0035/ITA30036/ITA30079/ITA30080/ITA99690/ITA99691/ITA996

Page: 1 of 1

92/ITA99693/ITA36194/ITA36193)

Composition/Ingredient of The Sample (as per client

submission)

See Section 3 on the SDS

Service Requested : Preparation of Safety Data Sheet (SDS) for the sample

with submitted information

Summary : As per request, the contents and formats of the SDS are

prepared in according with US Regulations Relating to Labor 29

CFR 1910.1200, and is provided per attached.

Manufacturer : Beifa Group Co.,Ltd.

Country of Origin : China

Test Report Form No. : TTRF\_SDS\_A

TRF Originator : TÜV AUSTRIA (SHANGHAI) CO., LTD.

Master TRF : Dated September 2019

Receiving Date : April 07, 2021

Preparation period : April 07 - April 14, 2021

Carrey Wu, Technical Director TÜV AUSTRIA (Shanghai) Co., Ltd.

This report is for the exclusive use of TÜV Austria's Client and is provided pursuant to the agreement between TÜV Austria and its Client. TÜV Austria's responsibility and liability are limited to the terms and conditions of the agreement. TÜV Austria assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the TÜV Austria name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by TÜV Austria. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under a TÜV Austria certification program.

TÜV AUSTRIA (Shanghai) Co., Ltd.

Room 12D, Orient Century Building, No.345 Xian Xia Road, Shanghai, P/C 200336, P.R. China. Tel: 86-021- 6235 1826 E-mail: office@cn.tuvaustria.com Web. <a href="http://www.tuv-austria.cn">http://www.tuv-austria.cn</a>

TTRF\_SDS\_A

Printing date 04/14/2021

Version number 1

Reviewed on 04/14/2021

## 1 Identification

- · Product identifier
- · SPR Product number:

<u>ITA36199/ITA36200/ITA36201/ITA36202/ITA36203/ITA36204/ITA39059/ITA39060/ITA36156/ITA36157/ITA36158/ITA361</u>
59/ITA30035/ITA30036/ITA30079/ITA30080/ITA99690/ITA99691/ITA99692/ITA99693/ITA36194/ITA36193

- · Recommended use of the chemical and restrictions on use
- · Application of the substance / the preparation: Writing
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Beifa Group Co.,Ltd.

No.68 weiliu road, Xiaogang, Beilun, Ningbo, China. Tel:

+86 150 5884 1454/ +86 574 5678 6630

Email:446145233@qq.com Fax: +86 574 5678 6259

- · Other US contact point: Not available
- · Further information obtainable from: Beifa Group Co., Ltd.
- · Emergency telephone number:

Frida

Tel: +86 150 5884 1454 Poison Center Tel: +1 800 222 1222

· Remark:

This sample is likely to be classified as article and is out of scope of a SDS as set out in 29 CFR Part 1910.1200. This SDS is generated for client's reference only.

### 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

· Information concerning particular hazards for human and environment:

The product has not to be labeled due to the calculation procedure of OSHA Hazard Communication Standard (29 CFR 1910.1200).

· Classification system:

The classification is according to the latest edition of OSHA Hazard Communication Standard (29 CFR 1910.1200), and extended by company and literature data.

- · Label elements
- · Labelling according to OSHA Hazard Communication Standard (29 CFR 1910.1200)
- · Hazard pictograms Not applicable.
- · Signal word Not applicable.
- · Hazard-determining components of labeling: Not applicable.
- · Hazard statements Not applicable.
- · Precautionary statements Not applicable.
- · Hazards not otherwise classified (HNOC) No further relevant information available.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description:

Mixture of the substances listed below with nonhazardous additions.

For the wording of the listed hazard statements refer to Section 16.

· Composition:		
9003-54-7	Styrene-acrylonitrile copolymer	35-40%
9003-07-0	polypropylene	15-20%
25037-45-0	Polycarbonate	10-15%

(Contd. on page 2)

# Safety Data Sheet 29 CFR 1910.1200

Printing date 04/14/2021

Version number 1

Reviewed on 04/14/2021

0002 56 0 2 Duan avanituila nahun avanith 1.2 hutadiana and -4 11	(Contd. of pa
9003-56-9 2-Propenenitrile, polymer with 1,3-butadiene and ethenylbenzene	10-15%
9003-55-8 styrene-butadiene rubber	5-10%
7440-50-8 copper	1-3%
7732-18-5 Water	0.3-0.35
25322-68-3 polyethylene glycol	0.075-0.1
56-81-5 Glycerol	0.075-0.1
1333-86-4 carbon black	0.005-0.0
147-14-8 Pigment Blue 15	0.01-0.0
2786-76-7 Pigment Red 170	0.01-0.0
1328-53-6 Pigment Green 7	0.015-0.0
112-27-6 2,2'-(ethylenedioxy)diethanol	0.005-0.0
9003-01-4 Polyacrylic acid	0-0.003
124-68-5 2-amino-2-methylpropanol	0-0.003
<b>♦</b> Skin Irrit. 2, H315; Eye Irrit. 2A, H319	
980-26-7 Pigment Red 122	0.01-0.0
5567-15-7 Pigment Yellow 83	0.01-0.0
6358-30-1 Pigment violet 23	0.005-0.0
7429-90-5 aluminium	0.015-0.0
13463-67-7 titanium dioxide	0.075-0.0
57-55-6 1,2-Propanediol	0.05-0.07
11138-66-2 Xanthan gum	0-0.005

## 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth with water.

Never give anything by mouth to an unconscious person.

Seek medical treatment.

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Special protective equipment and precautions for firefighters
- · Protective equipment:

Mouth respiratory protective device.

Wear fully protective suit.

USA

Version number 1

Reviewed on 04/14/2021

(Contd. of page 2)

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Avoid formation of dust.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Avoid contact with eyes.

Avoid contact with skin.

- · Environmental precautions: Do not allow to enter sewers/surface or groundwater.
- · Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

## 7 Handling and storage

Precautions for safe handling:

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Avoid contact with eyes and skin.

For the general occupational hygienic measures refer to Section 8.

- · Information about protection against explosions and fires: Normal measures for preventive fire protection.
- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

## 8 Exposure controls/personal protection

· Control parameters

Components	with limit values that require monitoring at the workplace:
7440-50-8 ce	ppper
PEL (USA)	Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume
REL (USA)	Long-term value: $1*0.1**mg/m^3$ as $Cu*dusts$ and $mists**fume$
TLV (USA)	Long-term value: $1*0.2**mg/m^3$ *dusts and mists; **fume; as Cu
56-81-5 Gly	cerol
PEL (USA)	Long-term value: 15* 5** mg/m³ mist; *total dust **respirable fraction
TLV (USA)	TLV withdrawn-insufficient data human occup. exp.
25322-68-3	polyethylene glycol
WEEL (USA)	Long-term value: 10 mg/m³ (H); MW>200
13463-67-7	titanium dioxide
PEL (USA)	Long-term value: 15* mg/m³ *total dust
REL (USA)	See Pocket Guide App. A
TLV (USA)	Long-term value: 10 mg/m³
	(Contd. on page

# Safety Data Sheet 29 CFR 1910.1200

Printing date 04/14/2021

Version number 1

Reviewed on 04/14/2021

	(Contd. of page 3
57-55-6 1,2-	Propanediol
WEEL (USA)	Long-term value: 10 mg/m³
7429-90-5 al	uminium
PEL (USA)	Long-term value: 15*; 5** mg/m³ *Total dust; ** Respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m³ as Al*Total dust**Respirable/pyro powd./welding f.
TLV (USA)	Long-term value: 1* mg/m³ as Al; *as respirable fraction
1333-86-4 ca	urbon black
PEL (USA)	Long-term value: 3.5 mg/m³
REL (USA)	Long-term value: 3.5* mg/m³ *0.1 in presence of PAHs; See Pocket Guide Apps.A+C
TLV (USA)	Long-term value: 3* mg/m³ *inhalable fraction

#### · Regulatory information

PEL (USA): Guide to Occupational Exposure Values (OSHA PELs)

REL (USA): Guide to Occupational Exposure Values (NIOSH RELs)

TLV (USA): Guide to Occupational Exposure Values (TLV)

WEEL (USA): Guide to Occupational Exposure Values (AIHA WEELs)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure
- · Appropriate engineering controls: See Section 7 for information about design of technical facilities.
- · Personal protective equipment
- · Breathing equipment: Suitable respiratory protective device recommended.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

USA

# Safety Data Sheet 29 CFR 1910.1200

Printing date 04/14/2021 Version number 1 Reviewed on 04/14/2021

(Contd. of page 4)

# 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Solid

Color: black/blue/red/green/glitter yellow/glitter gold/glitter red/glitter

pink/glitter blue/glitter sky blue/glitter green/glitter brown/glitter black/glitter silver/metallic gold/metallic orange/metallic red/metallic pink/metallic violet/metallic blue/metallic sky blue/metallic green/metallic gray/metallic silver/pastel yellow/pastel orange/pastel

red/pastel pink/pastel violet/pastel sky blue/pastel green/pastel white

Odor: OdorlessOdor threshold: Not available.

· pH-value: Not available.

· Change in condition

Melting point/Melting range:Not available.Freezing point:Not available.Boiling point/Boiling range:Not available.

· Flash point: Not available.

• Flammability (solid, gaseous): Not available. • Auto-Ignition temperature: Not available.

· **Decomposition temperature:** Not available.

· Explosion limits:

· Evaporation rate

Lower:

Upper: Not available.
Vapor pressure: Not available.
Density: Not available.
Relative density Not available.
Vapor density Not available.

· Solubility in / Miscibility with

Water: Not available.

· Partition coefficient (n-octanol/water): Not available.

· Viscosity:

**Dynamic:** Not available. **Kinematic:** Not available.

• Other information No further relevant information available.

Not available.

Not available.

## 10 Stability and reactivity

- · Reactivity No decomposition if used according to specifications.
- · Chemical stability Stable under recommended storage conditions.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

USA

Version number 1

Reviewed on 04/14/2021

(Contd. of page 5)

11 Toxico	ologic	al information
· Acute to	xicity	
· LD/LC5	0 valu	es that are relevant for classification:
9003-54	-7 Styr	rene-acrylonitrile copolymer
Oral	LD50	1,000 mg/kg (mouse)
		1,800 mg/kg (rat)
25322-6	8-3 po	lyethylene glycol
Oral	LD50	27,500 mg/kg (rat)
Dermal	LD50	>20,000 mg/kg (rabbit)
<i>56-81-5</i>	Glycer	ol
Oral	LD50	4,090 mg/kg (mouse)
		12,600 mg/kg (rat)
		27,000 mg/kg (rabbit)
1333-86	-4 carl	bon black
Oral	LD50	15,400 mg/kg (rat)
Dermal	LD50	3,000 mg/kg (rabbit)
147-14-8	8 Pigm	ent Blue 15
Oral	LD50	>2,000 mg/kg (rat)
112-27-0	6 2,2'-(	(ethylenedioxy)diethanol
Oral	LD50	17,000 mg/kg (rat)
9003-01	-4 Poly	vacrylic acid
Oral	LD50	4,600 mg/kg (mouse)
		2,500 mg/kg (rat)
980-26-2	7 Pigm	ent Red 122
Oral	LD50	23,000 mg/kg (rat)
Dermal	LD50	>3,000 mg/kg (rabbit)
5567-15	-7 Pigi	ment Yellow 83
Oral	LD50	>5,000 mg/kg (rat)
13463-6	7-7 tita	unium dioxide
Oral	LD50	>20,000 mg/kg (rat)
Dermal	LD50	>10,000 mg/kg (rabbit)
57-55-6	1,2-Pr	opanediol
Oral	LD50	20,000 mg/kg (rat)
Dermal	LD50	20,800 mg/kg (rabbit)

- · Primary irritant effect
- · Skin corrosion/irritation: Irritating effect possible.
- · Serious eye damage/irritation: Irritating effect possible.
- · Respiratory or skin sensitisation: Sensitization possible.

## · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations.

#### · Carcinogenic categories

· IARC (Inter	national Agency for Research on Cancer)	
9003-54-7	Styrene-acrylonitrile copolymer	3
9003-07-0	polypropylene	3
9003-55-8	styrene-butadiene rubber	3
13463-67-7	titanium dioxide	2B
		(Contd. on page

LISA

# Safety Data Sheet 29 CFR 1910.1200

Printing date 04/14/2021

#### Version number 1

Reviewed on 04/14/2021

		(Contd. of page 6
1333-86-4	carbon black	$\overline{2}B$
9003-01-4	Polyacrylic acid	3
· NTP (Natio	nal Toxicology Program)	
None of the	ingredients is listed.	
· OSHA-Ca (	Occupational Safety & Health Administration)	
None of the	ingredients is listed.	

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	Not applicable.
UN proper shipping name	
DOT, IMDG, IATA	Not applicable.
Transport hazard class(es)	
DOT, IMDG, IATA	
Class	Not applicable.
Packing group	
DOT, IMDG, IATA	Not applicable.
Environmental hazards	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex	· II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.

TICA

Version number 1

Reviewed on 04/14/2021

(Contd. of page 7)

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- Sara

· Sara	
· Section 35	5 (extremely hazardous substances):
None of the	e ingredient is listed.
· Section 31	3 (Specific toxic chemical listings):
7440-50-8	± ±
7429-90-5	aluminium
· TSCA (To:	xic Substances ControlAct):
All compo	nents have the value ACTIVE.

All compone	ents have the value ACTIVE.	
Proposition		
-	cnown to cause cancer:	
	titanium dioxide	
1333-86-4	carbon black	
Chemicals k	nown to cause reproductive toxicity for females:	
	ingredients is listed.	
Chemicals k	nown to cause reproductive toxicity for males:	
	ingredients is listed.	
	nown to cause developmental toxicity:	
	ingredients is listed.	
	Right-to-Know List:	
	Styrene-acrylonitrile copolymer	
7440-50-8		
	Glycerol	
13463-67-7	titanium dioxide	
57-55-6	1,2-Propanediol	
7429-90-5	aluminium	
1333-86-4	carbon black	
124-68-5	2-amino-2-methylpropanol	
New Jersey	Special Hazardous Substance List:	
7429-90-5 d	aluminium	F3, I
1333-86-4	carbon black	CA
Pennsylvani	ia Right-to-Know List:	
7440-50-8	copper	
	Glycerol	
13463-67-7	titanium dioxide	
	1,2-Propanediol	
	aluminium	
	2,2'-(ethylenedioxy)diethanol	
	2-amino-2-methylpropanol	
•	ia Special Hazardous Substance List:	
7440-50-8	**	
<b>5</b> 100 00 5	ıluminium	

# Safety Data Sheet 29 CFR 1910.1200

Printing date 04/14/2021

Version number 1

Reviewed on 04/14/2021

(Contd. of page 8) · Cancerogenity categories · EPA (Environmental Protection Agency): 7440-50-8 copper D • TLV (Threshold Limit Value established by ACGIH): 13463-67-7 titanium dioxide A47429-90-5 aluminium A41333-86-4 carbon black A4· NIOSH-Ca (National Institute for Occupational Safety and Health): 13463-67-7 titanium dioxide 1333-86-4 carbon black · National regulations · Additional classification according to Decree on Hazardous Materials: · REACH Regulation Annex XVII Restriction See Section 16 for information about restriction of use. None of the ingredients is listed. · REACH Regulation Annex XIV Authorisation List None of the ingredients is listed.

## 16 Other information

· Relevant phrases

H315 Causes skin irritation.

H319 Causes serious eye irritation.

#### DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· Date of preparation / last revision 04/14/2021 /-

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT:

US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50:

Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety OSHA:

Occupational Safety & Health

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

End of document