Safety Data Sheet Revision Date 16-Aug-2013

Issuing Date 16-Aug-2013

**Revision Number** 0

# **1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING**

GHS product identifier	
Product Name	Lavender Fields (air freshener cartridge)
Other means of identification	
UN-Number	UN1169
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Air freshener
Uses advised against	No information available
Supplier's details	
Manufacturer Address Impact Products LLC	
2840 Centennial Road Toledo, Ohio 43617-1898	
Emergency telephone number	
Company Phone Number	Phone: 800.333.1541 Fax: 800.333.1531 Email: <u>custserv@impact-products.com</u>
Emergency Telephone (24 hr)	INFOTRAC 1-352-323- 3500 (International) 1-800-535-5053 (North America)
	2. HAZARDS IDENTIFICATION

## **Classification**

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Acute Oral Toxicity	Category 4
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2A
Skin Sensitization	Category 1
Specific Target Organ Toxicity (Repeated Exposure)	Category 2
Aspiration Toxicity	Category 1
Flammable liquids	Category 3

# GHS Label elements, including precautionary statements

#### **Emergency Overview**

Signal Word	Danger		
Hazard Stateme			
<ul> <li>Harmful if swal</li> </ul>	lowed		
	Il in contact with skin		
<ul> <li>Causes skin irr</li> <li>Causes serious</li> </ul>			
	allergic skin reaction		
<ul> <li>May cause dar</li> </ul>	mage to organs through prolonge	ed or repeated exposure	
	c life with long lasting effects		
	swallowed and enters airways		
• Flammable liq <sup>t</sup>	uid and vapor.		
Appearance C	Clear, Pale red to red	Physical State Liquid.	Odor Characteristic

#### **Precautionary Statements**

#### Prevention

- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Contaminated work clothing should not be allowed out of the workplace
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Keep away from heat/sparks/open flames/hot surfaces No smoking
- Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ventilating/lighting/equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- Wear protective gloves/protective clothing/eye protection/face protection.

#### **General Advice**

- · Specific treatment (see supplemental instructions on the administration of antidotes on this label)
- Get medical attention/advice if you feel unwell

#### Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention.

#### Skin

- · If skin irritation or rash occurs: Get medical advice/attention
- Wash contaminated clothing before reuse
- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

# Ingestion

- Rinse mouth
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Do NOT induce vomiting.

#### Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction.

#### Storage

- · Store locked up
- Store in a well-ventilated place. Keep cool.

### Disposal

• Dispose of contents/container to an approved waste disposal plant.

## Hazard Not Otherwise Classified (HNOC)

Not applicable

## Other information

Toxic to aquatic life with long lasting effects

No information available.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No	Weight %	Trade secret
Dihydromyrcenol	18479-58-8	15-<20	*
Camphor	76-22-2	15-<20	*
Lynalyl acetate (ex bois de rose, synthetic)	115-95-7	5-<10	*
Linalool	78-70-6	5-<10	*
Eucalyptol	470-82-6	5-<10	*
D-Limonene	5989-27-5	1-<3	*
Decanal	112-31-2	1-<3	*
Citral	5392-40-5	1-<3	*
Caryophyllene	87-44-5	1-<3	*
Camphene	79-92-5	1-<3	*
2-Buten-1-one,	57378-68-4	1-<3	*
1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-			
Pin-2(3)-ene	80-56-8	0.1-<1	*
2,6-Di-tert-butyl-p-cresol	128-37-0	<0.1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

Description of necessary first-aid measures			
General Advice	If swallowed, get medical help or contact a Poison Control Center right away.		
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention if irritation persists.		
Skin Contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.		
Inhalation	Move to fresh air in case of accidental inhalation of vapors.		
Ingestion	Call a physician or Poison Control Center immediately. Do NOT induce vomiting.		

# Protection of First-aiders Remove all sources of ignition. Use personal protective equipment. Avoid contact with skin, eyes and clothing.

#### Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Hives Itching Rashes Irritation.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician

.

Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use: Water spray. Carbon dioxide (CO<sub>2</sub>). Foam.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

#### Specific Hazards Arising from the Chemical

Flammable. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapors may accumulate in confined areas (basement, tanks, hopper/tank cars, etc.). Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	Yes.

#### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Remove all sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use personal protective equipment. Avoid contact with skin, eyes and clothing.
Environmental Precautions	
Environmental Precautions	Prevent further leakage or spillage if safe to do so. Avoid release to the environment. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Dispose of contents/container to an approved waste disposal plant. Collect spillage. See Section 12 for additional Ecological Information
Methods and materials for contain	ainment and cleaning up
Methods for Containment	Dike far ahead of liquid spill for later disposal.

Methods for Cleaning Up Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Use clean non-sparking tools to collect absorbed material. Sweep up and shovel into suitable containers for disposal.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Handling	Keep away from open flames, hot surfaces and sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges. Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before reuse. Wash thoroughly after handling.
Conditions for safe storage, includ	ing any incompatibilities
Storage	Keep away from open flames, hot surfaces and sources of ignition. Keep container tightly closed in a dry and well-ventilated place.
Incompatible Products	Strong oxidizing agents, Strong acids, Strong bases,

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## Control parameters

# **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Camphor 76-22-	STEL: 3 ppm synthetic TWA:	TWA: 2 mg/m <sup>3</sup> (vacated)	IDLH: 200 mg/m <sup>3</sup> TWA:
2	2 ppm synthetic	TWA: 2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup> synthetic
Citral	TWA: 5 ppm inhalable fraction	-	-
5392-40-5	and vapor S*		
	T14/4 00		
Pin-2(3)-ene 80-56-	TWA: 20 ppm	-	-
8			
2,6-Di-tert-butyl-p-cresol 128-37-	TWA: 2 mg/m <sup>3</sup> inhalable fraction	(vacated) TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
0	and vapor		

# Appropriate engineering controls

## Engineering Measures Showers Eyewash stations Ventilation systems

# Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection	Tightly fitting safety goggles. Wear protective gloves/clothing. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene Measures	Do not eat, drink or smoke when using this product. Provide regular cleaning of equipment, work area and clothing.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical				
Physical State	and chemical properties	Appearance		
Odor	Liquid	Odor Threshold	Clear Pale red to red No information available	
	Characteristic			
<u>Property</u>	<u>Values</u> No data available	<u>Remarks/ - Met</u>	hod	
рН		None known		
Melting Point/Range	No data available	None known		
Boiling Point/Boiling Range	No data available	None known		
Flash Point	59 °C / 138.2 °F	None known		
Evaporation rate	No data available	None known		
Flammability (solid, gas)	No data available	None known		
Flammability Limits in Air upper flammability				
limit	No data available No data available			
lower flammability limit	0.800000			
Vapor Pressure		None known		
Vapor Density	No data available	None known		
Relative Density	0.8950 - 0.8990	None known		
Specific Gravity	No data available.	None known		
Water Solubility	Insoluble in water.	None known		
Solubility in other solvents	No data available	None known		
Partition coefficient: n-octanol/ Autoignition Temperature	<b>water</b> No data available No data available	None known None known		
Decomposition Temperature	No data available	None known		
Viscosity		None known		
	No data available			
Flammable Properties	Not flammable			

# Explosive PropertiesNo data availableOxidizing PropertiesNo data available

#### **Other information**

VOC Content (%)

No data available

# **10. STABILITY AND REACTIVITY**

## **Reactivity**

No data available. Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

#### Conditions to avoid

None known based on information supplied.

#### Incompatible materials

Strong oxidizing agents, Strong acids, Strong bases,

#### Hazardous decomposition products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Product Information	
Inhalation	

Eye Contact

**Skin Contact** 

Ingestion

None under normal use condtions Irritating to eyes. Irritating to skin. May cause sensitization by skin contact. May be fatal if swallowed and enters airways. Harmful if swallowed.

#### **Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Dihydromyrcenol	= 3600 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Linalool	2790 mg/kg (Rat)	5610 mg/kg (Rat)	-
Eucalyptol	= 2480 mg/kg (Rat)	-	-
Lynalyl acetate (ex bois de rose, synthetic)	= 13934 mg/kg (Rat)	-	-
n-Hexyl acetate	= 41500 µL/kg (Rat)	> 5 g/kg (Rabbit)	-
2H-Pyran,	= 4300 mg/kg (Rat)	-	-
etrahydro-4-methyl-2-(2-methyl-1-pr openyl)-			

#### WPS-FDT-002 - Lavender Fields

5-Hepten-2-one, 6-methyl-	= 3500 mg/kg (Rat)	> 5000 mg/kg (Rat) >	-
		2 g/kg (Rat)	
Decanal	= 3730 µL/kg (Rat)	= 5040 µL/kg (Rabbit)	-
Citral	= 4950 mg/kg (Rat)	= 2250 mg/kg (Rabbit) >	-
		2000 mg/kg (Rat)	
Camphene	> 5000 mg/kg (Rat)	> 2500 mg/kg (Rabbit)	= 17100 mg/m <sup>3</sup> (Rat)1 h
D-Limonene	5000 mg/kg (Rat)	>5000 mg/kg (Rabbit)	-
Geranyl acetate	= 6330 mg/kg (Rat)	-	-
Pin-2(3)-ene	= 2100 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Terpinolene	= 4390 mg/kg (Rat)	-	-
Gamma -Terpinene	= 3650 mg/kg (Rat)	-	-
p-Cymene	= 3669 mg/kg (Rat)	-	-
2,6-Di-tert-butyl-p-cresol	890 mg/kg (Rat)	-	-

# Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization Mutagenic Effects Carcinogenicity

No information available. The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
D-Limonene		Group 3	-	-
2,6-Di-tert-butyl-p-cresol		Group 3	-	-
			-	-

May cause sensitization by skin contact.

IARC: (International Agency for Research on Cancer)		
IARC: (International Agency for Research on Cancer)		
Group 3: Not Classifiable as to its Carcinogenicity to Humans		
Reproductive Toxicity No information available.		
STOT - single exposure	<b>F - single exposure</b> May cause disorder and damage to the Ears	
STOT - repeated exposure No information available.		
Aspiration Hazard May be fatal if swallowed and enters airways		

# Numerical measures of toxicity - Product

The following values are calculat	ed based on chapter 3.1 of the GHS document:
LD50 Oral	1585 mg/kg; Acute toxicity estimate
LD50 Dermal	2182 mg/kg; Acute toxicity estimate
Inhalation	
dust/mist	143 mg/L; Acute toxicity estimate

# **12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

Toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Linalool 78-70- 6	EC50 96 h: = 88.3 mg/L (Desmodesmus subspicatus)	LC50 96 h: 22-46 mg/L static (Leuciscus idus)		EC50 48 h: = 20 mg/L (Daphnia magna)
Eucalyptol 470- 82-6		LC50 96 h: 95.4-109 mg/L flow-through (Pimephales promelas)		
n-Hexyl acetate 142- 92-7		LC50 96 h: 3.7-4.4 mg/L flow-through (Pimephales promelas)		
5-Hepten-2-one, 6-methyl- 110-93-0	EC50 96 h: = 101 mg/L (Desmodesmus subspicatus) EC50 72 h: = 191 mg/L (Desmodesmus subspicatus)	promelas)	EC50 = 3000 mg/L 17 h	EC50 48 h: = 129 mg/L (Daphnia magna)

Decanal 112-31-			EC50 = 2.90 mg/L 25 min EC50 = 3.59 mg/L 15 min	
Ζ.			EC50 = 3.59  mg/L 15  min EC50 = 4.71 mg/L 5 min	
Citral	EC50 72 h: = 16 mg/L	LC50 96 h: 4.6-10 mg/L	EC50 = 2100 mg/L 30 min	EC50 48 h: = 7 mg/L
5392-40-5	(Desmodesmus subspicatus)	static (Leuciscus idus)	-	(Daphnia magna)
	EC50 96 h: = 19 mg/L			
	(Desmodesmus subspicatus)			
Camphene 79-92-	EC50 72 h: > 1000 mg/L	LC50 96 h: = 0.72 mg/L		EC50 48 h: = 22 mg/L
5	(Desmodesmus subspicatus)	flow-through (Brachydanio		(Daphnia magna)
	,	rerio)		
		LC50 96 h: = 150 mg/L static		
		(Brachydanio rerio)		
D-Limonene 5989-		LC50 96 h: 0.619 - 0.796		
27-5		mg/L flow-through		
		(Pimephales promelas) LC50		
		96 h: = 35 mg/L		
		(Oncorhynchus mykiss)		
Pin-2(3)-ene 80-		LC50 96 h: = 0.28 mg/L		LC50 48 h: = 41 mg/L
56-8		static (Pimephales		(Daphnia magna)
		promelas)		
2,6-Di-tert-butyl-p-cresol	EC50 72 h: = 6 mg/L	LC50 48 h: = 5 mg/L	EC50 = 7.82 mg/L 5 min	
128-37-0	(Pseudokirchneriella	(Oryzias latipes)	EC50 = 8.57 mg/L 15 min	
	subcapitata)		EC50 = 8.98 mg/L 30 min	
	EC50 72 h: > 0.42 mg/L		3	
	(Desmodesmus subspicatus)			

Persistence and Degradability

No information available.

**Bioaccumulation** 

No information available.

Chemical Name	Log Pow
Linalool	3.1
Citral	2.76
Pin-2(3)-ene	4.1
2,6-Di-tert-butyl-p-cresol	4.17

# Other Adverse Effects

No information available.

# **13. DISPOSAL CONSIDERATIONS**

Waste Disposal Methods	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
Contaminated Packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.
US EPA Waste Number	D001 stances that are listed with the State of California as a nazardous waste.

This product contains one or more sub

Chemical Name	California Hazardous Waste
D-Limonene	Toxic

# **14. TRANSPORT INFORMATION**

DOT UN-Number Proper shipping name Hazard Class Packing Group Description	UN1169 Extracts, aromatic, liquid 3 III UN1169, Extracts, aromatic, liquid, 3, III
<u>TDG</u> UN-Number Proper Shipping Name Hazard Class Packing Group Description	UN1169 Extracts, aromatic, liquid 3 III UN1169, Extracts, aromatic, liquid, 3, III, Marine Pollutant
<u>MEX</u> UN-Number Proper Shipping Name Hazard Class Packing Group Description	UN1169 Extracts, aromatic, liquid 3 III UN1169, Extracts, aromatic, liquid, 3, III,Marine Pollutant
<u>ICAO</u> UN-Number Proper shipping name Hazard Class Packing Group Description	UN1169 Extracts, aromatic, liquid 3 III UN1169, Extracts, aromatic, liquid, 3, III
IATA UN-Number Proper Shipping Name Hazard Class Packing Group ERG Code Description	UN1169 Extracts, aromatic, liquid 3 III 3L UN1169, Extracts, aromatic, liquid, 3, III
IMDG/IMO UN-Number Proper Shipping Name Hazard Class Packing Group EmS No. Description	UN1169 Extracts, aromatic, liquid 3 III F-E, S-D UN1169, Extracts, aromatic, liquid, 3, III, Marine Pollutant (55°C c.c.)
<u>RID</u> UN-Number Proper Shipping Name Hazard Class Packing Group Classification Code Description	UN1169 Extracts, aromatic, liquid 3 III F1 UN1169, Extracts, aromatic, liquid, 3, III
ADR UN-Number	UN1169

Proper Shipping Name Hazard Class Packing Group Classification Code Tunnel Restriction Code Description ADR/RID-Labels	Extracts, aromatic, liquid 3 III F1 (D/E) UN1169, Extracts, aromatic, liquid, 3, III, (D/E) 3
ADN	
Proper Shipping Name	Extracts, aromatic, liquid
Hazard Class	3
Packing Group	III
Classification Code	F1
Special Provisions	601, 604E
Description	UN1169, Extracts, aromatic, liquid, 3, III, Marine Pollutant
Limited Quantity	5 L
Ventilation	VE01

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL	Complies
EINECS	Complies
ENCS	Not determined
IECSC	Complies
KECL	Not determined
PICCS	Complies
AICS	Complies

# Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
 Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 AlCS - Australian Inventory of Chemical Substances

# U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

# SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

## Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

# **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive

Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

# U.S. State Regulations

### California Proposition 65

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Camphor	Х	Х	Х		Х
Pin-2(3)-ene	Х	Х	Х		

# U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

	16. <u>C</u>	THER INFORMATION		
<u>NFPA</u>	Health Hazard 2 Fl	ammability 2		
<u>HMIS</u>	Health Hazard 2* FI	ammability 2		
*Indicates a chronic hea	lth hazard.			
Prepared By	Product Stewar 23 British Amer Latham, NY 12 1-800-572-650	ican Blvd. 110		
Issuing Date	16-Aug-2013			
Revision Date	16-Aug-2013			
Revision Note	Initial Release.			
General Disclaimer				
		Instabilit	; <b>y</b> 0	Physical and Chemical
				Hazards -
		Physical	Hazard 0	Personal Protection X

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. End of Safety Data Sheet



Product Number: GJO99662 Product Name: CARTRIDGE GEN-AIRE SYSTEM LAVENDER FIELDS Phone: 800.333.1541 Email: custserv@impact-products.com

# **INGREDIENT DISCLOSURE**

Ingredient	CAS Number	Function Purpose	Percentage %	LIST(s) #
ALPHA-ISOMETHYL IONONE	127-51-5	FRAGRANCE	NP	EU ALLERGENS
AMYL CINNAMAL	122-40-7	FRAGRANCE	NP	EU ALLERGENS
AMYLCINNAMYL ALCOHOL	101-85-9	FRAGRANCE	NP	EU ALLERGENS
ANISE ALCOHOL	105-13-5	FRAGRANCE	NP	EU ALLERGENS
BENZYL ALCOHOL	100-51-6	FRAGRANCE	NP	EU ALLERGENS
BENZYL BENZOATE	120-51-4	FRAGRANCE	NP	EU ALLERGENS
BENZYL CINNAMATE	103-41-3	FRAGRANCE	NP	EU ALLERGENS
BENZYL SALICYLATE	118-58-1	FRAGRANCE	NP	EU ALLERGENS
BUTYLPHENYL METHYLPROPIONAL	80-54-6	FRAGRANCE	NP	EU ALLERGENS
CINNAMAL	104-55-2	FRAGRANCE	NP	EU ALLERGENS
CINNAMYL ALCOHOL	104-54-1	FRAGRANCE	NP	EU ALLERGENS
CITRAL	5392-40-5	FRAGRANCE	1.000	EU ALLERGENS
CITRONELLOL	106-22-9	FRAGRANCE	NP	EU ALLERGENS
COUMARIN	91-64-5	FRAGRANCE	NP	EU ALLERGENS
LIMONENE	5989-27-5	FRAGRANCE	NP	EU ALLERGENS
EUGENOL	97-53-0	FRAGRANCE	NP	EU ALLERGENS
EVERNIA FURFURACEA (TREEMOSS) EXTRACT	90028-67-4	FRAGRANCE	NP	EU ALLERGENS
EVERNIA PRUNASTRI (OAKMOSS) EXTRACT	90028-68-5	FRAGRANCE	NP	EU ALLERGENS
FARNESOL	4602-84-0	FRAGRANCE	NP	EU ALLERGENS
GERANIOL	106-24-1	FRAGRANCE	NP	EU ALLERGENS
HEXYL CINNAMAL	101-86-0	FRAGRANCE	NP	EU ALLERGENS
HYDROXYCITRONELLAL	107-75-5	FRAGRANCE	NP	EU ALLERGENS
HYDROXYISOHEXYL 3 - CYCLOHEXENE CARBOXLDEHYDE	31906-04-4	FRAGRANCE	NP	EU ALLERGENS
ISOEUGENOL	97-54-1	FRAGRANCE	NP	EU ALLERGENS
LINALOOL	78-70-6	FRAGRANCE	NP	EU ALLERGENS
METHYL 2-OCTYNOATE	111-12-6	FRAGRANCE	NP	EU ALLERGENS

#### NP = Not Present in the formula

<1ppm = Less than 1 part per million in the formula

Date of Disclosure 1/1/2020