SAFETY DATA SHEET			
Genuine Joe® Antibacterial Foam Soap Refill			
Version 1.2	SDS Number: 40000000133 Revision Date: 02/24/2020		
SECTION 1. IDENTIFICATION			
Product name Product code	 Genuine Joe® Antibacterial Foam Soap Refill 10498; GJO02889 		
Manufacturer or supplier's	details		
Company name of supplier Address	 S.P. RICHARDS CO. P.O. Box 1266 Smyrna, Goergia 30081-1266 		
Telephone	: 770-436-6881		
Emergency telephone number	: 770-436-6881		
Recommended use of the c	chemical and restrictions on use		
Recommended use Restrictions on use	 Antibacterial Soap This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet. 		

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids Serious eye damage	: Category 3 : Category 1
GHS label elements Hazard pictograms	
Signal word	: Danger
Hazard statements	: H226 Flammable liquid and vapour. H318 Causes serious eye damage.
Precautionary statements	 Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/

Version 1.2	SDS Number: 40000000133	Revision Date: 02/24/2020
	equipment. P242 Use only non-sparking to P243 Take precautionary meas P280 Wear eye protection/ face Response: P305 + P351 + P338 + P310 IF water for several minutes. Rem and easy to do. Continue rinsin CENTER or doctor/ physician. P370 + P378 In case of fire: Us alcohol-resistant foam to exting Storage: P403 + P235 Store in a well-ve Disposal: P501 Dispose of contents/ cont disposal plant.	sures against static discharge. e protection. F IN EYES: Rinse cautiously with hove contact lenses, if present ng. Immediately call a POISON se dry sand, dry chemical or guish. entilated place. Keep cool.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 1 - < 5
Ammonium Laureth Sulfate	67762-19-0	>= 1 - < 5
Ammonium Lauryl Sulfate	2235-54-3	>= 1 - < 5
Propylene Glycol	57-55-6	>= 1 - < 5
Chloroxylenol	88-04-0	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if irritation develops and persists.
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical advice.
If swallowed	: If swallowed, DO NOT induce vomiting. Rinse mouth with water. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	: Causes serious eye damage.
Protection of first-aiders	 First Aid responders should pay attention to self-protection and use the recommended protective clothing

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

Version 1.2	SDS Number: 40000000133	Revision Date: 02/24/2020
Unsuitable extinguishing media	carbon dioxide. : High volume water jet	
Specific hazards during firefighting	 Do not use a solid water streatire. Cool closed containers exposs Flash back possible over constant of the streat of	ed to fire with water spray. siderable distance. in air.
Hazardous combustion products	: Carbon oxides Sulphur oxides Nitrogen oxides (NOx)	
Specific extinguishing methods	: Use extinguishing measures t circumstances and the surrou Use water spray to cool unop	Inding environment.
Further information	: Collect contaminated fire extin must not be discharged into d	nguishing water separately. This Irains. ed fire extinguishing water must
Special protective equipment for firefighters	: In the event of fire, wear self- Use personal protective equip	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.	
Environmental precautions	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so Retain and dispose of contaminated wash water. Local authorities should be advised if significant sp cannot be contained.	
Methods and materials for containment and cleaning up	Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with spray jet. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly observing environmental regulations.	

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: For personal protection see section 8.
	Keep away from heat.
	Use with local exhaust ventilation.
	Avoid contact with eyes.
Conditions for safe storage	: Take measures to prevent the build up of electrostatic charge.

Version 1.2	SDS Number: 40000000133	Revision Date: 02/24/2020
	Keep in properly labelled conta Keep containers tightly closed i ventilated place. Store in accordance with the pa	n a dry, cool and well-

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propylene Glycol	57-55-6	TWA	10 mg/m3	US WEEL

Personal protective equipment

Respiratory protection	 No personal respiratory protective equipment normally required.
Hand protection	
Remarks	: No special protective equipment required.
Eye protection	 Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	 No special measures necessary provided product is used correctly.
Protective measures	 Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
	Ensure that eye flushing systems and safety showers are located close to the working place.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour Odour Odour Threshold	 liquid clear, translucent, yellow-orange, amber like fruit No data available
рН	: 4.5 - 8.5, (20 °C)
Melting point/freezing point Initial boiling point and boiling range	: No data available : 83.00 °C
Flash point	: 59.89 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: Does not sustain combustion.
Upper explosion limit	: No data available

SAFETY DATA SHEET Genuine Joe® Antibacterial Foam Soap Refill SDS Number: 40000000133 Version 1.2 Revision Date: 02/24/2020 Lower explosion limit : No data available Vapour pressure : No data available Relative vapour density : No data available : 0.9962 g/cm3 Density Solubility(ies) Water solubility : soluble Partition coefficient: n-: Not applicable octanol/water Auto-ignition temperature : No data available Thermal decomposition : The substance or mixture is not classified self-reactive. Viscosity Viscosity, kinematic : 10 - 20 mm2/s (20 °C) Explosive properties : Not explosive : The substance or mixture is not classified as oxidizing. Oxidizing properties

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions	 Not classified as a reactivity hazard. Stable under normal conditions. Vapours may form explosive mixture with air.
Conditions to avoid Incompatible materials Hazardous decomposition products	 Heat, flames and sparks. Oxidizing agents No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of Inhalation Eye contact Skin contact	of e	exposure
Acute toxicity		
Not classified based on availab	le	information.
Product:		
Acute oral toxicity	:	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:		
Ethyl Alcohol:		
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 124.7 mg/l

ersion 1.2	SI	DS Number: 400000000133	Revision Date: 02/24/2020
		Exposure time: 4 h Test atmosphere: vapour	
Ammonium Laureth Sulfate: Acute oral toxicity	:	LD50 (Rat): 4,100 mg/kg Method: OECD Test Guideline 40 Remarks: Based on data from sim	
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mi toxicity Remarks: Based on data from sim	xture has no acute dermal
Ammonium Lauryl Sulfate: Acute oral toxicity	:	LD50 (Rat): 2,000 mg/kg Method: EC Directive 92/69/EEC I Remarks: Based on data from sim	
Propylene Glycol: Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity	:	LC50 (Rabbit): > 159 mg/l, > 5109 Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mi inhalation toxicity	
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mi toxicity	xture has no acute dermal
Chloroxylenol: Acute oral toxicity	:	Acute toxicity estimate : 500 mg/kg Method: Expert judgement Remarks: Based on harmonised c on 1272/2008, Annex VI	-
Acute inhalation toxicity	:	LC50 (Rat): > 6.29 mg/l Test atmosphere: dust/mist	
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg	
Skin corrosion/irritation			

Not classified based on available information.

Components:

Ethyl Alcohol: Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Ammonium Laureth Sulfate:

Species: Rabbit Method: OECD Test Guideline 404 Result: Skin irritation Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

Version 1.2

SDS Number: 40000000133

Revision Date: 02/24/2020

Species: Rabbit Method: OECD Test Guideline 404 Result: Skin irritation

Propylene Glycol:

Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Chloroxylenol:

Result: Skin irritation Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Ethyl Alcohol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

Ammonium Laureth Sulfate:

Species: Rabbit Result: Irreversible effects on the eye Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405

Propylene Glycol:

Species: Rabbit Result: No eye irritation Method: OECD Test Guideline 405

Chloroxylenol:

Result: Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Product:

Result: Does not cause skin sensitisation.

Components:

Ethyl Alcohol: Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

Ammonium Laureth Sulfate:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact

Version 1.2

SDS Number: 40000000133

Revision Date: 02/24/2020

Species: Guinea pig Method: OECD Test Guideline 406 Result: negative Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

Propylene Glycol:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative

Chloroxylenol:

Assessment: Probability or evidence of skin sensitisation in humans Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethyl Alcohol: Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	 Test Type: Rodent dominant lethal test (germ cell) (in vivo) Test species: Mouse Application Route: Ingestion Result: negative
Ammonium Laureth Sulfate:	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
	 Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Test species: Mouse Application Route: Ingestion Method: OECD Test Guideline 475 Result: negative Remarks: Based on data from similar materials
Ammonium Lauryl Sulfate:	
Genotoxicity in vitro	 Test Type: In vitro mammalian cell gene mutation test Result: negative Remarks: Based on data from similar materials

sion 1.2	SDS Number: 400000000133	Revision Date: 02/24/20
Genotoxicity in vivo		rocyte micronucleus test (in vivo e 474
Propylene Glycol: Genotoxicity in vitro	: Test Type: Bacterial reverse Result: negative	mutation assay (AMES)
Genotoxicity in vivo	: Test Type: In vivo micronucle Test species: Mouse Application Route: Intraperito Result: negative	
Chloroxylenol: Genotoxicity in vitro	: Test Type: Bacterial reverse Result: negative	mutation assay (AMES)
Carcinogenicity Not classified based on ava	ilable information.	
Ammonium Lauryl Sulfate Species: Rat Application Route: Ingestion Exposure time: 2 Years Result: negative Remarks: Based on data fro	n	
Propylene Glycol: Species: Rat Application Route: Ingestion Exposure time: 2 Years Result: negative	n	
IARC	No component of this product pr equal to 0.1% is identified as pro human carcinogen by IARC.	
OSHA	No component of this product pr equal to 0.1% is identified as a c carcinogen by OSHA.	
NTP	No component of this product pr equal to 0.1% is identified as a k by NTP.	

Ethyl Alcohol:	
Effects on fertility	: Test Type: Two-generation reproduction toxicity study
	Species: Mouse

ersion 1.2	SDS Number: 40000000133	Revision Date: 02/24/2020
	Application Route: Ingestion Method: OECD Test Guideline Result: negative	416
Ammonium Laureth Sulfate Effects on fertility	e: : Test Type: Two-generation rep Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from s	
Effects on foetal development	: Test Type: Two-generation rep Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from s	
Ammonium Lauryl Sulfate: Effects on foetal development	: Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from s	
Propylene Glycol: Effects on fertility	: Species: Mouse Application Route: Ingestion Result: negative	
Effects on foetal development	: Test Type: Embryo-foetal deve Species: Mouse Application Route: Ingestion Result: negative	lopment

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

Ammonium Laureth Sulfate:

Species: Rat NOAEL: > 225 mg/kg Application Route: Ingestion Exposure time: 90 d Method: OECD Test Guideline 408 Remarks: Based on data from similar materials

Propylene Glycol:

Species: Rat

Version 1.2

SDS Number: 40000000133

Revision Date: 02/24/2020

NOAEL: 1,700 mg/kg Application Route: Ingestion Exposure time: 2 y

Chloroxylenol:

Species: Rabbit LOAEL: 180 mg/kg Application Route: Skin contact Exposure time: 90 d

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Ethyl Alcohol:		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates	:	NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
(Chronic toxicity) Toxicity to bacteria	:	EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
Ammonium Laureth Sulfate:		
Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 7.1 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 7.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae	:	ErC50 (Desmodesmus subspicatus (green algae)): 27.7 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
		NOEC (Desmodesmus subspicatus (green algae)): 0.95 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.14 mg/l Exposure time: 28 d

rsion 1.2	SDS Number: 40000000133 Revision Date: 02/24/202
	Method: OECD Test Guideline 204 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.27 mg/l Exposure time: 21 d Remarks: Based on data from similar materials
Toxicity to bacteria	 EC10 (Pseudomonas putida): > 10 g/l Exposure time: 16 h Method: DIN 38 412 Part 8 Remarks: Based on data from similar materials
Ammonium Lauryl Sulfate: Toxicity to fish	 LC50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	 EC50 (Daphnia magna (Water flea)): 4.7 mg/l Exposure time: 48 h Method: Tested according to Directive 92/69/EEC. Remarks: Based on data from similar materials
Toxicity to algae	 ErC50 (Desmodesmus subspicatus (green algae)): > 20 mg/ Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials
	EC10 (Desmodesmus subspicatus (green algae)): 5.4 mg/l Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Ceriodaphnia Dubia (water flea)): 0.88 mg/l Exposure time: 7 d Remarks: Based on data from similar materials
Toxicity to bacteria	 EC0 (Pseudomonas putida): 409 mg/l Exposure time: 16 h Method: DIN 38 412 Part 8 Remarks: Based on data from similar materials
Propylene Glycol: Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia Dubia (water flea)): 18,340 mg/l Exposure time: 48 h
Toxicity to algae	 EC50 (Skeletonema costatum (marine diatom)): 19,000 mg/l Exposure time: 48 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: Chronic Toxicity Value: 2,500 mg/l Exposure time: 30 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Ceriodaphnia Dubia (water flea)): 29,000 mg/l Exposure time: 7 d

sion 1.2	SI	DS Number: 400000000133	Revision Date: 02/24/20
Toxicity to bacteria	:	NOEC (Pseudomonas putida): > Exposure time: 18 h	20,000 mg/l
Chloroxylenol: Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rai Exposure time: 96 h	nbow trout)): 0.76 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water fle Exposure time: 48 h	ea)): 7.7 mg/l
M-Factor (Acute aquatic toxicity)	:	1	
Persistence and degradability	ty		
Components: Ethyl Alcohol: Biodegradability	:	Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d	
Ammonium Laureth Sulfate: Biodegradability	:	Result: Readily biodegradable. Biodegradation: 100 % Exposure time: 28 d Method: Directive 67/548/EEC Ar Remarks: Based on data from sir	
Ammonium Lauryl Sulfate: Biodegradability	:	Result: Readily biodegradable. Biodegradation: 75.7 % Exposure time: 28 d Method: OECD Test Guideline 30 Remarks: Based on data from sir	
Propylene Glycol: Biodegradability	:	Result: Readily biodegradable. Biodegradation: 98.3 % Exposure time: 28 d Method: OECD Test Guideline 30	01F
Bioaccumulative potential			
Components:			
Ethyl Alcohol: Partition coefficient: n- octanol/water		log Pow: -0.35	
Ammonium Laureth Sulfate: Partition coefficient: n- octanol/water		log Pow: 0.3	
Ammonium Lauryl Sulfate: Partition coefficient: n- octanol/water Propylene Glycol:	:	log Pow: 0.8 - 0.91	
Partition coefficient: n- octanol/water Chloroxylenol:	:	log Pow: -1.07	
Partition coefficient: n- octanol/water	:	log Pow: 3.27	

Version 1.2	SDS Number: 40000000133	Revision Date: 02/24/2020
Mobility in soil No data available		
Other adverse effects No data available		
Product:		
Regulation	40 CFR Protection of Environm Stratospheric Ozone - CAA Se	
Remarks	This product neither contains, r Class I or Class II ODS as defir Section 602 (40 CFR 82, Subp	ned by the U.S. Clean Air Act

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	: Dispose of as unused product.
	Empty containers should be taken to an approved waste
	handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR UN/ID No. Proper shipping name Class Packing group Packing instruction (cargo aircraft) Packing instruction (passenger aircraft)	:	UN 1170 Ethanol solution 3 III 366 355
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant National Regulations	:	UN 1170 ETHANOL SOLUTION 3 III 3 F-E, S-D no
49 CFR UN/ID/NA number Proper shipping name Class Packing group ERG Code Marine pollutant	:	UN 1170 Ethanol solutions 3 III 127 no

Version 1.2

SDS Number: 40000000133

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Ethyl Alcohol	64-17-5	4.405 %
Propylene Glycol	57-55-6	2 %
product does not contain any	VOC exemptions	s listed under the U.S. Clean Air Act Section

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations


Massachusetts Right To Know								
Ethyl Alcohol	64-17-5	1 - 5 %						
Pennsylvania Right To Know								
Water (Aqua)	7732-18-5	70 - 90 %						
Ethyl Alcohol	64-17-5	1 - 5 %						
Ammonium Laureth Sulfate	67762-19-0	1 - 5 %						
Ammonium Lauryl Sulfate	2235-54-3	1 - 5 %						
Propylene Glycol	57-55-6	1 - 5 %						
Isopropyl Alcohol	67-63-0	0.1 - 1 %						
Ammonium Sulfate	7783-20-2	0.1 - 1 %						
New Jersey Right To Know								
Water (Aqua)	7732-18-5	70 - 90 %						
Ethyl Alcohol	64-17-5	1 - 5 %						
Ammonium Laureth Sulfate	67762-19-0	1 - 5 %						
Ammonium Lauryl Sulfate	2235-54-3	1 - 5 %						
Propylene Glycol	57-55-6	1 - 5 %						

SAFETY DATA SHEET					
Genuine Joe® Antibacterial Foam Soap Refill					
Version 1.2	SDS Number: 40000000133	Revision Date: 02/24/2020			
California Prop 65	This product does not contain ar of California to cause cancer, bin reproductive harm.	-			
The components of this product are reported in the following inventories:					
TSCA	: On TSCA Inventory				
AICS	: On the inventory, or in compliant	ce with the inventory			
DSL	: On the inventory, or in compliant	ce with the inventory			
ENCS	: On the inventory, or in compliant	ce with the inventory			
ISHL	: On the inventory, or in compliant	ce with the inventory			
KECI	: On the inventory, or in compliant	ce with the inventory			
PICCS	: On the inventory, or in compliant	ce with the inventory			
IECSC	: On the inventory, or in compliant	ce with the inventory			
NZIoC	: On the inventory, or in compliant	ce with the inventory			

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION



Revision Date

: 02/24/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.